10 MAY 1999 Supplement ISSN 0022-328X

# Journal of Organometallic Chemistry

## THE 1998 ANNUAL INDEXES

ELSEVIER

# JOURNAL OF ORGANOMETALLIC CHEMISTRY


**Emeritus Board**

H.C. Brown (*Lafayette, IN, USA*)
G.P. Chiusoli (*Parma, Italy*)
C. Eaborn (*Brighton, UK*)
E.O. Fischer (*Munich, Germany*)
M. Kumada (*Kyoto, Japan*)
F.G.A. Stone (*Waco, TX, USA*)
M.G. Voronkov (*Irkutsk, Russian Federation*)
G. Wilke (*Mülheim/Ruhr, Germany*)

**Editorial Board**

R.D. Adams (*Columbia, SC, USA*)*
J.L. Atwood (*Columbia, MO, USA*)
I.P. Beletskaya (*Moscow, Russia*)
G. Bertrand (*Toulouse, France*)*
T. Bitterwolf (*Moscow, ID, USA*)
P. Braunstein (*Strasbourg, France*)
H. Brunner (*Regensburg, Germany*)
F. Calderazzo (*Pisa, Italy*)
E. Carmona (*Sevilla, Spain*)
A.J. Carty (*Ottawa, Ont., Canada*)
J.-T. Chen (*Taipei, Taiwan*)
R.J.P. Corriu (*Montpellier, France*)
A.H. Cowley (*Austin, TX, USA*)
A.G. Davies (*London, UK*)
J.J. Eisch (*Binghamton, NY, USA*)
C. Floriani (*Lausanne, Switzerland*)
M.L.H. Green (*Oxford, UK*)
M. Hampden-Smith (*Albuquerque, NM, USA*)
W.A. Herrmann (*Munich, Germany*)*
P. Jutzi (*Bielefeld, Germany*)
R.B. King (*Athens, GA, USA*)
G. van Koten (*Utrecht, The Netherlands*)*
M.F. Lappert (*Brighton, UK*)
G.J. Leigh (*Brighton, UK*)*
P.M. Maitlis (*Sheffield, UK*)
F. Mathey (*Palaiseau, France*)
D.M.P. Mingos (*London, UK*)*
A. Nakamura (*Osaka, Japan*)*
J.F. Normant (*Paris, France*)
S. Pasynkiewicz (*Warsaw, Poland*)
P.L. Pauson (*Glasgow, UK*)
P.P. Power (*Davis, CA, USA*)
C. Raston (*Clayton, Vic., Australia*)
M.D. Rausch (*Amherst, MA, USA*)
H. Sakurai (*Chiba, Japan*)
V.I. Sokolov (*Moscow, Russian Federation*)
N. Sonoda (*Osaka, Japan*)
H. Suzuki (*Tokyo, Japan*)
M. Tanaka (*Tsukuba, Japan*)
K. Tatsumi (*Nagoya, Japan*)
H. Werner (*Würzburg, Germany*)
H. Yamazaki (*Tokyo, Japan*)

**Publisher's Advisory Board:** F.A. Cotton, J. Lewis, L.M. Venanzi, A. Yamamoto
* Denotes Regional Editor, Subject Reviews Editor or Book Reviews Editor.


## Aims and Scope

The *Journal of Organometallic Chemistry* publishes original papers, preliminary communications, priority communications and subject reviews dealing with theoretical aspects, structural chemistry, synthesis, physical and chemical properties including reaction mechanisms, and practical applications, of organoelement compounds in a sense corresponding essentially to Section 29 ("Organometallic and Organometalloidal Compounds") of *Chemical Abstracts*.

Papers on the following classes of compounds will be considered for publication:

(a) Compounds containing at least one direct bond between carbon and other elements excluding H, N, O, halogens and noble gases. Borderline cases can be expected among certain compounds containing S; these will be considered but not encouraged, and will be judged on their own merits. Carbonates and carbides will be excluded, as will also organometallic compounds in which the metal has no significant role.

(b) Metal hydrides and carbonyls.

(c) Metallocenes and similar complexes.

(d) In exceptional cases, compounds containing no direct carbon-metal (or -metalloid) bond in the sense as described in (a) but which exhibit distinct organometallic character.

(e) New uses of compounds mentioned under (a)–(d) in synthetic organic chemistry, with the exclusion of their use for well-known routine purposes.

(f) Papers consisting wholly or mainly of reports of spectroscopic data (including fragmentation patterns from mass spectral studies) will be accepted only if the interpretation of such data has clear general implications.

## Subscription Information 1999


Volumes 570–592, each containing 2 issues, are scheduled for publication. Prices are available from the publishers upon request. Subscriptions are accepted on a prepaid basis only. Issues are sent by SAL (Surface Air Lifted) mail wherever this service is available. Airmail rates are available upon request.

**Orders, Claims, and Product Enquiries**
*(no manuscript enquiries)*
Please contact the Customer Support Department at the Regional Sales Office nearest you:

**New York,** Elsevier Science, P.O. Box 945. New York, NY 10159-0945, USA. Tel. (+1)212-633-3730. [Toll free number for North American customers: 1-888-4ES-INFO (437-4636)], Fax (+1)212-633-3680, e-mail usinfo-f@elsevier.com

**Amsterdam,** Elsevier Science, P.O. Box 211, 1000 AE Amsterdam, The Netherlands Tel. (+31)20-485-3757, Fax (+31)20-485-3432, e-mail nlinfo-f@elsevier.nl

**Tokyo,** Elsevier Science, 9–15 Higashi-Azabu, 1-chome Minatoku, Tokyo 106, Japan. Tel. (+81)3-5561-5033. Fax (+81)3-5561-5047, e-mail kyf04035@niftyserv.or.jp

**Singapore,** Elsevier Science. No. 1 Temasek Avenue #17-01 Millenia Tower, Singapore 039192. Tel. (+65)434-3727. Fax (+65)337-2230, e-mail asiainfo@elsevier.com.sg

**Rio de Janeiro,** Elsevier Science, Rua Sete de Setembro 111;16 Andar, 20050-002 Centro, Rio de Janeiro-RJ, Brazil. Tel.: (+55) (21) 509 5340. Fax: (55) (21) 507 1991, E-mail: elsevier@campus. com.br

[Note (Latin America): for orders, claims and help desk information, please contact the Regional Sales Office in New York as listed above]

**US mailing notice:** *Journal of Organometallic Chemistry* (ISSN 0022-328X) is published biweekly by Elsevier Science S.A. (P.O. 564, 1001 Lausanne). Annual subscription price in the USA is US$ 7572.— (valid in North, Central and South America), including air speed delivery. Second class postage is paid at Jamaica N.Y. 11431.

**USA POSTMASTERS:** Send address changes to *Journal of Organometallic Chemistry*, Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003. **AIRFREIGHT AND MAILING** in the USA by Publication Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003.

# Journal of Organometallic Chemistry

Supplement (1999)

# Journal of Organometallic Chemistry

**Supplement (1999)**

**Emeritus Board**
H.C. Brown *(Lafayette, IN, USA)*
G.P. Chiusoli *(Parma, Italy)*
C. Eaborn *(Brighton, UK)*
E.O. Fischer *(Munich, Germany)*
M. Kumada *(Kyoto, Japan)*
F.G.A. Stone *(Waco, TX, USA)*
M.G. Voronkov *(Irkutsk, Russian Federation)*
G. Wilke *(Mülheim/Ruhr, Germany)*

**Editorial Board**
R.D. Adams *(Columbia, SC, USA)**
J.L. Atwood *(Columbia, MO, USA)*
I.P. Beletskaya *(Moscow, Russia)*
G. Bertrand *(Toulouse, France)**
T. Bitterwolf *(Moscow, ID, USA)*
P. Braunstein *(Strasbourg, France)*
H. Brunner *(Regensburg, Germany)*
F. Calderazzo *(Pisa, Italy)*
E. Carmona *(Sevilla, Spain)*
A.J. Carty *(Ottawa, Ont., Canada)*
J.-T. Chen *(Taipei, Taiwan)*
R.J.P. Corriu *(Montpellier, France)*
A.H. Cowley *(Austin, TX, USA)*
A.G. Davies *(London, UK)*
J.J. Eisch *(Binghamton, NY, USA)*
C. Floriani *(Lausanne, Switzerland)*
M.L.H. Green *(Oxford, UK)*
M. Hampden-Smith *(Abuquerque, NM, USA)*
W.A. Herrmann *(Munich, Germany)**
P. Jutzi *(Bielefeld, Germany)*
R.B. King *(Athens, GA, USA)*
G. van Koten *(Utrecht, The Netherlands)**
M.F. Lappert *(Brighton, UK)*
G.J. Leigh *(Brighton, UK)**
P.M. Maitlis *(Sheffield, UK)*
F. Mathey *(Palaiseau, France)*
D.M.P. Mingos *(London, UK)**
A. Nakamura *(Osaka, Japan)**
J.F. Normant *(Paris, France)*
S. Pasynkiewicz *(Warsaw, Poland)*
P.L. Pauson *(Glasgow, UK)*
P.P Power *(Davis, CA, USA)*
C. Raston *(Clayton, Vic., Australia)*
M.D. Rausch *(Amherst, MA, USA)*
H. Sakurai *(Chiba, Japan)*
V.I. Sokolov *(Moscow, Russian Federation)*
N. Sonoda *(Osaka, Japan)*
H. Suzuki *(Tokyo, Japan)*
M. Tanaka *(Tsukuba, Japan)*
K. Tatsumi *(Nagoya, Japan)*
H. Werner *(Würzburg, Germany)*
H. Yamazaki *(Tokyo, Japan)*

**Publisher's Advisory Board:** F.A. Cotton, J. Lewis, L.M. Venanzi, A. Yamamoto

* Denotes Regional Editor, Subject Reviews Editor or Book Reviews Editor.

ELSEVIER

Amsterdam — Lausanne — New York — Oxford — Shannon — Tokyo

*Abstracting Organizations*
Articles in this journal will be indexed and abstracted in Chemical Abstracts, Chemischer Informationsdienst. Current Abstracts of Chemistry and Index Chemicus, Current Contents, Physical, Chemical and Earth Sciences, Pascal (Centre de Documentation Scientifique et Technique), Research Alert™ and the Science Citation Index.

International Standard Serial Number 0022-328X

© 1999 Elsevier Science S.A. All rights reserved.

This journal and the individual contributions contained in it are protected by the copyright of Elsevier Science S.A., and the following terms and conditions apply to their use:

**Photocopying**
Single photocopies of single articles may be made for personal use as allowed by national copyright laws. Permission of the Publisher and payment of a fee are required for all other photocopying, including multiple or systematic copying, copying for advertising or promotional purposes, resale, and all forms of document delivery. Special rates are available for educational institutions that wish to make photocopies for non-profit educational classroom use.

Permissions may be sought directly from Elsevier Science Rights & Permissions Department, P.O. Box 800, Oxford OX5 1DX, UK; Tel.: (+44) 1865 843830; Fax: (+44) 1865 853 333; E-mail: permissions@elsevier.co.uk. You may also contact Rights & Permissions directly through Elsevier's home page (http://www.elsevier.nl), selecting first 'Customer Support', then 'General Information', then 'Permissions Query Form'.

In the USA, users may clear permissions and make payments through the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, USA; Tel.: (+1) (978) 7508400; Fax: (+1) (978) 7504744, and in the UK through the Copyright Licensing Agency Rapid Clearance Service (CLARCS), 90 Tottenham Court Road, London W1P 0LP, UK; Tel.: (+44) 171 631 5555; Fax: (+44) 171 631 5500. Other countries may have a local reprographic rights agency for payments.

**Derivative Works**
Subscribers may reproduce tables of contents or prepare lists of articles including abstracts for internal circulation within their institutions. Permission of the Publisher is required for resale or distribution outside the institution. Permission of the Publisher is required for all other derivative works, including compilations and translations.

**Electronic Storage or Usage**
Permission of the Publisher is required to store or use electronically any material contained in this journal, including any article or part of an article.

Except as outlined above, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission of the Publisher.

Address permissions requests to: Elsevier Science Rights & Permissions Department, at the Mail, Fax and E-mail addresses noted above.

**Notice**
No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Because of rapid advances in the medical sciences, independent verification of diagnoses and drug dosages should be made.

Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

♾ The paper used in this publication meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper).

Printed in The Netherlands

ELSEVIER

Supplement, 10 May 1999

Journal of Organometallic Chemistry

# Cumulative Indexes of Volumes 548–569

Author Index ..... 1

Partially Permuted Keywords Index ..... 11

Volume Contents ..... 59

Geographical & Corporate Index ..... 99

The Publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. Please refer to the online version of the Guide for Authors at http://www.elsevier.nl/locate/jorganchem

CONTENTS DIRECT

This journal is part of **ContentsDirect**, the *free* alerting service which sends table of contents by e-mail for Elsevier Science books and journals. The quickest way to register for **ContentsDirect** is via the World Wide Web at: **www.elsevier.nl/locate/ContentsDirect**

If you don't have access to the WWW you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk specifying the title of the publication you wish to register for.

The tables of contents are also available on the Elsevier Science website at: www.elsevier.nl or www.elsevier.com or www.elsevier.co.jp

Now Available On

http://ChemWeb.com
The World Wide Club for the Chemical Community

http://chemweb.com/gateways/elsevier.html

Elsevier Science S.A.

ELSEVIER

Journal of Organometallic Chemistry, Supplement (1999) 1–10

Journal of Organometallic Chemistry

# Cumulative Indexes of Volumes 548-569: Author Index

A-IHARA, N.-A. 553:493
ABDUL MALIK, K.M. 555:35, 555:285, 559:81, 564:133, 565:243, 568:133
ABE, M. 549:117
ABHYANKAR, R.M. 560:131
ABIVEN, P. 555:89
ABRAHAMS, I. 553:23
ABSER, M.N. 551:271
ABU-ORABI, S. 560:69
ABU-SALAH, O.M. 565:211
ACCORRONI, F. 566:187
ACHMATOWICZ, B. 558:227
ACKLAND, M.J. 548:285
ACOSTA, A. 554:87
ADACHI, Y. 569:147
ADAM, W. 566:259
ADAMS, C.J. 551:235, 561:97
ADAMS, H. 550:7, 551:355, 558:189, 566:93
ADAMS, K.J. 550:315
ADDISON, S.J. 554:123
AECHTER, B. 556:207
AFANASOV, M.I. 561:221
AGARWALA, U.C. 560:35
AHLGRÉN, M. 552:205
AHLGRÉN, M.J. 557:227
AHRA, M. 548:123
AIKAWA, M. 551:101
AINSCOUGH, E.W. 556:197
AIROLA, K. 548:91
AITOLA, E. 553:173
AIZENBERG, M. 551:81
AKHTER, Z. 550:131
AKITA, M. 565:49, 569:71
AL-JUAID, S.S. 564:215
AL-RAWI, M. 564:215
ALBANO, V.G. 563:153
ALDEA, R. 551:349
ALDER, M.J. 568:279
ALLAN, J.F. 559:173
ALLAN, R.E. 550:71
ALLENDOERFER, R.D. 568:63
ALONSO, F. 553:463
ALONSO, M.A. 551:9
ALPER, H. 551:349
ALT, H.G. 553:205, 558:111, 560:69, 562:153, 562:229, 564:109, 564:115, 568:87, 568:127, 568:263
ALVARADO-RODRIGUEZ, J.-G. 557:169
ALVAREZ-LARENA, Á. 566:165
ALVAREZ TOLEDANO, C. 549:49, 566:175
AMATORE, C. 561:175, 567:25
AMBERGER, H.-D. 559:209, 566:125
AMOR, F. 558:139
AMOURI, H. 548:305, 553:483, 567:57
ANANO, H. 555:167
ANDERSEN, J.-A.M. 564:267
ANDERSON, P.A. 558:147
ANDO, W. 559:11, 561:109
ANSARI, M.A. 553:141
ANTELMANN, B. 549:139, 553:433, 555:119
ANTIÑOLO, A. 548:309
ANTONAROLI, S. 560:137
AOSHIMA, T. 569:15
AOYAMA, S. 564:47
APPELT, R. 565:187
ARAD, C. 548:115
ARAI, T. 551:101
ARAKI, S. 549:305
ARDURA, D. 554:117
ARÉVALO, A. 551:55
ARIF, A.M. 553:277
ARIMITSU, K. 560:253
ARMSPACH, D. 550:193
ARMSTRONG, D.R. 550:233, 550:355
ARSENYAN, P. 549:163, 558:155
ARTAMKINA, G.A. 556:141
ARTIGAS, M.M. 561:1
ASARO, F. 548:211
ASHTON, P.R. 549:233
ATHERTON, M.J. 555:67, 558:209
ATWOOD, D.A. 563:87
ATWOOD, J.L. 551:261, 565:179
AUDOUIN, M. 567:119
AUMANN, R. 549:311, 556:119
AVARVARI, N. 567:151
AVTOMONOV, E.V. 559:191
AZAM, K.A. 555:285, 559:81, 564:133
BABA, A. 569:3
BABUDRI, F. 566:251
BACCHI, A. 562:35
BACK, S. 563:73
BADIA, A. 554:105
BADYAL, K. 555:279
BAILEY, N.A. 550:7, 551:355
BAKER, L.-J. 551:247, 565:153
BAKER, M.V. 565:225
BAKER, P.K. 549:193, 560:191, 566:245
BALAKRISHNA, M.S. 560:131
BALAVOINE, G.G.A. 565:115, 567:191
BALDWIN, R. 551:37
BALL, S.C. 550:457
BAN, H. 554:163
BANERJEE, S. 568:197
BANISTER, A.J. 550:241
BARBA, L. 553:345, 566:187
BARBARO, P. 555:255
BARCLAY, T. 560:155
BARDAY, E. 567:127
BARDIN, V.V. 568:233
BARKER, J. 550:301
BARLUENGA, J. 548:185
BARÓN, G. 551:55
BARONTINI, S. 564:57
BARRAU, J. 561:167
BARROW, M. 563:201
BARTON, T.J. 562:29
BASATO, M. 552:277
BASSETTI, M. 551:331
BASSO, E. 554:113
BATSANOV, A.S. 550:59, 550:445
BAUER, J.K. 549:89
BAUER, K. 563:227
BAUM, G. 553:511
BAUMANN, A. 558:235
BAUMANN, R. 557:69
BAXTER, P.N.W. 552:205
BAYACHOU, M. 567:25
BAYERSDÖRFER, R. 552:187
BAYLE, M. 556:105
BAYÓN, J.C. 553:199
BAYS, J.T. 554:75, 557:77, 561:49
BAZAN, G.C. 548:1
BEAUCHAMP, A.L. 563:53
BECK, C.U. 565:283
BECK, W. 549:245, 552:237, 556:207, 564:179
BECKE, F. 548:205
BECKE, S. 556:189
BECKER, C. 564:155
BECKERING, C.L. 556:55
BECKHAUS, R. 553:427
BEDDOES, R.L. 560:265
BEDDOWS, C.J. 550:267
BEHRENS, U. 557:251, 563:235
BELETSKAYA, I.P. 556:141
BELLER, M. 566:277
BELLUCO, U. 557:37
BELSKY, V.K. 559:97, 564:5, 568:113
BELYAKOV, S. 549:163, 558:155
BELYAKOVA, O.A. 549:55
BENDIKOV, M. 549:39
BENETOLLO, F. 555:177
BENFIELD, R.E. 552:205
BENGALI, A.A. 560:55
BENNETT, M.A. 551:37
BENSIMON, C. 562:53
BENTELE, H.-J. 549:245
BERCES, A. 556:11
BERDINI, V. 551:331
BERNARD, M. 567:133
BERNARDINELLI, G. 548:45
BERNAT, P. 555:237
BERNERS-PRICE, S.J. 554:181
BERNES, S. 549:49
BERNIERI, P. 562:61
BERRY, S.W. 560:63
BERTAGNOLLI, H. 552:229
BERTANI, C. 552:277
BERTANI, R. 557:37
BERTHET, J.C. 548:9
BERTRAND, G. 562:191
BERTUS, P. 567:173
BESENYEI, G. 563:81
BESWICK, M.A. 550:71
BEYER, L. 561:199
BHANU PRASAD, A.S. 562:133
BICKELHAUPT, F. 550:347
BIDELL, W. 562:115
BIESEMANS, M. 552:177
BIJPOST, E.A. 551:159
BILDSTEIN, B. 552:45, 553:73, 563:219
BISHOP, L.A. 553:53
BITTERWOLF, T.E. 554:75, 557:77, 561:49, 562:89
BLACKMOND, D.G. 548:65
BLACQUE, O. 561:85, 564:71
BLAIR, S.L. 554:63
BLAKE, A.J. 564:209
BLAKE, P.C. 551:261
BLART, E. 567:21
BLÄSER, D. 548:205
BLOM, R. 561:29
BOAG, N.M. 556:145
BOCHE, G. 550:359, 550:381
BOCHKAREV, L.N. 560:21
BOCHMANN, M.E. 548:23
BOCK, H. 548:115
BODENSIECK, U. 553:307
BOESE, R. 548:205, 552:247
BOGEL, H. 548:247
BÖHM, A. 552:237
BÖHME, U. 552:213
BOIS, C. 564:201
BOISSON, C. 548:9
BOLITT, V. 567:157
BOLM, C. 549:275
BOLTON, P.D. 550:445
BONCELLA, J.M. 555:1
BONIFACI, C. 557:97
BONINI, B.F. 567:181
BORISOV, G.K. 553:59
BORISOVA, L. 548:149
BÖRNER, A. 553:99
BÖS, B. 566:143
BÖTTCHER, H.-C. 553:371
BOUACHIR, F. 569:203
BOUKHERROUB, R. 554:135, 564:61
BOURDON, C. 561:85
BOWDEN, K. 552:1
BOWEN, R.J. 554:181

Elsevier Science S.A.

BOWMAKER, G.A. 550:89
BOX, M.R. 550:267
BOYKO, W.J. 557:169
BRADARIC, C.J. 561:19
BRADY, J.T. 569:55
BRAGA, A.L. 562:127
BRAGA, D. 548:33
BRAUNSTEIN, P. 551:125
BREINDL, C. 566:277
BRENDEL, H.-D. 556:173
BREU, J. 553:285
BREWER, K.J. 554:29
BRICOUT, H. 553:469
BRIDGEWATER, J. 554:49
BRIMAH, A.K. 568:1
BRINGMANN, G. 566:225
BRINTZINGER, H.-H. 553:331
BRODIE, A.M. 556:197
BROOMHALL-DILLARD, R.N.R. 569:89
BROUSSIER, R. 561:85
BROWN, M.A. 550:165
BROWNLESS, A. 557:181
BROZEK, J. 555:237
BRUCE, D.W. 548:49, 551:271
BRUCE, M.I. 551:235, 552:109, 558:197, 561:97
BRUHN, C. 553:371, 556:189, 561:191
BRÜLL, R. 553:83
BRUNEAU, C. 551:151
BRUNET, J.-J. 566:117
BRUNNER, H. 553:285, 556:129, 558:213, 563:173, 564:71, 566:203
BRUSILOVETS, A.I. 553:379
BRUSOVA, G.P. 556:145
BRUZAUD, S. 561:77
BULYCHEV, B.M. 559:97, 564:5, 568:33, 568:113
BUMAGIN, N.A. 560:163
BURIEZ, O. 567:25
BURNS, R.M. 549:89
BURZLAFF, N. 552:91
BUSETTO, L. 563:153
BUSICO, V. 558:219
BUTCHER, R.J. 549:73
BUTLER, I.R. 552:63, 565:243
BUTTERS, C. 550:267
BYRNE, L.T. 565:259
CABEZA, J.A. 548:255, 554:117, 564:201
CABRERA, A. 560:35, 568:13
CADENAS, G. 568:33
CADENAS, L.M. 551:293
CAHIEZ, G. 558:61
CAI, L.S. 568:77
CAI, R.-F. 563:101
CAIAZZO, A. 548:279
CAIN, C.P. 550:29
CALDERAZZO, F. 555:49, 562:61
CALDERON, R. 555:113
CALHORDA, M.J. 553:115
CALLAGHAN, K.L.F. 550:441
CALVO, M. 548:157
CAMILETTI, C. 563:153
CAMPBELL, J.P. 557:13
CAMPOS, P.J. 548:185
CANOVESE, L. 566:61
CANTY, A.J. 552:23, 565:135
CAPORUSSO, A.M. 564:57
CARAVIEILHES, S. 567:143
CARBONI, B. 567:31
CARDIN, C. 550:347
CARDIN, C.J. 559:23
CARINA, R.F. 548:45
CARIÑO, R.S. 569:55
CARMONA, D. 551:55
CARPENTER, J.P. 557:121
CARR, N. 550:267
CARRO, C. 563:31
CARROLL, P.J. 550:77
CARTY, A.J. 565:3, 565:279
CARUSO, F. 557:187
CASADO, A.L. 551:9, 558:189
CASENSKY, B. 555:237
CASEY, C.P. 569:55
CASSETTA, A. 553:345, 566:187
CASTARLENAS, R. 564:241
CASTELLANOS-PAEZ, A. 551:375
CASTILLO, D. 553:221
CASTILLON, S. 551:375
CASTIÑEIRAS, A. 556:21, 556:31
CASTRO, A. 554:185
CAVE, G.W.V. 555:81
CAVELL, K.J. 554:175, 565:165
CAVINATO, G. 555:177
CEA-OLIVARES, R. 557:169
CECCHI, P. 552:31
CECCON, A. 557:97
CERNY, Z. 555:237
CERVANTES-LEE, F. 562:29
CERVEAU, G. 548:99
ÇETINKAYA, B. 561:7
CHADHA, R.K. 568:197
CHAN, K.S. 568:257
CHAN, M.C.-W. 552:255, 563:191
CHAN, W.-H. 556:169
CHANG, C.-W. 553:417
CHAO, W.-J. 565:3
CHARMANT, J.P.H. 565:141
CHATGILIALOGLU, C. 554:135
CHAUVIN, R. 566:117
CHE, C.-M. 552:255, 556:169, 563:191
CHE, D.-J. 568:165
CHEN, A.-J. 569:39
CHEN, C.-L. 561:153
CHEN, J.-T. 569:39
CHEN, W.-Z. 556:159
CHEN, Y.J. 563:95
CHENG, J. 556:239
CHENG, L. 556:111
CHESSA, G. 566:61
CHEUNG, K.-K. 548:289, 552:255, 563:191
CHI, Y. 565:3
CHIANG, M.Y. 552:135
CHIEN, J.C.W. 558:223, 562:11, 569:121
CHIEN, S.M. 548:191
CHIFFRE, J. 566:117
CHIHARA, T. 560:47
CHISHOLM, M.H. 550:141
CHIU, C.-F. 563:95
CHIUSOLI, G.P. 562:35
CHIVERS, T. 550:213
CHO, E.J. 548:237
CHO, J.-Y. 561:153
CHOI, N. 564:81
CHOLCHUIN, M.NI. 559:55
CHOPA, A.B. 555:151
CHOU, S.-S.P. 555:227
CHUI, K.L. 549:239
CHUN, S.-H. 563:23
CHUNG, C. 565:3
CHUNG, J.-H. 558:71
CHUNG, M.-C. 565:49
CHURAKOV, A.V. 550:89, 559:1
CIFUENTES, M.P. 549:127, 563:137, 565:193
CINELLU, M.A. 553:405, 568:225
CINGOLANI, A. 553:345, 557:187, 566:187
CIPULLO, R. 558:219
CIRERA, M.R. 568:149
CISAROVA, I. 551:207
CLARK, A.I. 549:193
CLARK, G.R. 551:247
CLARKE, B. 559:55
CLARKE, N. 559:55
CLAVER, C. 551:375, 559:23
CLEGG, W. 550:183, 550:233, 550:473, 558:193, 559:173
CLOKE, F.G.N. 548:177
COACCI, K. 552:31
COAT, F. 565:75
COLACOT, T.J. 557:169
COLE, S. 560:55
COLE-HAMILTON, D.J. 551:229, 553:473
COLES, S.J. 566:245
COLL, R.K. 556:197
COLLINSON, S.R. 550:7
COMES-FRANCHINI, M. 567:181
COMPTON, R.G. 562:115
CONLIN, R.T. 561:19
CONNOR, J.A. 552:205, 554:123
CONSTABLE, E.C. 550:193
COOKE, P.A. 550:341, 557:181
COOMBRIDGE, B.A. 556:197
COPLEY, R.C.B. 550:445
CORDES, W. 560:155
CORRIU, R.J.P. 548:99, 562:79
CORRUBLE, A. 549:81
COSTA, M. 562:35
COSTANTINO, C. 554:135
COTTON, A. 564:267
COUNTY, G.R. 565:11
COURTOIS, G. 548:269
COVILLE, N.J. 556:111
COWEY, C. 550:151
COWLEY, A.H. 562:123
COXALL, R.A. 550:473
CRABTREE, R.H. 548:VII, 557:111, 567:7
CRABTREE, S.P. 550:59
CRAIG, F.J. 550:355
CRANSON, S.J. 550:207
CRESPO, M. 563:179
CRESPO, O. 561:1, 561:13
CREVISY, C. 567:75
CROCIANI, B. 560:137
CROMHOUT, N.L. 563:201
CROSARA, L. 555:177
CROSS, W.I. 568:279
CUNNINGHAM, D. 551:139, 559:55, 563:201
CURTIS, M.A. 550:469
CUTLER, A.R. 566:1
D'ARBELOFF, S.E. 564:189
DAHLENBURG, L. 564:155, 564:227
DAHROUCH, M. 562:191
DAL COLLE, M. 549:149
DAM, M.A. 550:347
DAMRAU, H.-R.H. 553:331
DANG, H.-S. 553:67
DANILOV, P.V. 551:171
DANKS, T.N. 548:285
DARAN, J.-C. 553:221, 565:115, 567:83, 567:191
DARCEL, C. 567:219
DARKWA, J. 564:37
DARTIGUENAVE, M. 563:53
DARTIGUENAVE, Y. 563:53
DAVIDSON, M.G. 550:445, 550:449, 550:481
DAVIES, A.G. 553:67
DAVIES, J.E. 550:431
DAVIES, M.K. 550:71
DAVIES, N.A. 568:1
DAVIES, R.P. 550:457
DAVIES, S.G. 553:463
DAVIES, S.R. 550:29
DAVIS, S. 562:53
DAVIS, W.M. 569:125
DA SILVA, J.J.R.F. 552:17
DA SILVA, M.W. 555:35
DEACON, G.B. 552:165, 565:201
DEBOER, E. 568:271
DEGRACE, S.A. 560:63
DELBECQ, F. 567:133
DELERIS, G. 556:105
DELGADO, A. 551:107
DELGADO, E. 560:27, 565:3
DELGADO, S. 555:57, 568:185
DELIS, J.G.P. 564:29
DEL REAL, P.A. 564:93
DEL RIO, I. 548:255, 554:117
DEMINA, M. 553:129
DEMINA, M.M. 553:481
DEMONCEAU, A. 558:163
DEMTSCHUK, J. 562:255
DENG, H.B. 550:309
DENISE, B. 548:295
DEPREE, G.J. 551:281
DERRIEN, N. 549:275, 551:151
DESCHAMPS, B. 548:17
DESIRAJU, G.R. 548:33
DESMANGLES, N. 562:53
DESMET, M. 552:69
DESTOUCHES, M. 567:21
DES ABBAYES, H. 562:183, 567:13
DEVAUD, M. 560:103
DEVERY, M.P. 551:195
DEVITT, P.G. 550:29
DE BELLEFON, C. 567:143
DE BLASIO, N. 551:229
DE KANTER, F.J.J. 548:29, 550:347
DE KEIJZER, A.H.J.F. 548:29
DE LA ENCARNACION, E. 566:165
DE LA MATA, F.J. 564:85, 564:277
DE LOS RIOS, I. 549:221
DE MONTAUZON, D. 560:147
DE SOUZA, R.M. 559:37
DHURJATI, M.S.K. 561:19
DIAS, A.R. 548:177, 553:115
DICKSON, H.A.A. 565:141
DICKSON, R.S. 551:195, 565:11
DIEGUEZ, M. 559:23
DILLON, K.B. 550:481
DING, E.-R. 559:157, 568:157
DING, H. 549:319, 555:293
DING, L. 564:233
DING, M.X. 548:139, 553:179
DINGER, M.B. 556:75, 557:231, 560:169, 560:233, 565:125
DISLEY, S.P.M. 566:151
DISTEFANO, G. 549:149
DIVERSI, P. 555:135
DIXNEUF, P.H. 551:151, 565:63
DJAKOVITCH, L. 562:71
DJUKIC, J.-P. 567:65
DO, Y.K. 561:37
DOBADO, J.A. 553:173
DOCHERTY, G.F. 568:287

Dohmeier, C. 561:203
Dombrowski, E. 552:91
Domenicano, A. 560:183
Donaghy, K.J. 550:77
Donath, H. 559:191, 559:203
Donkervoort, J.G. 550:463, 551:1, 558:61
Dorado, I. 563:7
Dörfler, U. 550:441
Dorn, H. 550:1
Dornelles, L. 562:127
Dorta, R. 553:307
Dötz, K.H. 548:91
Doucet, H. 551:151
Douskey, M.L. 557:13
Doye, S. 566:287
Drake, J.E. 557:221
Dreos, R. 548:211
Drew, M.G.B. 549:193, 560:191
Du, C.X. 564:233
Duarte, M.T. 553:115
Duesler, E.N. 564:13
Duffy, N.W. 564:125, 565:19
Dufour, P. 563:53
Dulaney, K.E. 560:55
Duncalf, D.J. 568:271
Dunkin, I.R. 554:147
Durand-Réville, T. 567:119
Dürr, U. 558:91
Durrant, M.C. 549:193
du Plooy, K.E. 558:139
Dyker, G. 555:141
Dyson, P.J. 550:431
Eaborn, C. 560:41, 564:215
Ebert, K.H. 559:203, 560:211
Echarri, R. 559:23
Eckert, C. 564:227
Eckert-Maksic, M. 566:85
Edelman, M.A. 550:397, 551:261
Edelmann, F.T. 549:101, 553:393, 554:139, 559:209, 566:125
Edelstein, N.M. 566:125
Egorov, M.P. 566:73
Ehlenz, R. 548:91
Eichberger, M. 566:277
Eick, H. 562:133
Einstein, F.W.B. 549:105
Eisen, M.S. 549:39
Eisenstein, O. 567:7
Ekholm, P. 558:181
Eklund, J.C. 562:115
El-Amraoui, T. 561:167
El-Baz, F. 548:123
El-Essawi, M. 559:191
Elizalde, L. 568:33
Elsevier, C.J. 551:81
Enderle, A. 558:235
Enders, M. 549:251
Englert, U. 552:187, 555:49, 562:61
Enokido, T. 553:493
Enright, G.D. 565:279
Ephritikhine, M. 548:9
Erabi, T. 548:223
Erbstein, F. 562:255
Eremenko, I.L. 551:171
Erker, G. 569:217
Ermini, V. 555:135
Ernst, R.D. 553:277, 563:209
Errington, R.J. 550:473
Ertel, T.S. 552:229
Escarpa Gaede, P. 559:107
Esmaeilbeig, A.R. 568:53
Espinet, P. 551:9
Espinosa, G. 568:13
Esteban, M. 551:55
Esteruelas, M.A. 551:49, 564:241
Evans, W.J. 553:141, 569:89
Eychenne-Baron, C. 567:137
Ezhova, M.B. 550:409, 561:19
Fabritchnyi, P.B. 561:221
Facchin, G. 557:37
Fache, F. 567:133
Fajardo, M. 548:309
Fajgar, R. 566:263
Fallon, G.D. 551:195, 565:11, 565:201
Fang, S.Y. 559:131
Farfán, N. 553:221
Fässler, T.F. 561:221
Faustmann, P. 556:129
Fawcett, J. 555:67
Fawzi, R. 555:247
Fehlner, T.P. 550:21
Feng, X.-J. 563:101
Fenton, D.E. 550:7
Ferguson, G. 550:477
Fernández, A. 556:21, 556:31, 566:93
Fernández, J.J. 556:21, 556:31, 566:93
Fernández, S. 561:67
Ferrand, V. 549:263, 549:275
Ferreira da Silva, J.L. 548:177
Ferrer, M. 560:147
Ferreri, C. 554:135
Fiandanese, V. 566:251
Fickert, C. 566:225
Field, J.S. 552:69
Field, L.D. 565:283
Finkelmann, H. 552:171
Finn, M.G. 550:469
Fischer, A. 553:111, 567:127
Fischer, R.A. 548:73
Fischer, R.D. 549:203, 556:229, 564:167, 568:1
Fischer, R.W. 549:319, 553:443
Fleischer, R. 550:173
Flores, J.C. 562:11, 563:7
Flörke, U. 553:497, 558:81
Flower, K.R. 568:279
Fochi, M. 567:181
Font-Bardia, M. 563:179
Fontani, M. 552:265, 565:243
Ford, P.C. 554:49
Forniés-Cámer, J. 550:347, 559:23
Forsyth, C.M. 565:201
Foster, P. 569:121
Föttinger, K. 564:109, 564:115
Fox, M.A. 550:207, 550:331
Franco, R.J. 564:201
Frenzen, G. 549:39
Fressigné, C. 549:81
Fried, A. 566:271
Frigyes, D. 563:147
Fröhlich, R. 549:311, 556:119
Frohn, H.-J. 568:233
Fu, H.X. 556:239
Fujitsuka, M. 568:121
Fujiwara, Y. 569:139
Fukin, G.K. 560:21
Fukuoka, A. 569:3
Fun, H.K. 565:267
Furlan, M. 552:127
Fusek, J. 550:125, 555:237
Gabriele, B. 562:35
Galakhov, M. 563:7
Galakhov, M.V. 548:157, 554:185
Galindo, A. 566:211, 569:21
Gallagher, J.F. 550:477
Gallagher, S. 557:77
Galsworthy, J.R. 551:125
Galuzina, T.V. 549:55
Galvao, A.M. 548:177
Gambaro, A. 557:97
Gambarotta, S. 562:53
Gambs, C. 549:275
Ganis, P. 557:97
Ganter, B. 552:187
Garces, A. 548:309
García, J.J. 551:55, 558:189
García, M.A. 560:27
Garcia, M.H. 553:115
García, M.M. 559:1, 559:43, 561:67
García-Mellado, O. 549:49
Garkusha, O.G. 553:59
Garner, A.C. 554:181
Garrone, R. 566:37
Gatehouse, B.M. 565:201
Gaukhman, A. 559:123
Gautheron, B. 561:85
Gautier, R. 565:217
Gebicki, J. 554:147
Gehrig, A. 563:61
Gelbrich, T. 554:139
Genet, J.-P. 567:163
Gerbrandij, A.W. 553:115
Geremia, S. 548:211
Gerisch, M. 548:247
Gevert, O. 565:231
Gevorgyan, V. 548:149
Geyer, A. 553:331
Ghilardi, C.A. 555:255
Ghose, S. 557:221, 568:197
Ghosh, S. 566:159
Gibbins, S.G. 554:171
Gibbons, M.N. 549:187, 555:271
Gibson, J.K. 558:51
Gibson, V.C. 550:453
Gielen, M. 552:177
Giessner-Prettre, C. 549:81
Gilges, H. 548:57
Gimeno, M.C. 561:1, 561:13
Gindl, J. 550:1
Ginyama, H. 553:163
Gioia Lobbia, G. 552:31
Giordano, F. 552:31
Gipson, S.L. 553:269
Gladfelter, W.L. 557:13, 563:1
Glas, H. 555:293
Glaser, J. 558:123
Glosser, R. 557:121
Glowiak, T. 552:159, 562:3, 564:143
Godoy, F. 548:121
Goeta, A.E. 550:449
Goldfuss, B. 552:285
Goldman, A.S. 554:41
Golovaneva, I.F. 549:55
Gomes, P.T. 551:133
Gómez, J. 564:277
Gómez, M. 554:185
Gómez, R. 564:93
Gómez-Garcia, R. 548:157
Gómez-Sal, P. 548:157, 554:185, 563:7, 564:93
Gonçalves, I.S. 560:117
Gonsalves, A.M. d'A. Rocha 553:199
González, I. 551:49
González, J.M. 548:185
González-Velasco, J. 555:57, 568:185
Goovaerts, E. 553:115
Gordon, C.M. 554:147
Gornitzka, H. 562:191
Gossage, R.A. 558:61
Gozzi, C. 567:49
Graf, M. 553:371
Grande, C. 563:179
Granell, J. 555:211
Granier, M. 562:79
Grassi, A. 552:277
Greatrex, R. 550:207, 550:331, 550:341
Grée, R. 567:75
Green, J.C. 551:313
Green, M. 550:267
Green, M.J. 554:175, 565:165
Green, M.L.H. 550:63, 551:133, 562:115
Greenwood, N.N. 550:207
Gregorio, J.R. 548:295
Grellier, M. 548:301
Grenouillet, P. 569:203
Grepioni, F. 548:33
Griesbach, U. 565:243
Griffith, C.S. 565:259
Grime, R.W. 566:151
Grimes, R.N. 550:469
Grist, N.J. 565:141
Grivin, V.P. 566:73
Groen, J.H. 551:67
Gröger, G. 557:251
Großheimann, G. 568:205
Grün, K. 566:271
Grünwald, C. 565:231
Guan, J.W. 549:203, 564:167
Guang, W.-J. 557:157
Gubin, S.P. 549:55
Guillaume, V. 554:203, 565:75
Guillemin, J.-C. 567:75
Guiral, V. 567:133
Gupta, B.D. 557:243, 560:155
Gupta, D.K. 568:13
Gusev, O. 558:163
Gusev, O.V. 551:93
Gustafsson, M. 553:173
Gutierrez, A. 553:221
Gutiérrez, E. 549:167, 551:215
Gutiérrez-Puebla, E. 566:211
Gutiérrez-Pérez, R. 549:49
Gutmann, T. 552:83, 552:91
Guzei, I.A. 557:77, 566:159
Guzeloglu, S. 568:143
Gyepes, R. 551:207, 552:293
Hagel, M. 560:257
Haggitt, J. 550:63
Haider, J.J. 549:319
Haiduc, I. 549:187
Hajgholipour, M.T. 566:143
Hakala, K. 549:177
Halet, J.-F. 565:217
Hall, C.D. 561:209
Halterman, R.L. 568:41
Hamann-Gaudinet, B. 567:39
Hambley, T.W. 565:283
Hamor, T.A. 549:233, 549:257, 558:147
Hampel, F. 552:285

HAN, X.-H. 561:157
HAN, Y. 568:77
HANDSCHUH, S. 552:285
HANUSA, T.P. 560:15
HAQUETTE, P. 565:63
HARA, M. 551:101
HARDING, M.M. 565:29
HARDT, T. 553:241
HARGITTAI, I. 560:183
HARIMA, Y. 553:487
HARPER, J. 564:125
HARRIS, R.K. 550:89, 568:1
HARRIS, S.C. 552:165
HARRISON, A. 563:113
HARRISON, N.S. 566:245
HARRISON, R.J. 568:271
HART, S.L. 553:507
HARTL, F. 561:57
HARWELL, D.E. 550:423
HASHIMOTO, H. 569:147
HAUKKA, M. 552:205
HAUPT, H.-J. 553:497, 558:81
HAVLAS, Z. 548:115
HAWLEY, J.C. 550:7
HAWTHORNE, M.F. 550:423
HAYASE, S. 548:223
HAYASHI, R.K. 569:55
HAYASHI, Y. 569:169
HAYNES, A. 551:339
HE, H.Y. 549:25
HEARD, P.J. 549:295
HEATH, G.A. 549:127, 563:137, 565:193
HEATH, S.L. 550:473
HEATON, B.T. 550:221
HEINEMANN, F.W. 548:205, 548:247, 556:189, 558:91
HEINEMANN, J. 569:159
HEINEMANN, O. 553:477
HEINICKE, J. 561:121
HEINS, W. 552:229
HEINZE, K. 562:217
HEMLING, H. 548:229, 552:195, 555:201
HEMPSTEAD, P.D. 551:355
HENDAN, B.J. 551:125
HENDERSON, K.W. 559:173
HENDERSON, R.A. 554:195
HENDERSON, W. 556:75, 557:231, 560:169, 560:233
HERBERHOLD, M. 555:187, 556:173, 563:227
HERBERICH, G.E. 567:127
HERDTWECK, E. 548:73, 559:203
HERNÁNDEZ, E. 560:27
HERNÁNDEZ-ORTEGA, S. 549:49
HÉROGUEZ, V. 560:109
HERRERO, J. 551:49
HERRMANN, K. 562:255
HERRMANN, R. 552:17
HERRMANN, W.A. 549:319, 553:443, 555:293, 557:93, 562:71
HERZOG, U. 552:99
HEßLER, A. 553:39
HIBBS, D.E. 555:35, 565:243
HIDAI, M. 569:99
HIGGINS, T. 559:55
HILL, R.H. 554:63
HILLER, J. 553:15
HINCHLIFFE, J.R. 552:109, 560:265
HIRAI, M. 569:3
HIRANO, M. 556:89, 569:3
HIRAO, T. 564:1
HIRASHITA, T. 549:305
HITCHCOCK, P.B. 549:1, 550:397, 551:261, 564:189, 564:215
HOARE, J.L. 552:23
HÖCK, J. 564:155
HOCKLESS, D.C.R. 549:127, 555:25, 563:137, 565:81
HODGSON, S.M. 550:233
HOFFMÜLLER, W. 564:179
HOFMANN, A. 555:187, 556:173
HOFMANN, B. 556:173
HOFMANN, C. 559:219
HOFMANN, M. 550:331
HOFMANN, P. 556:207
HOLLE, S. 568:205
HOLLIDAY, B.J. 548:109
HOLLOWAY, J.H. 555:67, 558:209
HOLMES, N.J. 568:213
HOLUB, J. 550:151
HOLZ, J. 553:99
HOMANEN, P. 552:205
HOMER, J. 555:279
HONG, C.S. 561:37
HONG, F.-E. 550:309
HOPE, E.G. 555:67, 558:209
HÖPFL, H. 553:221
HORÁCEK, M. 551:207, 552:75
HÖRLIN, G. 551:367, 562:45
HÖRNER, W. 552:229
HORSBURGH, L. 559:173
HÖRSKEN, A. 558:1
HOS, J.P. 565:259
HOSMANE, N.S. 550:409
HOSOKAWA, T. 551:387
HOSSAIN, M.A. 555:285
HOSSAIN, M. MUNKIR 557:221, 568:197
HOU, X.-F. 563:101
HOUBRECHTS, S. 549:127, 562:197, 563:137
HOUSECROFT, C.E. 550:193, 565:105
HOWARD, J.A.K. 550:59, 550:445, 550:449, 550:481
HOWELLS, M.E. 548:285
HRADSKY, A. 563:219
HRITZOVÁ, O. 552:1
HRNCIAR, P. 552:1
HSIEH, T.-Y. 561:153
HSU, M.-A. 552:135
HU, J. 551:261
HUA, R. 569:71
HUANG, T.-M. 569:39
HUANG, T.S. 548:143
HUANG, X.-Y. 563:101
HUANG, Z.-E. 563:101
HUDSON, S.A. 551:215
HUGHES, D.L. 554:195
HUGHES, R.P. 548:109
HUGUET, S. 566:117
HUMPHREY, M.G. 549:127, 555:25, 563:137, 565:81, 565:193
HUMPHREY, P.A. 552:109, 565:283
HUNG, J.-T. 549:155
HUNG, S.Y.W. 566:237
HURSTHOUSE, M.B. 555:35, 555:285, 559:81, 564:133, 565:243, 566:245, 568:133
HUSSAIN, S.A. 559:81
HUTTNER, G. 549:139, 553:433, 555:119, 561:131, 562:217, 563:61, 563:73, 566:271
HWANG, C.-L. 563:95
HWU, J.R. 549:155
IBRAHIM, A.M.A. 556:1
IEVLEV, M.A. 551:93
IFTIME, G. 565:115, 567:191
IGGO, J.A. 550:221
IGLESIAS, M. 549:213, 553:193
IGNATYEV, I.S. 549:45
IGONIN, V.A. 562:141
IHARA, E. 569:147
IKEDA, T. 564:1
IKEGAMI, Y. 560:47
IKUSHIMA, N. 557:3, 566:111
ILG, K. 567:49
INGHAM, S.L. 550:131
INGROSSO, G. 555:135
INOMATA, S. 553:1
INOUE, K. 552:303
INOUE, S. 549:305
IOVEL, I. 559:123
IRETSKII, A. 558:189
IRIE, M. 558:35
IRIE, S. 558:35
ISHII, Y. 569:99
ISHIKAWA, J.-I. 552:303
ISHIKAWA, M. 553:487, 564:47
ISOBE, K. 549:117, 551:117, 554:155
ITO, O. 568:121
ITO, S. 553:135
ITO, T. 569:139
ITO, Y. 569:3
ITOH, M. 552:303
IVANOV, YU.V. 566:73
IVCHENKO, N.B. 564:5
IYODA, M. 569:225
JÄÄSKELÄINEN, S. 548:263, 552:9, 553:453, 554:129
JABALLAS, J. 550:101
JACOB, K. 552:265, 554:139
JAHNCKE, M. 561:227, 565:97
JAIN, V.K. 549:73
JAITNER, P. 553:103
JAMES, B.R. 557:213
JANAS, Z. 554:195
JANK, S. 559:209
JANKOWSKI, P. 558:227
JANTSCHAK, A. 555:263
JANY, G. 549:177, 553:173
JASTRZEBSKI, J.T.B.H. 550:463, 551:1, 558:61
JEDLICKA, B. 563:37
JEFFERY, J.C. 548:195, 551:27, 562:17
JEHLE, H. 566:225, 566:259
JELÍNEK, T. 557:181
JELLISS, P.A. 551:27, 562:17
JENKINS, I.D. 554:181
JENSEN, S.B. 556:151
JERZYKIEWICZ, L.B. 550:111, 553:379
JHA, N.K. 560:35, 568:13
JIA, G.C. 565:37
JIMÉNEZ TENORIO, M. 549:221, 564:21
JIN, H. 565:135
JIN, R.-Z. 559:73
JOHNSON, B.F.G. 550:431, 563:113
JOLLY, P.W. 553:477, 568:205
JONAS, S. 548:131
JONES, B.D. 557:121
JONES, C.J. 549:233, 558:147
JONES, P.G. 553:111, 561:1
JONES, S.W. 554:29
JONES, V.A. 567:199
JONES, W.D. 562:45
JORGENSON, A.L. 557:13, 563:1
JUGÉ, S. 567:219
JULIA, A. 560:147
JUNG, H.S. 559:149
JUNG, I.N. 548:237
JUNG, M. 558:111, 562:153, 562:229, 568:87, 568:127
JUNK, P.C. 565:179, 565:201
JUTZI, P. 552:221, 553:317, 556:97
KABIR, S.E. 555:285, 559:81, 564:133, 568:133
KABOUCHE, Z. 551:151
KAGAN, H.B. 567:3, 567:39
KAI, Y. 569:147
KAIDZU, M. 557:3, 566:111
KAITNER, B. 566:85
KAJITANI, M. 563:161
KAMIGATA, N. 552:39
KANEHISA, N. 569:147
KANEKO, Y. 554:155
KANG, M.S. 558:11
KANIA, L. 568:21
KAPOOR, R.N. 562:29
KATADA, M. 569:225
KATAOKA, Y. 560:253
KATAYAMA, H. 562:203
KATSER, S.B. 551:171
KATSUKAWA, Y. 564:249
KAUR, P. 557:181
KAWAGUCHI, H. 564:189, 569:109
KAWAGUCHI, S. 551:117
KAWAI, M. 549:305
KAWAMURA, M. 551:101
KAWANO, Y. 553:1
KAYSER, C. 556:165
KEE, T.P. 550:29, 567:199
KÉGL, T. 563:37
KEGLEVICH, G. 566:29
KEHR, G. 562:153, 562:207
KEIM, W. 551:165, 552:187
KEISTER, J.B. 568:63
KEITSCH, M.R. 559:181
KEL'CHEVSKI, S.M. 560:163
KELLNER, A. 555:141
KENNEDY, A.R. 550:355, 559:173
KENNEDY, J.D. 550:151, 550:341, 550:441, 557:181
KERR, W.J. 554:147
KERSCHER, T. 556:207
KERZINA, Z.A. 566:45
KETKOV, S.YU. 563:209
KHABASHESKU, V.N. 566:45
KHACHATRYAN, L. 566:263
KHAN, M.A. 568:41
KHAN, S.I. 553:141
KHOO, L.E. 561:143
KHORSHEV, S.YA. 560:21
KHVOSTOV, A.V. 559:97, 564:5, 568:113
KIANG, F.-M. 561:153
KICKELBICK, G. 548:57
KIEFER, W. 566:225
KILNER, M. 550:59
KIM, C. 563:43
KIM, H.S. 558:11
KIM, M. 563:43
KIM, Y.-H. 550:341
KIM, Y.-J. 558:41
KING, R.B. 557:29
KINKAID, J.A. 554:123
KIRA, M. 553:163
KIRCHER, P. 562:217

KIRIN, S.I. 566:85
KISCH, H. 558:91
KISSOUNKO, D.A. 556:145
KISSOUNKO, N.S. 556:145
KISZKA, M. 554:147
KITCHEN, S.J. 550:7
KIVEKÄS, R. 555:17, 568:149
KLAHN, A.H. 548:121
KLAPÖTKE, T.M. 559:165
KLASSEN, R. 556:165
KLÄUI, W. 553:241
KLEDITZSCH, S. 558:193
KLEIN, A. 563:179
KLESS, A. 553:99
KLEVERLAAN, C.J. 561:57
KLIMOVA, E.I. 559:1, 559:43, 566:175
KLIMOVA, T. 559:43, 566:175
KLIMOVA BERESTNEVA, T. 559:1
KLINGA, M. 549:177, 553:173
KLUMPP, G.W. 548:29
KLYAGINA, A.P. 549:55
KNJAZHANSKI, S.YA. 559:97, 568:33
KNOBLER, C.B. 550:423
KNOCHEL, P. 562:133
KNOWLES, D.R.T. 558:163
KNOX, G.R. 568:287
KNOX, S.A.R. 565:141, 569:71
KNUDSEN, G.A. 556:41
KOBAYASHI, K. 569:169
KOCHINA, T.A. 549:45
KOENIG, M. 564:61
KOGA, M. 569:139
KÖHLER, K. 553:31
KOKUBO, K. 560:217
KOLL, L.C. 555:151
KOLLÁR, L. 563:37
KOMATSU, M. 548:105
KOMIYA, S. 556:89, 569:3
KONG, X.F. 549:25
KOOIJMAN, H. 550:463, 551:67
KOOL, L.B. 553:53
KOPACKA, H. 552:45, 553:73
KÖPPL, A. 568:263
KÖRBLOVÁ, E. 548:83
KOSUGI, M. 553:493
KÖßMEIER, M. 556:119
KOUTSANTONIS, G.A. 565:259
KOWALEWSKA, A. 560:41
KOZAK, C.M. 564:101
KRAATZ, H.-B. 556:11
KRAMKOWSKI, P. 553:511
KRANENBURG, M. 564:29
KRANNICH, L.K. 549:31
KRATZER, R.M. 549:319, 555:293
KRAUSE BAUER, J. 550:309
KREIßL, F.R. 553:103
KRIZ, O. 555:237
KROPOTOVA, V.YU. 560:21
KROSSING, I. 564:179
KRÜGER, C. 553:477
KRUGER, G.J. 553:83
KRUPPA, A.I. 566:73
KRUT'KO, D.P. 556:145
KRYZA-NIEMIEC, B. 566:217
KUANG, S.-M. 558:131, 559:31
KUBICKI, M.M. 561:85, 564:71
KUBO, H. 556:89
KUCKEN, S. 553:39
KUDIN, K.N. 566:45
KÜHLKAMP, P. 552:69
KUHLMANN, B. 556:41
KÜHN, F.E. 549:319, 553:443, 560:117
KUMARESAN, S. 549:155
KUNAI, A. 553:487, 564:47
KUNIYASU, H. 564:1
KUNKELY, H. 553:517, 559:215, 559:223, 568:291
KUPFER, V. 552:75
KURIHARA, A. 548:105
KURISHIMA, S. 569:139
KURSAWE, M. 550:267
KUSUKAWA, T. 559:11, 561:109
KUSUYAMA, Y. 551:117
KUTAL, C. 562:97
KUWATANI, Y. 569:225
KWAN, K.S. 563:95
KWON, O.C. 558:11
LAFOLLÉE-BEZZENINE, S. 567:83
LAGUNA, A. 561:1, 561:13
LAHOZ, F.J. 551:55
LAHUERTA, P. 568:177
LAKE, C.H. 549:31
LAMB, S. 550:481
LAMBERT, J.B. 554:113, 568:21
LANCE, M. 548:9
LANDGRAF, S. 568:253
LANDGRAFE, C. 554:207
LANDRUM, B.E. 566:1
LANG, H. 553:31, 561:131, 563:61, 563:73
LANG, J.-P. 569:109
LANNEAU, G.F. 562:79
LAPINTE, C. 554:203, 565:75
LAPPERT, M.F. 549:1, 550:397, 551:261, 561:203
LAQUIDARA, J. 548:65
LARINA, L. 553:129
LASCHAT, S. 552:171
LATA, D. 556:21, 556:31, 566:93
LATIF, L.A. 566:245
LAU, C.P. 565:37
LAUBENDER, M. 569:189
LAURENT, P. 562:183, 567:13
LAVALLEE, R.J. 562:97
LAVENOT, L. 567:49
LAWLOR, F.J. 550:183
LAZELL, M. 553:23
LAZZARONI, R. 548:279
LEBLANC, J.-C. 566:203
LEE, B. 554:49
LEE, B.Y. 552:313
LEE, F.-W. 552:255, 563:191
LEE, F.-Y. 549:155
LEE, G.-H. 553:417, 561:153, 565:3, 569:39
LEE, G.Y. 558:11
LEE, H. 558:11
LEE, H.-K. 564:193
LEE, I.-M. 558:11
LEE, J.-H. 558:71
LEE, J.-J. 569:39
LEE, J.-Y. 558:41
LEE, M.H. 561:37
LEE, T.-Y. 553:397
LEE, V. 548:237
LEE, Y.-S. 558:11
LEES, A.J. 554:1
LÉGER, J.M. 556:105
LEGLAYE, P. 566:117
LEGOUPY, S. 567:75
LEHMANN, C.W. 550:59, 550:449
LEHMUS, P. 559:65
LEHOTKAY, T. 553:103
LEHTONEN, A. 555:127, 558:171, 558:181, 559:65
LEIGH, W.J. 561:19
LEINO, R. 555:127, 557:227, 558:171, 558:181, 559:65
LEMAIRE, M. 567:49, 567:133
LEMENOVSKII, D.A. 556:145
LENSINK, C. 553:387
LENTZ, K.T. 568:21
LEONESI, D. 557:187
LEONG, W.K. 549:105
LEPEYTRE, C. 548:99
LESHINA, T.V. 566:73
LESKELÄ, M. 549:177, 553:173
LESLEY, G. 550:183
LEUNG, W.-P. 564:193
LEVASON, W. 568:213
LEWIN, A. 568:233
LEWINSKI, J. 560:89
LEWIS, J. 550:131, 556:219
LE BLOND, C. 548:65
LE BRAS, J. 548:305, 553:483, 567:57
LE FLOCH, P. 567:151
LE GALL, I. 567:13
LE HUSEBO, T. 548:109
LI, G. 568:165
LI, G.Q. 549:89
LI, J.S. 566:103
LI, L.J. 558:1
LI, R.-X. 557:207
LI, X.-J. 557:207
LI, X.-W. 560:211
LIABLE-SANDS, L. 557:77, 562:89
LIABLE-SANDS, L.M. 548:109
LIAO, Y.-H. 551:27
LICHT, E.H. 560:69
LIDDELL, M.J. 565:271
LIGHTFOOT, P. 553:473
LILGE, D. 548:23
LIM, S. 563:23
LIM, S.H. 554:113
LIN, J.T. 564:257
LIN, L. 556:11
LIN, Y.-C. 553:417
LIN, Y.H. 548:139, 549:95
LINDEMAN, S.V. 562:141
LINDNER, E. 555:247, 558:235
LINEHAN, J.C. 557:77
LINN, D.E. (JR.) 554:171
LIPPERT, B. 552:127, 558:103
LIPPMANN, E. 556:207
LIS, T. 568:177
LITTY, J.J. 554:19
LIU, D.-S. 550:397
LIU, F.-C. 563:23
LIU, J.P. 550:309
LIU, N.H. 553:157
LIU, Q.C. 548:139, 553:179
LIU, S.-H. 555:227
LIU, S.-T. 561:153
LIU, S.Y. 549:283
LIU, X.-H. 548:49, 551:271
LIU, Y.-J. 556:159
LIU, Z.H. 553:269
LIU, Z.Q. 557:213
LIU, Z.X. 549:239
LLAURO, M.-F. 558:19
LLEBARIA, A. 551:107
LLIBRE, J. 568:149
LLORENTE, I. 548:185
LLUSAR, R. 562:197
LOGOTHETIS, G. 555:101
LOKSHIN, B.V. 553:59
LOMELÍ, V. 562:123
LOPES, A.D. 560:117
LÓPEZ, C. 555:211
LÓPEZ, J.A. 551:55
LOPEZ-MARDOMINGO, C. 548:309
LÓPEZ-SOLERA, I. 558:103
LÓPEZ TORRES, M.L. 556:21, 556:31, 566:93
LORBERTH, J. 559:191, 559:203, 560:211
LORENZ, V. 554:139
LOTT, K.A. 554:75
LOTZ, S. 566:133
LOW, A.A. 568:63
LOW, P.J. 565:279
LU, K.-L. 549:155
LU, S.J. 556:239
LUART, D. 562:183
LUCAS, D. 548:309, 564:71, 566:203
LUCCHINI, V. 556:229
LUCHERINI, A. 555:135
LUFT, M. 565:159
LUKEHART, C.M. 557:121
LUKEVICS, E. 548:149, 549:163, 558:155, 559:123
LUNZER, F. 568:253
LUSTIG, C. 550:445
LUTHER-DAVIES, B. 549:127
LUTTIKHEDDE, H.J.G. 555:127, 557:227, 558:171, 558:181, 559:65
LYDON, D.P. 555:81
LYNN, M.A. 550:141
MACAZAGA, M.-J. 555:57, 568:185
MACFARLANE, K.S. 557:213
MACH, K. 551:207, 553:15
MACHNITZKI, P. 554:207
MACK, H. 549:39
MACKIE, S.C. 560:63
MADDALUNO, J. 549:81
MADERUELO, R. 555:57
MAERCKER, A. 566:143
MAES, J. 563:137
MAGNERA, T.F. 548:83
MAGUIRE, J.A. 550:409
MAHIAS, V. 554:203
MAHMOUD, H. 568:77
MAHON, M.F. 550:267, 560:95
MAHR, N. 551:367
MAI, J.-F. 560:223
MAIN, L. 551:281, 565:125
MAISSE, A. 567:65
MAITLIS, P.M. 554:155, 558:163, 558:189, 569:85
MAIWALD, S. 552:195
MAJEED, Z. 549:257
MAK, T.C.W. 549:239, 556:169, 557:207, 558:131, 559:31, 564:193, 568:257
MALAUN, M. 552:45
MALE, J.L. 549:105
MALISCH, W. 566:225, 566:259, 566:271, 568:241, 568:247
MANASSERO, M. 553:405, 568:225
MANCINI, G. 551:331
MANDAL, S.K. 549:89
MANDOLESI, S.D. 555:151
MANDOLINI, L. 551:331
MANGER, M. 569:189
MANN, B.E. 551:21
MANNERS, I. 548:49
MANNING, A.R. 551:139, 563:201
MANOLI, F. 557:97
MANOURY, E. 565:115, 567:191
MANSILLA, N. 560:27

MANTOVANI, L. 557:97
MANUEL, G. 554:135, 564:61
MAO, L.S. 566:9
MARCHESE, G. 566:251
MARCHETTI, F. 557:187, 566:187
MARCOS, M.-L. 555:57, 568:185
MARDER, T.B. 550:183
MARI, A. 565:75
MARSCHNER, C. 568:253
MARSMANN, H.C. 551:125
MARTÍN, A. 548:157, 554:185, 563:7, 564:93
MARTIN, C.M. 550:431
MARTÍN, M. 564:241
MARTIN, S.M. 555:67
MARTÍN-VACA, B. 567:119
MARTÍNEZ-CRUZ, L.A. 560:27
MARTÍNEZ-ILARDUYA, J.M. 551:9
MARTÍNEZ GARCÍA, M. 566:175
MARTINS, A.M. 551:133
MARTINS, F. 559:37
MARUYA, K.-I. 551:101
MAR ABAD, M. 555:17
MASAGUER, J.R. 558:103
MASDEU-BULTÓ, A.M. 559:23
MASHIMA, K. 557:3, 559:197, 566:111, 569:15
MASI, D. 569:21
MASSA, W. 559:203, 560:211
MASTERS, A.F. 565:283
MATA, J. 562:197
MATHEY, F. 548:17, 557:117, 567:151
MATHUR, P. 557:221, 566:159, 568:197
MATISONS, J.G. 565:159
MATSUMASA, K. 560:217
MATSUMOTO, A. 560:47
MATSUMOTO, N. 569:139
MATTHEIS, C. 555:5
MATTINEN, J. 558:171
MAY, I. 550:241
MAYER, H.A. 552:229
MAYR, A.J. 562:29
MAZZANTI, G. 567:181
MAZZOCCHIA, C. 551:229
MCADAM, C.J. 565:19
MCARDLE, P. 559:55, 563:201
MCARDLE, P.A. 551:139
MCBURNETT, B.G. 562:123
MCCAMLEY, A. 553:507, 568:271
MCCARGAR, R.D. 568:63
MCCARTHY, D.A. 550:309
MCCORMACK, P.J. 553:507
MCCRORY, C.T.C. 558:1
MCDONAGH, A.M. 563:137
MCELWEE-WHITE, L. 554:13
MCFARLANE, K. 554:49
MCGARVEY, B.R. 550:165
MCGLINCHEY, M.J. 564:101
MCGRATH, T.D. 550:315, 550:441
MCGUINNESS, D.S. 565:165
MCINNES, E.J.L. 566:151
MCINTYRE, G.M. 550:449
MCKINNEY, J.D. 558:147
MCNISH, J. 551:339
MCPARTLIN, C.M. 551:313
MCQUILLAN, F.S. 549:233
MCWHINNIE, W.R. 549:257, 555:279
MEALLI, C. 553:115, 569:21
MEDDOUR, A. 552:177
MEDINA, R.M. 555:57, 568:185
MEDNIKOV, E.G. 566:15
MEDVEDEVA, A.S. 553:129, 553:481
MEEHAN, M.M. 560:191, 566:245
MEESSEN, P. 551:165
MEETSMA, A. 551:159
MEHL, G.H. 551:299
MEHNERT, C.P. 550:63
MEIER, W. 564:71, 566:203
MEINEL, S. 561:121
MELESHONKOVA, N.N. 559:1
MENDES, P. 553:115
MERCIER, F. 557:117
MERLIC, C.A. 553:183
MERTEL, S. 564:155
MERZWEILER, K. 549:263, 552:265, 553:371
MESSERLE, L. 553:397
MESTROVIC, E. 566:85
MESUBI, M.A. 560:95
METZ, M. 556:207
MEYER, G. 552:165
MEYER, W.H. 553:83
MEYERS, E.A. 563:23
MIAH, R. 564:133
MICHAELIDOU, D.M. 562:105
MICHAELSON, R.C. 556:41
MICHALIK, M. 556:67
MICHEL, A. 558:19
MICHELIN, R.A. 557:37
MICHL, J. 548:83
MIDOLLINI, S. 555:255
MIEHR, A. 548:73
MIGINIAC, L. 548:269
MIGITA, T. 553:493
MILANI, F. 555:177
MILIANI, M. 553:345
MILIUS, W. 552:247, 553:205, 555:187, 556:173, 558:111, 560:69, 563:227, 564:109, 564:115
MILLINI, R. 566:37
MILNE, S.B. 557:121
MILNER, D.J. 551:355
MILSTEIN, D. 551:81
MINATO, M. 569:139
MINGHETTI, G. 553:405, 568:225
MINGOS, D.M.P. 551:313, 557:131, 562:105
MINGOTAUD, A.-F. 560:109, 561:77
MIRZA-AGHAYAN, M. 564:61
MISE, T. 560:47
MITCHEL, C. 566:259
MITCHELL, M.C. 550:29
MIURA, M. 560:217
MIYAUTI, M. 565:49
MOCHIDA, K. 553:163, 568:121
MODELLI, A. 549:149
MOINEAU, C. 567:157
MOINET, C. 553:253
MOISE, C. 566:203
MOISEEV, I.I. 551:171
MOKDSI, G. 565:29
MOLANDER, G.A. 559:181
MOLDES, I. 566:165
MOLLA, E. 562:207
MÖLLER, S. 566:225
MOLLOY, K.C. 560:95
MOLODTSOVA, YU.A. 562:141
MOLONEY, M.G. 560:77
MONARI, M. 563:153
MONFLIER, E. 553:469
MONGE, A. 551:215, 566:211
MONTERO, E.I. 558:103
MONTI, D. 551:331
MOORCROFT, D. 560:265
MORAN, P.H. 559:107
MOREAU-BOSSUET, C. 567:191
MORENO, C. 555:57, 568:185
MORENO ESPARZA, R. 559:1, 566:175
MORETÓ, J.M. 551:107
MORO-OKA, Y. 565:49, 569:71
MORTREUX, A. 553:469
MOSS, J.R. 557:259, 564:267
MOTEVALLI, H. 553:23
MOTOYAMA, I. 549:13
MOUNTFORD, P. 564:209
MOUTLOALI, R.M. 564:37
MOZZON, M. 557:37
MU, J.C. 565:159
MUGNIER, Y. 548:309, 564:71, 566:203
MÜHLE, S. 559:181
MUIR, K.W. 555:89, 560:245
MUKHLESUR RAHMAN, M. 559:81
MÜLHAUPT, R. 569:159
MÜLLER, B. 552:75
MÜLLER, G. 551:261
MÜLLER, J.F.K. 549:283
MÜLLER, T.E. 551:313, 566:277
MULVEY, R.E. 550:355, 558:193
MUNDORFF, E. 557:187
MUNSON, E. 557:13
MURAHASHI, S.-I. 551:387
MURATA, S. 568:121
MURPHY, M.P. 550:151
NABAKKA, J.M. 550:423
NADEAU, R.A. 563:1
NAGAHARA, K. 548:105
NAGASAWA, T. 564:189
NAGEL, V. 566:225
NAKAJIMA, H. 569:61
NAKAMURA, A. 557:3, 559:197, 566:111, 569:177
NAKAMURA, M. 548:223
NAKAMURA, Y. 551:117
NAKANISHI, S. 554:167, 569:71
NAKANO, T. 553:493
NAKAYAMA, Y. 557:3, 559:197, 566:111
NAMY, J.-L. 567:39
NARAYAN, S. 549:73
NARDIN, G. 548:211
NÄSMAN, J.H. 555:127, 557:227, 558:171, 558:181, 559:65
NÄTHER, C. 548:115
NATORI, M. 569:139
NATSUME, S. 548:223
NAULTY, R.H. 563:137
NAVARRO, R. 554:105, 561:67
NAVARRO-RANNINGER, C. 558:103
NAWAZ TAHIR, M. 561:7
NÉDELEC, J.Y. 560:103
NEELS, A. 561:227, 565:97
NEFEDOV, O.M. 566:45, 566:73
NEFEDOV, S.E. 551:171
NEIBECKER, D. 569:203
NÉMETH, S. 563:81
NEUBURGER, M. 549:283, 550:193
NEUHIERL, T. 563:173
NEUMANN, B. 552:221, 553:317, 556:97
NICASIO, M.C. 549:167, 551:215
NICHOLSON, B.K. 551:281, 556:75, 560:169, 565:125
NICOLAS, M. 567:119
NIECKARZ, G.F. 554:19
NIEF, F. 553:503
NIEGER, M. 548:91
NIERLICH, M. 548:9
NIKITINSKY, A.V. 560:21
NINOREILLE, C. 561:85
NINOREILLE, S. 561:85
NISHIO, M. 569:99
NISHIOKA, T. 549:117
NIXON, J.F. 564:189
NODA, S. 553:493
NODONO, M. 553:487
NOELS, A.F. 558:163
NOLTEMEYER, M. 550:1
NOMURA, M. 560:217
NOMURA, T. 551:387
NORMAN, N.C. 550:183
NORTH, M.R. 565:225
NÖTH, H. 564:179
NOVOKSHONOV, V.V. 553:481
NUBER, B. 556:129, 558:213, 563:61, 563:173, 564:71, 566:203
NUDELMAN, N.S. 563:31
NÚÑEZ, A. 564:93
NYBURG, S.C. 561:209
NYOKONG, T. 564:37
NYULÁSZI, L. 566:29
O'DWYER, L. 551:139
O'GARA, M. 559:55
O'LEARY, S. 558:163
O'SHAUGHNESSY, P. 558:193
OBA, G. 564:61
OÇAFRAIN, M. 560:103
OELCKERS, B. 548:121
OGAWA, A. 564:1
OGINO, H. 553:1
OH, J.R. 550:309
OH, J.S. 552:313
OH, S.-W. 550:89
OHMORI, H. 560:47
ÖHRSTRÖM, L. 558:123
OHSHIRO, N. 569:195
OHSHITA, J. 553:487, 564:47
OKABE, T. 569:225
OKAMURA, T.-A. 569:177
OKAZAKI, M. 553:1
OKEYA, S. 551:117
OKUDA, J. 558:139, 569:159
OKUTANI, T. 558:35
OLAH, G.A. 550:119
OLBRICH, F. 557:251
OLLINO, M.A. 554:75
OMOTOWA, B.A. 560:95
ONAK, T. 550:101
ONAKA, S. 564:249
ONGANIA, K.-H. 552:45, 563:219
ONITSUKA, K. 559:91, 569:195
OPRUNENKO, Y.F. 551:93
ORCHIN, M. 549:89
OREJÓN, A. 559:23
ORLANDINI, A. 555:255
ORLOV, N.A. 560:21
ORLOVA, I. 567:49
ORLOVA, S.T. 551:171
ORO, L.A. 551:49, 551:55, 564:241

ORPEN, A.G. 550:183, 550:255, 565:141
ORRELL, K.G. 555:35
ORTIGUEIRA, J.M. 556:21, 556:31, 566:93
OSAKADA, K. 558:41
OSAWA, M. 569:169
OSBORNE, A.G. 555:35
OSHIKI, T. 569:15
OSINGA, V.P. 548:29
OSTER, J. 553:427
OTERO, A. 548:309
OTT, J. 551:81
OUYANG, J. 561:143
OVERBY, J.S. 560:15
OZAROWSKI, A. 550:165
OZAWA, F. 562:203
ÖZDEMIR, I. 561:7
PAGES, L. 551:107
PAINE, R.T. 564:13
PAKKANEN, T.A. 548:263, 552:9, 552:205, 553:453, 554:129, 557:227
PALE, P. 567:173
PALITZSCH, W. 552:213, 554:139
PAMPALONI, G. 555:49, 562:61
PAN, D.-S. 563:95
PANDEY, D.S. 560:35, 568:13
PANDOLFO, L. 557:37
PANEQUE, M. 549:167, 551:215
PANG, Y. 562:29
PANNELL, K.H. 562:29
PAOLUCCI, G. 556:229
PARCHMENT, O.G. 552:247
PARK, J.-W. 559:149, 561:37
PARK, J.T. 558:71, 559:149
PÁRKÁNYI, L. 562:29, 563:81
PARKER, E.E. 560:191
PARLIER, A. 567:83, 567:101
PAROLA, A.J. 560:117
PARSONS, S. 563:113
PARVEZ, M. 550:213
PASCU, S. 549:187
PASTOR, A. 566:211, 569:21
PASYNKIEWICZ, S. 550:111, 562:3, 566:217
PAUL, D.R. 560:77
PAUSON, P.L. 549:199, 568:287
PAUTZ, S. 555:247
PAWLAK, M. 568:171
PAXTON, K. 558:147
PEARSON, J.M. 551:339
PEARSON, R.H.H. 550:431
PEGANOVA, T.A. 551:93
PEIFER, B. 553:205
PEKIN, M. 568:143
PELLEI, M. 553:345
PELLINGHELLI, M.A. 563:15
PELLIZER, G. 548:211
PENALVA, V. 567:49
PENG, S.-M. 561:153, 565:3
PENNINKANGAS, A. 558:171
PEREIRA, J.P.R. 553:199
PEREIRA, M.M. 553:199
PEREIRA, M.T. 556:31, 566:93
PEREIRA, T. 556:21
PERERA, S.D. 557:181
PÉREZ-BRISO, C. 551:9
PERIASAMY, M. 553:91
PERIS, E. 562:197, 567:7
PERJÉSSY, A. 552:1
PERRY, M.C. 555:279
PERSOONS, A. 549:127, 562:197, 563:137
PERTICI, P. 551:37, 564:57
PESCE, A. 566:61
PESLHERBE, L.M. 548:83
PETERLEITNER, M.G. 551:93
PETERS, K. 560:125
PÉTIAUD, R. 558:19
PÉTILLON, F.Y. 555:89, 560:245
PETRAGNANI, N. 562:127
PETRI, S.H.A. 553:317
PETROVSKII, P.V. 551:93
PETTERS, D. 553:497, 558:81
PETTINARI, C. 553:345, 557:187, 566:187
PFEFFER, M. 548:301, 567:65
PFISTER, H. 566:271, 568:241
PFLUG, J.L. 554:113
PHILLIPS, P.R. 550:301
PHILOSOF, A. 565:201
PIEDADE, M.F.M. 553:115
PIERRE, F. 553:253
PIETRZYKOWSKI, A. 550:111, 566:217
PIETZSCH, C. 552:265, 554:139
PIFFERI, A. 553:345
PIGGE, F.C. 559:131
PILOTEK, S. 552:221
PINA, F. 560:117
PINIELLA, J.F. 566:165
PINKES, J.R. 566:1
PINNA, M.V. 568:225
PINZINO, C. 555:135
PLACK, V. 553:111
PLYUSNIN, V.F. 566:73
PODESTÁ, J.C. 555:151
PODKORYTOV, I.S. 550:221
PODLAHA, J. 552:293
POIRIER, J. 569:203
POLA, J. 566:263
POLÁCEK, M. 552:293, 553:15
POLAMO, M. 549:177
POLBORN, K. 552:237, 564:179
POLYAKOVA, L.A. 549:55
POMBEIRO, A.J.L. 552:17
POMEROY, R.K. 549:105
PONINA, M.O. 551:171
POPELIER, P.L.A. 555:101
POPELIS, J. 549:163, 558:155, 559:123
POPOWSKI, E. 556:67
PORCH, A. 558:147
POREMBA, P. 549:101, 553:393
PORTALONE, G. 560:183
POWELL, D.H. 549:31
POZDNIAKOVA, YU.A. 562:141
PRAKASH, G.K.S. 550:119
PRICE, D.W. 556:207
PRICE, R.D. 550:445, 550:449
PRIMEL, O. 558:19
PRINGLE, P.G. 550:255
PRITCHARD, R.G. 568:279
PRITZKOW, H. 548:73, 549:251, 553:31
PRÓNAYOVÁ, N. 552:1
PROSENC, M.-H. 553:331
PROVATAS, A. 565:159
PRUCHNIK, F.P. 568:177
PSILLAKIS, E. 562:17
PUDDEPHATT, R.J. 551:383, 568:53
PUERTA, M.C. 549:221, 564:21, 568:13
PUNZI, A. 566:251
PUTTNAT, M. 554:139
PUVANESVARY, K. 565:267
QANUNGO, K. 557:243, 560:155
QI, G.Z. 548:289
QI, M.H. 549:95
QIAN, C.T. 548:143, 566:21
QING, N. 554:113
QUAYLE, M.J. 550:183
QUAYLE, S.C. 552:63
QUINTARD, J.-P. 567:21
RAITHBY, P.R. 550:71, 550:131, 550:457, 556:219
RAMANI, P. 564:125
RAMASWAMY, K. 560:131
RAMIREZ, J.A. 555:255
RAMONDO, F. 560:183
RAMSDEN, J.A. 551:355
RANATUNGE-BANDARAGE, R. 564:125
RANDACCIO, L. 548:211, 552:127
RANSON, R.J. 552:1
RAO, M.L.N. 553:91
RÄSÄNEN, T.M. 548:263, 552:9, 553:453, 554:129
RASHIDI, M. 568:53
RASTON, C.L. 550:283
RASUL, G. 550:119
RATH, N.P. 559:131
RATOVELOMANANA-VIDAL, V. 567:163
RAUBENHEIMER, H.G. 552:69, 553:83
RAUSCH, M.D. 561:191, 562:11, 569:121
RAVINDRA KUMAR, G. 568:197
RAWSON, J.M. 550:241
READY, T.E. 562:11
REAMER, R.A. 548:65
REBBITT, T.O. 562:115
REDDMANN, H. 566:125
REDSHAW, C. 550:453
REED, D. 563:113
REICH, W. 566:271
REINA, R. 560:147
REINKE, H. 553:99, 556:67
REISACHER, H.-U. 564:13
REISING, J. 568:247
REISINGER, C.-P. 557:93
RENZE, J. 563:201
REP, M. 564:29
REPO, T. 549:177, 553:173
REST, A.J. 554:75
RETTIG, S.J. 557:213
RHEINGOLD, A.L. 548:109, 557:77, 562:89, 565:105, 566:159
RHEINWALD, G. 549:263, 563:61, 563:73
RIBOT, F. 552:177, 567:137
RICARD, L. 548:17, 553:503, 557:117
RICCI, A. 567:181
RICE, C.R. 550:183
RICHARDS, R.L. 549:193, 554:195
RICHARDSON, D.E. 555:1
RICHARZ, A.-N. 559:107
RICHTER, R. 561:199
RICKARD, C.E.F. 551:247, 560:197, 565:153
RIDLAND, J. 550:473
RIEGEL, N. 567:219
RIEGER, B. 549:177
RIERA, V. 548:255, 554:117, 564:201
RIETZ, I. 556:67
RIGNY, S. 566:203
RIJNBERG, E. 550:463
RIMA, G. 561:167
RIVAROLA, E. 553:345
RIVIERE-BAUDET, M. 548:123, 562:191
ROBIN, F. 557:117
ROBINSON, B.H. 564:125, 565:19
ROBINSON, W.T. 560:169
ROBL, C. 556:207
RODA, J. 555:237
RODEN, M.D. 550:481
RODGER, S.J. 556:151
RODRIGUEZ, G. 548:1
RODRÍGUEZ, M.A. 548:185
ROESKY, H.W. 550:1
ROEWER, G. 552:99, 552:213, 554:139
ROMANO, A.M. 566:37
ROMAO, C.C. 560:117
ROOS, H.M. 566:133
ROPER, W.R. 551:247, 565:153
ROS, J. 566:165
ROSA, P. 567:151
ROSAIR, G.M. 550:315, 556:55
RÖSCH, J. 548:23
ROSENBERG, E. 559:81
ROSHCHIN, A.I. 560:163
ROSINI, G.P. 554:41
ROSSELL, O. 560:147
ROSSETTO, G. 555:177
ROSSI, M. 557:187
ROTHS, K.B. 556:119
ROURKE, J.P. 555:81
ROYO, B. 551:293
ROYO, P. 548:157, 551:293, 554:185, 563:7, 563:15, 564:93, 564:277
RUBEN TOSCANO, A. 566:175
RUDD, G.E.A. 562:17
RUDLER, H. 548:295, 567:83, 567:101, 567:119
RUDLER, M. 567:101
RUDOLPH, R. 549:251
RÜFFER, T. 548:205
RUIZ, C. 549:167, 551:215
RUÍZ RAMÍREZ, L. 559:1, 559:43, 566:175
RUMIN, R. 555:89
RUSSELL, D.R. 555:67
RYABOVA, V. 548:149
RYU, I. 548:105
SAAK, W. 560:125
SABORIT, E. 564:201
SACHSINGER, N. 561:209
SADORGE, A. 566:203
SAEZ, I.M. 551:299
SAHAY, A.N. 560:35, 568:13
SAKHAII, P. 553:111
SALAÜN, J.-Y. 562:183, 567:13
SALAZAR, V. 549:167
SALCEDO, I. 564:21
SALERNO, G. 562:35
SALMON, A. 567:31
SALVADORI, P. 564:57
SAMOC, M. 549:127
SAMPANTHAR, J. 550:221
SANCHEZ, C. 552:177, 567:137
SÁNCHEZ-NIEVES, J. 563:15
SANI, C. 562:35
SANSONI, M. 553:405
SANTI, R. 566:37
SANTI, S. 557:97
SANTILLAN, R. 553:221
SANTINI, C. 552:31
SANTOS, A. 549:213, 553:193
SARKAR, A. 566:159
SARRAJE, I. 559:191

Saßmannshausen, J. 548:23
Sato, M. 549:13, 555:167, 569:169
Sato, T. 569:99, 569:169
Satyanarayana, C.V. 557:221, 568:197
Saunders, G.C. 555:67, 558:209
Sautet, P. 567:133
Saygh, A. 562:89
Saynor, K. 565:141
Sazonov, P.K. 556:141
Scagnolari, F. 549:149
Scallorn, B. 557:77
Scapacci, G. 555:255
Scelza, C. 555:177
Schade, S. 550:359, 550:381
Schaffner, S. 549:283
Schakel, M. 548:29
Schaper, F. 553:331
Schatte, G. 550:213
Schauer, S.J. 549:31
Scheer, M. 553:511
Schenk, W.A. 552:83, 552:91, 560:257
Scherer, O.J. 559:219
Schertl, P. 568:263
Schiemenz, B. 563:61
Schiesser, C.H. 552:145
Schleis, T. 569:159
Schleyer, P. von Ragué 550:331, 552:285
Schmidt, H.-G. 550:1
Schmutzler, R. 553:111
Schneider, A. 552:171
Schnöckel, H. 561:203
Schoell, N.J. 560:15
Schollhammer, P. 560:245
Schottek, J. 569:217
Schrock, R.R. 557:69, 569:125
Schubert, U. 548:57
Schulte, J.L. 552:171
Schulte, P. 557:251, 563:235
Schulte-Ladbeck, R. 552:171
Schumann, H. 548:229, 552:195, 555:201, 559:181, 562:255
Schupp, T. 561:181
Schürmann, M. 556:165
Schwarz, P. 568:1
Schwarze, B. 552:247
Schweiger, M. 553:73
Scott, A.J. 550:183
Scott, J.S. 554:147
Seco, M. 560:147
Segal, B.M. 568:77
Seidelmann, O. 561:199
Sekizuka, N. 569:139
Sellin, M. 562:183
Seneka Perera, M.P. 565:193
Seo, B.-S. 559:191, 559:203
Seok, W.K. 559:165
Seppälä, J.V. 559:65
Serra, M.E.S. 553:199
Sesto, B. 552:277
Settambolo, R. 548:279
Shade, J.E. 562:89
Shafiq, F.A. 555:1
Shah, S.A.A. 550:1, 553:23
Shahabadi, N. 568:53
Sharma, P. 560:35, 568:13
Shawkataly, O. 565:267
Shawl, C.E. 568:21
Shchegolikhina, O.I. 562:141
Sheehan, J.P. 550:477
Sheldrick, W.S. 553:39, 554:207
Shen, Q. 549:95, 549:203, 566:9
Shephard, D.S. 563:113
Shibahara, T. 559:197
Shields, G.P. 550:457
Shimizu, T. 552:39
Shono, Y. 558:35
Shore, S.G. 550:309, 563:23
Shtern, M.M. 556:141
Sidorov, A.A. 551:171
Siebel, E. 556:229
Sik, V. 555:35
Silaghi-Dumitrescu, I. 549:187
Silaghi-Dumitrescu, L. 549:187
Sillanpää, R. 555:17, 558:171, 568:149
Silva, D.O. 562:127
Simal, F. 558:163
Simándi, L.I. 563:81
Simard, M. 563:53
Simchen, G. 548:131
Simoncini, F. 555:135
Simpson, J. 564:125, 565:19
Sinbandhit, S. 553:253
Singh, Y. 560:197
Singh Sisodia, O. 560:35
Sini, G. 567:7
Sinn, E. 551:299
Sinou, D. 567:157
Sitzmann, H. 561:203
Sivakumar, K. 565:267
Sizov, A.I. 559:97, 564:5, 568:113
Sjöholm, R. 559:65
Skelton, B.W. 551:195, 551:235, 552:23, 552:109, 554:175, 558:197, 561:97, 565:159, 565:165, 565:193, 565:259
Skidmore, M.A. 552:145
Skoog, S.J. 557:13
Slovokhotov, Yu.L. 549:55, 566:15
Sluggett, G.W. 561:19
Smeets, W.J.J. 550:347, 551:1
Smethurst, C.A.P. 553:463
Smidt, S.P. 563:113
Smith, J.D. 564:215
Smith, J.N.B. 550:241
Smith, L.M. 554:75
Smith, M.B. 550:255
Smith, P.D. 559:141
Snaith, R. 550:233, 550:457
Sneddon, L.G. 550:77
Sobota, P. 550:111, 553:379, 554:195
Solans, X. 563:179
Song, H. 558:71
Song, H.J. 559:149
Song, S.P. 549:95
Song, W. 558:223
Song, X.Q. 566:103
Sonoda, N. 548:105, 564:1
Soós, L. 566:29
Söte, M. 556:97
Sotomayor, J. 560:117
Soubra, S. 554:41
Soulier, E. 567:13
Soum, A. 560:109, 561:77
Souza, F.E.S. 550:183
Sowa, J.R. (Jr.) 548:65
Sowerby, D.B. 549:187, 555:271
Spalding, T.R. 550:151, 550:477
Spaniol, T.P. 558:139, 569:159
Spek, A.L. 550:347, 550:463, 551:1, 551:67, 564:29
Spencer, D.M. 566:151
Sperry, C.K. 548:1
Spicer, M.D. 549:199, 556:151
Spiegler, M. 557:93
Spivak, G.J. 551:383
Spörl, A. 568:241
Sriprang, S. 567:199
Stahl, L. 563:209
Stalke, D. 550:173, 569:189
Stammler, H.-G. 552:221, 553:317, 556:97
Stanczyk, W. 560:41
Stark, J.L. 557:163
Starosta, R. 568:177
Steed, J.W. 561:209
Stefani, H.A. 562:127
Steimann, M. 555:247
Stein, E. 559:37
Steinborn, D. 548:205, 548:247, 556:189, 561:191
Steiner, A. 550:71
Steinert, P. 565:231
Stellfeldt, D. 552:165
Stelzer, O. 553:39, 554:207
Stéphan, O. 567:219
Stephens, A.H.H. 562:115
Stepnicka, P. 552:293
Stern, C.L. 568:21
Steudel, A. 556:229
Stewart, P.J. 564:209
Stíbr, B. 550:125, 557:181
Stilter, A. 560:125
Stoccoro, S. 553:405, 568:225
Stock, S.R. 557:121
Stoeckli-Evans, H. 549:263, 549:275, 553:307, 561:227, 565:97
Stolarov, I.P. 551:171
Stone, F.G.A. 551:27, 562:17
Storhoff, D.A. 554:13
Stößel, P. 552:229
Stowasser, R. 566:225
Stradiotto, M. 558:1, 564:101
Strandén, J. 558:171
Straub, W. 548:91
Strehblow, C. 561:175, 561:181
Strelkova, T.V. 562:141
Stricker, A. 553:253
Strömberg, S. 558:123
Stromnova, T.A. 551:171
Struchkov, Yu.T. 566:15
Stubbe, M. 560:257
Stubenhofer, B. 564:71
Stufkens, D.J. 561:57
Styring, P. 551:299
Su, C.-C. 569:39
Suciu, E.N. 556:41
Sudoh, C. 569:29
Sue, R.E. 554:181
Sugihara, T. 554:163
Sugimori, A. 563:161
Sugimoto, K. 564:47
Sugiyama, T. 563:161
Suh, I.-H. 558:71
Sullivan, A.C. 553:23
Sum, G.-R. 553:111
Sun, G.A. 551:21
Sun, H.-S. 556:159
Sun, J. 549:25, 549:239, 553:149, 559:157, 566:9, 566:21
Sun, Y.K. 548:65
Sünkel, K. 549:245, 552:237
Surynt, R.J. 552:109
Susperregui, J. 556:105
Süss, J. 562:207
Süss-Fink, G. 549:263, 549:275, 553:307, 561:227, 565:97
Sussek, H. 548:73
Susteková, Z. 552:1
Sustmann, R. 561:175, 561:181
Suzenet, F. 567:21
Suzuki, M. 558:35
Suzuki, N. 560:47
Suzuki, S. 548:223
Suzuki, T. 549:117, 554:155
Swainston, N. 566:151
Swang, O. 561:29
Szafert, S. 554:195
Szepes, L. 560:7, 563:147
Sztáray, B. 560:7
Szymanska-Buzar, T. 564:143
Tachikawa, H. 555:161
Takahashi, M. 553:163
Takahashi, S. 559:91, 569:195
Takano, Y. 569:177
Takata, T. 554:167
Takayama, C. 563:161
Takayama, T. 549:13
Takeba, M. 564:1
Takei, F. 559:91, 569:195
Talarmin, J. 560:245
Tamao, K. 553:111, 559:73
Tanaka, K. 569:61
Tanaka, M. 564:81, 565:49
Tanase, T. 569:29
Tanchoux, N. 567:143
Tangestaninejad, S. 568:53
Tani, K. 560:253, 569:15
Tanna, R. 549:233
Taraban, M.B. 566:73
Tareque Abedin, S.M. 564:133
Tatsumi, K. 564:189, 569:109
Taube, R. 548:229, 552:195, 555:201
Tauzher, G. 548:211
Taylor, P.C. 553:507
Taylor, R.J. 550:29
Tehrani, Z.M. 548:309
Teichert, M. 569:189
Teichman, R.A. 557:169
Teixidor, F. 550:125, 555:17, 568:149
Tempesti, E. 551:229
Terada, M. 565:49
Terblans, Y.M. 566:133
Tesmer, M. 568:133
Tetrick, S.M. 566:1
Teuben, J.H. 551:159
Thayaparan, J. 551:375
Thewalt, U. 552:75, 553:15
Thiel, W. 548:185
Thiel, W.R. 555:293
Thirase, K. 568:247
Thomas, S. 560:1
Thominot, P. 565:75
Thompson, C. 553:83
Thompson, R.M. 560:77
Thornton-Pett, M. 550:151, 550:341, 550:441, 557:181, 567:199
Tian, G.L. 553:149, 558:231

TIAN, S. 549:1, 550:397, 551:261
TIEKINK, E.R.T. 552:177, 560:1
TIN, K.-C. 557:207
TING, P.-C. 553:417
TIRIPICCHIO, A. 563:15
TKATCHENKO, I. 569:203
TOBITA, H. 553:1
TOCHER, D.A. 549:295
TOLLEY, M.S. 549:233
TONG, Y.-Y. 552:17
TORNERO, J. 560:27
TORO, A. 548:121
TORRACA, K.E. 554:13
TORRENS, H. 551:55
TORRES, R. 560:27
TOSCANO, A. 560:35
TOSCANO, R.A. 557:169
TOUCHARD, D. 565:63
TOUCHARD, F. 567:133
TOUPET, L. 553:253, 565:63
TOYOHARA, K. 569:61
TOYOTA, K. 553:135
TRAKARNPRUK, W. 563:209
TRAUTHWEIN, H. 566:277
TRETYAKOV, A. 568:41
TRIPEPI, G. 555:49
TROJANOWSKA, L. 550:111
TROMMER, K. 552:99
TROUPEL, M. 560:103
TRZECIAK, A.M. 552:159
TSAI, C.T. 564:257
TSAI, F.-Y. 569:39
TSE, A.K.-S. 568:257
TSE, W.C. 568:21
TSUGE, K. 569:61
TSURUMAKI, T. 569:3
TUCK, D.G. 550:165
TUNG, S.P. 559:91
TUNIK, S.P. 550:221
TURNER, M.A. 553:53
TURNER, P. 565:283
TURUTA, T. 569:29
TYLER, D.R. 549:105, 554:19
UCCELLO-BARRETTA, G. 548:279
UDODAIRA, K. 552:39
UEDA, K. 560:253
UENO, Y. 553:487
UEYAMA, N. 569:177
ÜFFING, C. 561:203
UGUAGLIATI, P. 566:61
UHL, W. 555:263
UHLIG, F. 556:165
ÜLKÜ, D. 561:7
UNDERHILL, A.E. 560:191
UNRECHT, B. 566:125
UO, A. 548:223
URATA, H. 569:15
URIEL, S. 562:197
URRIOLABEITIA, E.P. 554:105, 561:67
USTYNYUK, N.A. 551:93
USTYNYUK, Y.A. 551:171
UTKO, J. 553:379
VAHRENKAMP, H. 555:113, 555:285, 564:133, 565:187, 568:133
VAISSERMANN, J. 548:295, 548:305, 553:483, 567:57, 567:83, 567:101
VALERGA, P. 549:221, 564:21, 568:13
VALLE, G. 552:277
VALNOT, J.Y. 549:81
VAN DEN ANCKER, T.R. 550:283
VAN DER ZEIJDEN, A.A.H. 555:5
VAN HAL, J.W. 557:163
VAN KOTEN, G. 550:463, 551:1, 552:23, 558:61
VAN LEEUWEN, P.W.N.M. 551:67, 564:29
VARGA, V. 553:15
VARGAFTIK, M.N. 551:171
VASS, G. 560:7
VASSILEV, N.G. 555:35
VÁZQUEZ DE MIGUEL, A. 548:157
VELDMAN, N. 564:29
VELIKANOV, A. 553:129
VENNERI, P. 561:19
VENZO, A. 557:97
VERHOVNIK, G.P.J. 553:477
VERPEAUX, J.-N. 567:25
VERRAZZANI, A. 551:37
VICARIO, J.L. 550:463, 551:1, 558:61
VIKIC-TOPIC, D. 566:85
VILA, J.M. 556:21, 556:31, 566:93
VILAR, R. 557:131
VILASECA, F. 551:107
VILLACAMPA, M.D. 561:1
VILLAR, J.M. 551:107
VIÑAS, C. 550:125, 555:17, 568:149
VIÑAS, J.M. 565:141
VISENTIN, F. 566:61
VISSIERE, B. 567:119
VITULLI, G. 551:37, 564:57
VIXAMAR, M. 554:41
VLAAR, M.J.M. 551:67
VOGELGESANG, J. 549:139
VÖGL, T. 561:221
VOGLER, A. 553:517, 559:215, 559:223, 568:291
VOGT, D. 551:165, 552:187
VOIGT, F. 552:265
VOLKOVA, O.S. 566:73
VOLNINA, E.A. 566:263
VON ARNIM, V. 552:171
VON DAHLEN, K.-H. 559:191
VON SCHNERING, H.G. 560:125
VORONKOV, M. 553:129
VORONKOV, M.G. 553:481, 557:143
VOS, D. 553:277
VRANA, L.M. 554:29
VRAZHNOV, D.V. 549:45
VRIEZE, K. 551:67, 564:29
VUANO, S. 548:211
VYATER, A. 548:149
WACHTER, J. 564:71, 566:203
WACHTER, W.M. 553:443
WADA, M. 548:223
WAGNER, C. 552:265
WAGNER, G. 552:17
WAKATSUKI, Y. 560:47, 569:169
WALLBRIDGE, M.G.H. 550:301, 568:271
WALLER, A. 565:105
WALTER, O. 549:139, 561:131
WAN, W. 557:157
WANG, B.Q. 558:231
WANG, H.Q. 556:239
WANG, J. 548:65
WANG, J.T. 549:25
WANG, Q.-G. 558:131
WANG, Q.J. 550:119
WANG, S.Y. 554:41
WANG, W.L. 564:233
WANG, Y. 553:417, 569:39
WANG, Z.-Q. 569:85
WARREN, T.H. 569:125
WARTCHOW, R. 566:287
WATANABE, H. 568:121
WATANABE, M. 549:13
WATANABE, T. 553:487, 564:47
WATERMAN, S.M. 555:25, 565:81, 565:193
WATERS, J.M. 556:197
WATKINS, C.L. 549:31
WEBB, G.A. 552:247
WEBER, J.C. 548:91
WEBSTER, M. 568:213
WEEBER, A. 553:331
WEI, P.R. 563:87
WEIDENBRUCH, M. 560:125
WEIMANN, R. 562:255
WEINMANN, M. 561:131, 563:61
WEISSENSTEINER, W. 563:37
WEIßENBORN, H. 548:229
WELCH, A.J. 550:315
WELLER, A.S. 548:195, 550:315, 556:55
WEN, Y.-S. 549:155, 564:257
WENSELEERS, W. 553:115
WERNER, H. 551:367, 562:45, 565:231, 569:189
WESTERHAUSEN, M. 548:131
WESTON, W.S. 553:473
WHEATLEY, A.E.H. 550:233
WHITE, A.H. 551:195, 551:235, 552:23, 552:109, 554:175, 558:197, 561:97, 565:159, 565:165, 565:193, 565:259
WHITE, A.J.P. 550:453
WHITE, A.W.J. 562:105
WHITE, C. 551:355
WHITE, P.A. 565:201
WHITE, P.S. 559:165
WHITELEY, M.W. 560:265, 566:151
WHITMIRE, K.H. 557:163
WHITTALL, I.R. 549:127, 563:137
WHITTINGHAM, C. 551:313
WICHA, J. 558:227
WIEGELEBEN, P. 548:205
WILÉN, C.-E. 559:65
WILKINSON, D.L. 552:165
WILLEM, R. 552:177
WILLETT, K.J. 550:473
WILLIAMS, A.F. 548:45
WILLIAMS, D.J. 550:453, 551:313, 562:105
WILLIAMS, M.L. 565:193
WILLIAMS, R.E. 550:331
WINDISCH, H. 548:229, 555:201
WINTER, A. 553:285, 558:213
WINTERFELD, J. 559:181
WINTERHALTER, U. 549:139, 553:433, 555:119
WITTE, P.T. 551:207
WITTIG, J.E. 557:121
WOCADLO, S. 560:211
WOLF, J. 565:231
WOLMERSHÄUSER, G. 559:219
WONG, N.-B. 557:207
WONG, W.-T. 566:237
WONG, W.-Y. 556:219
WOO, S.I. 559:149, 561:37
WOODGATE, P.D. 560:197
WOODGATE, S.D. 551:247, 565:153
WOODROFFE, T.M. 551:313
WORBOYS, K. 550:255
WRACKMEYER, B. 552:247, 562:207
WRIGHT, A.H. 559:141
WRIGHT, D.S. 550:71
WRIGHT, E. 560:77
WRIGHT, L.J. 551:247, 565:153
WRIGHT, M.R. 551:229
WU, B.-M. 568:257
WU, F. 553:183
WU, S.-L. 568:157
WU, Y.J. 564:233
WURST, K. 552:45, 553:73, 553:103, 563:219
XI, R.M. 549:117
XIA, C.-G. 568:157
XIE, Q.L. 566:103
XIE, Z.W. 549:239
XING, Y. 548:139
XU, S.S. 553:149, 558:231
XU, Y. 561:143
XU, Y.M. 549:25
XUE, F. 549:239, 559:31
XUE, M. 558:11
YALÇIN, G. 568:143
YAM, V.W.W. 548:289
YAMAGATA, T. 560:253
YAMAGUCHI, H. 554:167
YAMAGUCHI, K. 569:177
YAMAGUCHI, M. 554:163
YAMAGUCHI, S. 559:73
YAMAGUCHI, Y. 560:47
YAMAMOTO, Y. 560:223, 561:157, 569:29
YAMAMURA, H. 549:305
YAMASHITA, K. 553:487
YAMASHITA, M. 564:249
YAMAZAKI, H. 569:99
YANAI, K. 559:91
YANG, C.-S. 569:39
YANG, M.-F. 564:257
YANG, Z.Q. 566:103
YAO, H.R. 568:63
YAO, X.L. 568:165
YAP, G.P.A. 562:89, 565:105
YASUDA, H. 569:147
YATES, M.I. 569:71
YEH, W.-Y. 548:191, 552:135
YELLOWLEES, L.J. 563:113
YI, C.S. 553:157
YIM, S.B. 559:165
YIN, X.L. 557:259, 564:267
YIN, Y.-Q. 559:157, 568:157
YOO, B.R. 548:237
YOON, J.-S. 558:11
YOON, S.C. 559:149
YOSHIDA, T. 562:203
YOSHIFUJI, M. 553:135
YOSHIKAWA, M. 552:39
YOSHIOKA, K.-I. 569:139
YOSHIOKA, Y. 569:177
YOU, X.-Z. 556:159
YOUNG, C.G. 560:1
YOUNG, V.G. (JR.) 563:1
YU, Z.K. 549:311
YU, Z.T. 558:223
ZACHARA, J. 560:89, 566:217
ZAHALKA, H. 562:53
ZAITSEVA, N.N. 558:197
ZAKHAROV, L.N. 560:21
ZAKRZEWSKI, J. 568:171
ZAMORA, F. 552:127
ZANELLA, P. 555:177
ZANELLO, P. 552:265, 565:243
ZANGRANDO, E. 552:127
ZANOTTI, V. 563:153

ZANOTTO, L. 557:37
ZAPF, A. 566:277
ZARECKI, A. 558:227
ZECCA, M. 552:277
ZEHNDER, M. 549:283, 550:193
ZELESNY, G. 552:165
ZETTERBERG, K. 558:123
ZHANG, H.M. 550:409, 551:261
ZHANG, L.-F. 557:157
ZHANG, L.-X. 563:101
ZHANG, L.L. 549:95
ZHANG, Y.Q. 553:149, 558:231
ZHANG, Z.-Y. 549:239, 557:207, 559:31
ZHANG, Z.-Z. 556:169, 558:131, 559:31
ZHAO, K.-Q. 557:157
ZHAO, Q. 556:159
ZHAO, Y. 568:21
ZHDANOV, A.A. 562:141
ZHENG, G. 558:1
ZHENG, W.-Z. 557:157
ZHOU, H.Y. 556:239
ZHOU, X.-G. 563:101
ZHOU, X.Z. 553:149, 558:231
ZHOU, Z.-Y. 564:193
ZHOU, Z.X. 564:233
ZHU, J.G. 557:121
ZHU, N.Y. 565:187
ZIEMKOWSKA, W. 562:3
ZILLER, J.W. 553:141, 564:85, 569:89
ZINK, J.I. 554:87
ZIÓLKOWSKI, J.J. 552:159
ZOU, D.P. 568:165
ZOU, G. 566:21
ZSOLNAI, L. 563:73, 566:271
ZUBAVICHUS, Y.V. 549:55
ZUCCA, A. 553:405, 568:225
ZUIDEVELD, M.A. 551:159
ZUKERMAN-SCHPECTOR, J. 562:127

ELSEVIER

Journal of Organometallic Chemistry, Supplement (1999) 11–57

Journal of Organometallic Chemistry

# Cumulative Indexes of Volumes 548-569: Partially Permuted Keyword Index

**(4+2)Annulation** 549:311
**1,3-Migration** 560:41
**2-Phase-System** 553:469
**4-Component-Reaction** 552:17
**5-Coordinate-Complex** 565:243
**5-Coordinate-Hydride** 565:217
**6-Vertex** 550:331
**7-Coordinate**
· Acetylacetonate 549:193
· Molybdenum 549:193
· Thiophene-Acetonitrile-Complex 560:191
· Tungsten 560:191
**7-Coordinate-Complex** 566:245
**9-Vertex** 550:441
**12-Vertex** 550:77
**13-Vertex** 550:77
**17-Electron** 555:57
**18-Vertex** 557:181
**19-Vertex** 557:181
**47-Electron** 568:63
**A-Frame-Complex** 569:189
**Ab-Initio**
· 6-Vertex 550:331
· Agostic-Bond 555:101
· Allyl 561:29
· Aluminum 550:355
· Amide 549:81, 550:355, 552:285
· Aromaticity 566:29
· B-11-Chemical-Shift 550:409
· Boron 550:331
· Bridging-Ability 559:173
· Carborane 550:331, 550:409
· Charge-Density 555:101
· Chiral-Ligand 549:81
· Chromium 561:29
· DFT 549:81, 561:29
· Electron-Structure 559:73
· Elimination 550:355
· Equilibria 559:173
· Gas-Phase-Electron-Diffraction 560:183
· GIAO-Computed-C-13 550:409
· Group-1 550:409
· Hauser-Base 559:173
· Heterobimetallics 550:355
· Hydroxylamine 550:233
· Insertion 550:355
· Lithiation 548:185
· Lithium 550:233, 550:355, 552:285
· Lithium-Amide 549:81
· Magnesium 552:285
· Magnesium-Enolate 559:173
· Metalla-Carborane 550:409
· MO-Calculation 559:173, 560:183
· NMR 550:409
· Phenyl-Silane 560:183
· Phosphole 566:29
· Phosphorus 566:29
· Photoelectron-Spectroscopy 566:29
· Sigma*-Pi*-Conjugation 559:73
· Silole 559:73
· Silylamido 552:285
· Solvent-Effect 559:173
· Stereoselectivity 548:185
· Structural-Chemistry 561:29
· Substituent-Effect 559:73
· Titanium 555:101
· Topological-Analysis 555:101
· UV-Absorption-Spectra 559:73
· X-Ray 550:233, 550:355, 550:409, 552:285
· Zirconium 561:29
**Absolute-Configuration**
· Amphoteric-Catalyst 550:29
· Asymmetric-Hydrophosphonylation 550:29
· Carbonyl 556:129
· Chiral-Derivatizing-Agent 550:29
· Chirality 556:129
· Cobalt 556:129
· Configurational-Stability 550:29
· Enantiopurity-Assay 550:29
· Epimerization 556:129
· Metal-Complex 550:29
· Nitrosyl 556:129
· Pudovik-Reaction 550:29
· Transition-Metal 556:129
· X-Ray 556:129
**Absorption-Spectra**
· Chromium 562:217
· Palladium 559:223
· Photochemistry 553:517, 559:223
· Pi-System 562:217
· Platinum 553:517
· Radical 558:35
· Silicon 558:35
· Sn-119-NMR 562:217
· Star-Type-Compound 562:217
· Tin 562:217
· Trigonal-Planar-Coordination 562:217
**Acenaphthyl** 549:177
**Acetamidinate** 564:209
**Acetonitrile**
· Carbene 552:69
· Chromium 552:135
· Cyclic-Voltammetry 552:69
· Cyclopentadienyl 552:135
· Gold 552:69
· Heterobimetallic-Complex 552:135
· Heterocycle 552:69
· Norbornadiene 552:135
**Acetylacetonate**
· 7-Coordinate 549:193
· Dinuclear-Complex 551:117
· Metal-Complex 551:117
· Molybdenum 549:193
· Platinum 551:117
**Acetylene**
· Addition 562:127
· Alkyl-Tellurium 562:127
· Alkyne 565:37
· Aryl-Tellurium 562:127
· Bromide 562:127
· Cyclopentadienyl 565:37
· Dihydrogen-Complex 565:37
· Group-8 565:37
· Hydride-Complex 565:37
· Metal-Complex 565:37
· Ruthenium 565:37
**Acetylenedicarboxylate** 560:253
**Acetylenic-Alcohol** 553:129
**Acetylenic-Ester** 551:107
**Acetylenic-Glycol** 553:129
**Acetylenic-Urea** 562:35
**Acetylide**
· Alkynyl 549:127
· Aryl-Acetylide 549:127
· Bimetallic-Complex 556:219
· Cyclopentadienyl 549:127
· Fluorenyl 556:219
· Heterometallic-Cluster 565:3
· Hyperpolarizability 549:127
· Nonlinear-Optics 549:127
· Osmium 556:219
· Phosphine 549:127
· Platinum 556:219
· Polymer 556:219
· Reversible 565:3
· Ruthenium 549:127, 556:219, 565:3
· Susceptibility 549:127
· Tungsten 565:3
· X-Ray 549:127
**Acetylpyrazolonato** 566:187
**Acid-Reactivity** 564:13
**Acrolein| Beta-Tributylstannyl-»** 567:21
**Acrylic-Acid** 553:199
**Actinide**
· Crystal-Field-Parameter 559:209
· Cyclooctatetraenyl 559:209
· Cyclopentadienyl 551:261
· Electron-Structure 559:209
· Half-Sandwich-Complex 559:209
· Lanthanide 559:209
· Model 559:209
· Optical-Spectra 559:209
· Stoichiometry 559:209
**Activated-Thiophene** 567:49
**Activation| C-C-Bond-»** 560:69
**Activation| C-Cl-Bond-»**
· Chloromethylchlorophosphine 554:207
· Dichloroethane 548:305
· Iridium 548:305
· Ligand-Formation 548:305
· Ortho-Position-of-the-Phenol-Ring 548:305
· P-Cl-Bond-Activation 554:207
· Palladium 554:207
· Phosphinomethyl-Bridge 554:207
· X-Ray 554:207
**Activation| C-F-Bond-»**
· C-H-Bond-Activation 555:67, 558:209
· Chiral-at-Metal-Complex 558:209
· Cyclopentadienyl 552:165
· Dimer 552:165
· Fluoride 552:165
· Lanthanoid 552:165
· Oxidation 552:165
· Regioselectivity 558:209
· Rhodium 555:67, 558:209
· X-Ray 552:165
· Ytterbium 552:165
**Activation| C-H-Bond-»**
· Allyl 548:301
· Amine 548:301
· Aryl 548:301
· C-C-Bond-Activation 560:69
· C-C-Coupling 569:85
· C-F-Bond-Activation 555:67, 558:209
· Catalysis 548:301, 554:41
· Chelate 564:155

Elsevier Science S.A.

· Chiral-at-Metal-Complex 558:209
· Chirality 564:155
· CO-Pressure 554:41
· Cyclic-Voltammetry 561:175
· Cyclometallation 548:301
· Dehydrogenation 554:41
· Dimerization 553:511
· Elimination 553:1
· Excited-State 554:1
· Grignard-Reagent 569:85
· Hydride-Complex 564:241
· Indanyl 553:511
· Iridium 553:1, 564:241, 569:85
· Kinetics 554:41
· Metallocene 560:69
· Methyl-Acrylate 561:175
· Methyl-Vinyl-Ketone 564:241
· Methylene 569:85
· Migration 553:1
· P-Ligand 564:155
· Palladium 548:301
· Pentamethyl-Cyclopentadienyl 569:85
· Phosphinidene 553:511
· Photochemistry 554:1, 554:41
· Photophysics 554:1
· Platinum 564:155
· Racemic-Ligand 564:155
· Reduction 560:69
· Regioselectivity 558:209
· Rhodium 554:1, 554:41, 555:67, 558:209
· Ruthenium 561:175
· Silyl 553:1
· Supermesitylphosphaalkyne 553:511
· Thermal-Reactions 553:1
· Tungsten 553:511
· Vinyl 564:241, 569:85
· X-Ray 564:155
· Zirconium 560:69

**Activation| P-Cl-Bond-» 554:207**

**Acyl**
· Alcohol 564:267
· Alkoxycarbonyl 564:267
· Carbonyl 567:25
· Cyclic-Voltammetry 567:25
· Cyclopentadienyl 567:25
· Electron-Transfer-Catalysis 567:25
· Hydrogenolysis 567:25
· Iron 567:25
· Manganese 564:267
· Trialkyl-Tin-Hydride 567:25

**Acylacetylide 565:63**

**Acylation**
· Carbene 553:183
· Carbodiimide 568:171
· Carbonyl 553:183, 568:171
· Chromium 553:183
· Cyclopentadienyl 568:171
· Diamino-Carbene 561:153
· Fischer-Complex 553:183
· Iron 568:171
· Isocyanide 561:153
· N-Acylation 568:171
· Protein 568:171
· Sulfanilamide 568:171
· Sulfonamide 568:171
· Tungsten 561:153

**Addition**
· Acetylene 562:127
· Alkyl-Tellurium 562:127
· Alkyne-Insertion 558:91
· Aryl-Tellurium 562:127
· Arylation 567:157
· Boron 550:183
· Bromide 562:127
· Butadiene-Metal-Complex 569:217
· Carbocation 549:233
· Carbon-Nucleophile 549:233
· Carbonyl 549:245
· Carboxylic-Acid 551:151
· Catalysis 551:151, 558:91, 564:1, 567:157
· Cationic-Complex 569:217
· Chromium 549:245
· Cobalt 549:233, 558:91
· Diaryl-Diazene 558:91
· Diene 555:227
· Dienyl 549:245
· Dihydrocinnoline 558:91
· Dinuclear-Complex 569:217
· Fullerene 561:109
· Germyl-Lithium 561:109
· Germyl-Selenide 564:1
· Grignard-Reagent 567:157
· Group-4 569:217
· Heteroatom 564:1
· Hydride 565:153
· Hydride-Complex 558:91
· Hydrogen-Bonding 549:233
· Iron 549:245, 555:227
· Metallo-Carbaborane 549:233
· Metallocene 569:217
· Methyl-Pentadienyl-Aniline 549:245
· Naphthyl 565:153
· Nickel 567:157
· Ortho-Metallation 558:91
· Osmium 565:153
· Palladium 564:1, 567:157
· Platinum 550:183
· Proton-Sponge 549:233
· Regioselectivity 551:151, 564:1
· Ruthenium 551:151
· Silyl-Germane 564:1
· Silyl-Lithium 561:109
· Silyl-Selenide 564:1
· Stereochemistry 567:157
· Stereoselectivity 564:1
· Stibenylazobenzene 558:91
· Sulfone 555:227
· Transition-Metal 558:91
· Tricarbonyl-Cyclohexadiene 555:227
· Triple-Bond 551:151
· Unsaturated-Glycoside 567:157
· Vinylidene 565:153
· Zirconocene 569:217

**Addition| Radical-» 555:151**

**Addition| Regioselective-» 548:143**

**Aggregate| Mixed-» 550:463**

**Aggregate| Nonametallic-» 560:169**

**Agostic-Bond 555:101**

**Alane**
· Alkali-Metal 550:283
· Alumina 550:283
· Bivalent-Ytterbocene 568:33
· Gallane 550:283
· Lithium-Reagent 550:283
· Methyl-Methacrylate 568:33
· Naphthalenide 550:283
· Polymer 550:283
· Polymerization 568:33
· Polystyrene 550:283
· Silica 550:283
· Sodium-Reagent 550:283
· Titania 550:283

**Alcohol**
· Acyl 564:267
· Alkane 554:135
· Alkoxide 556:229
· Alkoxycarbonyl 564:267
· Catalysis 564:57
· Chiral-Complex 567:75
· Chiral-Ligand 556:229
· Cyclopentadienyl-Lanthanoid 556:229
· Diastereoselectivity 567:75
· Intramolecular-Hydrosilylation 564:57
· Manganese 564:267
· Nitrogen 556:229
· NMR 556:229
· Oxidation 567:75
· Palladium 554:135
· Platinum 564:57
· Propargyl-Alcohol 564:57
· Reduction 567:75
· Regioselectivity 564:57
· Rhenium 567:75
· Silicon 564:57
· Triethyl-Silane 554:135
· Wittig-Reaction 567:75

**Alkali-Metal**
· Alane 550:283
· Alkoxide 553:141
· Alumina 550:283
· Amide 558:193
· ATE-Complex 553:141
· Cyclopentadiene 550:397
· Diisopropylamide 558:193
· Dimer 558:193
· Gallane 550:283
· Intramolecular-Bonding 558:193
· Lithium-Reagent 550:283
· Naphthalenide 550:283
· NMR 550:397
· Pentamethyl-Cyclopentadienide 553:141
· Polymer 550:283
· Polystyrene 550:283
· Potassium 558:193
· Silica 550:283
· Silyl 550:397
· Sodium-Reagent 550:283
· Titania 550:283
· Trimethyl-Silylmethyl 550:397
· Yttrium-Dimethylphenoxide 553:141

**Alkaline-Earth 550:173**

**Alkaloid 567:101**

**Alkane 554:135**

**Alkanethiol 551:195**

**Alkene**
· Alkenyl 569:71
· Alkyne 560:217, 565:231
· Aroyl-Chloride 560:217
· Borane 553:91
· C-C-Coupling 569:71
· Carbonylative-Cyclization 553:91
· Catalysis 560:217
· Cobalt 553:91
· Copper 551:387, 558:51
· Dialkyl-Ketone 553:91
· Disilane 560:217
· DMF 551:387
· Gas-Phase-Reaction 558:51
· Hydroboration 553:91
· Iminophosphine 560:137
· Mass-Spectrometry 558:51
· Methylene 569:71
· Molecular-Oxygen 551:387
· Molybdenum 558:51
· Olefin 558:51
· Olefin-Rotation 560:137
· Osmium 565:231
· Oxidation 551:387
· Oxidative-Addition 560:137
· Palladium 551:387, 560:137
· Rhenium 558:51
· Rhodium 560:217
· Ruthenium 565:231, 569:71
· Stibine 565:231
· Technetium 558:51
· X-Ray 565:231

**Alkenyl**
· Alkene 569:71
· Ansa-Metallocene 562:229
· C-C-Coupling 569:71
· Catalysis 562:153, 562:229, 568:87
· Cyclopentadienylidene 568:87
· Ethylene 562:153, 562:229, 568:87
· Fluorenylidene 568:87
· Fluorenylidene-Indenylidene-Complex 562:153
· Immobilization 562:153
· Metallocene 562:153, 568:87
· Methylene 569:71
· Polyethylene 568:87
· Polymerization 562:153, 562:229, 568:87
· Polypropylene 568:87
· Ruthenium 569:71
· Self-Immobilization 562:229
· Silyl 568:87
· Zirconium 562:153, 562:229, 568:87

**Alkoxide**
· Alcohol 556:229
· Alkali-Metal 553:141
· Alumoxane 553:379
· ATE-Complex 553:141
· Chelate 553:379
· Chiral-Ligand 556:229
· Cyclopentadienyl-Lanthanoid 556:229
· Niobium 550:473
· Nitrogen 556:229
· NMR 556:229
· Organophosphonate 550:473
· Pentamethyl-Cyclopentadienide 553:141
· Tetranuclear-Compound 553:379
· Titanium 550:473
· Yttrium-Dimethylphenoxide 553:141

**Alkoxycarbonyl**
· Acyl 564:267
· Alcohol 564:267
· Carbonylation 566:37
· Iron 562:183
· Manganese 564:267
· Palladium 566:37
· Phenanthroline 566:37
· Phosphane 562:183
· Transesterification 562:183
· X-Ray 566:37

**Alkyl-Halide 567:39**

**Alkyl-Substituent** 558:11
**Alkylation** 566:175
**Alkylbenzene** 548:237
**Alkylidene**
· Alkylidyne 558:71
· Cluster-Complex 558:71
· Cyclopentadienyl 564:277
· Cyclopropene 564:85
· Imido-Complex 564:85, 564:277
· Molybdenum 564:85
· Osmium 558:71
· Oxo-Complex 564:85
· Reactivity 564:85, 564:277
· Sulfido-Ligand 558:71
· Tungsten 558:71, 564:85, 564:277
· X-Ray 558:71, 564:85
**Alkylidene-Bridge** 563:161
**Alkylidyne**
· Alkylidene 558:71
· Alkyne 555:89
· Alpha-Hydrogen 569:125
· Carbonyl 555:89
· Cluster-Complex 558:71
· Cobalt 555:89
· Cyclopentadienyl 569:125
· Dinuclear-Complex 555:89
· Group-6 548:195
· Heterotetrametallics 555:89
· Heterotrimetallics 555:89
· Migration 569:125
· Molybdenum 555:89
· Osmium 558:71
· Phosphine 548:195
· Polynuclear-Complex 555:89
· Reactivity 548:195
· Rearrangement 555:89
· Sulfido-Ligand 558:71
· Tridentate-Ligand 548:195
· Triphos 548:195
· Tungsten 558:71, 569:125
· X-Ray 558:71
**Alkylindene** 558:11
**Alkyne**
· Acetylene 565:37
· Acyl-Vinylidene 565:63
· Acylacetylide 565:63
· Alkene 560:217, 565:231
· Alkenyl-Vinylidene 565:63
· Alkylidyne 555:89
· Alkynyl 565:75
· Allenylidene 565:75
· Allyl-Propargyl-Ether 549:199
· Amine 557:251
· Aniline 557:251
· Aroyl-Chloride 560:217
· Bimetallic-Complex 552:83
· Boron 562:17, 562:207
· Butadienyl 565:75
· Butatrienylidene 565:63
· C-C-Bond-Formation 554:155
· C-C-Coupling 549:275
· Carbene 565:75
· Carbonyl 549:199, 554:147, 554:163, 555:89, 563:73, 565:225
· Catalysis 560:217
· Cleavage 557:251
· Cluster 549:263, 549:275, 552:109, 565:271
· Cluster-Complex 551:383
· Cobalt 549:199, 554:147, 554:163, 555:89
· Copper 553:31, 557:251, 563:235
· Crown-Ether 548:247
· Cumulene 565:75
· Cycloalkyne 563:235
· Cyclopentadienyl 554:155, 565:37
· Decomplexation 554:163
· Density-Functional 565:271
· DFT 565:271
· Dichloro-Arene-Ruthenium 569:29
· Dihydrogen-Complex 565:37
· Dimerization 552:109
· Dimethoxyphenyl-Diphenyl-Phosphine 569:29
· Dinuclear-Complex 555:89, 557:251
· Disilane 560:217
· Dynamics 552:83
· EHMO-Calculation 569:21
· Electrochemistry 563:73
· Ethylenediamine 554:163
· Ferrocene 563:73
· Fluxionality 551:383
· German 564:143
· Group-8 565:37
· Hafnocene 563:73
· Halogeno-Complex 557:251
· Heteronuclear-Cluster 565:11
· Heterotetrametallics 555:89
· Heterotrimetallics 555:89
· Hexafluoroacetyl 563:235
· Hydride-Complex 565:37
· Insertion 552:83, 554:155
· Iron 565:75, 565:271
· Lewis-Base 557:251, 569:29
· Lithium-Perchlorate 549:199
· Manganese 565:271
· Matrix-Isolation 554:147
· Mechanism 553:31, 554:147
· Metal-Complex 565:37
· Methylene 554:155
· Molybdenum 552:83, 555:89, 565:225, 569:21
· Mössbauer-Spectroscopy 565:75
· Nickel 563:73
· NMR 562:207
· Organoboration 562:207
· Osmium 563:235, 565:231
· Palladium 565:11
· Pauson-Khand-Reaction 554:147
· Pentalene 562:207
· Phosphine 565:225
· Photochemistry 554:147
· Platinum 548:247, 551:383
· Polymerization 564:143
· Polynuclear-Complex 555:89
· Pyridine 557:251
· Reactivity 553:31, 564:143
· Rearrangement 549:199, 555:89
· Rhodium 554:155, 560:217, 565:11
· Ruthenacarborane 562:17
· Ruthenium 549:263, 549:275, 552:109, 565:37, 565:63, 565:231
· Ruthenium-Alkyne-Complex 569:29
· Silicon 562:207
· Silver 563:235
· Stibine 565:231
· Titanocene 553:31
· Triazacyclohexane 565:225
· Tungsten 564:143, 565:225
· Vinyl 549:263
· Vinylidene 565:75, 565:271
· X-Ray 548:247, 563:235, 564:143, 565:63, 565:231
· Zeise's-Salt 548:247
· Zirconium 552:83
**Alkyne**| Metallo-» 565:259
**Alkyne-Bridge** 550:141
**Alkyne-Coupling** 556:207
**Alkyne-Reaction** 565:125
**Alkynol** 549:221
**Alkynyl**
· Acetylide 549:127
· Alkyne 565:75
· Allenylidene 565:75
· Aryl-Acetylide 549:127, 563:137
· Butadienyl 565:75
· Carbene 565:75
· Cumulene 565:75
· Cyclopentadienyl 549:127
· Hyperpolarizability 549:127, 563:137
· Iron 565:75
· Mössbauer-Spectroscopy 565:75
· Nonlinear-Optics 549:127, 563:137
· Phosphine 549:127
· Pyridyl-Acetylide 563:137
· Ruthenium 549:127, 563:137
· Susceptibility 549:127
· Vinylidene 565:75
· X-Ray 549:127, 563:137
**Allenylic-Organometallics** 548:269
**Allenylidene**
· Alkyne 565:75
· Alkynol 549:221
· Alkynyl 565:75
· Butadienyl 565:75
· Carbene 565:75
· Cumulene 565:75
· Iron 565:75
· Mössbauer-Spectroscopy 565:75
· Phosphine 549:221
· Ruthenium 549:221
· Vinylidene 549:221, 565:75
**Allyl**
· Ab-Initio 561:29
· Aluminum 568:113
· Amine 548:301
· Arene 568:205
· Aryl 548:301
· Asymmetric-Hydrovinylation 552:187
· Benzene 568:205
· BINAP 557:213
· Binuclear-Complex 568:113
· Butadiene 552:195
· Butadiene-Telomerization 569:203
· Butyl-Cyclopentadienyl 568:113
· C-H-Bond-Activation 548:301
· Catalysis 548:301, 552:195, 553:67
· Cationic-Complex 552:187, 569:203
· Chiral-Ligand 552:187
· Chromium 561:29
· Cobalt 568:205
· Cocrystallization 557:213
· Codimerization 552:187
· Cycloaddition 553:67
· Cycloheptatrienyl 560:265
· Cyclometallation 548:301
· DFT 561:29
· Dienyl 568:205
· Ene-Reaction 553:67
· Ethylene 552:187
· Functionalized-Hexadecatetraene 569:203
· Hapticity 560:265
· Hydride 568:113
· Isocyanide 560:265
· Lewis-Acid 553:67
· Manganese 563:147
· Metallocene 568:113
· Metallocene-Reaction 553:67
· Molybdenum 550:267, 560:265
· Neodymium 552:195
· Palladium 548:301, 552:187, 569:203
· Photoelectron-Spectroscopy 563:147
· Platinum 569:203
· Polymerization 552:195
· Reactivity 550:267
· Rhenium 563:147
· Ruthenium 557:213
· Sakurai-Reaction 553:67
· Silane 553:67
· Stannane 553:67
· Structural-Chemistry 561:29
· Styrene 552:187
· Tungsten 560:265
· X-Ray 550:267, 557:213, 560:265
· Ytterbium 568:113
· Zirconium 561:29
**Allyl-Amination** 566:61
**Allyl-Iodide** 553:417
**Allyl-Propargyl-Ether** 549:199
**Allylic-Alcohol** 549:305
**Allylic-Alkylation** 567:219
**Allylic-Halide** 567:39
**Allylic-Organometallics** 548:269
**Allylidene-Derivative** 568:63
**Allylphenol** 560:163
**Alumina** 550:283
**Aluminate**| Tetrachloro-» 552:75
**Aluminum**
· Ab-Initio 550:355
· Al-27-NMR 561:203
· Allyl 568:113
· Amide 550:355
· Binuclear-Complex 568:113
· Butyl-Cyclopentadienyl 568:113
· Carbonyl-Alkylation 560:89
· Chelate-Ligand 550:453
· Cyclopentadienyl 561:203
· Elimination 550:355
· Heterobimetallics 550:355
· Hydride 568:113
· Imino-Amide-Ligand 550:453
· Insertion 550:355
· Lithium 550:355
· Metallocene 568:113
· Methyl-Group-Transfer 550:453
· Pyridyl-Amide 550:453
· Quantum-Chemical-Calculation 561:203
· Trinuclear-Compound 560:89

· X-Ray 550:355, 561:203
· Ytterbium 568:113
**Aluminum**| Trialkyl-» 562:3
**Alumoxane** 553:379
**Amide**
· Ab-Initio 549:81, 550:355, 552:285
· Alkali-Metal 558:193
· Aluminum 550:355
· Cation 548:9
· Chiral-Ligand 549:81
· DFT 549:81
· Diisopropylamide 558:193
· Dimer 558:193
· Elimination 550:355
· Heterobimetallics 550:355
· Insertion 550:355
· Intramolecular-Bonding 558:193
· Lithium 550:355, 552:285
· Lithium-Amide 549:81
· Magnesium 552:285
· Potassium 558:193
· Reactivity 548:9
· Silylamido 552:285
· Uranium 548:9
· X-Ray 550:355, 552:285
**Amide-Polymer** 554:19
**Amido-Complex**
· Ansa-Niobiocene 562:71
· Cationic 562:71, 565:97
· Electrocatalysis 548:309
· Electroreduction 548:309
· Half-Sandwich 562:71
· Hexamethylbenzene 565:97
· Hydrazine 565:97
· Imido 548:309, 562:71
· Niobium 548:309
· Protonation 548:309
· Reduction 548:309
· Ruthenium 565:97
**Amido-Ligand** 560:245
**Amidosilyl** 551:293
**Amination** 566:277
**Amine**
· Alkyne 557:251
· Allyl 548:301
· Aniline 557:251
· Aryl 548:301
· C-H-Bond-Activation 548:301
· Catalysis 548:301
· Cleavage 557:251
· Copper 557:251
· Cubane 550:71
· Cyclometallation 548:301
· Dinuclear-Complex 557:251
· Group-14 550:71
· Halogeno-Complex 557:251
· Lewis-Base 557:251
· Lithium 550:71
· Metallocene 550:71
· Palladium 548:301
· Pyridine 557:251
· Tin 550:71
**Amino-Acid**
· Carbonyl 552:237
· Chirality 554:105
· Cyclometallation 552:237
· Diazo-Compound 554:105
· Diphosphazane 554:105
· Manganese 552:237
· Metal-Complex 552:237
· Palladium 554:105
· Platinum 554:105
· Rhenium 552:237
· Schiff-Base 552:237
**Amino-Metalladiene** 556:119
**Aminoacetal** 567:21
**Aminoallyl-Complex** 569:39
**Aminocarbene**
· Alkaloid 567:101
· Alkyne-Insertion 567:83, 567:101
· Chromium 567:83, 567:101
· Nitrogen 567:101
· Nitrogen-Containing-Heterocycle 567:83
· Ylide 567:101
**Aminocarbyne** 563:153
**Aminoferrocene** 552:63
**Aminogallane** 549:31
**Aminoindenyl** 557:227
**Aminophosphine** 563:37
**Ammonium-Ion** 556:11
**Amorphous** 554:63
**Amphoteric-Catalyst** 550:29
**Anchimeric-Assistance** 560:41
**Anil** 564:233
**Aniline** 557:251
**Aniline**| Methyl-Pentadienyl-» 549:245
**Anion** 551:215
**Anisotropic-ESR** 565:19
**Annulene**| Methano-» 569:225
**Ansa-Bridged** 551:133
**Anthracene**
· Catalysis 566:111
· Cyclooctatetraene 557:3
· Ethylene 566:111
· Half-Metallocene 566:111
· Half-Sandwich 557:3
· Niobium 557:3, 566:111
· Polymerization 566:111
· Tantalum 557:3, 566:111
· Xylylene 557:3, 566:111
· Zirconium 566:111
**Anthraquinone** 562:115
**Anti-Markovnikov-Reaction** 566:277
**Antibiotics** 552:17
**Antimony**
· Arene 560:35
· Arsenic 548:223
· Arsine 560:35
· Aryl-Lithium 548:223
· Bismuth 548:223
· Carboxylate 555:271
· Dimethoxybenzenethiol 548:223
· Hydride-Complex 560:35
· Hydrolysis 555:271
· NMR 555:271
· Phosphine 560:35
· Ruthenium 560:35
· Stibine 560:35
· Thiolato-Metal 548:223
· Triaryl-Metal 548:223
**Antimony**| Triphenyl-» 560:95
**Antitumor-Activity** 566:103
**Antitumor-Drug** 565:29
**Aqueous-Solution**
· Carbon-Substituted-Derivative 550:125
· Cationic-Complex 561:227
· Dicarbaborane 550:125
· Heterocycle 561:227
· Hexamethylbenzene 561:227
· Hydride 561:227
· Pyrazolato-Ligand 561:227
· Ruthenium 561:227
· Triazolato-Ligand 561:227
**Arachno**
· 9-Vertex 550:441
· Borane-Cluster 550:441
· Cluster-Compound 550:151
· Isomerism 550:441
· Metalla-Heteroborane 550:151
· NMR 550:441
· Nonaborane 550:441
· Platinum 550:151
· Rhodium 550:151
· X-Ray 550:151, 550:441
**Arene**
· Alkyne-Cyclotrimerization 551:37
· Allyl 568:205
· Antimony 560:35
· Arsine 560:35
· Benzene 568:205
· Catalysis 552:159, 566:165
· Cobalt 568:205
· Cyclic-Voltammetry 551:93
· Cyclooctadiene 551:37
· Cyclopentadienyl 551:93, 553:253
· Dienyl 568:205
· Electrochemistry 553:253, 559:141
· Half-Sandwich 562:97
· Hydride-Complex 560:35
· Hydrogenation 552:159, 566:165
· Iridium 553:253
· Iron 553:253
· Metal-Vapor-Synthesis 550:63
· Molybdenum 550:63
· Olefin 552:159
· Oxidation 553:253
· Phosphine 550:63, 559:141, 560:35, 566:165
· Photochemistry 562:97
· Pyridine 551:37
· Reduction 551:93, 553:253
· Rhodium 552:159
· Ruthenium 551:37, 551:93, 559:141, 560:35, 562:97, 566:165
· Ruthenium-Diphosphine-Complex 556:151
· Sandwich-Complex 551:93, 562:97
· Secondary-Amine 553:253
· Stibine 560:35
· Stoichiometry 551:37
· Styrene 566:165
· X-Ray 552:159, 556:151
**Arene-Thiolato** 559:197
**Aromatic-Imine** 569:139
**Aromaticity** 566:29
**Aroyl-Chloride** 560:217
**Arsane**
· (3+2)-Cycloaddition 568:241, 568:247
· Cyclopentadienyl 568:241
· Insertion 568:247
· Iron 568:241, 568:247
· Metallo-Phosphane 568:241, 568:247
· pH-Function 568:247
· Phosphametallacycle 568:241, 568:247
· Reactivity 568:247
· Ring-Opening 568:241
· Ruthenium 568:241
· Stibane 568:241, 568:247
· Transition-Metal 568:241
**Arsenic**
· Antimony 548:223
· Aryl-Lithium 548:223
· Bismuth 548:223
· Cyclopentadienyl 552:221
· Dimethoxybenzenethiol 548:223
· Thiolato-Metal 548:223
· Triaryl-Metal 548:223
· X-Ray 552:221
**Arsenic**| Diorgano-» 549:187
**Arsine** 560:35
**Arsine**| Triphenyl-» 565:267
**Aryl** 548:301
**Aryl-Acetylide**
· Acetylide 549:127
· Alkynyl 549:127, 563:137
· Cyclopentadienyl 549:127
· Hyperpolarizability 549:127, 563:137
· Nonlinear-Optics 549:127, 563:137
· Phosphine 549:127
· Pyridyl-Acetylide 563:137
· Ruthenium 549:127, 563:137
· Susceptibility 549:127
· X-Ray 549:127, 563:137
**Aryl-Azide** 551:367
**Aryl-Derivative** 551:215
**Aryl-Diamine** 551:1
**Aryl-Group-Migration** 558:227
**Aryl-Hydrazone** 565:125
**Aryl-Isocyanide** 559:91
**Arylation**
· Activated-Thiophene 567:49
· Addition 567:157
· Catalysis 567:157
· Grignard-Reagent 567:157
· Heck-Reaction 567:49
· Nickel 567:157
· Palladium 567:157
· Stereochemistry 567:157
· Unsaturated-Glycoside 567:157
**Arylidene** 559:43
**Ate-Complex**
· Alkali-Metal 553:141
· Alkoxide 553:141
· Ansa-Metallocene 564:5
· Borohydride 564:5
· Pentamethyl-Cyclopentadienide 553:141
· Polymer 564:5
· Ytterbium 564:5
· Yttrium-Dimethylphenoxide 553:141
**Auration** 568:225
**Aza-Ligand** 567:133
**Azavinylidene**
· Carbonyl 548:255, 554:117
· Cluster 554:117, 564:201
· Diphenylphosphine 548:255
· EHMO-Calculation 554:117
· Hydrogenation 564:201
· Protonation 548:255, 554:117
· Reactivity 564:201
· Ruthenium 548:255, 554:117, 564:201
· Tertiary-Silane 564:201
· Tertiary-Stannane 564:201
· Trinuclear-Cluster 548:255
· X-Ray 564:201
**Azide** 548:73
**Azide-Alkylation** 567:31
**Azido-Ligand** 560:245
**Azo-Phosphine** 568:279
**B-11-Chemical-Shift** 550:409
**B-Frame** 550:341

**Backbone**
· Carbonyl-Chloro-Complex 552:229
· Catalysis 569:159
· Dendrimer 569:195
· Diazadiene-Ligand 569:159
· Ethylene 569:159
· EXAFS 552:229
· Iridium 552:229
· Nickel-Alkyl-Complex 569:159
· Phosphine 552:229
· Platinum-Acetylide 569:195
· Polymerization 569:159
· Polynuclear-Complex 569:195
· Reductive-Carbonylation 569:159
· Tripodal-Ligand 552:229
· X-Ray 569:159
**Basicity** 564:125
**Batch-Reactor** 567:143
**Benzamidinate** 564:209
**Benzene** 568:205
**Benzodiazepinone** 553:405
**Benzofurane** 560:163
**Benzonitrile** 553:115
**Benzyl** 569:15
**Benzylic-Diamine**| Primary-» 548:269
**Benzylic-Halide** 567:39
**Benzyne** 565:141
**Benz[f]Indene** 569:121
**Beta-Lactam** 552:17
**Bi-Bi-Bond** 560:211
**Bibracchial** 550:7
**Bidentate-Ligand**
· Allyl-Amination 566:61
· Alpha-Diimine-Ligand 551:67
· Bite-Angle 564:29
· Cationic-Complex 560:131
· Hemilabile-Ligand 567:13
· Hydroformylation 567:13
· Insertion 551:67
· Mechanism 566:61
· Methyl-Imidazole-Derivative 553:345
· Monodentate-Ligand 554:181, 560:131
· Mononuclear-Complex 560:131
· N-Donor-Ligand 553:345
· Nitrogen 551:67, 564:29
· Norbornane 564:29
· Palladium 551:67, 566:61
· Phosphino-Amine 560:131
· Phosphonate 567:13
· Phosphorus 560:131, 567:13
· Pyridyl 564:29
· Pyridyl-Phosphine 554:181
· Rhodium 567:13
· Ruthenium 560:131
· Tin 553:345
· Transition-Metal 560:131
**Bimetallic-Complex**
· Acetylide 556:219
· Alkyne 552:83
· Carbene 566:133
· Chromium 557:97, 566:133
· Cyclopentadienyl 549:25
· Decomposition 566:133
· Dinuclear-Complex 566:133
· Disproportionation 562:89
· Dynamics 552:83
· Fluorenyl 556:219
· Group-6 562:89
· Hydrazone 549:25
· Hydride 552:91
· Indacenyl-Ligand 557:97
· Indenyl 557:97
· Insertion 552:83
· Manganese 566:133
· Metal-Metal-Bond 552:91
· Molybdenum 549:25, 552:83, 562:89
· Osmium 556:219
· Phosphine 562:89
· Photochemistry 562:89
· Platinum 556:219
· Polymer 556:219
· Rhenium 552:91
· Rhodium 557:97
· Ruthenium 556:219
· Substitution 562:89
· Syn-and-Anti-Structure 557:97
· Thienylene 566:133
· Thiophene 566:133
· Zirconium 552:83, 552:91
**Bimetallics** 550:341
**BINAP** 557:213
**Binaphthyl** 568:77
**Binuclear-Complex**
· Acetamidinate 564:209
· Allyl 568:113
· Aluminum 568:113
· Benzamidinate 564:209
· Bridging-Phosphine-Ligand 558:131
· Butyl-Cyclopentadienyl 568:113
· Chromium 560:7
· Copper 558:131
· Cyanide-Bridge 560:117
· Cyclooctatetraene 560:7
· Cyclopentadienyl-Imido-Complex 564:209
· Half-Sandwich-Complex 564:209
· Hydride 568:113
· Indenyl 562:11
· Iron 560:7, 560:117
· Iron-Carbonylate-Anion 558:131
· Kinetics 568:53
· Metallacycle 568:53
· Metallocene 568:113
· Metathesis 568:13
· Molybdenum 560:117
· Mononuclear-Complex 560:7, 568:13, 568:53
· p-Cymene-Ruthenium 568:13
· Pentamethyl-Cyclopentadienyl 551:55
· Photoelectron-Spectroscopy 560:7
· Platinum 568:53
· Polymerization 562:11
· Pyrazolate 551:55, 558:131
· Reactivity 568:13
· Rhenium 560:117
· Rhodium 551:55
· Ruthenium-Arene-Complex 568:13
· Styrene 562:11
· Thiolate 551:55
· Titanium 562:11, 564:209
· Transition-Metal 560:117
· X-Ray 564:209
· Ytterbium 568:113
**Bioctahedron-Complex** 558:81
**Biological-Activity** 560:233
**Biphosphine** 557:117
**Bipyridine**
· Biquinoline 553:53
· Cycloheptatrienyl 566:151
· Cyclopentadienyl 551:207
· Diazabutadiene 566:151
· Group-4 553:53
· Molybdenum 566:151
· Redox 566:151
· Titanocene 551:207
· Triplet-State 551:207
**Biquinoline** 553:53
**Biradical Dimethylsilylene** 566:73
**Bismuth** 548:223
**Bisphosphine-Ligand** 565:105
**Bite-Angle** 564:29
**Bond-Angle** 560:211
**Bond-Distance** 560:211
**Bond-Forming** 558:61
**Bond-Length** 549:163
**Borane**
· Alkene 553:91
· Allylic-Alkylation 567:219
· Carbonyl 550:207
· Carbonylative-Cyclization 553:91
· Catalysis 567:219
· Cobalt 553:91
· Coupling-Reaction 567:219
· Dialkyl-Ketone 553:91
· Diphosphine 567:219
· Fluxionality 550:207
· Geometrical-Isomerism 550:207
· Hydroboration 550:207, 553:91
· Hydrogenation 567:219
· Matrix 567:219
· Organoborane 550:207
· Palladium 567:219
· Phosphine 567:219
· Polypyrrole 567:219
· Rhodium 567:219
· Supported-Ligand 567:219
· Tetraborane-Carbonyl 550:207
**Borane**| Metalla-»
· 18-Vertex 557:181
· 19-Vertex 557:181
· Borane-Cluster 550:21
· Chromium 550:21
· Cluster 557:181
· Macropolyhedral 557:181
· MO-Calculation 550:21
· Platinum 557:181
**Borasiloxane** 560:109
**Borate** 552:247
**Boratrane** 548:149
**Borohydride** 564:5
**Boron**
· 6-Vertex 550:331
· Ab-Initio 550:331
· Addition 550:183
· Alkyne 562:17, 562:207
· B-Frame 550:341
· Bimetallics 550:341
· Carborane 550:331
· Coordinative-N→B-Bond 553:221
· Electron-Count 550:341
· Iridium 568:149
· Macrocycle 568:149
· Nido-and-Closo-Geometry 550:341
· Nido-Carborane 568:149
· NMR 562:207
· Organoboration 562:207
· Pentalene 562:207
· Piperazine-Alcohol 553:221
· Piperidine-Alcohol 553:221
· Platinum 550:183
· Reactivity 568:149
· Rhodium 568:149
· Ruthenacarborane 562:17
· Ruthenium 550:341
· Silicon 562:207
· Sulfur 568:149
· Thioether 568:149
· Transmetallation 562:133
· X-Ray 553:221
· Zinc 562:133
**Boron-Hydride** 550:101
**Boron-Substituted** 548:211
**Borylindene** 567:127
**Bridged-Ligand** 563:7
**Bridging-Ability** 559:173
**Bridging-Carbonato-Ligand** 569:189
**Bridging-Hydrido-Ligand** 569:189
**Bridging-Phosphine-Ligand** 558:131
**Bridging-Water** 553:23
**Bromide** 562:127
**Butadiene**
· Allyl 552:195
· Allyl-Lanthanum 548:229, 555:201
· Butatriene 553:73
· Catalysis 548:229, 552:195, 555:201
· Cumulene 553:73
· Donor-Ligand 548:229
· Electrochemistry 553:73
· Ferrocene 553:73
· Iron 553:73
· Neodymium 552:195
· NMR 555:201
· Polymerization 548:229, 552:195, 555:201
· Precatalyst 555:201
· Stereospecificity 548:229, 555:201
· Structure-Activity-Relationship 555:201
· X-Ray 553:73
**Butadiene-Metal-Complex** 569:217
**Butadienediyl** 548:29
**Butadienyl**
· Alkyne 565:75
· Alkynyl 565:75
· Allenylidene 565:75
· Carbene 565:75
· Cumulene 565:75
· Decomplexation 554:203
· Ethylidene 554:203
· Iron 554:203, 565:75
· Mössbauer-Spectroscopy 565:75
· Vinylidene 565:75
**Butadiynediyl** 565:49
**Butatriene** 553:73
**Butatrienylidene** 565:63
**Butyl-Isocyanate** 569:147
**Butylammonium** 548:83
**Butylphenoxide** 569:89
**C-2-Symmetry**
· Ansa-Metallocene 568:41
· Cyclopentadienyl-Lanthanide 553:179
· Indenyl 568:41

· Palladium-Coupling 568:41
· Schiff-Base 553:179
· Tetradentate-Ligand 553:179
· Titanium 568:41
· Ytterbium 553:179
· Zirconium 568:41
**C-C-Bond-Formation**
· Alkyne 554:155
· Aminocarbyne 563:153
· Carbyne 563:153
· Chirality 548:139
· Cyclopentadienyl 554:155
· Hydrogen-Transfer 548:139
· Insertion 554:155
· Methylene 554:155
· Neodymocene 548:139
· Rhodium 554:155
· Ruthenium 563:153
· Schiff-Base 548:139
**C-C-Coupling**
· Alkene 569:71
· Alkenyl 569:71
· Alkyne 549:275
· C-H-Bond-Activation 569:85
· Cluster 549:275
· Cycloaddition 567:151
· Grignard-Reagent 569:85
· Iridium 569:85
· Methylene 569:71, 569:85
· Pentamethyl-Cyclopentadienyl 569:85
· Phosphinine 567:151
· Phosphorus-Heterocycle 567:151
· Ruthenium 549:275, 569:71
· Titanocene 567:151
· Vinyl 569:85
· Zirconocene 567:151
**C-N-Bond** 562:45
**C-Protected** 552:63
**Cage-Boron-Atom** 550:477
**Calorimetry** 554:123
**Camphor-Derivative**| Fused-» 551:355
**Caprolactamate** 555:237
**Caprolactone**| Epsilon-» 569:147
**Carbaborane** 550:193
**Carbaborane**| Metalla-» 562:105
**Carbaborane**| Metallo-» 549:233
**Carbazole** 558:189
**Carbazole-Deprotonation** 548:115
**Carbene**
· Acetonitrile 552:69
· Acylation 553:183
· Alkyne 565:75
· Alkynyl 565:75
· Allenylidene 565:75
· Amino-Metalladiene 556:119
· Bimetallic-Complex 566:133
· Butadienyl 565:75
· Cage-Boron-Atom 550:477
· Carbohydrate 548:91
· Carbonyl 553:183
· Carbyne 553:241
· Catalysis 553:241, 557:93
· Chromium 553:183, 553:427, 556:119, 566:133, 566:159
· Cluster 566:159
· Cluster-Compound 550:477
· Conformation 548:91
· Coupling-Reaction 557:93
· Cumulene 565:75
· Cyclic-Voltammetry 552:69
· Decomposition 566:133
· Dimethyl-Imidazolin-Ylidene 554:175
· Dinuclear-Complex 566:133
· Enamine 556:119
· Ferrocene 552:45
· Fischer-Complex 553:183, 566:159
· Glycosyl 548:91
· Gold 552:69
· Heck-Reaction 557:93
· Heterocycle 552:69
· Imidazoline-Ylidene 552:45
· Intermolecular-Coupling 553:427
· Iron 552:45, 565:75, 566:159
· Ligand-Transfer 550:477
· Manganese 566:133
· Mercury 552:45
· Metal-Complex 552:45
· Metalla-Heteroborane 550:477
· Metathetic-Polymerization 553:241
· Mössbauer-Spectroscopy 565:75
· N-Heterocyclic-Ligand 557:93
· Optical-Activity 548:91
· Oxo-Complex 553:241
· Palladium 552:45, 554:175, 557:93
· Ring-Opening 553:241
· Selenium 566:159
· Stereochemistry 556:119
· Thermolysis 566:159
· Thienylene 566:133
· Thiophene 566:133
· Titanium 553:427
· Transition-Metal 548:91, 556:119
· Tripodal-Ligand 553:241
· Tungsten 552:45, 553:241, 556:119
· Vinylidene 565:75
· Vinylidine 553:427
· X-Ray 552:45, 566:159
**Carbene**| Alkoxy-» 567:119
**Carbene**| Alkynyl-» 549:311
**Carbene**| Diamino-» 561:153
**Carbene**| Tetramethyl-Diamino-» 555:285
**Carbenoid** 566:175
**Carbide** 565:259
**Carbocation**
· 3-Membered-Ring-Opening 566:175
· Addition 549:233
· Alkylation 566:175
· Arylidene 559:43
· Carbenoid 566:175
· Carbon-Nucleophile 549:233
· Cobalt 549:233
· Cycloadduct 566:175
· Cyclopropane 566:175
· Cyclopropene 566:175
· Ferrocene 559:43, 566:175
· Hydrogen-Bonding 549:233
· Metallo-Carbaborane 549:233
· Naphthalene 566:175
· Proton-Sponge 549:233
· Quinuclidinone 559:43
· Regioselectivity 566:175
· X-Ray 566:175
· Z-E-Isomerization 559:43
**Carbodiimide**
· Acylation 568:171
· Aryl-Azide 551:367
· C-N-Li-Cluster 550:213
· Carbonyl 568:171
· Cyanamide 562:191
· Cyclopentadienyl 568:171
· Germanium 562:191
· Hetero-Trimethylenemethane-Ligand 550:213
· Iron 568:171
· Isocyanide 551:367
· Lithium 550:213
· Metallacycle 551:367
· N-Acylation 568:171
· Ortho-Metallation 551:367
· Protein 568:171
· Sulfanilamide 568:171
· Sulfonamide 568:171
· X-Ray 550:213, 562:191
**Carbohydrate** 548:91
**Carbon-Monoxide**
· Acyl-Radical 548:105
· Benzyne 565:141
· Carbonylation 560:103
· Catalysis 560:103
· Crown-Ether 551:331
· Cyclization 548:105
· Cyclopentadienyl 551:331
· Diene 548:105
· Electron-Transfer 563:31
· Electroreduction 560:103
· Indenyl 551:331
· Insertion 551:331
· Iron 551:331
· Isopropylphosphine 565:141
· Nickel-Bipyridine-Complex 560:103
· Ruthenium 565:141
· Silicon-Hydride 548:105
· Silylcarbonylation 548:105
· Substitution 563:31
· Tin 563:31
· Tributyltin-Lithium 563:31
· X-Ray 565:141
**Carbon-Nucleophile** 549:233
**Carbon-Substituted-Derivative** 550:125
**Carbonyl**
· 12-Nuclear-Cluster 566:15
· 17-Electron 555:57
· Absolute-Configuration 556:129
· Acyl 567:25
· Acylation 553:183, 568:171
· Addition 549:245
· Alkaline-Hydrolysis 552:1
· Alkylidyne 555:89
· Alkyne 549:199, 554:147, 554:163, 555:89, 563:73, 565:225
· Alkyne-Coupling 556:207
· Allyl-Propargyl-Ether 549:199
· Alpha-Pyrone 549:49
· Amino-Acid 552:237
· Azavinylidene 548:255, 554:117
· Benz[f]Indene 569:121
· Bioctahedron-Complex 558:81
· Borane 550:207
· Butyl-Lithium 569:121
· Calorimetry 554:123
· Carbene 553:183
· Carbodiimide 568:171
· Chemical-Reactivity 557:29
· Chiral-Thiolate 551:375
· Chirality 556:129
· Chromium 549:245, 552:1, 553:183, 560:197, 567:65
· Closo-Ruxcy-Polyhedral-Framework 550:431
· Cluster 551:235, 553:371, 553:453, 554:117, 555:25, 559:81, 564:133, 565:193, 568:133
· Cobalt 549:199, 554:123, 554:129, 554:147, 554:163, 555:89, 556:129
· Crown-Ether 565:179
· Cyclic-Voltammetry 567:25
· Cycloheptyne 562:29
· Cyclometallation 552:237, 567:65
· Cyclopentadienyl 555:25, 555:57, 561:49, 565:81, 567:25, 568:171
· Decamethylpentasila-cycloheptyne 562:29
· Decomplexation 554:163
· Desulfurization 563:201
· Deuteration 548:285
· Dibenzoylethylene 549:49
· Dicarbon-Ligand 551:235
· Dienyl 549:245
· Diimine 561:57
· Dimer 557:13
· Dinuclear-Complex 555:89
· Diphenylphosphine 548:255
· Diphosphine 551:375
· Dithiacyclohexane 553:453
· Dithio-Ligand 560:1
· Dithiolate 551:375
· Dynamic-NMR 557:13
· EHMO-Calculation 554:117
· Electrochemistry 555:57, 563:73, 565:193, 568:185
· Electron-Structure 556:207
· Electron-Transfer-Catalysis 567:25
· Epimerization 556:129
· Ethylenediamine 554:163
· Fermi-Resonance 552:1
· Ferrocene 563:73
· Fischer-Complex 553:183
· Fluxionality 550:207, 565:81
· Geometrical-Isomerism 550:207
· Geometry 551:235
· Gold 550:131
· Hafnocene 563:73
· Head-to-Tail-Dimerization 553:157
· Heterobimetallic-Cluster 550:131
· Heteroligand 553:453
· Heterotetrametallics 555:89
· Heterotrimetallics 555:89
· Hydride 557:163
· Hydroboration 550:207
· Hydrogenolysis 567:25
· Interstitial-Phosphido 565:193
· Ionic-Complex 551:375
· IR-Spectroscopy 552:1, 554:75
· Iridium 555:25, 565:81
· Iron 548:285, 549:49, 549:245, 551:235, 557:163, 563:201, 563:227, 567:25, 568:171
· Isomerism 568:133

· Kinetics 552:1, 561:57
· Lewis-Acid 556:207
· Lithium-Organyl 558:81
· Lithium-Perchlorate 549:199
· Manganese 552:237, 554:123, 558:81, 561:57, 567:65, 568:213
· Matrix 554:75, 561:49
· Matrix-Isolation 554:147
· Mechanism 554:147, 561:57
· Mer-to-Fac-Isomerization 561:57
· Metal-Centered-Radical 557:13
· Metal-Cluster 551:125
· Metal-Complex 552:237, 563:227
· Metalla-Carborane 551:27
· Methyl-Cyclopentadiene 568:185
· Methyl-Fulvalene 568:185
· Methyl-Lithium 549:49
· Methyl-Pentadienyl-Aniline 549:245
· Methyl-Quinoline 568:133
· Methyl-Vinyl-Ketone 566:211
· Mixed-Metal-Cluster 565:81
· Molybdenum 555:89, 561:49, 562:29, 565:179, 565:225, 566:211, 568:185
· Mononuclear-Complex 563:227
· Multidentate-Ligand 563:227
· Multinuclear-NMR 568:213
· N-Acylation 568:171
· Nickel 563:73
· Niobium 562:61
· Nitrogen-Ligand 562:61
· Nitrosyl 556:129
· NMR 552:1, 563:227
· Nucleophile 558:81
· Nujol 554:75, 561:49
· Olefin 563:227, 566:211
· Organoborane 550:207
· Organometallic-Cluster 550:431
· Osmium 550:131, 551:125, 559:81, 564:133, 568:133
· P-31-Solid-State-NMR 565:193
· Palladium 566:15
· Pauson-Khand-Reaction 554:147
· Phosphane 563:227
· Phosphido-Bridged 553:371
· Phosphine 550:131, 559:81, 563:201, 565:81, 565:225, 566:15, 568:133
· Phosphite 555:25
· Phosphorus-Bridge 557:29
· Photochemistry 554:75, 554:147, 555:285, 557:13, 561:49
· Phthalide 552:1
· Polynuclear-Complex 555:89
· Protein 568:171
· Protonation 548:255, 554:117
· Pyrazolylborate 560:1
· Radical-Chain-Mechanism 557:163
· Reactivity 551:375, 557:13, 564:133, 566:211
· Rearrangement 549:199, 550:131, 555:89
· Reduction 548:285
· Rhenium 548:121, 552:237, 554:123, 555:285, 556:207, 558:81, 568:213
· Rhodium 551:375, 554:75, 569:121
· Ruthenium 548:255, 550:431, 551:27, 551:125, 551:235, 553:371, 553:453, 554:117, 554:129, 557:13, 563:227, 565:193
· Ruthenium-Bypyridine-Complex 552:205
· Ruthenium-Hydride-Complex 553:157
· Schiff-Base 552:237
· Second-Sphere-Coordination 565:179
· Selectivity 558:81
· Silsesquioxane 551:125
· Single-Crystal 566:15
· Sodium-Reduction 548:121
· Square-Antiprism 565:193
· Stereoselectivity 560:197
· Stibine 568:213
· Substitution 553:453, 555:25, 559:81, 563:201
· Sulfanilamide 568:171
· Sulfide 555:285
· Sulfonamide 568:171
· Sulfur 554:129
· Tantalum 562:61
· Terminal-Carbonyl-Ligand 554:75
· Tetraborane-Carbonyl 550:207
· Tetramethyl-Cyclobutadiene 556:207
· Tetramethyl-Diamino-Carbene 555:285
· Tetramethyl-Thiourea 555:285, 564:133
· Thermal-Decomposition 554:123
· Thiazolide-Ligand 559:81
· Thienyl-Phosphine 553:453
· Thiocarbonyl 563:201
· Thiol-Functionality 551:125
· Transition-Metal 556:129, 557:29
· Transmission-of-Substituent-Effect 552:1
· Trialkyl-Tin-Hydride 567:25
· Triazacyclohexane 565:225
· Trigonal-Prism 551:235
· Trinuclear-Cluster 548:255, 554:129
· Tungsten 555:25, 555:57, 560:1, 565:81, 565:179, 565:225
· Unsaturated-Amide 566:211
· Unsaturated-Ester 566:211
· UV-Visible-Spectra 554:75
· Vinyldiketone 549:49
· Vinylketene 549:49
· Voltammetry 565:193
· X-Ray 550:131, 551:27, 553:371, 555:25, 556:129, 557:163, 563:227, 565:81, 565:193, 566:15, 568:213

**Carbonyl-Alkylation** 560:89
**Carbonyl-Chloro-Complex** 552:229
**Carbonyl-Substitution** 556:111
**Carbonylation**
· Alkoxycarbonyl 566:37
· Alpha-Methoxyl-Naphthyl-Ethanol 556:239
· Aminophosphine 563:37
· Carbon-Monoxide 560:103
· Catalysis 551:229, 553:473, 556:239, 560:103
· Cis-Trans-Isomerism 551:339
· Electroreduction 560:103
· Ferrocene 563:37
· Hydroformylation 563:37
· Iridium 551:339
· Kinetics 551:229, 551:339
· Labeling-Study 553:473
· Mechanism 551:339, 553:473
· Methanol 551:229
· Model 553:473
· Naproxen 556:239
· Nickel-Bipyridine-Complex 560:103
· NMR 563:37
· Palladium 556:239, 563:37, 566:37
· Phenanthroline 566:37
· Phosphine 563:37
· Platinum 563:37
· Rhodium 551:229, 551:339, 553:473
· Styrene 563:37
· Transition-Metal 563:37
· X-Ray 566:37

**Carbonylation**| Oxidative-» 562:35
**Carbonylation**| Reductive-» 569:159
**Carbonylative-Cyclization** 553:91
**Carbonylferrate** 566:117
**Carbonylmetallate** 556:141
**Carborane**
· 6-Vertex 550:331
· Ab-Initio 550:331, 550:409
· B-11-Chemical-Shift 550:409
· Boron 550:331
· Boron-Hydride 550:101
· Chloride-Bridge 555:17
· Closo 550:101
· Degradation 555:17
· Diphosphine 555:17
· GIAO-Computed-C-13 550:409
· GIAO-NMR 550:101
· Gold 561:1, 561:13
· Group-1 550:409
· IGLO-NMR 550:101
· Isoelectronic 550:101
· Metalla-Carbaborane 562:105
· Metalla-Carborane 550:409
· NMR 550:409
· Palladium 555:17, 562:105
· Platinum 562:105
· Polyhedral-Rearrangement 562:105
· Pyridinethiolate 561:13
· Reactivity 561:13
· Silver 561:13
· Slip-Distortion 562:105
· Thiolate 561:1
· Thiophene 562:105
· X-Ray 550:409, 562:105

**Carborane**| Metalla-»
· 12-Vertex 550:77
· 13-Vertex 550:77
· Ab-Initio 550:409
· B-11-Chemical-Shift 550:409
· Carbonyl 551:27
· Carborane 550:409
· GIAO-Computed-C-13 550:409
· Group-1 550:409
· Hydridometallacarborane 550:469
· NMR 550:409
· Ruthenium 551:27
· Schwartz's-Reagent 550:469
· Tantalacarborane 550:469
· X-Ray 550:409, 551:27

**Carborane**| Metallo-» 556:55
**Carbosilane** 563:43
**Carboxylate**
· Antimony 555:271
· Cluster 556:197
· Group-4 550:1
· Hydrolysis 555:271
· NMR 555:271
· Osmium 556:197
· Phosphinate 550:1
· Sulfonates 550:1
· Thiocarboxylate 556:197
· Titanium 550:1
· Transition-Metal 550:1
· Zirconium 550:1

**Carboxylate**| Metallo-» 549:89
**Carboxylic-Acid** 551:151
**Carbyne**
· Aminocarbyne 563:153
· C-C-Bond-Formation 563:153
· Carbene 553:241
· Catalysis 553:241
· Cationic-Complex 563:191
· Chromium 551:247
· Electrochemistry 552:255
· Group-6 552:255
· Macrocyclic-Amine-Ligand 552:255
· Metathetic-Polymerization 553:241
· Molybdenum 563:191
· Naphthyl 551:247
· Nitrogen 563:191
· Osmium 551:247
· Oxo-Complex 553:241
· Phosphorus 563:191
· Photochemistry 552:255
· Photoluminescence 563:191
· Ring-Opening 553:241
· Ruthenium 551:247, 563:153
· Sulfur 563:191
· Triazacyclononane 552:255
· Tripodal-Ligand 553:241, 563:191
· Tungsten 553:241, 563:191

**Carbyne**| Metal-» 554:13
**Catalysis**
· Acenaphthyl 549:177
· Acetylenedicarboxylate 560:253
· Acetylenic-Urea 562:35
· Acrylic-Acid 553:199
· Addition 551:151, 558:91, 564:1, 567:157
· Alcohol 564:57
· Alkene 560:217
· Alkenyl 562:153, 562:229, 568:87
· Alkyne 560:217
· Alkyne-Insertion 558:91
· Allyl 548:301, 552:195, 553:67
· Allyl-Germane 553:493
· Allyl-Lanthanum 548:229, 555:201
· Allylic-Alkylation 567:219

· Allylphenol 560:163
· Alpha-Methoxyl-Naphthyl-Ethanol 556:239
· Amination 566:277
· Amine 548:301
· Ansa-Metallocene 562:229, 568:127
· Ansa-Zirconocene 558:219, 559:149, 560:47
· Anthracene 566:111
· Anti-Markovnikov-Reaction 566:277
· Arene 552:159, 566:165
· Aroyl-Chloride 560:217
· Aryl 548:301
· Arylation 567:157
· Asymmetric-Hydride-Transfer 567:133
· Asymmetric-Transfer-Hydrogenation 553:199, 568:77
· Aza-Ligand 567:133
· Backbone 569:159
· Bent-Sandwich-Complex 559:181
· Benzofurane 560:163
· Binaphthyl 568:77
· Borane 567:219
· Boratrane 548:149
· Butadiene 548:229, 552:195, 555:201
· Butyl-Isocyanate 569:147
· C-H-Bond-Activation 548:301, 554:41
· Carbene 553:241, 557:93
· Carbon-Monoxide 560:103
· Carbonylation 551:229, 553:473, 556:239, 560:103
· Carboxylic-Acid 551:151
· Carbyne 553:241
· Cation 551:159, 560:253
· Cationic-Complex 564:227, 566:277
· Chiral-at-Metal-Complex 553:507
· Chiral-Diphosphine 553:199
· Chirality 564:227
· Chirality-Transfer 553:285
· Cinnamaldehyde 557:207
· Citral 557:207
· Clay 551:349
· CO-Hydrogenation 551:101
· CO-Pressure 554:41
· Cobalt 558:91
· Conformational-Analysis 553:285
· Coupling-Reaction 557:93, 567:173, 567:219
· Cyclization 560:163, 562:35
· Cycloaddition 553:67
· Cyclometallation 548:301
· Cyclopentadienyl 549:177, 559:181
· Cyclopentadienylidene 568:87
· Dehydrocoupling 564:81
· Dehydrogenation 554:41
· Dehydropolymerisation 568:253
· Deuterioformylation 548:279
· di-tert-Butyl-Cyclopentadienyl 560:47
· Dialkyl 560:253
· Dialkyl-Carbonate 556:41
· Dialkyl-Tin 556:41
· Diaryl-Diazene 558:91
· Diastereomerization 559:149
· Diazadiene-Ligand 569:159
· Dihydrocinnoline 558:91
· Dimerization 560:253
· Diphenyl-Phosphanyl-Ethane-Type-Ligand 553:285
· Diphenyl-Phosphinomethyl-Biphenyl 557:207
· Diphosphine 567:219
· Disilane 560:217
· Distannoxane 558:19
· Donor-Ligand 548:229
· Dynamic-Kinetic-Resolution 567:163
· Electron-Donor 569:225
· Electron-Transfer 553:269
· Electroreduction 560:103
· Enantioselective-Hydrogenation 564:227
· Enantioselectivity 553:285, 567:133, 567:163
· Ene-Reaction 553:67
· Enyne 567:173
· Epimerization 558:219
· Epoxide 551:349, 567:173
· Epsilon-Caprolactone 569:147
· Ethene 549:177, 553:173
· Ethylene 555:177, 558:111, 562:153, 562:229, 566:111, 568:87, 568:263, 569:159
· Ferrocene 569:225
· Fluorenylidene 568:87
· Fluorenylidene-Indenylidene-Complex 562:153
· Formate 553:199
· Germatrane 548:149
· Germyl-Selenide 564:1
· Grignard-Reagent 567:157
· Group-4 553:507
· Hafnium 553:173, 558:111, 568:127
· Half-Metallocene 566:111
· Heck-Reaction 555:141, 557:93
· Hetero-Aromatic-Aldehyde 559:123
· Heteroatom 564:1
· Hexene 560:47
· Hexyl-Isocyanate 569:147
· High-Pressure 560:47
· Hydride-Complex 558:91
· Hydridotris-Pyrazolyl-Borate 562:203
· Hydroformylation 548:279
· Hydrogenation 551:49, 551:349, 552:159, 557:207, 566:165, 567:163, 567:219
· Hydrosilylation 559:123, 559:181
· Immobilization 562:153
· Immobilized-Complex 558:235
· Indenyl 553:173, 558:171, 558:231
· Indenylidene-Cyclopentadienylidene 558:111
· Insertion 551:159
· Intramolecular-Hydrosilylation 564:57
· Iron 553:269
· Isobutene 551:101
· Isocoumarine 560:163
· Isomerism 558:171
· Isotactic 558:219
· Kinetics 551:49, 551:229, 554:41
· Knoevenagel-Reaction 569:3
· Labeling-Study 553:473
· Lanthanidocene 559:181
· Lanthanocene 566:9
· Lead 560:77
· Lewis-Acid 553:67
· Ligand-Modification 560:77
· Lithium-Chloride 553:507
· Main-Group 549:319
· Matrix 567:219
· Mechanism 553:473, 567:133
· Mercury 560:77
· Metallo-Silane 566:259
· Metallo-Silanol 566:259
· Metallo-Siloxane 566:259
· Metallocene 549:177, 551:159, 553:173, 553:507, 558:111, 558:171, 558:219, 562:153, 568:87, 568:253, 568:263
· Metallocene-Reaction 553:67
· Metathesis 553:493, 562:203
· Metathetic-Polymerization 553:241
· Methano(10)-Annulene 569:225
· Methanol 551:229
· Methoxy-Species 551:101
· Methyl-Methacrylate 569:147
· Methyltrioxo-Rhenium 549:319, 555:293
· Michael-Reaction 569:3
· Micro-Gel 568:263
· Model 553:473
· Multinuclear-NMR 558:19
· N-Heterocyclic-Ligand 557:93
· Naproxen 556:239
· Neodymium 552:195
· Nickel 567:157
· Nickel-Alkyl-Complex 569:159
· Nickel-Bipyridine-Complex 560:103
· Niobium 566:111
· Nitrogen 567:133
· Nitrogen-Heterocycle 562:35
· NMR 555:201
· Norbornene 562:203
· Olefin 549:319, 551:159, 552:159, 558:171, 566:277
· Olefin-Epoxidation 555:293
· Olefin-Polymerization 560:47, 568:127
· Optically-Active 567:133
· Organylsilane 548:149
· Ortho-Metallation 558:91
· Oxidation 566:277
· Oxidative-Carbonylation 562:35
· Oxo-Complex 553:241
· Oxofunctionalization 566:259
· P-Ligand 564:227
· Palladium 548:301, 553:493, 555:141, 556:239, 557:93, 558:235, 560:163, 562:35, 564:1, 567:157, 567:173, 567:219, 569:225
· Phenyl-Ring-Orientation 553:285
· Phenylacetylene 551:49
· Phenylation 560:77
· Phosphine 552:39, 558:235, 566:165, 567:219
· Photochemistry 554:41
· Platinum 564:57
· Polyethylene 568:87
· Polygermane 564:81
· Polymerization 548:23, 548:229, 549:177, 551:159, 552:195, 553:173, 555:177, 555:201, 558:111, 558:171, 558:219, 558:231, 562:153, 562:203, 562:229, 566:9, 566:111, 568:87, 568:263, 569:147, 569:159
· Polypropene 548:23
· Polypropylene 558:219, 568:87
· Polypyrrole 567:219
· Polysilane 568:253
· Polysiloxane 568:263
· PPh-Bridge 568:127
· Precatalyst 555:201
· Propargyl-Alcohol 564:57
· Propene 548:23, 549:177
· Propylene-Polymerization 559:149
· Pyrazole 555:293
· Pyridine 549:319
· Racemic-Complex 553:507
· Rare-Earth-Metal 569:147
· Reactivity 566:259
· Rearrangement 558:19
· Redox 569:225
· Reduction 553:269, 567:133
· Reductive-Carbonylation 569:159
· Regioselectivity 548:279, 551:151, 564:1, 564:57
· Rhenium-Dinitrogen-Complex 569:3
· Rhenium-Enolate-Complex 569:3
· Rhodium 548:279, 551:49, 551:229, 552:159, 553:199, 553:473, 554:41, 559:123, 560:217, 560:253, 564:227, 566:277, 567:219
· Ring-Opening 553:241, 562:203
· Ruthenium 551:151, 551:349, 552:39, 557:207, 562:203, 566:165, 567:163, 568:77
· Sakurai-Reaction 553:67
· Self-Immobilization 562:229
· Silane 553:67
· Silatrane 548:149
· Silica 568:263
· Silicon 564:57
· Siloxy 558:171, 558:231
· Silver 567:173
· Silyl 568:87
· Silyl-Enol-Ether 552:39
· Silyl-Germane 564:1
· Silyl-Selenide 564:1
· Stannane 553:67
· Stereochemistry 567:157
· Stereoselectivity 564:1
· Stereospecificity 548:229, 555:201
· Stibenylazobenzene 558:91
· Structural-Analysis 553:285
· Structure-Activity-Relationship 555:201
· Styrene 566:165
· Substitution 553:269, 567:133
· Sulfonamide 568:77
· Sulfone 551:349
· Supported-Ligand 567:219
· Syndiotactic-Polystyrene 558:231

· Tantalum 566:111
· Tetrabutyl-Stannoxane 558:19
· Tetramethyl-Cyclopentadienyl 558:231
· Theoretical-Calculation 567:133
· Thermodynamics 553:269
· Thioether 551:159
· Tin 558:19
· Titanium 548:23, 558:231
· Titanocene 568:253
· Tolyl-Indene 559:149
· Transition-Metal 549:319, 553:285, 558:91, 559:123, 566:259
· Triethanolamine 548:149
· Triphenyl-Phosphine 553:269
· Triphenyl-Samarium 569:147
· Triple-Bond 551:151
· Tripodal-Ligand 553:241
· Tungsten 553:241, 566:259
· Ullmann-Reaction 555:141
· Unsaturated-Glycoside 567:157
· Vinyl-Triflate 567:173
· Vinylidene 562:203
· Vinylpyrrole 548:279
· X-Ray 551:159, 552:159, 555:177, 558:111, 566:9, 569:159
· Xylylene 566:111
· Zirconium 549:177, 551:159, 553:173, 558:111, 558:171, 562:153, 562:229, 566:111, 568:87, 568:127
· Zirconocene 555:177, 564:81, 568:253

**Catalysis**| Asymmetric-»
· Biphosphine 557:117
· Chiral-Ligand 567:3
· Combinatorial-Chemistry 567:3
· Cycloaddition 557:117
· Enantioselectivity 557:117
· Fast-Screening 567:3
· Sigmatropic-Shift 557:117

**Catalysis**| Electron-Transfer-» 567:25

**Catalysis**| Heterogeneous-» 553:205

**Catalysis**| Homogeneous-»
· Batch-Reactor 567:143
· Hydrogen-Bonding 567:7
· Iron 557:169
· Kinetics 567:143
· Liquid-Liquid-Catalysis 567:143
· NMR 557:169
· Platinum-Diphosphine-Complex 557:169
· Plug-Flow-Reactor 567:143
· Single-Crystal 557:169
· Transition-Metal 567:7
· Triclinic-Crystal 557:169
· X-Ray 557:169

**Catalysis**| Liquid-Liquid-» 567:143

**Catalyst**| Cross-Coupling-» 558:61

**Cation**
· Acetylenedicarboxylate 560:253
· Amide 548:9
· Catalysis 551:159, 560:253
· Cleavage 555:135
· Dialkyl 560:253
· Dimerization 560:253
· Electron-Transfer 555:135
· EPR-Spectra 555:135
· Insertion 551:159
· Ir-C-Bond 555:135
· Metallocene 551:159
· Niobocene 568:271
· Nitrosyl 555:135
· Olefin 551:159
· Oxidation 568:271
· Polymerization 551:159
· Pyridine 555:135
· Reactivity 548:9
· Rhodium 560:253
· Thioether 551:159
· Uranium 548:9
· X-Ray 551:159
· Zirconium 551:159

**Cationic-Complex**
· Addition 569:217
· Allyl 552:187, 569:203
· Amido-Complex 562:71, 565:97
· Amination 566:277
· Ansa-Niobiocene 562:71
· Anti-Markovnikov-Reaction 566:277
· Aqueous-Solution 561:227
· Asymmetric-Hydrovinylation 552:187
· Bidentate-Ligand 560:131
· Butadiene-Metal-Complex 569:217
· Butadiene-Telomerization 569:203
· Carbyne 563:191
· Catalysis 564:227, 566:277
· Chiral-Ligand 552:187, 559:23
· Chirality 564:227
· Codimerization 552:187
· Dinuclear-Complex 569:217
· Dithioether 559:23
· Enantioselective-Hydrogenation 564:227
· Ethylene 552:187
· Functionalized-Hexadecatetraene 569:203
· Group-4 569:217
· Half-Sandwich-Complex 562:71
· Heterocycle 561:227
· Hexamethylbenzene 561:227, 565:97
· Hydrazine 565:97
· Hydride 561:227
· Hydroformylation 559:23
· Imido-Complex 562:71
· Metallocene 569:217
· Molybdenum 563:191
· Monodentate-Ligand 560:131
· Mononuclear-Complex 560:131
· Nitrogen 563:191
· Olefin 566:277
· Oxidation 566:277
· P-Ligand 564:227
· Palladium 552:187, 569:203
· Phosphino-Amine 560:131
· Phosphorus 560:131, 563:191
· Photoluminescence 563:191
· Platinum 569:203
· Pyrazolato-Ligand 561:227
· Rhodium 559:23, 564:227, 566:277
· Ruthenium 560:131, 561:227, 565:97
· Styrene 552:187, 559:23
· Sulfur 563:191
· Transition-Metal 560:131
· Triazolato-Ligand 561:227
· Tripodal-Ligand 563:191
· Tungsten 563:191
· Zirconocene 569:217

**Cerium** 553:393

**Chalcogen** 557:221

**Chalcogenide**
· Alkanethiol 551:195
· Cyclometallated-Complex 551:281
· Dialkyl-Sulfane 551:195
· Insertion 551:281
· Iron 568:197
· Manganese 551:281
· Metallocyclic-Ring 551:281
· Molybdenum 568:197
· Nonlinear-Optics 568:197
· Osmium 568:197
· Rhodium 551:195
· Ruthenium 568:197
· Stevens-Rearrangement 551:195
· Tetrahedral-Cluster 568:197
· Triphenyl-Phosphine 551:281

**Charge-Density** 555:101

**Charge-Transfer**
· Beta-Diketone 568:165
· Ferrocene 559:215
· Ferrocenylacetylacetone 568:165
· Iron 568:291
· Ligand-Exchange 568:165
· Palladium 559:215
· Photochemistry 559:215, 568:165, 568:291
· Proton-Transfer 568:165
· Pyridine 568:165

**Charge-Transfer-Spectra** 565:187

**Chelate**
· Alkoxide 553:379
· Alumoxane 553:379
· C-H-Bond-Activation 564:155
· Chirality 564:155
· P-Ligand 564:155
· Platinum 564:155
· Racemic-Ligand 564:155
· Tetranuclear-Compound 553:379
· X-Ray 564:155

**Chelate-Ligand** 550:453

**Chemical-Reactivity** 557:29

**Chemioselectivity** 567:181

**Chiral** 555:5

**Chiral-at-Metal-Complex**
· C-F-Bond-Activation 558:209
· C-H-Bond-Activation 558:209
· Catalysis 553:507
· Group-4 553:507
· Lithium-Chloride 553:507
· Metallocene 553:507
· Racemic-Complex 553:507
· Regioselectivity 558:209
· Rhodium 558:209

**Chiral-Complex**
· Alcohol 567:75
· Allyl-Iron 554:167
· Carbonylferrate 566:117
· Diastereoselectivity 567:75
· Donor-Ligand 549:251
· Enantioselectivity 560:257
· Ephedrine 566:117
· Functionalized-Cyclopentadienyl 549:251
· Holmium 562:255
· Indenyl 566:21
· Iron 566:117
· Lanthanidocene 562:255
· Lanthanocene 566:21
· Lutetium 562:255
· Neodymium 562:255
· Nitrosyl 554:167
· Oxidation 567:75
· Phosphine 560:257
· Phosphole 560:257
· Planar-Chirality 554:167
· Reduction 567:75
· Rhenium 567:75
· Ruthenium 560:257, 563:173
· Samarium 562:255
· Scandium 562:255
· Stereochemistry 554:167
· Titanium 549:251
· Transition-Metal 560:257, 563:173
· Valinol 566:117
· Wittig-Reaction 567:75
· X-Ray 562:255
· Yttrium 566:21
· Zirconium 549:251
· Zwitterionic-Hydride 566:117

**Chiral-Derivatizing-Agent** 550:29

**Chiral-Diphosphine** 553:199

**Chiral-Ligand**
· Ab-Initio 549:81
· Alcohol 556:229
· Alkoxide 556:229
· Allyl 552:187
· Amide 549:81
· Aryl-Diamine 551:1
· Aryl-Platinum 551:1
· Asymmetric-Catalysis 567:3
· Asymmetric-Hydrovinylation 552:187
· Cationic-Complex 552:187, 559:23
· Codimerization 552:187
· Combinatorial-Chemistry 567:3
· Cyclopentadienyl-Lanthanoid 556:229
· DFT 549:81
· Dithioether 559:23
· Ethylene 552:187
· Fast-Screening 567:3
· Ferrocene 561:199
· Hydroformylation 559:23
· Lithium-Amide 549:81
· Nitrogen 556:229
· NMR 556:229
· Palladium 552:187
· Rhodium 559:23
· Stereochemistry 561:199
· Styrene 552:187, 559:23
· Thiourea 561:199
· Transition-Metal 561:199
· X-Ray 551:1, 561:199

**Chiral-Phophorus-Triflate** 567:199

**Chiral-Phosphite** 553:277

**Chiral-Thiolate** 551:375

**Chirality**
· Absolute-Configuration 556:129
· Amino-Acid 554:105
· Ansa-Metallocene 553:331

· Asymmetric-Hydrogenation 548:65
· Azide-Alkylation 567:31
· C-C-Bond-Formation 548:139
· C-H-Bond-Activation 564:155
· Carbonyl 556:129
· Catalysis 564:227
· Cationic-Complex 564:227
· Chelate 564:155
· Chromium 558:213
· Cluster-Complex 559:157
· Cobalt 556:129
· Configuration 553:331
· Copper 558:213
· Diastereoselectivity 565:115
· Diazo-Compound 554:105
· Diphosphazane 554:105
· Dynamics 553:331
· Enantioselective-Hydrogenation 564:227
· Enantioselectivity 548:65
· Epimerization 556:129
· Ferrocene 565:115, 567:191
· Ferrocenophane 567:191
· Hapticity 553:331
· Hexahydrotriazine-Ligand 558:213
· Hydroboration 567:31
· Hydrogen-Transfer 548:139
· Iron 565:115
· Kinetics 548:65
· Magnesium 553:331
· Molybdenum 558:213
· Neodymocene 548:139
· Nitrosyl 556:129
· Non-Racemic 567:31
· One-Pot-Synthesis 567:191
· Optically-Active 558:213
· Organoborane 567:31
· P-Ligand 564:155, 564:227
· P-N-Chelating-Ligand 548:17
· Palladium 554:105
· Phosphacymantrene 548:17
· Phosphaferrocene 548:17
· Phosphole-(1,5)-Shift 548:17
· Platinum 554:105, 564:155
· Pyridine 548:17
· Pyridyl 548:17
· Pyrrolidine 567:31
· Quinoline 548:17
· Racemic-Ligand 564:155
· Regioselectivity 565:115
· Rhodium 564:227
· Ruthenium 559:157
· Schiff-Base 548:139
· Single-Crystal 559:157
· Tandem-Reaction 567:31
· Transition-Metal 556:129, 558:213, 559:157
· Tungsten 558:213
· X-Ray 556:129, 558:213, 559:157, 564:155, 565:115

**Chirality**| Planar-»
· Allyl-Iron 554:167
· Chiral-Complex 554:167
· Ferrocenecarboxaldehyde 553:463
· Nitrosyl 554:167
· Oxazolidinone 553:463
· Reactivity 553:463
· Stereochemistry 554:167

**Chirality-Transfer** 553:285
**Chloride-Bridge** 555:17
**Chloromethylchlorophosphine** 554:207
**Chlorosilane**
· Lithium 556:67
· Pentacoordination 563:61
· Reaction-Behavior 556:67, 563:61
· Silane 556:67
· Silyl 556:67

**Chromium**
· (4+2)Annulation 549:311
· Ab-Initio 561:29
· Absorption-Spectra 562:217
· Acetonitrile 552:135
· Acylation 553:183
· Addition 549:245
· Alkaline-Hydrolysis 552:1
· Alkaloid 567:101
· Alkenyl-Imine 549:311
· Alkyne-Insertion 567:83, 567:101
· Alkynyl-Carbene 549:311
· Allyl 561:29
· Amino-Metalladiene 556:119
· Aminocarbene 567:83, 567:101
· Aryl-Imine 549:311
· Azo-Phosphine 568:279
· Benzyl 569:15
· Bimetallic-Complex 557:97, 566:133
· Binuclear-Complex 560:7
· Borane-Cluster 550:21
· Carbene 553:183, 553:427, 556:119, 566:133, 566:159
· Carbonyl 549:245, 552:1, 553:183, 560:197, 567:65
· Carbyne 551:247
· Chirality 558:213
· Cluster 566:159
· Cobalt 568:143
· Copper 558:213
· Cyclometallation 567:65
· Cyclooctatetraene 560:7
· Cyclopentadienyl 552:135, 553:477
· Decomposition 566:133
· DFT 561:29
· Dienyl 549:245
· Dihydropyridine 549:311
· Dinuclear-Complex 566:133
· Enamine 556:119
· Ethylene 553:477
· Fermi-Resonance 552:1
· Fischer-Complex 553:183, 566:159
· Fluorene 548:177
· Group-6 568:279
· Heterobimetallic-Complex 552:135
· Hexahydrotriazine-Ligand 558:213
· Hydrotris-Dimethylpyrazolyl-Borate 569:15
· Iminium-Carbonylmetalate 549:311
· Indacenyl-Ligand 557:97
· Indenyl 557:97
· Intermolecular-Coupling 553:427
· IR-Spectroscopy 552:1
· Iron 549:245, 560:7, 566:159, 568:143
· Kinetics 552:1, 560:55
· Laser-Flash-Photolysis 560:55
· Manganese 566:133, 567:65
· Metal-Vapor-Synthesis 548:177
· Metalla-Borane 550:21
· Methyl-Pentadienyl-Aniline 549:245
· MO-Calculation 550:21
· Molybdenum 548:177, 558:213, 564:71, 568:279
· Mononuclear-Complex 560:7
· N-Acetyl-L-Cysteine 568:143
· Naphthyl 551:247
· Nickel 568:143
· Niobocene 564:71
· Nitrogen 567:101
· Nitrogen-Containing-Heterocycle 567:83
· NMR 552:1
· Norbornadiene 552:135
· Optically-Active 558:213
· Osmium 551:247
· Pentacarbonyl-Fragment 560:55
· Photoelectron-Spectroscopy 560:7
· Phthalide 552:1
· Pi-System 562:217
· Polymerization 553:477
· Polymetal-Complex 564:71
· Potentiometric-Titration 568:143
· Rhodium 557:97
· Ruthenium 551:247
· Sandwich-Complex 548:177
· Selenium 564:71, 566:159
· Sn-119-NMR 562:217
· Stability-Constant 568:143
· Star-Type-Compound 562:217
· Stereochemistry 556:119
· Stereoselectivity 560:197
· Structural-Chemistry 561:29
· Sulfur 564:71
· Syn-and-Anti-Structure 557:97
· Tetrathio-Metalates 564:71
· Thermolysis 566:159
· Thienylene 566:133
· Thiophene 566:133
· Tin 562:217
· Titanium 548:177, 553:427
· Transition-Metal 549:311, 556:119, 558:213
· Transmission-of-Substituent-Effect 552:1
· Trigonal-Planar-Coordination 562:217
· Tungsten 548:177, 549:311, 556:119, 558:213, 560:55, 568:279
· Vinylidine 553:427
· X-Ray 558:213, 566:159
· Ylide 567:101
· Zirconium 561:29

**Chromium**| Arene-» 559:131
**Chromium-Arene-Complex** 552:171
**Chromocene** 560:15
**Cinnamaldehyde** 557:207

**Cis-Influence**
· Model 560:155
· One-Pot-Synthesis 557:243
· Organodicobaloxime 557:243
· Oxime 560:155
· Pyrazine 557:243
· Vitamin-B-12 560:155

**Citral** 557:207
**Clay** 551:349

**Cleavage**
· Alkylidene-Bridge 563:161
· Alkyne 557:251
· Amine 557:251
· Aniline 557:251
· C-N-Bond 562:45
· Cation 555:135
· Cobalt 562:45, 563:161
· Copper 557:251
· Cyclic-Voltammetry 563:161
· Cyclopentadienyl 562:45
· Dicyanoanthracene 568:121
· Dinuclear-Complex 557:251
· Diphenyl-Phosphino-Pyridine 559:31
· Electrochemistry 563:161
· Electron-Transfer 555:135, 568:121
· EPR-Spectra 555:135
· Halogeno-Complex 557:251
· Heterocumulene 551:139
· Heteronuclear-Cluster 551:139
· Ir-C-Bond 555:135
· Iron 551:139
· Isocyanide 562:45
· Ketenimine 562:45
· Lewis-Acid 559:31
· Lewis-Base 557:251
· Metal-Metal-Bond 559:31
· Metalla-Dithiolene 563:161
· Moiety 563:161
· Nitrosyl 555:135
· Osmium 559:31
· Permethyl-Oligo-Germane 568:121
· Photochemistry 568:121
· Pyridine 555:135, 557:251
· Redox 563:161
· Rhodium 563:161
· Ruthenium 559:31
· Trinuclear-Cluster 559:31
· X-Ray 563:161

**Closo** 550:101
**Closo-Ruxcy-Polyhedral-Framework** 550:431

**Cluster**
· 18-Vertex 557:181
· 19-Vertex 557:181
· Alkyl-Lithium 550:111
· Alkyl-Magnesium 550:111
· Alkyne 549:263, 549:275, 552:109, 565:271
· Azavinylidene 554:117, 564:201
· Beta-Hydrogen-Elimination 550:111
· C-C-Coupling 549:275
· Carbene 566:159
· Carbonyl 551:235, 553:371, 553:453, 554:117, 555:25, 559:81, 564:133, 565:193, 568:133
· Carboxylate 556:197
· Chalcogen 557:221
· Chromium 566:159
· Cobaltocene 563:113
· Commo-Metallabisdicarbollide 550:423
· Copper 569:109
· Coupling-of-Diyne 558:197
· Cyclopentadienyl 550:111, 555:25
· Density-Functional 565:271
· DFT 565:271
· Dicarbon-Ligand 551:235
· Dimerization 552:109
· Dinuclear-Complex 559:219
· Diphenylphosphine 563:113

· Dipropargyl-Thioether 550:423
· Dithiacyclohexane 553:453
· EHMO-Calculation 554:117
· Electrochemistry 565:193
· Ether-Bridge 550:423
· Ethynyl 565:279
· Ferrocene 563:113
· Fischer-Complex 566:159
· Fluoride 559:191
· Flytrap 550:423
· Gallium 555:263
· Geometry 551:235
· Gold 569:109
· Group-11 565:211
· Heteroligand 553:453
· Hydride 557:221
· Hydrogenation 564:201
· Insertion 565:267
· Interstitial-Phosphido 565:193
· Iridium 555:25
· Iron 551:235, 557:221, 559:219, 565:271, 566:159
· Isomerism 568:133
· Low-Oxidation-State 555:263
· Macropolyhedral 557:181
· Manganese 565:271
· Metalla-Borane 557:181
· Methyl-Quinoline 568:133
· Model 550:423
· Molybdenum 557:221, 559:219
· Nickelocene 550:111
· Nitrene 551:171
· Osmium 556:197, 559:81, 564:133, 568:133
· P-31-Solid-State-NMR 565:193
· Palladium 569:109
· Phosphido-Bridged 553:371
· Phosphine 559:81, 568:133
· Phosphite 555:25
· Phosphorus 559:219
· Platinum 551:171, 557:181
· Platinum-Group 559:191
· Protonation 554:117
· Radiotransition 550:423
· Reactivity 563:113, 564:133, 564:201
· Ruthenium 549:263, 549:275, 551:235, 552:109, 553:371, 553:453, 554:117, 558:197, 563:113, 564:201, 565:193, 565:267, 565:279
· Selenium 566:159
· Silver 569:109
· Square-Antiprism 565:193
· Substitution 553:453, 555:25, 559:81
· Sulfido-Complex 569:109
· Sulfur 557:221
· Tellurium 557:221
· Tertiary-Silane 564:201
· Tertiary-Stannane 564:201
· Tetramethyl-Thiourea 564:133
· Thermolysis 566:159
· Thiazolide-Ligand 559:81
· Thienyl-Phosphine 553:453
· Thiocarboxylate 556:197
· Thiolato 557:221
· Trigonal-Prism 551:235
· Trimethyl-Silyl-Hexa-Triyne 565:279
· Triphenyl-Arsine 565:267
· Tungsten 555:25, 569:109
· Vinyl 549:263
· Vinylidene 565:271
· Voltammetry 565:193
· X-Ray 553:371, 555:25, 564:201, 565:193, 565:267, 566:159

**Cluster**| 12-Nuclear-» 566:15
**Cluster**| Borane-»
· 9-Vertex 550:441
· Arachno 550:441
· Chromium 550:21
· Isomerism 550:441
· Metalla-Borane 550:21
· MO-Calculation 550:21
· NMR 550:441
· Nonaborane 550:441
· X-Ray 550:441
**Cluster**| Boride-» 565:105
**Cluster**| C-N-Li-» 550:213
**Cluster**| Carbonyl-» 561:97
**Cluster**| Dicarbido-» 561:97
**Cluster**| Heterobimetallic-» 550:131
**Cluster**| Heterometallic-»
· Acetylide 565:3
· Diphosphine 560:147
· Electrochemistry 560:147
· Gold 560:147
· Reversible 565:3
· Ruthenium 565:3
· Tungsten 565:3
**Cluster**| Heteronuclear-»
· Alkyne 565:11
· Cleavage 551:139
· Cluster-Fragmentation 557:131
· Heterocumulene 551:139
· Iron 551:139
· Palladium 557:131, 565:11
· Reactivity 557:131
· Rhodium 565:11
**Cluster**| Hexanuclear-» 550:309
**Cluster**| Hydrido-» 566:237
**Cluster**| Interstitial-Hydride-» 565:217
**Cluster**| Metal-»
· 47-Electron 568:63
· Allylidene-Derivative 568:63
· Carbonyl 551:125
· Cyclic-Voltammetry 568:63
· Electrochemistry 568:63
· Nickelocene 566:217
· Osmium 551:125
· Oxidation 568:63
· Ruthenium 551:125, 568:63
· Silsesquioxane 551:125
· Thiol-Functionality 551:125
**Cluster**| Mixed-Metal-» 565:81
**Cluster**| Multi-» 553:307
**Cluster**| Octanuclear-» 565:187
**Cluster**| Optically-Active-» 549:55
**Cluster**| Organometallic-» 550:431
**Cluster**| Oxo-Hydroxo-Organotin-» 567:137
**Cluster**| Pentanuclear-»
· Carbide 565:259
· Hexanuclear-Cluster 550:309
· Metallo-Alkyne 565:259
· Ruthenaboride 550:309
· Ruthenium 565:259
· X-Ray 565:259
**Cluster**| Pentanuclear-Heterotrimetallic- 549:55
**Cluster**| Tetrahedral-» 568:197
**Cluster**| Tetranuclear-» 556:169
**Cluster**| Trinuclear-»
· Azavinylidene 548:255
· Carbonyl 548:255, 554:129
· Cleavage 559:31
· Cobalt 554:129
· Diphenyl-Phosphino-Pyridine 559:31
· Diphenylphosphine 548:255
· Indenyl 569:99
· Lewis-Acid 559:31
· Metal-Metal-Bond 559:31
· Osmium 559:31
· Protonation 548:255
· Ruthenium 548:255, 554:129, 559:31, 569:99
· Sulfur 554:129
· Thiolato-Ligand 569:99
· X-Ray 569:99

**Cluster-Complex**
· Alkylidene 558:71
· Alkylidyne 558:71
· Alkyne 551:383
· Chirality 559:157
· Cyclopentadienyl 568:157
· Fluxionality 551:383
· Molybdenum 568:157
· Osmium 558:71
· Platinum 551:383
· Reactivity 568:157
· Ruthenium 559:157, 568:157
· Single-Crystal 559:157
· Sulfido-Ligand 558:71
· Transition-Metal 559:157
· Transition-Metal-Carbonyl 568:157
· Tungsten 558:71, 568:157
· X-Ray 558:71, 559:157

**Cluster-Compound**
· Arachno 550:151
· Butadiynediyl 565:49
· Cage-Boron-Atom 550:477
· Carbene 550:477
· Dicarbide 565:49
· Ethynediyl 565:49
· Ethynyl 565:49
· Iron 565:49
· Ligand-Transfer 550:477
· Metalla-Heteroborane 550:151, 550:477
· Platinum 550:151
· Polynuclear-Complex 565:49
· Polyynediyl 565:49
· Rhodium 550:151
· X-Ray 550:151

**Cluster-Fragmentation** 557:131
**CO-Hydrogenation** 551:101
**CO-Pressure** 554:41
**Cobalt**
· Absolute-Configuration 556:129
· Addition 549:233, 558:91
· Alkene 553:91
· Alkylidene-Bridge 563:161
· Alkylidyne 555:89
· Alkyne 549:199, 554:147, 554:163, 555:89
· Alkyne-Insertion 558:91
· Allyl 568:205
· Allyl-Propargyl-Ether 549:199
· Arene 568:205
· Benzene 568:205
· Borane 553:91
· C-N-Bond 562:45
· Calorimetry 554:123
· Carbocation 549:233
· Carbon-Nucleophile 549:233
· Carbonyl 549:199, 554:123, 554:129, 554:147, 554:163, 555:89, 556:129
· Carbonylative-Cyclization 553:91
· Catalysis 558:91
· Chirality 556:129
· Chromium 568:143
· Cleavage 562:45, 563:161
· Cyclic-Voltammetry 563:161
· Cyclopentadienyl 562:45
· Cyclopentadienyl-Ring 548:109
· Decomplexation 554:163
· Dialkyl-Ketone 553:91
· Diaryl-Diazene 558:91
· Dienyl 568:205
· Dihydrocinnoline 558:91
· Dinuclear-Complex 555:89
· Electrochemistry 563:161
· Epimerization 556:129
· Ethylenediamine 554:163
· Gold 549:55
· Heterotetrametallics 555:89
· Heterotrimetallics 555:89
· Hydride-Complex 558:91
· Hydroboration 553:91
· Hydrogen-Bonding 549:233
· Insertion 563:53
· Iron 549:55, 554:49, 563:53, 568:143
· Isocyanide 562:45
· Ketenimine 562:45
· Lithium-Perchlorate 549:199
· Manganese 554:49, 554:123
· Matrix-Isolation 554:147
· Mechanism 554:147
· Metalla-Dithiolene 563:161
· Metallo-Carbaborane 549:233
· Moiety 563:161
· Molybdenum 555:89
· N-Acetyl-L-Cysteine 568:143
· Nickel 568:143
· Nitrosyl 556:129
· Opened-THF 563:53
· Optically-Active-Cluster 549:55
· Ortho-Metallation 558:91
· Palladium 549:55
· Pauson-Khand-Reaction 554:147
· Pentanuclear-Heterotrimetallic-Cluster 549:55
· Perfluoroalkyl-Iodide 548:109
· Photochemistry 554:147
· Polynuclear-Complex 555:89
· Potentiometric-Titration 568:143
· Proton-Sponge 549:233
· Radical 548:109
· Rearrangement 549:199, 555:89
· Redox 563:161
· Rhenium 554:123
· Rhodium 549:55, 563:161
· Ruthenium 554:129
· Selective-Fluoroalkylation 548:109
· Silacyclopentene 563:53
· Stability-Constant 568:143
· Stibenylazobenzene 558:91

· Sulfur 554:129
· Thermal-Decomposition 554:123
· Time-Resolved-IR-Spectroscopy 554:49
· Transition-Metal 556:129, 558:91
· Trinuclear-Cluster 554:129
· Wing-Tip-Butterfly-Structure 549:55
· X-Ray 549:55, 556:129, 563:53, 563:161
**Cobaltocene** 563:113
**Cobaltocene**| Formyl-Pentamethyl-» 563:219
**Cocrystallization** 557:213
**Codimerization** 552:187
**Combinatorial-Chemistry** 567:3
**Commo-Metallabisdicarbollide** 550:423
**Complex**| Soluble-» 554:171
**Conducting-Polymer** 553:487
**Configuration** 553:331
**Configurational-Stability** 550:29
**Conformation**
· Carbene 548:91
· Carbohydrate 548:91
· Glycosyl 548:91
· Indenyl 564:167
· Lanthanoid 564:167
· Lanthanum 564:167
· Neodymium 564:167
· NIR-Vis-Spectroscopy 564:167
· NMR 564:167
· Optical-Activity 548:91
· Praseodymium 564:167
· Samarium 564:167
· Solid-State 564:167
· Transition-Metal 548:91
**Conformational-Analysis**
· Catalysis 553:285
· Chirality-Transfer 553:285
· Cyanoethyl-Phosphine 550:255
· Diphenyl-Phosphanyl-Ethane-Type-Ligand 553:285
· Enantioselectivity 553:285
· Iridium 550:255
· Palladium 550:255
· Phenyl-Ring-Orientation 553:285
· Platinum 550:255
· Rhodium 550:255
· Structural-Analysis 553:285
· Transition-Metal 553:285
**Conformational-Dynamics** 560:63
**Conformational-Equilibria** 548:211
**Coordinated-Ligand** 555:247
**Coordinative-N→B-Bond** 553:221
**Copolymerization**| Ethylene-Propylene-» 562:53
**Copper**
· Alkene 551:387, 558:51
· Alkyne 553:31, 557:251, 563:235
· Amine 557:251
· Aniline 557:251
· Aryl-Manganese 558:61
· Bibracchial 550:7
· Binuclear-Complex 558:131
· Bond-Forming 558:61
· Bridging-Phosphine-Ligand 558:131
· Chirality 558:213
· Chromium 558:213
· Cleavage 557:251
· Cluster 569:109
· Cross-Coupling-Catalyst 558:61
· Cyanide 556:1
· Cycloalkyne 563:235
· Dinuclear-Complex 550:7, 557:251
· DMF 551:387
· Ferrocene 555:167, 561:209
· Gas-Phase-Reaction 558:51
· Germanium 560:21
· Gold 569:109
· Grignard-Reagent 558:61
· Halogeno-Complex 557:251
· Hexafluoroacetyl 563:235
· Hexahydrotriazine-Ligand 558:213
· Hydride-Method 560:21
· Iron-Carbonylate-Anion 558:131
· Lewis-Acid 559:55
· Lewis-Base 557:251
· Luminescence 556:169
· Macrocycle 550:7
· Mass-Spectrometry 558:51
· Mechanism 553:31
· Metallo-Macrocycle 556:169
· Molecular-Oxygen 551:387
· Molybdenum 558:51, 558:213
· Mössbauer-Spectroscopy 559:55
· Nickel 559:55
· Olefin 558:51
· Optically-Active 558:213
· Osmium 563:235
· Oxidation 551:387
· Palladium 551:387, 555:167, 569:109
· Photophysics 556:169
· Platinum 555:167
· Pyrazolate 558:131
· Pyridine 557:251
· Reactivity 553:31
· Redox 561:209
· Rhenium 558:51
· Salicylaldimine 559:55
· Schiff-Base 550:7, 559:55, 561:209
· Silver 555:167, 561:209, 563:235, 569:109
· Sulfido-Complex 569:109
· Supramolecular-Compound 556:1
· Technetium 558:51
· Tetraimine 550:7
· Tetranuclear-Cluster 556:169
· Thia-Macrocycle 555:167
· Thiophene 550:7
· Tin 556:1, 559:55
· Titanocene 553:31
· Transition-Metal 555:167, 558:213, 559:55
· Tridentate-Ligand 558:61
· Tungsten 558:213, 569:109
· X-Ray 550:7, 558:213, 560:21, 561:209, 563:235
· Zigzag-Chain 556:169
· Zinc 559:55
**Copper-Mediated-Coupling-Reaction** 553:135
**Coupling-Reaction**
· Allylic-Alkylation 567:219
· Borane 567:219
· Carbene 557:93
· Catalysis 557:93, 567:173, 567:219
· Diphosphine 567:219
· Enyne 567:173
· Epoxide 567:173
· Heck-Reaction 557:93
· Hydrogenation 567:219
· Matrix 567:219
· N-Heterocyclic-Ligand 557:93
· Palladium 557:93, 567:173, 567:219
· Phosphine 567:219
· Polypyrrole 567:219
· Rhodium 567:219
· Silver 567:173
· Supported-Ligand 567:219
· Vinyl-Triflate 567:173
**Crown-Ether**
· Alkyne 548:247
· Carbon-Monoxide 551:331
· Carbonyl 565:179
· Cyclopentadienyl 551:331
· Indenyl 551:331
· Insertion 551:331
· Iron 551:331
· Molybdenum 565:179
· Platinum 548:247
· Second-Sphere-Coordination 565:179
· Tungsten 565:179
· X-Ray 548:247
· Zeise's-Salt 548:247
**Crystal** 548:33
**Crystal-Field-Parameter** 559:209
**Cubane**
· Amine 550:71
· Bridging-Water 553:23
· Group-14 550:71
· Lithium 550:71
· Metalla-Siloxane 553:23
· Metallocene 550:71
· Sodium 553:23
· Tin 550:71
· X-Ray 553:23
**Cumulene**
· Alkyne 565:75
· Alkynyl 565:75
· Allenylidene 565:75
· Butadiene 553:73
· Butadienyl 565:75
· Butatriene 553:73
· Carbene 565:75
· Electrochemistry 553:73
· Ferrocene 553:73
· Iron 553:73, 565:75
· Mössbauer-Spectroscopy 565:75
· Vinylidene 565:75
· X-Ray 553:73
**CVD-Process** 553:443
**Cyanamide** 562:191
**Cyanide**
· Copper 556:1
· Iron 568:1
· Lead 568:1
· Magic-Angle-Spinning 568:1
· Polymer 568:1
· Ruthenium 568:1
· Solid-State-NMR 568:1
· Supramolecular-Compound 556:1
· Tin 556:1
· Vibrational-Spectroscopy 568:1
**Cyanide-Bridge** 560:117
**Cyano-Organometallics** 565:187
**Cyanoethyl-Phosphine** 550:255
**Cyclic-Compound** 562:3
**Cyclic-Stannylsilane** 556:165
**Cyclic-Voltammetry**
· 47-Electron 568:63
· Acetonitrile 552:69
· Acyl 567:25
· Alkylidene-Bridge 563:161
· Allylidene-Derivative 568:63
· Arene 551:93
· C-H-Bond-Activation 561:175
· Carbene 552:69
· Carbonyl 567:25
· Cleavage 563:161
· Cobalt 563:161
· Cyclopentadienyl 551:93, 567:25
· Dimerization 561:181
· Dimethylaminomethyl-Ferrocenyl 552:265
· Electrochemistry 558:1, 563:161, 568:63
· Electron-Transfer-Catalysis 567:25
· Gold 552:69, 552:265
· Heterobimetallic-Complex 552:265
· Heterocycle 552:69
· Hydrogenolysis 567:25
· Iron 567:25
· Iron-Dinitrosyl-Complex 558:1
· Metal-Cluster 568:63
· Metalla-Dithiolene 563:161
· Methyl-Acrylate 561:175
· Moiety 563:161
· Mössbauer-Spectroscopy 552:265
· Nitrosyl 558:1
· NMR 552:265, 558:1
· Oxidation 568:63
· Redox 563:161
· Reduction 551:93
· Rhodium 563:161
· Ruthenium 551:93, 561:175, 561:181, 568:63
· Sandwich-Complex 551:93
· TCNE 558:1
· Trialkyl-Tin-Hydride 567:25
· X-Ray 558:1, 563:161
**Cyclization**
· Acetylenic-Urea 562:35
· Acyl-Radical 548:105
· Allylphenol 560:163
· Benzofurane 560:163
· Carbon-Monoxide 548:105
· Catalysis 560:163, 562:35
· Diene 548:105
· Isocoumarine 560:163
· Nitrogen-Heterocycle 562:35
· Oxidative-Carbonylation 562:35
· Palladium 560:163, 562:35
· Silicon-Hydride 548:105
· Silylcarbonylation 548:105
**Cyclization**| Intramolecular-» 563:95

**Cycloaddition**
· Acetylenic-Ester 551:107
· Allyl 553:67
· Asymmetric-Catalysis 557:117
· Beta-Hydrogen-Elimination 551:107
· Biphosphine 557:117
· C-C-Coupling 567:151
· Catalysis 553:67
· Diazo-Alkane 566:271
· Enantioselectivity 557:117
· Ene-Reaction 553:67
· Germanium 558:155
· Haloethylidene-Cycloalkane 551:107
· Hydrogermylation 558:155
· Isoxazoline 558:155
· Lewis-Acid 553:67
· Metallocene-Reaction 553:67
· Molybdenum 566:271
· Phosphametallacycle 566:271
· Phosphenium 566:271
· Phosphinine 567:151
· Phosphorus-Heterocycle 567:151
· Sakurai-Reaction 553:67
· Sigmatropic-Shift 557:117
· Silane 553:67
· Stannane 553:67
· Titanocene 567:151
· Tungsten 566:271
· X-Ray 558:155
· Zirconocene 567:151
**Cycloaddition**| (3+2)-»
· Arsane 568:241, 568:247
· Butyl-Cyclopentanienyl 564:189
· Cyclopentadienyl 568:241
· Insertion 568:247
· Iron 568:241, 568:247
· Metallo-Phosphane 568:241, 568:247
· pH-Function 568:247
· Phospha-Alkyne 564:189
· Phosphametallacycle 568:241, 568:247
· Reactivity 568:247
· Ring-Opening 568:241
· Ruthenium 568:241
· Stibane 568:241, 568:247
· Thio-Ligand 564:189
· Transition-Metal 564:189, 568:241
· Trisulfide 564:189
· Tungsten 564:189
**Cycloaddition**| Gas-Phase-» 561:121
**Cycloadduct** 566:175
**Cycloalkyne** 563:235
**Cyclobutadiene**| Tetramethyl-» 556:207
**Cyclobutanimine**| Metalla-» 569:39
**Cyclocarboborasiloxane** 560:109
**Cycloheptatrienyl**
· Allyl 560:265
· Bipyridine 566:151
· Diazabutadiene 566:151
· Hapticity 560:265
· Isocyanide 560:265
· Molybdenum 560:265, 566:151
· Redox 566:151
· Tungsten 560:265
· X-Ray 560:265
**Cycloheptyne** 562:29
**Cyclohexadiene**| Tricarbonyl-» 555:227
**Cyclometallated-Complex**
· Chalcogenide 551:281
· Cytosine 558:103
· Dithiophosphate 549:73
· Insertion 551:281
· Manganese 551:281
· Metallocyclic-Ring 551:281
· Model 558:103
· Nucleobase 558:103
· Orthometallated 549:73
· Palladium 549:73, 556:21, 556:31, 558:103
· Phosphine 556:31
· Reactivity 556:31
· Semicarbazone 556:21
· Triphenyl-Phosphine 551:281
**Cyclometallated-Fragment** 548:45
**Cyclometallated-Ligand** 561:67
**Cyclometallation**
· Allyl 548:301
· Amine 548:301
· Amino-Acid 552:237
· Aryl 548:301
· C-H-Bond-Activation 548:301
· Carbonyl 552:237, 567:65
· Catalysis 548:301
· Chromium 567:65
· Diene 564:61
· Diphosphine 564:61
· Diyne 564:61
· Electrochemistry 563:179
· Ferrocenylhydrazone 555:211
· Hetero(Si,Ge,P)Cyclopentane 564:61
· Liquid-Crystal 555:81
· Manganese 552:237, 567:65
· Mesogenism 555:81
· Metal-Complex 552:237
· N-Donor-Ligand 563:179
· Palladium 548:301, 552:23, 555:81, 555:211
· Phosphine 564:61
· Platinum 563:179
· Poly-Pyrazolyl-Borate 552:23
· Reactivity 552:23, 563:179
· Rhenium 552:237
· Schiff-Base 552:237, 555:81
· Stereoselectivity 564:61
· Tolyl-Phosphine 552:23
· Zirconocene 564:61
**Cyclooctadiene**
· Alkyne-Cyclotrimerization 551:37
· Arene 551:37
· Hydrido-Cluster 566:237
· Osmium 566:237
· Pyridine 551:37
· Rhodium 566:237
· Ruthenium 551:37
· Stoichiometry 551:37
**Cyclooctatetraene**
· Anthracene 557:3
· Arene-Thiolato 559:197
· Binuclear-Complex 560:7
· Chromium 560:7
· Diaryl-Disulfide 559:197
· Half-Sandwich-Complex 557:3
· Iron 560:7
· Mononuclear-Complex 559:197, 560:7
· Niobium 557:3
· Photoelectron-Spectroscopy 560:7
· Pyridine-Thiolato 559:197
· Samarium 559:197
· Tantalum 557:3
· Xylylene 557:3
**Cyclooctatetraenyl**
· Actinide 559:209
· Cerium 553:393
· Crystal-Field-Parameter 559:209
· Diazadiene-Ligand 549:101
· Electron-Structure 559:209
· Half-Sandwich-Complex 559:209
· Lanthanide 549:101, 553:393, 559:209
· Model 559:209
· Neodymium 553:393
· Optical-Spectra 559:209
· Samarium 549:101, 553:393
· Stoichiometry 559:209
· Transition-Metal 549:101, 553:393
· Triple-Decker-Sandwich-Complex 553:393
· Ytterbium 549:101
**Cyclopentadiene** 550:397
**Cyclopentadiene**| Methyl-» 568:185
**Cyclopentadiene**| Sulfonamido-» 553:387
**Cyclopentadienide**| Pentamethyl-» 553:141
**Cyclopentadienyl**
· (3+2)-Cycloaddition 568:241
· 17-Electron 555:57
· Acenaphthyl 549:177
· Acetonitrile 552:135
· Acetylene 565:37
· Acetylide 549:127
· Actinide 551:261
· Acyl 567:25
· Acylation 568:171
· Al-27-NMR 561:203
· Alkyl-Lithium 550:111
· Alkyl-Magnesium 550:111
· Alkylidene 564:277
· Alkylidyne 569:125
· Alkyne 554:155, 565:37
· Alkynyl 549:127
· Alpha-Hydrogen 569:125
· Aluminum 561:203
· Amido-Ligand 560:245
· Amidosilyl 551:293
· Ansa-Bridged 551:133
· Arene 551:93, 553:253
· Arsane 568:241
· Arsenic 552:221
· Aryl-Acetylide 549:127
· Azido-Ligand 560:245
· Bent-Sandwich-Complex 559:181
· Beta-Hydrogen-Elimination 550:111
· Bimetallic-Complex 549:25
· Bipyridine 551:207
· Bridged-Ligand 563:7
· C-C-Bond-Formation 554:155
· C-F-Bond-Activation 552:165
· C-N-Bond 562:45
· Carbodiimide 568:171
· Carbon-Monoxide 551:331
· Carbonyl 555:25, 555:57, 561:49, 565:81, 567:25, 568:171
· Carbonyl-Substitution 556:111
· Catalysis 549:177, 559:181
· Chiral 555:5
· Chromium 552:135, 553:477
· Chromocene 560:15
· Cleavage 562:45
· Cluster 550:111, 555:25
· Cluster-Complex 568:157
· Cobalt 562:45
· Crown-Ether 551:331
· Cyclic-Voltammetry 551:93, 567:25
· Cyclopropanation 558:163
· Decomposition 560:245
· Derivative 555:49
· Diazo-Ester 558:163
· Dichloro-Methyl-Silyl 551:293
· Dienone 567:57
· Dihydrogen-Complex 565:37
· Dimer 552:165
· Electrochemistry 553:253, 555:57
· Electron-Transfer-Catalysis 567:25
· ESR-Spectra 552:75
· Ethene 549:177
· Ethylene 553:477
· Ferrocene 561:85
· Fluorenyl 563:7
· Fluoride 552:165
· Fluxionality 565:81
· Gadolinium 549:239
· Group-6 548:157, 561:85
· Group-8 565:37
· Hafnium 555:49
· Head-to-Tail-Compound 564:193
· Heterobimetallic-Complex 552:135
· Homologation 558:163
· Hydrazone 549:25
· Hydride-Complex 565:37
· Hydrogenolysis 567:25
· Hydrosilylation 559:181
· Hyperpolarizability 549:127
· Imido-Complex 551:133, 564:277
· Indenyl 551:331
· Indium 550:301
· Insertion 551:331, 554:155, 558:163
· Iridium 553:253, 555:25, 565:81, 567:57
· Iron 551:331, 553:149, 553:253, 567:25, 568:171, 568:241
· Isocyanide 562:45
· Isomerization 556:111
· Ketenimine 562:45
· Lanthanide 549:239
· Lanthanidocene 559:181
· Lanthanoid 552:165, 565:201
· Lanthanum 549:239
· Matrix 557:77, 561:49
· Metal-Carbonyl 553:149
· Metal-Center 559:107
· Metal-Complex 565:37
· Metallo-Phosphane 568:241
· Metallocene 549:177, 560:15
· Methylene 554:155
· Migration 569:125

· Mixed-Metal-Cluster 565:81
· Molybdenum 548:157, 549:25, 551:133, 560:245, 561:49, 568:157
· N-Acylation 568:171
· Neodymium 549:239, 565:201
· Nickel-Alkyl-Complex 564:193
· Nickelocene 550:111
· Niobium 557:77
· Nitrido-Ligand 560:245
· Nitrosyl 548:157
· Nonlinear-Optics 549:127
· Norbornadiene 552:135
· Nucleophilic-Ortho-Functionalization 567:57
· Nujol 557:77, 561:49
· Olefin-Chelate 558:163
· Oxidation 552:165, 553:253
· Oxo-Dienyl 567:57
· Phosphametallacycle 568:241
· Phosphine 549:127, 561:85, 565:81
· Phosphine-Oxide 565:201
· Phosphite 555:25
· Photochemistry 557:77, 561:49
· Polymerization 549:177, 553:477
· Propene 549:177
· Protein 568:171
· Pyridine-Substituted-Alkyl 564:193
· Quantum-Chemical-Calculation 561:203
· Reactivity 548:157, 561:85, 564:277, 568:157
· Reduction 551:93, 553:253
· Regioselectivity 563:7, 567:57
· Rhenium 556:111
· Rhodium 554:155
· Ring-Opening 568:241
· Ruthenium 549:127, 551:93, 565:37, 568:157, 568:241
· Ruthenium-Carbene 558:163
· Ruthenocene 565:283
· Sandwich-Complex 551:93
· Secondary-Amine 553:253
· Sila-Bridged-Complex 553:149
· Solid-State 556:111
· Stereoselectivity 548:157
· Stibane 568:241
· Styrene 558:163
· Substitution 555:25
· Sulfanilamide 568:171
· Sulfonamide 568:171
· Susceptibility 549:127
· Tantalum 554:185, 557:77
· Tetraaza-Macrocycle 550:301
· Tetrachloro-Aluminate 552:75
· Thioether 561:85
· Thiolato-Bridge 560:245
· Titanium 551:133, 551:293, 552:75, 555:49, 563:7
· Titanocene 551:207, 555:5
· Transition-Metal 559:107, 568:241
· Transition-Metal-Carbonyl 568:157
· Trialkyl-Tin-Hydride 567:25
· Trimethyl-Silyl 549:239
· Trimethyl-Silyl-Tetramethyl 552:75
· Triplet-State 551:207
· Tungsten 555:25, 555:57, 564:277, 565:81, 568:157, 569:125
· Vinyl 558:163
· X-Ray 548:157, 549:127, 550:301, 552:165, 552:221, 553:149, 554:185, 555:25, 555:49, 561:203, 565:81, 565:201
· Ytterbium 552:165, 565:201
· Zirconium 549:177, 551:133, 555:49
· Zirconocene 555:5

**Cyclopentadienyl**| Amido-Silyl-» 564:93
**Cyclopentadienyl**| Amino-Silyl-» 564:109
**Cyclopentadienyl**| Butyl-» 568:113
**Cyclopentadienyl**| Chiral-Annulated-» 551:355
**Cyclopentadienyl**| di-tert-Butyl-» 560:47
**Cyclopentadienyl**| Dicarbonyl-» 560:63
**Cyclopentadienyl**| Functionalized-»
· Chiral-Complex 549:251
· Donor-Ligand 549:251
· Iron 549:139, 553:433
· Molybdenum 555:119
· Reactivity 549:139
· Titanium 549:251
· Tripodal-Ligand 549:139, 553:433, 555:119
· Zirconium 549:251

**Cyclopentadienyl**| Linked-Amido-» 558:139
**Cyclopentadienyl**| Methyl-»
· Antitumor-Drug 565:29
· Dysprosium 563:101
· Erbium 563:101
· Gadolinium 563:101
· Hydrolysis 565:29
· Lanthanide 563:101
· NMR 565:29
· Nucleotide-Binding 565:29
· Tetrazolate-Ligand 563:101
· Titanocene 565:29
· Ytterbium 563:101

**Cyclopentadienyl**| Oxophosphoryl-» 560:27
**Cyclopentadienyl**| Pentamethyl-»
· Beta-Elimination 563:15
· Binuclear-Complex 551:55
· C-C-Coupling 569:85
· C-H-Bond-Activation 569:85
· Dialkyl 563:15
· Dimethoxyphenyl-Diphenyl-Phosphine 561:157
· Grignard-Reagent 569:85
· Hydroquinone 553:483
· Imido-Complex 563:15
· Iminoacyl 563:15
· Insertion 563:15
· Iridium 549:117, 553:483, 569:85
· Methylene 569:85
· P-O-Chelating-Ligand 561:157
· Pyrazolate 551:55
· Quinone 553:483
· Rhodium 549:117, 551:55, 561:157
· Semiquinone 553:483
· Tantalum 563:15
· Thiolate 551:55
· Vinyl 569:85
· X-Ray 553:483, 563:15

**Cyclopentadienyl**| Peralkyl-» 553:397
**Cyclopentadienyl**| Substituted-» 559:97
**Cyclopentadienyl**| Tetramethyl-» 558:231
**Cyclopentadienyl**| Thiophosphoryl-» 560:27
**Cyclopentadienyl-Analog** 548:1
**Cyclopentadienyl-Free** 569:89
**Cyclopentadienyl-Imido-Complex** 564:209
**Cyclopentadienyl-Nickel**
· Aryl-Isocyanide 559:91
· Multiple-Insertion 559:91
· Nickel-Acetylide 559:91
· Organochalcogenide 564:37
· Polymerization 559:91
· Reversible 564:37
· Sulfur-Dioxide 564:37

**Cyclopentadienyl-Oxalato** 556:97
**Cyclopentadienyl-Ring** 548:109
**Cyclopentadienylidene** 568:87
**Cyclopentadienylidene**| Indenylidene-» 558:111
**Cyclopentane** 565:135
**Cyclopentanienyl**| Butyl-» 564:189
**Cyclopropanation**
· Alkoxy-Carbene 567:119
· Cyclopentadienyl 558:163
· Diazo-Ester 558:163
· Dihydropyridine 567:119
· Homologation 558:163
· Insertion 558:163
· Olefin-Chelate 558:163
· Pyridinium-Ylide-Complex 567:119
· Ruthenium-Carbene 558:163
· Styrene 558:163
· Tungsten 567:119
· Vinyl 558:163

**Cyclopropane** 566:175
**Cyclopropenation** 553:417
**Cyclopropene**
· 3-Membered-Ring-Opening 566:175
· Alkylation 566:175
· Alkylidene 564:85
· Carbenoid 566:175
· Carbocation 566:175
· Cycloadduct 566:175
· Cyclopropane 566:175
· Ferrocene 559:1, 566:175
· Imido-Complex 564:85
· Iron 559:1
· Molybdenum 564:85
· Naphthalene 566:175
· Oxo-Complex 564:85
· Reactivity 564:85
· Regioselectivity 566:175
· Ring-Opening 559:1
· Tungsten 564:85
· X-Ray 559:1, 564:85, 566:175
· Zwitterion 559:1

**Cyclotrimerization**| Alkyne-» 551:37
**Cytosine** 558:103
**Decamethylpentasila-cycloheptyne** 562:29
**Decomplexation**
· Alkyne 554:163
· Butadienyl 554:203
· Carbonyl 554:163
· Cobalt 554:163
· Ethylenediamine 554:163
· Ethylidene 554:203
· Iron 554:203

**Decomposition**
· Amido-Ligand 560:245
· Azido-Ligand 560:245
· Bimetallic-Complex 566:133
· Carbene 566:133
· Chromium 566:133
· Cyclopentadienyl 560:245
· Dinuclear-Complex 566:133
· Manganese 566:133
· Molybdenum 560:245
· Nitrido-Ligand 560:245
· Thienylene 566:133
· Thiolato-Bridge 560:245
· Thiophene 566:133

**Decomposition**| Laser-Induced-» 566:263
**Decomposition**| Thermal-»
· Calorimetry 554:123
· Carbonyl 554:123
· Cobalt 554:123
· Lithium-Amide 549:39
· Manganese 554:123
· Polyethyleneimine 549:39
· Rhenium 554:123
· TMS-Shift 549:39
· X-Ray 549:39

**Degradation** 555:17
**Dehydrocoupling** 564:81
**Dehydrogenation** 554:41
**Dehydropolymerisation** 568:253
**Delocalization** 553:115
**Dendrimer**
· Backbone 569:195
· Carbosilane 563:43
· Inadequate 554:113
· NMR 554:113
· Platinum-Acetylide 569:195
· Polynuclear-Complex 569:195
· Polysilane 554:113

**Density-Functional**
· 5-Coordinate-Hydride 565:217
· Alkyne 565:271
· Cluster 565:271
· DFT 565:271
· Interstitial-Hydride-Cluster 565:217
· IR-Spectroscopy 566:45
· Iron 565:271, 566:225
· Manganese 565:271
· Matrix-Isolation 566:45, 566:225
· Photochemistry 566:225
· Raman-Spectra 566:225
· Rhodium 565:217
· Silanone 566:45
· Silyl-Metal-Complex 566:225
· Vinylidene 565:271

**Derivative** 555:49
**Desulfurization**
· Carbonyl 563:201
· Dimethylbenzylamine 560:169
· Electrospray-Mass-Spectrometry 560:169

· Gold 560:169
· Iron 563:201
· Nonametallic-Aggregate 560:169
· Phosphine 563:201
· Self-Assembly 560:169
· Silver 560:169
· Substitution 563:201
· Sulfide 560:169
· Thiocarbonyl 563:201
· Thiourea 560:169
**Deuteration** 548:285
**Deuterioformylation** 548:279
**Deuterobenzene-Pi-Coordination** 550:59
**DFT**
· Ab-Initio 549:81, 561:29
· Alkyne 565:271
· Allyl 561:29
· Amide 549:81
· Chiral-Ligand 549:81
· Chromium 561:29
· Cluster 565:271
· Density-Functional 565:271
· Iron 565:271
· Lithium-Amide 549:81
· Manganese 565:271
· Structural-Chemistry 561:29
· Vinylidene 565:271
· Zirconium 561:29
**DFT-IGLO-Method** 550:119
**Diacetylide** 553:15
**Dialkyl**
· Acetylenedicarboxylate 560:253
· Beta-Elimination 563:15
· Catalysis 560:253
· Cation 560:253
· Dimerization 560:253
· Imido-Complex 563:15
· Iminoacyl 563:15
· Insertion 563:15
· Pentamethyl-Cyclopentadienyl 563:15
· Rhodium 560:253
· Tantalum 563:15
· X-Ray 563:15
**Dialkyl-Carbonate** 556:41
**Dialkyl-Ketone** 553:91
**Diaryl-Diazene** 558:91
**Diaryl-Disulfide** 559:197
**Diastereomerization** 559:149
**Diastereoselectivity**
· Alcohol 567:75
· Aliphatic-Imine 569:139
· Aromatic-Imine 569:139
· Chiral-Complex 567:75
· Chirality 565:115
· Ferrocene 565:115
· Iron 565:115
· Oxidation 567:75
· Reduction 567:75
· Regioselectivity 565:115
· Rhenium 567:75
· Wittig-Reaction 567:75
· X-Ray 565:115
**Diazabutadiene** 566:151
**Diazadiene-Ligand**
· Backbone 569:159
· Catalysis 569:159
· Cyclooctatetraenyl 549:101
· Ethylene 569:159
· Lanthanide 549:101
· Nickel-Alkyl-Complex 569:159
· Polymerization 569:159
· Reductive-Carbonylation 569:159
· Samarium 549:101
· Transition-Metal 549:101
· X-Ray 569:159
· Ytterbium 549:101
**Diazasulphinates** 550:173
**Diazepam** 553:405
**Diazo-Alkane** 566:271
**Diazo-Compound** 554:105
**Diazo-Ester** 558:163
**Dibenzoylethylene** 549:49
**Dibutylphenoxide** 569:89
**Dicarbaborane** 550:125
**Dicarbide** 565:49
**Dicarbon-Ligand** 551:235
**Dichalcogenide** 565:135
**Dichloroethane** 548:305
**Dichlorotrifluorophenyl** 551:9
**Dicyanoanthracene** 568:121
**Diels-Alder-Reaction** 566:85
**Diene**
· Acyl-Radical 548:105
· Addition 555:227
· Carbon-Monoxide 548:105
· Cyclization 548:105
· Cyclometallation 564:61
· Diphosphine 564:61
· Diyne 564:61
· Hetero(Si,Ge,P)Cyclopentane 564:61
· Iron 555:227, 568:287
· Phosphine 564:61
· Silicon-Hydride 548:105
· Silylcarbonylation 548:105
· Solid-State-Synthesis 568:287
· Stereoselectivity 564:61
· Sulfone 555:227
· Tricarbonyl-Cyclohexadiene 555:227
· Zirconocene 564:61
**Dienone** 567:57
**Dienyl**
· Addition 549:245
· Allyl 568:205
· Arene 568:205
· Benzene 568:205
· Carbonyl 549:245
· Chromium 549:245
· Cobalt 568:205
· Iron 549:245
· Methyl-Pentadienyl-Aniline 549:245
**Dihydrocinnoline** 558:91
**Dihydrogen** 551:21
**Dihydrogen-Complex**
· Acetylene 565:37
· Alkyne 565:37
· Cyclopentadienyl 565:37
· Dioxygen-Complex 564:21
· Group-8 565:37
· Hydride-Complex 564:21, 565:37
· Metal-Complex 565:37
· Osmium 564:21
· Phosphine 564:21
· Ruthenium 565:37
**Dihydropyridine**
· (4+2)Annulation 549:311
· Alkenyl-Imine 549:311
· Alkoxy-Carbene 567:119
· Alkynyl-Carbene 549:311
· Aryl-Imine 549:311
· Chromium 549:311
· Cyclopropanation 567:119
· Iminium-Carbonylmetalate 549:311
· Pyridinium-Ylide-Complex 567:119
· Transition-Metal 549:311
· Tungsten 549:311, 567:119
**Diimine**
· Carbonyl 561:57
· Electrochemistry 559:37
· Kinetics 561:57
· Ligand-Cluster-Complex 559:37
· Manganese 561:57
· Mechanism 561:57
· Mer-to-Fac-Isomerization 561:57
· Osmium 559:37
· Pyrazyne 559:37
**Diimine-Ligand**| Alpha-» 551:67
**Diisopropylamide** 558:193
**Diketone**| Beta-»
· Charge-Transfer 568:165
· Dicarbonyl-Rhodium 557:157
· Ferrocenylacetylacetone 568:165
· Ligand-Exchange 568:165
· Liquid-Crystal 557:157
· Photochemistry 568:165
· Proton-Transfer 568:165
· Pyridine 568:165
**Dilithioalkene** 566:143
**Dimer**
· Alkali-Metal 558:193
· Amide 558:193
· C-F-Bond-Activation 552:165
· Carbonyl 557:13
· Cyclopentadienyl 552:165
· Diisopropylamide 558:193
· Dynamic-NMR 557:13
· Fluoride 552:165
· Intramolecular-Bonding 558:193
· Lanthanoid 552:165
· Metal-Centered-Radical 557:13
· Oxidation 552:165
· Photochemistry 557:13
· Potassium 558:193
· Reactivity 557:13
· Ruthenium 557:13
· X-Ray 552:165
· Ytterbium 552:165
**Dimerization**
· Acetylenedicarboxylate 560:253
· Alkyne 552:109
· C-H-Bond-Activation 553:511
· Catalysis 560:253
· Cation 560:253
· Cluster 552:109
· Cyclic-Voltammetry 561:181
· Dialkyl 560:253
· Diyne 566:251
· Indanyl 553:511
· Phosphinidene 553:511
· Rhodium 560:253
· Ruthenium 552:109, 561:181
· Silyl 566:251
· Supermesitylphosphaalkyne 553:511
· Tungsten 553:511
**Dimerization**| Head-to-Tail-» 553:157
**Dimetallatriptycene** 550:347
**Dimethoxybenzenethiol** 548:223
**Dimethylallyl** 549:283
**Dimethylbenzylamine** 560:169
**Dinuclear-Complex**
· A-Frame-Complex 569:189
· Acetylacetonate 551:117
· Addition 569:217
· Alkylidyne 555:89
· Alkyne 555:89, 557:251
· Amine 557:251
· Aniline 557:251
· Bibracchial 550:7
· Bimetallic-Complex 566:133
· Bridging-Carbonato-Ligand 569:189
· Bridging-Hydrido-Ligand 569:189
· Butadiene-Metal-Complex 569:217
· Carbene 566:133
· Carbonyl 555:89
· Cationic-Complex 569:217
· Chromium 566:133
· Cleavage 557:251
· Cluster 559:219
· Cobalt 555:89
· Copper 550:7, 557:251
· Decomposition 566:133
· Diisopropyl-Phosphino-Methane 569:189
· Group-4 569:217
· Halogeno-Complex 557:251
· Heterotetrametallics 555:89
· Heterotrimetallics 555:89
· Iron 559:219
· Lewis-Base 557:251
· Macrocycle 550:7
· Manganese 566:133
· Metal-Complex 551:117
· Metallocene 569:217
· Molybdenum 555:89, 559:219
· Non-A-Frame-Complex 569:189
· Phosphorus 559:219
· Platinum 551:117
· Polynuclear-Complex 555:89
· Pyridine 557:251
· Rearrangement 555:89
· Rhenium 548:295
· Rhodium 569:189
· Schiff-Base 550:7
· Tetraimine 550:7
· Thienylene 566:133
· Thiophene 550:7, 566:133
· X-Ray 550:7
· Zirconocene 569:217
**Dioxygen-Complex** 564:21
**Diphenyl-Phosphanyl-Ethane-Type-Ligand** 553:285
**Diphenyl-Phosphinomethyl-Biphenyl** 557:207
**Diphenylphosphine**
· Azavinylidene 548:255
· Carbonyl 548:255
· Cluster 563:113
· Cobaltocene 563:113
· Ferrocene 563:113
· Protonation 548:255
· Reactivity 563:113
· Ruthenium 548:255, 563:113
· Trinuclear-Cluster 548:255
**Diphosphabutatriene** 553:135
**Diphosphazane** 554:105
**Diphosphine**

· Allylic-Alkylation 567:219
· Borane 567:219
· Carbonyl 551:375
· Carborane 555:17
· Catalysis 567:219
· Chiral-Thiolate 551:375
· Chloride-Bridge 555:17
· Coupling-Reaction 567:219
· Cyclometallation 564:61
· Degradation 555:17
· Diene 564:61
· Dithiolate 551:375
· Diyne 564:61
· Electrochemistry 560:147
· Gold 560:147
· Hetero(Si,Ge,P)Cyclopentane 564:61
· Heterometallic-Cluster 560:147
· Hydroformylation 551:165
· Hydrogenation 567:219
· Ionic-Complex 551:375
· Isomerization 551:165
· Matrix 567:219
· Olefin 551:165
· Palladium 555:17, 567:219
· Phosphine 564:61, 567:219
· Platinum 551:165
· Polypyrrole 567:219
· Reactivity 551:375
· Regioselectivity 551:165
· Rhodium 551:375, 567:219
· Stereoselectivity 564:61
· Supported-Ligand 567:219
· Tin 551:165
· Zirconocene 564:61

**Dipropargyl-Thioether** 550:423
**Dipyridylamido** 556:159
**Disilane**
· Alkene 560:217
· Alkyne 560:217
· Aroyl-Chloride 560:217
· Catalysis 560:217
· Fullerene 559:11
· Oligosilane 559:11
· Photochemistry 559:11
· Rhodium 560:217
· Transition-Metal-Silicon-Compound 552:213
· Tungsten 552:213

**Disk-Shaped** 552:171
**Disproportionation**
· Bimetallic-Complex 562:89
· Formyl-Pentamethyl-Cobaltocene 563:219
· Group-6 562:89
· Molybdenum 562:89
· Phosphine 562:89
· Photochemistry 562:89
· Radical-Coupling 563:219
· Redox 563:219
· Substitution 562:89
· X-Ray 563:219

**Distannoxane**
· Catalysis 558:19
· Methoxyquinoline 561:143
· Multinuclear-NMR 558:19
· Rearrangement 558:19
· Tetrabutyl-Stannoxane 558:19
· Tin 558:19, 561:143

**Disubstituted-Propenoate** 555:151
**Dithiacyclohexane** 553:453
**Dithiadiazolyl** 550:241
**Dithio-Ligand** 560:1
**Dithioether** 559:23
**Dithiolate** 551:375
**Dithiolene**| Metalla-» 563:161
**Dithiophosphate** 549:73
**Diyne**
· Cyclometallation 564:61
· Diene 564:61
· Dimerization 566:251
· Diphosphine 564:61
· Hetero(Si,Ge,P)Cyclopentane 564:61
· Phosphine 564:61
· Silyl 566:251
· Stereoselectivity 564:61
· Zirconocene 564:61

**Diyne**| Coupling-of-» 558:197
**DMF** 551:387
**Donor-Ligand**
· Allyl-Lanthanum 548:229
· Butadiene 548:229
· Catalysis 548:229
· Chiral-Complex 549:251
· Functionalized-Cyclopentadienyl 549:251
· Polymerization 548:229
· Stereospecificity 548:229
· Titanium 549:251
· Zirconium 549:251

**Dynamic-Kinetic-Resolution** 567:163
**Dynamics**
· Alkyne 552:83
· Ansa-Metallocene 553:331
· Bimetallic-Complex 552:83
· Chirality 553:331
· Configuration 553:331
· Fulvalene 553:503
· Hapticity 553:331
· Insertion 552:83
· Lanthanide 553:503
· Magnesium 553:331
· Molybdenum 552:83
· Pi-Complex 553:503
· Samarium 553:503
· Ytterbium 553:503
· Zirconium 552:83

**Dysprosium** 563:101
**EHMO-Calculation**
· Alkyne 569:21
· Azavinylidene 554:117
· Carbonyl 554:117
· Cluster 554:117
· Molybdenum 569:21
· Protonation 554:117
· Ruthenium 554:117

**Electrocatalysis** 548:309
**Electrochemistry**
· 17-Electron 555:57
· 4-Component-Reaction 552:17
· 47-Electron 568:63
· 5-Coordinate-Complex 565:243
· Alkylidene-Bridge 563:161
· Alkyne 563:73
· Allylidene-Derivative 568:63
· Anthraquinone-Derivative 562:115
· Antibiotics 552:17
· Arene 553:253, 559:141
· Arene-Ruthenium 560:223
· Benzonitrile 553:115
· Beta-Lactam 552:17
· Butadiene 553:73
· Butatriene 553:73
· Carbonyl 555:57, 563:73, 565:193, 568:185
· Carbyne 552:255
· Charge-Transfer-Spectra 565:187
· Cleavage 563:161
· Cluster 565:193
· Cobalt 563:161
· Cumulene 553:73
· Cyano-Organometallics 565:187
· Cyclic-Voltammetry 558:1, 563:161, 568:63
· Cyclometallation 563:179
· Cyclopentadienyl 553:253, 555:57
· Delocalization 553:115
· Diimine 559:37
· Diphenyl-Phosphinomethyl-Ferrocene 560:223
· Diphosphine 560:147
· Ferrocene 553:73, 562:197, 563:73, 565:243
· Ferrocenylalkyl-Isocyanide 552:17
· Fullerene 562:115
· Gold 552:17, 560:147
· Group-6 552:255
· Hafnocene 563:73
· Heterobimetallic-Complex 562:197
· Heterometallic-Cluster 560:147
· Interstitial-Phosphido 565:193
· Iridium 553:253
· Iron 553:73, 553:253, 565:187
· Iron-Dinitrosyl-Complex 558:1
· Ligand-Cluster-Complex 559:37
· Macrocyclic-Amine-Ligand 552:255
· Metal-Carbonyl 562:197
· Metal-Cluster 568:63
· Metalla-Dithiolene 563:161
· Methyl-Cyclopentadiene 568:185
· Methyl-Fulvalene 568:185
· Moiety 563:161
· Molybdenum 568:185
· N-Donor-Ligand 563:179
· Nickel 563:73
· Nitrile-Orbital 553:115
· Nitrosyl 558:1
· NMR 558:1
· Nonlinear-Optics 553:115
· Octanuclear-Cluster 565:187
· Organometallic-Nickel 553:115
· Osmium 559:37
· Oxidation 553:253, 568:63
· P-31-Solid-State-NMR 565:193
· Phosphine 559:141, 565:243
· Photochemistry 552:255
· Platinum 563:179
· Pyrazyne 559:37
· Reactivity 552:17, 563:179
· Redox 563:161
· Reduction 553:253
· Rhodium 563:161
· Ruthenium 559:141, 562:115, 565:193, 565:243, 568:63
· Ruthenium-dpmf-Complex 560:223
· Ruthenium-dppf-Complex 560:223
· Secondary-Amine 553:253
· Square-Antiprism 565:193
· TCNE 558:1
· Triazacyclononane 552:255
· Tungsten 555:57
· Voltammetry 565:193
· X-Ray 553:73, 553:115, 558:1, 563:161, 565:193

**Electron-Affinity**| Vertical-» 549:149
**Electron-Complex** 554:13
**Electron-Count** 550:341
**Electron-Diffraction**| Gas-Phase-» 560:183
**Electron-Donor** 569:225
**Electron-Transfer**
· Carbon-Monoxide 563:31
· Catalysis 553:269
· Cation 555:135
· Cleavage 555:135, 568:121
· Dicyanoanthracene 568:121
· EPR-Spectra 555:135
· Ir-C-Bond 555:135
· Iron 553:269
· Nitrosyl 555:135
· Permethyl-Oligo-Germane 568:121
· Photochemistry 568:121
· Pyridine 555:135
· Reduction 553:269
· Substitution 553:269, 563:31
· Thermodynamics 553:269
· Tin 563:31
· Tributyltin-Lithium 563:31
· Triphenyl-Phosphine 553:269

**Electron-Transfer**| Intramolecular-» 550:165
**Electronic-Absorption-Spectra** 563:209
**Electrophilic-Substitution** 568:233
**Electroreduction**
· Amido-Complex 548:309
· Carbon-Monoxide 560:103
· Carbonylation 560:103
· Catalysis 560:103
· Electrocatalysis 548:309
· Imido-Complex 548:309
· Nickel-Bipyridine-Complex 560:103
· Niobium 548:309
· Protonation 548:309
· Reduction 548:309

**Electrospray** 560:233
**Electrospray-Mass-Spectrometry** 560:169
**Elimination**
· Ab-Initio 550:355
· Aluminum 550:355
· Amide 550:355
· C-H-Bond-Activation 553:1
· Heterobimetallics 550:355
· Insertion 550:355
· Iridium 553:1
· Lithium 550:355
· Migration 553:1
· Silyl 553:1
· Thermal-Reactions 553:1
· X-Ray 550:355

**Elimination**| Beta-» 563:15
**Elimination**| Reductive-» 565:135
**Emission-Spectroscopy** 554:87
**Enamine** 556:119
**Enantiopurity-Assay** 550:29
**Enantioselectivity**

· Asymmetric-Catalysis 557:117
· Asymmetric-Hydride-Transfer 567:133
· Asymmetric-Hydrogenation 548:65
· Aza-Ligand 567:133
· Biphosphine 557:117
· Catalysis 553:285, 567:133, 567:163
· Chiral-Complex 560:257
· Chirality 548:65
· Chirality-Transfer 553:285
· Conformational-Analysis 553:285
· Cycloaddition 557:117
· Diphenyl-Phosphanyl-Ethane-Type-Ligand 553:285
· Dynamic-Kinetic-Resolution 567:163
· Hydrogenation 567:163
· Kinetics 548:65
· Mechanism 567:133
· Nitrogen 567:133
· Optically-Active 567:133
· Phenyl-Ring-Orientation 553:285
· Phosphine 560:257
· Phosphole 560:257
· Reduction 567:133
· Ruthenium 560:257, 567:163
· Sigmatropic-Shift 557:117
· Structural-Analysis 553:285
· Substitution 567:133
· Theoretical-Calculation 567:133
· Transition-Metal 553:285, 560:257

**Ene-Reaction** 553:67
**Energy-Barrier** 552:145
**Enyne** 567:173
**Ephedrine** 566:117
**Epimerization**
· Absolute-Configuration 556:129
· Ansa-Zirconocene 558:219
· Carbonyl 556:129
· Catalysis 558:219
· Chirality 556:129
· Cobalt 556:129
· Isotactic 558:219
· Metallocene 558:219
· Nitrosyl 556:129
· Polymerization 558:219
· Polypropylene 558:219
· Transition-Metal 556:129
· X-Ray 556:129

**Epoxidation**| Olefin-» 555:293
**Epoxide**
· Catalysis 551:349, 567:173
· Clay 551:349
· Coupling-Reaction 567:173
· Enyne 567:173
· Hydrogenation 551:349
· Palladium 567:173
· Ruthenium 551:349
· Silver 567:173
· Sulfone 551:349
· Vinyl-Triflate 567:173

**Epoxysilane** 558:227
**EPR-Spectra**
· Cation 555:135
· Cleavage 555:135
· Electron-Transfer 555:135
· Ferrocenyl 558:147
· Ir-C-Bond 555:135
· Nitrosyl 555:135
· Pyridine 555:135
· Semiconductor 558:147
· Solid-State-Conductivity 558:147
· X-Ray 558:147

**Equilibria** 559:173
**Erbium** 563:101
**ESR-Spectra** 552:75
**Ethanol**| Alpha-Methoxyl-Naphthyl-» 556:239
**Ethene**
· Acenaphthyl 549:177
· Catalysis 549:177, 553:173
· Cyclopentadienyl 549:177
· Hafnium 553:173
· Indenyl 553:173
· Metallocene 549:177, 553:173
· Polymerization 549:177, 553:173
· Propene 549:177
· Zirconium 549:177, 553:173

**Ether-Bridge** 550:423
**Ether-Phosphine-Ligand** 555:247
**Ethylene**
· Alkenyl 562:153, 562:229, 568:87
· Allyl 552:187
· Ansa-Metallocene 562:229
· Anthracene 566:111
· Asymmetric-Hydrovinylation 552:187
· Backbone 569:159
· Catalysis 555:177, 558:111, 562:153, 562:229, 566:111, 568:87, 568:263, 569:159
· Cationic-Complex 552:187
· Chiral-Ligand 552:187
· Chromium 553:477
· Codimerization 552:187
· Cyclopentadienyl 553:477
· Cyclopentadienylidene 568:87
· Diazadiene-Ligand 569:159
· Fluorenyl 564:115
· Fluorenylidene 568:87
· Fluorenylidene-Indenylidene-Complex 562:153
· Hafnium 558:111
· Half-Metallocene 566:111
· Half-Sandwich-Complex 564:115
· Immobilization 562:153
· Indenyl 564:115
· Indenylidene-Cyclopentadienylidene 558:111
· Metallocene 552:313, 558:111, 562:153, 568:87, 568:263
· Micro-Gel 568:263
· Mononuclear-Complex 554:195
· N-Donor-Ligand 564:115
· Nickel-Alkyl-Complex 569:159
· Niobium 566:111
· Palladium 552:187
· Phenoxide 554:195
· Polyethylene 552:313, 568:87
· Polymerization 552:313, 553:477, 554:195, 555:177, 558:111, 562:153, 562:229, 564:115, 566:111, 568:87, 568:263, 569:159
· Polypropylene 568:87
· Polysiloxane 568:263
· Procatalyst 554:195
· Reductive-Carbonylation 569:159
· Self-Immobilization 562:229
· Silica 568:263
· Silyl 568:87
· Styrene 552:187
· Tantalum 566:111
· Vanadium 554:195
· X-Ray 555:177, 558:111, 569:159
· Xylylene 566:111
· Zirconium 558:111, 562:153, 562:229, 564:115, 566:111, 568:87
· Zirconocene 552:313, 555:177

**Ethylene-Bridge**
· Ansa-Metallocene 558:181
· Ansa-Zirconocene 561:37
· Indenyl 558:181
· Polymerization 561:37
· Pseudo-C-S-Symmetry 561:37
· Siloxy 558:181
· Zirconium 558:181

**Ethylenediamine** 554:163
**Ethylidene** 554:203
**Ethynediyl** 565:49
**Ethynyl**
· Butadiynediyl 565:49
· Cluster 565:279
· Cluster-Compound 565:49
· Dicarbide 565:49
· Ethynediyl 565:49
· Iron 565:49
· Polynuclear-Complex 565:49
· Polyynediyl 565:49
· Ruthenium 565:279
· Trimethyl-Silyl-Hexa-Triyne 565:279

**Ethynylbenzene** 552:303
**EXAFS** 552:229
**Excited-State**
· C-H-Bond-Activation 554:1
· Emission-Spectroscopy 554:87
· Photochemistry 554:1
· Photophysics 554:1
· Rhodium 554:1
· Time-Dependent-Theory 554:87

**Fast-Screening** 567:3
**Fermi-Resonance** 552:1
**Ferracyclopentadiene-Ring** 555:113
**Ferrocene**
· 3-Membered-Ring-Opening 566:175
· 5-Coordinate-Complex 565:243
· Alkylation 566:175
· Alkyne 563:73
· Aminophosphine 563:37
· Ammonium-Ion 556:11
· Anil 564:233
· Arylidene 559:43
· Butadiene 553:73
· Butatriene 553:73
· Carbene 552:45
· Carbenoid 566:175
· Carbocation 559:43, 566:175
· Carbonyl 563:73
· Carbonylation 563:37
· Catalysis 569:225
· Charge-Transfer 559:215
· Chiral-Ligand 561:199
· Chirality 565:115, 567:191
· Cluster 563:113
· Cobaltocene 563:113
· Copper 555:167, 561:209
· Cumulene 553:73
· Cycloadduct 566:175
· Cyclopentadienyl 561:85
· Cyclopropane 566:175
· Cyclopropene 559:1, 566:175
· Diastereoselectivity 565:115
· Diphenylphosphine 563:113
· Electrochemistry 553:73, 562:197, 563:73, 565:243
· Electron-Donor 569:225
· Electronic-and-Geometric-Structure 556:11
· Ferrocenophane 555:187, 567:191
· Geometry 556:11
· Gold-Transition-Metal-Bond 564:249
· Group-6 561:85
· Hafnocene 563:73
· Heterobimetallic-Complex 562:197
· Hydroformylation 563:37
· Imidazoline-Ylidene 552:45
· Iridium 564:249
· Iron 552:45, 553:73, 559:1, 565:115
· Mercury 552:45, 564:233
· Metal-Carbonyl 562:197
· Metal-Complex 552:45
· Methano(10)-Annulene 569:225
· Naphthalene 566:175
· Nickel 563:73
· NMR 555:187, 563:37
· One-Pot-Synthesis 567:191
· Palladium 552:45, 555:167, 559:215, 563:37, 569:225
· Phosphine 561:85, 563:37, 565:243
· Phosphorus 555:187
· Photochemistry 559:215
· Platinum 555:167, 563:37
· Quinuclidinone 559:43
· Reactivity 561:85, 563:113
· Redox 561:209, 569:225
· Regioselectivity 565:115, 566:175
· Ring-Opening 559:1
· Ruthenium 563:113, 565:243
· Schiff-Base 561:209
· Silver 555:167, 561:209
· Single-Crystal 564:249
· Stereochemistry 561:199
· Styrene 563:37
· Sulfonylcarbamate 563:81
· Sulfonylurea 563:81
· Thia-Macrocycle 555:167
· Thioether 561:85
· Thiourea 561:199
· Tin 564:233
· Transition-Metal 555:167, 561:199, 563:37
· Transmetallation 564:233
· Tungsten 552:45
· X-Ray 552:45, 553:73, 555:187, 559:1, 561:199, 561:209, 563:81, 564:233, 564:249, 565:115, 566:175
· Z-E-Isomerization 559:43
· Zwitterion 559:1

**Ferrocene**| Diphenyl-Phosphinomethyl-» 560:223
**Ferrocenecarboxaldehyde** 553:463
**Ferrocenediol** 556:173
**Ferrocenol** 556:173
**Ferrocenophane**
· Chirality 567:191
· Ferrocene 555:187, 567:191
· Ferrocenediol 556:173
· Ferrocenol 556:173
· Intramolecular-Cyclization 563:95
· NMR 555:187, 556:173
· One-Pot-Synthesis 567:191
· Phosphorus 555:187
· X-Ray 555:187, 556:173
**Ferrocenyl**
· EPR-Spectra 558:147
· Metallo-Carborane 556:55
· Palladium 552:293
· Platinum 552:293
· Ruthenium 556:55
· Ruthenocenyl 569:169
· Semiconductor 558:147
· Silver 569:169
· Solid-State-Conductivity 558:147
· Titanium-Tweezer 569:169
· Titanocene 569:169
· X-Ray 552:293, 558:147
**Ferrocenyl**| Dimethylaminomethyl-»
· Cyclic-Voltammetry 552:265
· Gold 552:265
· Heterobimetallic-Complex 552:265
· Iron 554:139
· Mössbauer-Spectroscopy 552:265, 554:139
· NMR 552:265
· Silicon 554:139
**Ferrocenylacetylacetone** 568:165
**Ferrocenylalkyl-Isocyanide** 552:17
**Ferrocenylamine** 564:125
**Ferrocenylhydrazone** 555:211
**Fischer-Complex**
· Acylation 553:183
· Carbene 553:183, 566:159
· Carbonyl 553:183
· Chromium 553:183, 566:159
· Cluster 566:159
· Iron 566:159
· Selenium 566:159
· Thermolysis 566:159
· X-Ray 566:159
**Fluorene** 548:177
**Fluorenyl**
· Acetylide 556:219
· Bimetallic-Complex 556:219
· Bridged-Ligand 563:7
· Cyclopentadienyl 563:7
· Ethylene 564:115
· Half-Sandwich-Complex 564:115
· Indenyl 564:115
· N-Donor-Ligand 564:115
· Osmium 556:219
· Platinum 556:219
· Polymer 556:219
· Polymerization 564:115
· Regioselectivity 563:7
· Ruthenium 556:219
· Titanium 563:7
· Zirconium 564:115
**Fluorenylidene** 568:87
**Fluorenylidene-Indenylidene-Complex** 562:153
**Fluoride**
· C-F-Bond-Activation 552:165
· Cluster 559:191
· Cyclopentadienyl 552:165
· Dimer 552:165
· Lanthanoid 552:165
· Oxidation 552:165
· Platinum-Group 559:191
· X-Ray 552:165
· Ytterbium 552:165
**Fluorine** 553:111
**Fluoroalkylation**| Selective-» 548:109
**Fluxionality**
· Alkyne 551:383
· Borane 550:207
· Carbonyl 550:207, 565:81
· Cluster-Complex 551:383
· Cyclopentadienyl 565:81
· EXSY-NMR 555:35
· Geometrical-Isomerism 550:207
· Hydroboration 550:207
· Imine 555:35
· Iridium 565:81
· Mixed-Metal-Cluster 565:81
· Organoborane 550:207
· Phenylimino-Ethyl-Pyridine 555:35
· Phosphine 565:81
· Platinum 551:383, 555:35
· Stereochemistry 555:35
· Tetraborane-Carbonyl 550:207
· Transition-Metal 555:35
· Tungsten 565:81
· X-Ray 565:81
**Flytrap** 550:423
**Formate** 553:199
**Formato-Complex** 566:203
**Free-Radical** 552:145
**Friedel-Crafts-Polyalkylation** 548:237
**Fullerene**
· Addition 561:109
· Anthraquinone-Derivative 562:115
· Disilane 559:11
· Electrochemistry 562:115
· Germyl-Lithium 561:109
· Molybdenum 549:213
· Oligosilane 559:11
· Photochemistry 559:11
· Polydiphenylphosphite 549:213
· Rhodium 549:213
· Ruthenium 549:213, 562:115
· Silyl-Lithium 561:109
**Fullerenol** 553:193
**Fulvalene** 553:503
**Fulvalene**| Methyl-» 568:185
**Fumarate** 569:55
**Gadolinium**
· Cyclopentadienyl 549:239
· Dysprosium 563:101
· Erbium 563:101
· Lanthanide 549:239, 563:101
· Lanthanum 549:239
· Methyl-Cyclopentadienyl 563:101
· Neodymium 549:239
· Tetrazolate-Ligand 563:101
· Trimethyl-Silyl 549:239
· Ytterbium 563:101
**Gallane** 550:283
**Gallium**
· Aminogallane 549:31
· Cluster 555:263
· Low-Oxidation-State 555:263
· Thermolysis 549:31
**Gas-Phase-Reaction** 558:51
**Geometry**
· Ammonium-Ion 556:11
· Carbonyl 551:235
· Cluster 551:235
· Dicarbon-Ligand 551:235
· Electronic-and-Geometric-Structure 556:11
· Ferrocene 556:11
· Iron 551:235
· Ruthenium 551:235
· Trigonal-Prism 551:235
**Geometry**| Nido-and-Closo-» 550:341
**Germa-Imine** 548:123
**German** 564:143
**Germane** 568:21
**Germane**| Allyl-» 553:493
**Germane**| Naphthyl-» 553:163
**Germane**| Permethyl-Oligo-» 568:121
**Germanium**
· Antitumor-Activity 566:103
· Butyl-Tin 566:103
· Carbodiimide 562:191
· Copper 560:21
· Cyanamide 562:191
· Cycloaddition 558:155
· Dimetallatriptycene 550:347
· Group-14 550:347
· Hydride-Method 560:21
· Hydrogermylation 558:155
· In-Vitro 566:103
· IR-Spectroscopy 566:103
· Isoxazoline 558:155
· Ortho-Phenylene-Magnesium 550:347
· Silicon 550:347
· Tin 550:347
· X-Ray 558:155, 560:21, 562:191
**Germanium–Nitrogen-Double-Bond** 548:123
**Germatrane** 548:149
**Germatrane**| Fluoro-» 549:163
**Germyl**| Tributyl-» 552:145
**Germyl-Radical** 553:163
**Germyl-Selenide** 564:1
**Germylene** 561:167
**Germylidene**| Dimesityl-» 548:123
**GIAO-Computed-C-13** 550:409
**Glycoside**| Unsaturated-» 567:157
**Glycosyl** 548:91
**Gold**
· 4-Component-Reaction 552:17
· Acetonitrile 552:69
· Antibiotics 552:17
· Auration 568:225
· Benzodiazepinone 553:405
· Beta-Lactam 552:17
· Biological-Activity 560:233
· Bisphosphine-Ligand 565:105
· Boride-Cluster 565:105
· Carbene 552:69
· Carbonyl 550:131
· Carborane 561:1, 561:13
· Cluster 569:109
· Cobalt 549:55
· Copper 569:109
· Cyclic-Voltammetry 552:69, 552:265
· Desulfurization 560:169
· Diazepam 553:405
· Dimethylaminomethyl-Ferrocenyl 552:265
· Dimethylbenzylamine 560:169
· Diphosphine 560:147
· Electrochemistry 552:17, 560:147
· Electrospray 560:233
· Electrospray-Mass-Spectrometry 560:169
· Ferrocenylalkyl-Isocyanide 552:17
· Heterobimetallic-Cluster 550:131
· Heterobimetallic-Complex 552:265
· Heterocycle 552:69
· Heterometallic-Cluster 560:147
· Iron 549:55
· Metallacycle 557:231, 560:233
· Model 552:127
· Mössbauer-Spectroscopy 552:265
· NMR 552:265
· Nonametallic-Aggregate 560:169
· Nucleobase 552:127
· Optically-Active-Cluster 549:55
· Osmium 550:131
· Palladium 549:55, 569:109
· Pentanuclear-Heterotrimetallic-Cluster 549:55
· Phenylpyrazole 568:225
· Phosphine 550:131, 551:313
· Platinum 551:313
· Prazepam 553:405
· Pyridinethiolate 561:13
· Reactivity 552:17, 561:13
· Rearrangement 550:131
· Rhodium 549:55
· Ruthenium 565:105
· Salicylate 560:233
· Self-Assembly 560:169
· Silver 560:169, 561:13, 569:109
· Sulfide 560:169
· Sulfido-Complex 569:109
· Thiolate 561:1
· Thiosalicylate 560:233
· Thiourea 560:169
· Tungsten 569:109
· Uracil 552:127
· Ureylene 557:231
· Wing-Tip-Butterfly-Structure 549:55
· X-Ray 549:55, 550:131, 552:127, 565:105
**Gold**| Acyl-» 553:497
**Gold-Transition-Metal-Bond** 564:249
**Grignard-Reagent**
· Addition 567:157
· Aryl-Manganese 558:61
· Arylation 567:157

· Bond-Forming 558:61
· C-C-Coupling 569:85
· C-H-Bond-Activation 569:85
· Catalysis 567:157
· Copper 558:61
· Cross-Coupling-Catalyst 558:61
· Iminophosphorane 550:445
· Iridium 569:85
· Metallation 550:445
· Methylene 569:85
· Nickel 567:157
· Palladium 567:157
· Pentamethyl-Cyclopentadienyl 569:85
· Stereochemistry 567:157
· Tridentate-Ligand 558:61
· Unsaturated-Glycoside 567:157
· Vinyl 569:85
· X-Ray 550:445

**Group| Main-»**
· Catalysis 549:319
· CVD-Process 553:443
· Methyltrioxo-Rhenium 549:319
· Olefin 549:319
· Pyridine 549:319
· Rhenium 553:443
· Thermogravimetry 553:443
· Transition-Metal 549:319, 553:443

**Group-1** 550:409

**Group-4**
· Addition 569:217
· Amino-Silyl-Cyclopentadienyl 564:109
· Ansa-Metallocene 564:109
· Bipyridine 553:53
· Biquinoline 553:53
· Butadiene-Metal-Complex 569:217
· Carboxylate 550:1
· Catalysis 553:507
· Cationic-Complex 569:217
· Chiral-at-Metal-Complex 553:507
· Dinuclear-Complex 569:217
· Ethylene-Polymerization 564:109
· Hafnium 564:109
· Indenyl 564:109
· Lithium-Chloride 553:507
· Metallocene 553:507, 569:217
· Phosphinate 550:1
· Polymerization 564:109
· Racemic-Complex 553:507
· Sulfonates 550:1
· Titanium 550:1, 564:109
· Transition-Metal 550:1
· Zirconium 550:1, 564:109
· Zirconocene 569:217

**Group-6**
· Alkylidyne 548:195
· Azo-Phosphine 568:279
· Bimetallic-Complex 562:89
· Carbyne 552:255
· Chromium 568:279
· Cyclopentadienyl 548:157, 561:85
· Disproportionation 562:89
· Electrochemistry 552:255
· Ferrocene 561:85
· Macrocyclic-Amine-Ligand 552:255
· Molybdenum 548:157, 562:89, 568:279
· Nitrosyl 548:157
· Phosphine 548:195, 561:85, 562:89
· Photochemistry 552:255, 562:89
· Reactivity 548:157, 548:195, 561:85
· Stereoselectivity 548:157
· Substitution 562:89
· Thioether 561:85
· Triazacyclononane 552:255
· Tridentate-Ligand 548:195
· Triphos 548:195
· Tungsten 568:279
· X-Ray 548:157

**Group-8** 565:37

**Group-11** 565:211

**Group-13** 563:87

**Group-14**
· Amine 550:71
· Cubane 550:71
· Dimetallatriptycene 550:347
· Germanium 550:347
· Lithium 550:71
· Metallocene 550:71
· Ortho-Phenylene-Magnesium 550:347
· Silicon 550:347
· Tin 550:71, 550:347

**Guanidine** 556:75

**Hafnium**
· Amino-Silyl-Cyclopentadienyl 564:109
· Ansa-Metallocene 564:109, 568:127
· Catalysis 553:173, 558:111, 568:127
· Cyclopentadienyl 555:49
· Derivative 555:49
· Ethene 553:173
· Ethylene 558:111
· Ethylene-Polymerization 564:109
· Group-4 564:109
· Indenyl 553:173, 564:109
· Indenylidene-Cyclopentadienylidene 558:111
· Linked-Amido-Cyclopentadienyl 558:139
· Metallocene 553:173, 558:111
· Olefin-Polymerization 568:127
· Polymerization 553:173, 558:111, 564:109
· PPh-Bridge 568:127
· Titanium 555:49, 564:109
· X-Ray 555:49, 558:111
· Zirconium 553:173, 555:49, 558:111, 558:139, 564:109, 568:127

**Hafnocene** 563:73

**Half-Metallocene** 566:111

**Half-Sandwich-Complex**
· Acetamidinate 564:209
· Actinide 559:209
· Amido-Complex 562:71
· Ansa-Niobiocene 562:71
· Anthracene 557:3
· Arene 562:97
· Benzamidinate 564:209
· Binuclear-Complex 564:209
· Cationic-Complex 562:71
· Crystal-Field-Parameter 559:209
· Cyclooctatetraene 557:3
· Cyclooctatetraenyl 559:209
· Cyclopentadienyl-Imido-Complex 564:209
· Electron-Structure 559:209
· Ethylene 564:115
· Fluorenyl 564:115
· Imido-Complex 562:71
· Indenyl 564:115
· Iridium 564:179
· Lanthanide 559:209
· Model 559:209
· N-Donor-Ligand 564:115
· Niobium 557:3
· Optical-Spectra 559:209
· Palladium 564:179
· Photochemistry 562:97
· Polymerization 564:115
· Rhodium 564:179
· Ruthenium 562:97, 564:179
· Sandwich-Complex 562:97
· Schiff-Base 564:179
· Stoichiometry 559:209
· Tantalum 557:3
· Titanium 564:209
· X-Ray 564:209
· Xylylene 557:3
· Zirconium 564:115

**Haloethylidene-Cycloalkane** 551:107

**Halogeno-Complex** 557:251

**Halogenotrimethyl-Metal-Moiety** 549:295

**Hapticity**
· Allyl 560:265
· Ansa-Metallocene 553:331
· Chirality 553:331
· Configuration 553:331
· Cycloheptatrienyl 560:265
· Dynamics 553:331
· Isocyanide 560:265
· Magnesium 553:331
· Molybdenum 560:265
· Tungsten 560:265
· X-Ray 560:265

**Hauser-Base** 559:173

**Head-to-Tail-Compound** 564:193

**Heck-Reaction**
· Activated-Thiophene 567:49
· Arylation 567:49
· Carbene 557:93
· Catalysis 555:141, 557:93
· Coupling-Reaction 557:93
· Methyl-Palladium-Carbene-Complex 565:165
· N-Heterocyclic-Ligand 557:93
· Palladium 555:141, 557:93
· Reaction-Chemistry 565:165
· Ullmann-Reaction 555:141

**Hemilabile-Ligand** 567:13

**Hemilability** 553:83

**Hetero(Si,Ge,P)Cyclopentane** 564:61

**Hetero-Aromatic-Aldehyde** 559:123

**Hetero-Trimethylenemethane-Ligand** 550:213

**Heteroallyl** 566:125

**Heteroatom** 564:1

**Heterobimetallic-Complex**
· Acetonitrile 552:135
· Chromium 552:135
· Cyclic-Voltammetry 552:265
· Cyclopentadienyl 552:135
· Dimethylaminomethyl-Ferrocenyl 552:265
· Electrochemistry 562:197
· Ferrocene 562:197
· Gold 552:265
· Insertion 566:1
· Iron 566:1
· Metal-Carbonyl 562:197
· Mössbauer-Spectroscopy 552:265
· NMR 552:265
· Norbornadiene 552:135
· Zirconium 566:1

**Heterobimetallics**
· Ab-Initio 550:355
· Aluminum 550:355
· Amide 550:355
· Elimination 550:355
· Insertion 550:355
· Iodoalkyl 557:259
· Lithium 550:355
· Oxidative-Addition 557:259
· Platinum 557:259
· Polymethylene-Bridge 557:259
· Transition-Metal 557:259
· Tungsten 557:259
· X-Ray 550:355

**Heteroborane| Metalla-»**
· Arachno 550:151
· Cage-Boron-Atom 550:477
· Carbene 550:477
· Cluster-Compound 550:151, 550:477
· Ligand-Transfer 550:477
· Platinum 550:151
· Rhodium 550:151
· X-Ray 550:151

**Heterocumulene** 551:139

**Heterocycle**
· Acetonitrile 552:69
· Aqueous-Solution 561:227
· Carbene 552:69
· Cationic-Complex 561:227
· Cyclic-Voltammetry 552:69
· Gold 552:69
· Hexamethylbenzene 561:227
· Hydride 561:227
· Pyrazolato-Ligand 561:227
· Ruthenium 561:227
· Triazolato-Ligand 561:227

**Heterocycle| Nitrogen-»** 562:35

**Heterocycle| Nitrogen-Containing-»** 567:83

**Heterocycle| Silicon-»** 561:121

**Heterocyclic-Chelator** 550:241

**Heteroleptic-Species** 561:167

**Heteroligand** 553:453

**Heteropolymetallic-Complex** 564:101

**Heterotetrametallics** 555:89

**Heterotrimetallics** 555:89

**Hexadecatetraene| Functionalized-»** 569:203

**Hexafluoroacetyl** 563:235

**Hexafluorophosphate** 549:283

**Hexahydrotriazine-Ligand** 558:213

**Hexamethylbenzene**
· Amido-Complex 565:97
· Aqueous-Solution 561:227
· Cationic-Complex 561:227, 565:97
· Heterocycle 561:227

· Hydrazine 565:97
· Hydride 561:227
· Pyrazolato-Ligand 561:227
· Ruthenium 561:227, 565:97
· Triazolato-Ligand 561:227
**Hexamethyldisilazane** 549:45
**Hexene** 560:47
**Hexyl-Isocyanate** 569:147
**High-Pressure**
· Ansa-Zirconocene 560:47
· Catalysis 560:47
· di-tert-Butyl-Cyclopentadienyl 560:47
· Diels-Alder-Reaction 566:85
· Hexene 560:47
· Olefin-Polymerization 560:47
· Silanorbornene 566:85
· Stereochemistry 566:85
· X-Ray 566:85
**Holmium** 562:255
**Homologation** 558:163
**Hybrid** 548:99
**Hydrazine** 565:97
**Hydrazone** 549:25
**Hydride**
· Addition 565:153
· Allyl 568:113
· Aluminum 568:113
· Aqueous-Solution 561:227
· Bimetallic-Complex 552:91
· Binuclear-Complex 568:113
· Butyl-Cyclopentadienyl 568:113
· Carbazole 558:189
· Carbonyl 557:163
· Cationic-Complex 561:227
· Chalcogen 557:221
· Cluster 557:221
· Heterocycle 561:227
· Hexamethylbenzene 561:227
· Iron 557:163, 557:221
· Metal-Metal-Bond 552:91
· Metallocene 568:113
· Molybdenum 557:221
· Naphthyl 565:153
· Osmium 565:153
· Platinum 558:189
· Pyrazolato-Ligand 561:227
· Radical-Chain-Mechanism 557:163
· Rhenium 552:91
· Ruthenium 561:227
· Sulfur 557:221
· Tellurium 557:221
· Thiolato 557:221
· Triazolato-Ligand 561:227
· Vinylidene 565:153
· X-Ray 557:163, 558:189
· Ytterbium 568:113
· Zirconium 552:91
**Hydride-Complex**
· Acetylene 565:37
· Addition 558:91
· Alkyne 565:37
· Alkyne-Insertion 558:91
· Antimony 560:35
· Arene 560:35
· Arsine 560:35
· C-H-Bond-Activation 564:241
· Catalysis 558:91
· Cobalt 558:91
· Cyclopentadienyl 565:37
· Diaryl-Diazene 558:91
· Dihydrocinnoline 558:91
· Dihydrogen-Complex 564:21, 565:37
· Dioxygen-Complex 564:21
· Group-8 565:37
· Iridium 564:241
· Metal-Complex 565:37
· Methyl-Vinyl-Ketone 564:241
· Ortho-Metallation 558:91
· Osmium 564:21
· Phosphine 560:35, 564:21
· Ruthenium 560:35, 565:37
· Stibenylazobenzene 558:91
· Stibine 560:35
· Transition-Metal 558:91
· Vinyl 564:241
**Hydride-Method** 560:21
**Hydride-Transfer**| Asymmetric-» 567:133
**Hydridometallacarborane** 550:469
**Hydridotris-Pyrazolyl-Borate** 562:203
**Hydroboration**
· Alkene 553:91
· Azide-Alkylation 567:31
· Borane 550:207, 553:91
· Borate 552:247
· Carbonyl 550:207
· Carbonylative-Cyclization 553:91
· Chirality 567:31
· Cobalt 553:91
· Dialkyl-Ketone 553:91
· Fluxionality 550:207
· Geometrical-Isomerism 550:207
· MO-Calculation 552:247
· Non-Racemic 567:31
· Organoborane 550:207, 567:31
· Pyrrole 552:247
· Pyrrolidine 567:31
· Tandem-Reaction 567:31
· Tetraborane-Carbonyl 550:207
· X-Ray 552:247
**Hydroformylation**
· Aminophosphine 563:37
· Bidentate-Ligand 567:13
· Carbonylation 563:37
· Catalysis 548:279
· Cationic-Complex 559:23
· Chiral-Ligand 559:23
· Deuterioformylation 548:279
· Diphosphine 551:165
· Dithioether 559:23
· Ferrocene 563:37
· Hemilabile-Ligand 567:13
· Isomerization 551:165
· NMR 563:37
· Olefin 551:165
· Palladium 563:37
· Phosphine 563:37
· Phosphonate 567:13
· Phosphorus 567:13
· Platinum 551:165, 563:37
· Regioselectivity 548:279, 551:165
· Rhodium 548:279, 559:23, 567:13
· Styrene 559:23, 563:37
· Tin 551:165
· Transition-Metal 563:37
· Vinylpyrrole 548:279
**Hydrogen**| Alpha-» 569:125
**Hydrogen-Bonding** 557:111
· Addition 549:233
· Carbocation 549:233
· Carbon-Nucleophile 549:233
· Cobalt 549:233
· Crystal 548:33
· Homogeneous-Catalysis 567:7
· Metallo-Carbaborane 549:233
· Methyl-Palladium 558:41
· Methyl-Platinum 558:41
· Phenoxide 558:41
· Phosphine 558:41
· Proton-Sponge 549:233
· Transition-Metal 567:7
**Hydrogen-Elimination**| Beta-» 
· Acetylenic-Ester 551:107
· Alkyl-Lithium 550:111
· Alkyl-Magnesium 550:111
· Cluster 550:111
· Cycloaddition 551:107
· Cyclopentadienyl 550:111
· Haloethylidene-Cycloalkane 551:107
· Nickelocene 550:111
**Hydrogen-Transfer** 548:139
**Hydrogenation**
· Allylic-Alkylation 567:219
· Arene 552:159, 566:165
· Azavinylidene 564:201
· Borane 567:219
· Catalysis 551:49, 551:349, 552:159, 557:207, 566:165, 567:163, 567:219
· Cinnamaldehyde 557:207
· Citral 557:207
· Clay 551:349
· Cluster 564:201
· Coupling-Reaction 567:219
· Diphenyl-Phosphinomethyl-Biphenyl 557:207
· Diphosphine 567:219
· Dynamic-Kinetic-Resolution 567:163
· Enantioselectivity 567:163
· Epoxide 551:349
· Kinetics 551:49
· Matrix 567:219
· Olefin 552:159
· Palladium 567:219
· Phenylacetylene 551:49
· Phosphine 566:165, 567:219
· Polypyrrole 567:219
· Reactivity 564:201
· Rhodium 551:49, 552:159, 567:219
· Ruthenium 551:349, 557:207, 564:201, 566:165, 567:163
· Styrene 566:165
· Sulfone 551:349
· Supported-Ligand 567:219
· Tertiary-Silane 564:201
· Tertiary-Stannane 564:201
· X-Ray 552:159, 564:201
**Hydrogenation**| Asymmetric-» 548:65
**Hydrogenation**| Asymmetric-Transfer-»
· Acrylic-Acid 553:199
· Binaphthyl 568:77
· Catalysis 553:199, 568:77
· Chiral-Diphosphine 553:199
· Formate 553:199
· Rhodium 553:199
· Ruthenium 568:77
· Sulfonamide 568:77
**Hydrogenation**| Enantioselective-» 564:227
**Hydrogenolysis** 567:25
**Hydrogermylation** 558:155
**Hydrolysis**
· Antimony 555:271
· Antitumor-Drug 565:29
· Carboxylate 555:271
· Manganese 549:89
· Metallo-Carboxylate 549:89
· Methyl-Cyclopentadienyl 565:29
· NMR 555:271, 565:29
· Nucleotide-Binding 565:29
· Phosphine 549:89
· Titanocene 565:29
**Hydrolysis**| Alkaline-» 552:1
**Hydrophosphonylation**| Asymmetric-» 550:29
**Hydroquinone** 553:483
**Hydrosilylation**
· Bent-Sandwich-Complex 559:181
· Catalysis 559:123, 559:181
· Cyclopentadienyl 559:181
· Hetero-Aromatic-Aldehyde 559:123
· Lanthanidocene 559:181
· Liquid-Crystal 548:49
· Poly-Metallocene 548:49
· Rhodium 559:123
· Thermotropic 548:49
· Transition-Metal 559:123
**Hydrosilylation**| Intramolecular-» 564:57
**Hydrotris-Dimethylpyrazolyl-Borate** 569:15
**Hydrovinylation**| Asymmetric-» 552:187
**Hydroxy-Benzotriazinone** 549:155
**Hydroxylamine** 550:233
**Hyperpolarizability**
· Acetylide 549:127
· Alkynyl 549:127, 563:137
· Aryl-Acetylide 549:127, 563:137
· Cyclopentadienyl 549:127
· Nonlinear-Optics 549:127, 563:137
· Phosphine 549:127
· Pyridyl-Acetylide 563:137
· Ruthenium 549:127, 563:137
· Susceptibility 549:127
· X-Ray 549:127, 563:137
**Imidazole-Derivative**| Methyl-» 553:345
**Imidazolin-Ylidene**| Dimethyl-» 554:175
**Imidazoline-Ylidene** 552:45
**Imido-Complex**
· Alkylidene 564:85, 564:277
· Amido-Complex 548:309, 562:71
· Ansa-Bridged 551:133
· Ansa-Niobiocene 562:71
· Beta-Elimination 563:15
· Cationic-Complex 562:71
· Cyclopentadienyl 551:133, 564:277
· Cyclopropene 564:85
· Dialkyl 563:15
· Electrocatalysis 548:309
· Electroreduction 548:309
· Half-Sandwich-Complex 562:71
· Iminoacyl 563:15
· Insertion 563:15
· Molybdenum 551:133, 564:85

· Niobium 548:309
· Oxo-Complex 564:85
· Pentamethyl-Cyclopentadienyl 563:15
· Protonation 548:309
· Reactivity 564:85, 564:277
· Reduction 548:309
· Tantalum 563:15
· Titanium 551:133
· Tungsten 564:85, 564:277
· X-Ray 563:15, 564:85
· Zirconium 551:133
**Imine** 555:35
**Imine**| Aliphatic-» 569:139
**Imine**| Alkenyl-» 549:311
**Imine**| Aryl-» 549:311
**Imine**| n-Alkyl-α,β-Unsaturated-» 548:143
**Iminium-Carbonylmetalate** 549:311
**Imino-Amide-Ligand** 550:453
**Iminoacyl** 563:15
**Iminophosphine** 560:137
**Iminophosphorane**
· Grignard-Reagent 550:445
· Metallation 550:445
· Neutron-Diffraction 550:449
· Phosphorus 550:449
· X-Ray 550:445, 550:449
**Immobilization** 562:153
**Immobilized-Complex** 558:235
**In-Vitro** 566:103
**Inadequate** 554:113
**Indacenyl-Ligand** 557:97
**Indanyl** 553:511
**Indenyl**
· Amino-Silyl-Cyclopentadienyl 564:109
· Ansa-Metallocene 558:181, 559:65, 564:109, 568:41
· Ansa-Zirconocene 555:127
· Bimetallic-Complex 557:97
· Binuclear-Complex 562:11
· C-2-Symmetry 568:41
· Carbon-Monoxide 551:331
· Catalysis 553:173, 558:171, 558:231
· Chiral-Complex 566:21
· Chromium 557:97
· Conformation 564:167
· Crown-Ether 551:331
· Cyclopentadienyl 551:331
· Ethene 553:173
· Ethylene 564:115
· Ethylene-Bridge 558:181
· Ethylene-Polymerization 564:109
· Fluorenyl 564:115
· Group-4 564:109
· Hafnium 553:173, 564:109
· Half-Sandwich-Complex 564:115
· Indacenyl-Ligand 557:97
· Insertion 551:331
· Iron 551:331
· Isomerism 558:171
· Lanthanide 549:95
· Lanthanocene 566:21
· Lanthanoid 549:203, 564:167
· Lanthanum 549:95, 549:203, 564:167
· Metallocene 553:173, 558:171
· N-Donor-Ligand 564:115
· Neodymium 549:203, 564:167
· NIR-Vis-Spectroscopy 564:167
· NMR 549:203, 564:167
· Olefin 558:171, 559:65
· Palladium-Coupling 568:41
· Polymerization 553:173, 558:171, 558:231, 559:65, 562:11, 564:109, 564:115
· Praseodymium 549:95, 549:203, 564:167
· Rhodium 557:97
· Ruthenium 569:99
· Samarium 564:167
· Siloxy 558:171, 558:181, 558:231, 559:65
· Solid-State 564:167
· Solution-NMR 549:203
· Styrene 562:11
· Syn-and-Anti-Structure 557:97
· Syndiotactic-Polystyrene 558:231
· Tetrahydrofuran-Adduct 549:203
· Tetramethyl-Cyclopentadienyl 558:231
· Thiolato-Ligand 569:99
· Titanium 558:231, 562:11, 564:109, 568:41
· Triisopropyl-Siloxy 555:127
· Trinuclear-Cluster 569:99
· X-Ray 549:95, 569:99
· Yttrium 566:21
· Zirconium 553:173, 558:171, 558:181, 559:65, 564:109, 564:115, 568:41
**Indenyl-Phosphine-Complex** 564:101
**Indium**
· Allylic-Alcohol 549:305
· Azide 548:73
· Cyclopentadienyl 550:301
· Dipyridylamido 556:159
· Intramolecular-Coordination 562:123
· Oxo-Bridge 556:159
· Pentadienyl-System 549:305
· Pentenynyl-System 549:305
· Regioselectivity 549:305
· Tetraaza-Macrocycle 550:301
· Tetranuclear-Complex 556:159
· Thin-Film 548:73
· X-Ray 550:301, 562:123
**Indole** 559:131
**Indole-System** 557:37
**Indoline** 559:131
**Induction**| Asymmetric-» 555:151
**Insertion**
· (3+2)-Cycloaddition 568:247
· Ab-Initio 550:355
· Alkyne 552:83, 554:155
· Alpha-Diimine-Ligand 551:67
· Aluminum 550:355
· Amide 550:355
· Arsane 568:247
· Beta-Elimination 563:15
· Bidentate-Ligand 551:67
· Bimetallic-Complex 552:83
· C-C-Bond-Formation 554:155
· Carbon-Monoxide 551:331
· Catalysis 551:159
· Cation 551:159
· Chalcogenide 551:281
· Cluster 565:267
· Cobalt 563:53
· Crown-Ether 551:331
· Cyclometallated-Complex 551:281
· Cyclopentadienyl 551:331, 554:155, 558:163
· Cyclopropanation 558:163
· Dialkyl 563:15
· Diazo-Ester 558:163
· Dynamics 552:83
· Elimination 550:355
· Heterobimetallic-Complex 566:1
· Heterobimetallics 550:355
· Homologation 558:163
· Imido-Complex 563:15
· Iminoacyl 563:15
· Indenyl 551:331
· Iron 551:331, 563:53, 566:1, 568:247
· Lithiation 550:457
· Lithium 550:355
· Manganese 551:281
· Mechanism 550:457
· Metallo-Phosphane 568:247
· Metallocene 551:159
· Metallocyclic-Ring 551:281
· Methylene 554:155
· Molybdenum 552:83
· Nitrile 550:457
· Nitrogen 551:67
· Olefin 551:159
· Olefin-Chelate 558:163
· Opened-THF 563:53
· Palladium 551:67
· Palladium-Alkyl-Complex 549:167
· Pd-C-Sigma-Bond 549:167
· Pentamethyl-Cyclopentadienyl 563:15
· pH-Function 568:247
· Phosphametallacycle 568:247
· Platinum 556:189
· Polymerization 551:159
· Pyrazolyl 549:167
· Reactivity 549:167, 568:247
· Rhodium 554:155
· Ruthenium 565:267
· Ruthenium-Carbene 558:163
· Silacyclopentene 563:53
· Stibane 568:247
· Styrene 558:163
· Tantalum 563:15
· Thioalkenyl 556:189
· Thioalkyne 556:189
· Thioether 551:159
· Triphenyl-Arsine 565:267
· Triphenyl-Phosphine 551:281
· Vinyl 558:163
· X-Ray 550:355, 550:457, 551:159, 556:189, 563:15, 563:53, 565:267
· Zirconium 551:159, 552:83, 566:1
**Insertion**| Alkyne-»
· Addition 558:91
· Alkaloid 567:101
· Aminocarbene 567:83, 567:101
· Catalysis 558:91
· Chromium 567:83, 567:101
· Cobalt 558:91
· Diaryl-Diazene 558:91
· Dihydrocinnoline 558:91
· Hydride-Complex 558:91
· Nitrogen 567:101
· Nitrogen-Containing-Heterocycle 567:83
· Ortho-Metallation 558:91
· Stibenylazobenzene 558:91
· Transition-Metal 558:91
· Ylide 567:101
**Intermolecular-Coupling** 553:427
**Interstitial-Phosphido** 565:193
**Intramolecular-Bonding** 558:193
**Intramolecular-Coordination** 562:123
**Iodoalkyl** 557:259
**Ion-Pair** 554:171
**Ion-Pair-Equilibria**
· H-1,Li-6-HOESY-NMR 550:359, 550:381
· Phenylthio-Benzyl-Lithium 550:359, 550:381
· Polyamine 550:359
· Polyether-Ligand 550:381
· Solution-Structure 550:359, 550:381
· Tetrahydrofuran 550:359, 550:381
**Ionic-Complex** 551:375
**Ir-C-Bond** 555:135
**IR-Spectroscopy**
· Alkaline-Hydrolysis 552:1
· Antitumor-Activity 566:103
· Butyl-Tin 566:103
· Carbonyl 552:1, 554:75
· Chromium 552:1
· Density-Functional 566:45
· Fermi-Resonance 552:1
· Germanium 566:103
· In-Vitro 566:103
· Kinetics 552:1
· Matrix 554:75
· Matrix-Isolation 566:45
· NMR 552:1
· Nujol 554:75
· Photochemistry 554:75
· Phthalide 552:1
· Rhodium 554:75
· Silanone 566:45
· Terminal-Carbonyl-Ligand 554:75
· Transmission-of-Substituent-Effect 552:1
· UV-Visible-Spectra 554:75
**IR-Spectroscopy**| FT-» 560:63
**IR-Spectroscopy**| Time-Resolved-» 554:49
**Iridium**
· Acyl-Pyrazolone 557:187
· Arene 553:253
· Backbone 552:229
· Boron 568:149
· C-C-Coupling 569:85
· C-Cl-Bond-Activation 548:305
· C-H-Bond-Activation 553:1, 564:241, 569:85
· Carbonyl 555:25, 565:81
· Carbonyl-Chloro-Complex 552:229
· Carbonylation 551:339
· Cis-Trans-Isomerism 551:339
· Cluster 555:25
· Conformational-Analysis 550:255
· Cyanoethyl-Phosphine 550:255

· Cyclopentadienyl 553:253, 555:25, 565:81, 567:57
· Dichloroethane 548:305
· Dienone 567:57
· Electrochemistry 553:253
· Elimination 553:1
· EXAFS 552:229
· Ferrocene 564:249
· Fluxionality 565:81
· Gold-Transition-Metal-Bond 564:249
· Grignard-Reagent 569:85
· Half-Sandwich-Complex 564:179
· Hydride-Complex 564:241
· Hydroquinone 553:483
· Iron 553:253
· Kinetics 551:339
· Ligand-Formation 548:305
· Macrocycle 568:149
· Mechanism 551:339
· Methyl-Vinyl-Ketone 564:241
· Methylene 569:85
· Migration 553:1
· Mixed-Metal-Cluster 565:81
· Nido-Carborane 568:149
· NMR 557:187
· Nucleophilic-Ortho-Functionalization 567:57
· Ortho-Position-of-the-Phenol-Ring 548:305
· Oxidation 553:253
· Oxo-Dienyl 567:57
· Palladium 550:255, 564:179
· Pentamethyl-Cyclopentadienyl 549:117, 553:483, 569:85
· Phosphine 552:229, 565:81
· Phosphite 555:25
· Platinum 550:255
· Quinone 553:483
· Reactivity 568:149
· Reduction 553:253
· Regioselectivity 567:57
· Rhodium 549:117, 550:255, 551:339, 564:179, 568:149
· Ruthenium 564:179
· Schiff-Base 564:179
· Secondary-Amine 553:253
· Semiquinone 553:483
· Silyl 553:1
· Single-Crystal 564:249
· Substitution 555:25
· Sulfur 568:149
· Thermal-Reactions 553:1
· Thioether 568:149
· Tin 557:187
· Tripodal-Ligand 552:229
· Tungsten 555:25, 565:81
· Vinyl 564:241, 569:85
· X-Ray 553:483, 555:25, 564:249, 565:81

**Iron**
· (3+2)-Cycloaddition 568:241, 568:247
· Acyl 567:25
· Acylation 568:171
· Addition 549:245, 555:227
· Alkoxycarbonyl 562:183
· Alkyne 565:75, 565:271
· Alkynyl 565:75
· Allenylidene 565:75
· Alpha-Pyrone 549:49
· Amorphous 554:63
· Arene 553:253
· Arsane 568:241, 568:247
· Binuclear-Complex 560:7, 560:117
· Butadiene 553:73
· Butadienyl 554:203, 565:75
· Butadiynediyl 565:49
· Butatriene 553:73
· Carbene 552:45, 565:75, 566:159
· Carbodiimide 568:171
· Carbon-Monoxide 551:331
· Carbonyl 548:285, 549:49, 549:245, 551:235, 557:163, 563:201, 563:227, 567:25, 568:171
· Carbonylferrate 566:117
· Catalysis 553:269
· Chalcogen 557:221
· Chalcogenide 568:197
· Charge-Transfer 568:291
· Charge-Transfer-Spectra 565:187
· Chiral-Complex 566:117
· Chirality 565:115
· Chromium 549:245, 560:7, 566:159, 568:143
· Cleavage 551:139
· Cluster 551:235, 557:221, 559:219, 565:271, 566:159
· Cluster-Compound 565:49
· Cobalt 549:55, 554:49, 563:53, 568:143
· Crown-Ether 551:331
· Cumulene 553:73, 565:75
· Cyanide 568:1
· Cyanide-Bridge 560:117
· Cyano-Organometallics 565:187
· Cyclic-Voltammetry 567:25
· Cyclooctatetraene 560:7
· Cyclopentadienyl 551:331, 553:149, 553:253, 567:25, 568:171, 568:241
· Cyclopropene 559:1
· Decomplexation 554:203
· Density-Functional 565:271, 566:225
· Desulfurization 563:201
· Deuteration 548:285
· DFT 565:271
· Diastereoselectivity 565:115
· Dibenzoylethylene 549:49
· Dicarbide 565:49
· Dicarbon-Ligand 551:235
· Diene 555:227, 568:287
· Dienyl 549:245
· Dimethylaminomethyl-Ferrocenyl 554:139
· Dinuclear-Complex 559:219
· Electrochemistry 553:73, 553:253, 565:187
· Electron-Transfer 553:269
· Electron-Transfer-Catalysis 567:25
· Electronic-Absorption-Spectra 563:209
· Ephedrine 566:117
· Ethylidene 554:203
· Ethynediyl 565:49
· Ethynyl 565:49
· Ferracyclopentadiene-Ring 555:113
· Ferrocene 552:45, 553:73, 559:1, 565:115
· Fischer-Complex 566:159
· Functionalized-Cyclopentadienyl 549:139, 553:433
· Geometry 551:235
· Gold 549:55
· Heterobimetallic-Complex 566:1
· Heterocumulene 551:139
· Heteronuclear-Cluster 551:139
· Homogeneous-Catalysis 557:169
· Hydride 557:163, 557:221
· Hydrogenolysis 567:25
· Imidazoline-Ylidene 552:45
· Indenyl 551:331
· Insertion 551:331, 563:53, 566:1, 568:247
· Ion-Pair 554:171
· Iridium 553:253
· Lead 568:1
· Magic-Angle-Spinning 568:1
· Manganese 554:49, 560:125, 565:271
· Matrix-Isolation 566:225
· Mercury 552:45, 563:23
· Metal-Carbonyl 553:149
· Metal-Complex 552:45, 563:227
· Metallo-Phosphane 568:241, 568:247
· Methyl-Lithium 549:49
· Methyl-Pentadienyl-Aniline 549:245
· Molybdenum 557:221, 559:219, 560:117, 568:197
· Mononuclear-Complex 560:7, 563:227
· Multidentate-Ligand 563:227
· Mössbauer-Spectroscopy 554:139, 561:221, 565:75
· N-Acetyl-L-Cysteine 568:143
· N-Acylation 568:171
· Naphthalene 556:89
· Nickel 568:143
· NMR 557:169, 563:227
· Nonlinear-Optics 568:197
· Octanuclear-Cluster 565:187
· Olefin 563:227
· Opened-THF 563:53
· Optically-Active-Cluster 549:55
· Osmium 563:23, 568:197
· Oxidation 553:253
· Palladium 549:55, 552:45
· Pentadienyl-Derivative 563:209
· Pentanuclear-Heterotrimetallic-Cluster 549:55
· pH-Function 568:247
· Phosphametallacycle 568:241, 568:247
· Phosphane 562:183, 563:227
· Phosphine 563:201
· Phosphorus 559:219
· Photochemistry 554:63, 566:225, 568:291
· Photoelectron-Spectroscopy 560:7
· Platinum-Diphosphine-Complex 557:169
· Polymer 568:1
· Polynuclear-Complex 565:49
· Polyynediyl 565:49
· Potentiometric-Titration 568:143
· Propargyl-Amine 555:113
· Protein 568:171
· Radical-Chain-Mechanism 557:163
· Raman-Spectra 566:225
· Reactivity 549:139, 555:113, 556:89, 568:247
· Reduction 548:285, 553:253, 553:269, 556:89
· Regioselectivity 565:115
· Rhenium 560:117
· Rhodium 549:55
· Ring-Opening 559:1, 568:241
· Ruthenium 551:235, 563:23, 563:209, 563:227, 568:1, 568:197, 568:241
· Rydberg-Transition 563:209
· Secondary-Amine 553:253
· Selenium 566:159
· Sila-Bridged-Complex 553:149
· Silacyclopentene 563:53
· Silicon 554:139
· Silyl-Metal-Complex 566:225
· Single-Crystal 557:169
· Sodium-Naphthalene 556:89
· Solid-State-NMR 568:1
· Solid-State-Synthesis 568:287
· Soluble-Complex 554:171
· Stability-Constant 568:143
· Stannylene 560:125
· Stibane 568:241, 568:247
· Substitution 553:269, 563:201
· Sulfanilamide 568:171
· Sulfonamide 568:171
· Sulfone 555:227
· Sulfur 557:221
· Surface-Chemistry 554:63
· Systematic-Synthesis 563:23
· Tellurium 557:221, 561:221
· Tetrahedral-Cluster 568:197
· Thermodynamics 553:269
· Thermolysis 566:159
· Thin-Film 554:63
· Thiocarbonyl 563:201
· Thiolato 557:221
· Time-Resolved-IR-Spectroscopy 554:49
· Transesterification 562:183
· Transition-Metal 560:117, 568:241
· Trialkyl-Tin-Hydride 567:25
· Tricarbonyl-Cyclohexadiene 555:227
· Triclinic-Crystal 557:169
· Trigonal-Prism 551:235
· Triphenyl-Phosphine 553:269
· Tripodal-Ligand 549:139, 553:433
· Tungsten 552:45
· Valinol 566:117
· Vibrational-Spectroscopy 568:1
· Vinyldiketone 549:49
· Vinylidene 565:75, 565:271
· Vinylketene 549:49
· Wing-Tip-Butterfly-Structure 549:55
· X-Ray 549:55, 552:45, 553:73, 553:149, 557:163, 557:169, 559:1, 563:53, 563:227, 565:115, 566:159
· Zirconium 566:1
· Zwitterion 559:1
· Zwitterionic-Hydride 566:117

**Iron**| Allyl-» 554:167

**Iron-Carbonylate-Anion** 558:131
**Iron-Dinitrosyl-Complex** 558:1
**Isobutene** 551:101
**Isocoumarine** 560:163
**Isocyanide**
· Acylation 561:153
· Allyl 560:265
· Aryl-Azide 551:367
· C-N-Bond 562:45
· Carbodiimide 551:367
· Cleavage 562:45
· Cobalt 562:45
· Cycloheptatrienyl 560:265
· Cyclopentadienyl 562:45
· Diamino-Carbene 561:153
· Hapticity 560:265
· Ketenimine 562:45
· Metallacycle 551:367
· Molybdenum 560:265
· Ortho-Metallation 551:367
· Tungsten 560:265, 561:153
· X-Ray 560:265
**Isoelectronic** 550:101
**Isomerism**
· 9-Vertex 550:441
· Arachno 550:441
· Borane-Cluster 550:441
· Carbonyl 568:133
· Catalysis 558:171
· Cluster 568:133
· Indenyl 558:171
· Metallocene 558:171
· Methyl-Quinoline 568:133
· NMR 550:441
· Nonaborane 550:441
· Olefin 558:171
· Osmium 568:133
· Phosphine 568:133
· Polymerization 558:171
· Siloxy 558:171
· X-Ray 550:441
· Zirconium 558:171
**Isomerism**| Cis-Trans-» 551:339
**Isomerism**| Geometrical-» 550:207
**Isomerization**
· 2-Phase-System 553:469
· Carbonyl-Substitution 556:111
· Cyclopentadienyl 556:111
· Diphosphine 551:165
· Hydroformylation 551:165
· Nickel 553:469
· Olefin 551:165, 553:469
· Platinum 551:165
· Regioselectivity 551:165
· Rhenium 556:111
· Solid-State 556:111
· Tin 551:165
· Water-Soluble-Phosphine 553:469
**Isomerization**| Cis-Trans-» 561:7
**Isomerization**| Mer-Cis-to-Fac-» 549:105
**Isomerization**| Mer-to-Fac-» 561:57
**Isomerization**| Z-E-» 559:43
**Isopropylphosphine** 565:141
**Isotactic**
· Ansa-Zirconocene 558:219, 558:223
· Catalysis 558:219
· Epimerization 558:219
· Metallocene 558:219
· Polymerization 558:219
· Polypropylene 558:219
**Isoxazoline** 558:155
**Ketenimine** 562:45
**Ketenyl** 557:37
**Kinetics**
· Alkaline-Hydrolysis 552:1
· Asymmetric-Hydrogenation 548:65
· Batch-Reactor 567:143
· Binuclear-Complex 568:53
· C-H-Bond-Activation 554:41
· Carbonyl 552:1, 561:57
· Carbonylation 551:229, 551:339
· Catalysis 551:49, 551:229, 554:41
· Chirality 548:65
· Chromium 552:1, 560:55
· Cis-Trans-Isomerism 551:339
· CO-Pressure 554:41
· Dehydrogenation 554:41
· Diimine 561:57
· Enantioselectivity 548:65
· Fermi-Resonance 552:1
· Homogeneous-Catalysis 567:143
· Hydrogenation 551:49
· IR-Spectroscopy 552:1
· Iridium 551:339
· Laser-Flash-Photolysis 560:55
· Liquid-Liquid-Catalysis 567:143
· Manganese 561:57
· Mechanism 551:339, 561:57
· Mer-to-Fac-Isomerization 561:57
· Metallacycle 568:53
· Methanol 551:229
· Mononuclear-Complex 568:53
· NMR 552:1
· Pentacarbonyl-Fragment 560:55
· Phenylacetylene 551:49
· Photochemistry 554:41
· Phthalide 552:1
· Platinum 568:53
· Plug-Flow-Reactor 567:143
· Rhodium 551:49, 551:229, 551:339, 554:41
· Transmission-of-Substituent-Effect 552:1
· Tungsten 560:55
**Knoevenagel-Reaction** 569:3
**Labeling-Study** 553:473
**Lanthanide**
· Actinide 559:209
· Alkyl-Lithium 548:143
· Allyl-Magnesium 548:143
· Cerium 553:393
· Crystal-Field-Parameter 559:209
· Cyclooctatetraenyl 549:101, 553:393, 559:209
· Cyclopentadienyl 549:239
· Diazadiene-Ligand 549:101
· Dynamics 553:503
· Dysprosium 563:101
· Electron-Structure 559:209, 566:125
· Erbium 563:101
· Fulvalene 553:503
· Gadolinium 549:239, 563:101
· Half-Sandwich-Complex 559:209
· Heteroallyl 566:125
· Indenyl 549:95
· Lanthanum 549:95, 549:239
· Methyl-Cyclopentadienyl 563:101
· Model 559:209
· n-Alkyl-α,β-Unsaturated-Imine 548:143
· Neodymium 549:239, 553:393
· Optical-Spectra 559:209
· Pi-Complex 553:503
· Praseodymium 549:95
· Regioselective-Addition 548:143
· Samarium 549:1, 549:101, 553:393, 553:503
· Stoichiometry 559:209
· Tetrahydrofuran 549:1
· Tetrazolate-Ligand 563:101
· Transition-Metal 549:101, 553:393
· Trimethyl-Silyl 549:239
· Trimethyl-Silyl-Aza-Allyl 549:1
· Triple-Decker-Sandwich-Complex 553:393
· X-Ray 549:1, 549:95
· Ytterbium 549:1, 549:101, 553:503, 563:101
**Lanthanide**| Cyclopentadienyl-» 553:179
**Lanthanidocene**
· Bent-Sandwich-Complex 559:181
· Catalysis 559:181
· Chiral-Complex 562:255
· Cyclopentadienyl 559:181
· Holmium 562:255
· Hydrosilylation 559:181
· Lutetium 562:255
· Neodymium 562:255
· Samarium 562:255
· Scandium 562:255
· X-Ray 562:255
**Lanthanocene**
· Catalysis 566:9
· Chiral-Complex 566:21
· Indenyl 566:21
· Polymerization 566:9
· X-Ray 566:9
· Yttrium 566:21
**Lanthanoid**
· C-F-Bond-Activation 552:165
· Conformation 564:167
· Cyclopentadienyl 552:165, 565:201
· Dimer 552:165
· Fluoride 552:165
· Indenyl 549:203, 564:167
· Lanthanum 549:203, 564:167
· Neodymium 549:203, 564:167, 565:201
· NIR-Vis-Spectroscopy 564:167
· NMR 549:203, 564:167
· Oxidation 552:165
· Phosphine-Oxide 565:201
· Praseodymium 549:203, 564:167
· Samarium 564:167
· Solid-State 564:167
· Solution-NMR 549:203
· Tetrahydrofuran-Adduct 549:203
· X-Ray 552:165, 565:201
· Ytterbium 552:165, 565:201
**Lanthanoid**| Cyclopentadienyl-» 556:229
**Lanthanum**
· Conformation 564:167
· Cyclopentadienyl 549:239
· Gadolinium 549:239
· Indenyl 549:95, 549:203, 564:167
· Lanthanide 549:95, 549:239
· Lanthanoid 549:203, 564:167
· Neodymium 549:203, 549:239, 564:167
· NIR-Vis-Spectroscopy 564:167
· NMR 549:203, 564:167
· Praseodymium 549:95, 549:203, 564:167
· Samarium 564:167
· Solid-State 564:167
· Solution-NMR 549:203
· Tetrahydrofuran-Adduct 549:203
· Trimethyl-Silyl 549:239
· X-Ray 549:95
**Lanthanum**| Allyl-»
· Butadiene 548:229, 555:201
· Catalysis 548:229, 555:201
· Donor-Ligand 548:229
· NMR 555:201
· Polymerization 548:229, 555:201
· Precatalyst 555:201
· Stereospecificity 548:229, 555:201
· Structure-Activity-Relationship 555:201
**Lead**
· Catalysis 560:77
· Cyanide 568:1
· Iron 568:1
· Ligand-Modification 560:77
· Magic-Angle-Spinning 568:1
· Mercury 560:77
· Phenylation 560:77
· Polymer 568:1
· Ruthenium 568:1
· Solid-State-NMR 568:1
· Vibrational-Spectroscopy 568:1
**Lewis-Acid**
· Alkyne-Coupling 556:207
· Allyl 553:67
· Carbonyl 556:207
· Catalysis 553:67
· Cleavage 559:31
· Copper 559:55
· Cycloaddition 553:67
· Diphenyl-Phosphino-Pyridine 559:31
· Electron-Structure 556:207
· Ene-Reaction 553:67
· Metal-Metal-Bond 559:31
· Metallocene-Reaction 553:67
· Mössbauer-Spectroscopy 559:55
· Nickel 559:55
· Osmium 559:31
· Rhenium 556:207
· Ruthenium 559:31
· Sakurai-Reaction 553:67
· Salicylaldimine 559:55
· Schiff-Base 559:55

· Silane 553:67
· Stannane 553:67
· Tetramethyl-Cyclobutadiene 556:207
· Tin 559:55
· Transition-Metal 559:55
· Trinuclear-Cluster 559:31
· Zinc 559:55
**Lewis-Base**
· Alkyne 557:251, 569:29
· Amine 557:251
· Aniline 557:251
· Cleavage 557:251
· Copper 557:251
· Dichloro-Arene-Ruthenium 569:29
· Dimethoxyphenyl-Diphenyl-Phosphine 569:29
· Dinuclear-Complex 557:251
· Halogeno-Complex 557:251
· Pyridine 557:251
· Ruthenium-Alkyne-Complex 569:29
**Ligand-Cluster-Complex** 559:37
**Ligand-Exchange** 568:165
**Ligand-Formation** 548:305
**Ligand-Modification** 560:77
**Ligand-Redistribution** 550:165
**Ligand-Transfer** 550:477
**Liquid-Crystal**
· Beta-Diketone 557:157
· Cyclometallation 555:81
· Dicarbonyl-Rhodium 557:157
· Hydrosilylation 548:49
· Mesogenism 555:81
· Palladium 555:81
· Poly-Metallocene 548:49
· Schiff-Base 555:81
· Thermotropic 548:49
**Liquid-Crystal**| Nematic-» 552:171
**Lithiation**
· Ab-Initio 548:185
· Dilithioalkene 566:143
· Insertion 550:457
· Mechanism 550:457
· Nitrile 550:457
· Quasi-Dianion-Complex 566:143
· Rearrangement 566:143
· Stereoselectivity 548:185
· X-Ray 550:457
**Lithiation**| Heteroatom-Assisted-» 550:463
**Lithium**
· Ab-Initio 550:233, 550:355, 552:285
· Aluminum 550:355
· Amide 550:355, 552:285
· Amine 550:71
· C-N-Li-Cluster 550:213
· Carbodiimide 550:213
· Chlorosilane 556:67
· Cubane 550:71
· Elimination 550:355
· Group-14 550:71
· Hetero-Trimethylenemethane-Ligand 550:213
· Heterobimetallics 550:355
· Hydroxylamine 550:233
· Insertion 550:355
· Magnesium 552:285
· Metallocene 550:71
· Pyrrolizine 556:145
· Reaction-Behavior 556:67
· Silane 556:67
· Silicon 556:145
· Silyl 556:67
· Silylamido 552:285
· Thallium 556:145
· Tin 550:71, 556:145
· X-Ray 550:213, 550:233, 550:355, 552:285
**Lithium**| Alkyl-»
· Alkyl-Magnesium 550:111
· Allyl-Magnesium 548:143
· Aryl-Lithium 550:463
· Beta-Hydrogen-Elimination 550:111
· Cluster 550:111
· Cyclopentadienyl 550:111
· Heteroatom-Assisted-Lithiation 550:463
· Lanthanide 548:143
· Mixed-Aggregate 550:463
· n-Alkyl-$\alpha,\beta$-Unsaturated-Imine 548:143
· Nickelocene 550:111
· Regioselective-Addition 548:143
· Stereoselective-Crystallization 550:463
**Lithium**| Aminomethyl-» 548:205
**Lithium**| Aryl-»
· Alkyl-Lithium 550:463
· Antimony 548:223
· Arsenic 548:223
· Bismuth 548:223
· Dimethoxybenzenethiol 548:223
· Heteroatom-Assisted-Lithiation 550:463
· Mixed-Aggregate 550:463
· Stereoselective-Crystallization 550:463
· Thiolato-Metal 548:223
· Triaryl-Metal 548:223
**Lithium**| Butyl-» 569:121
**Lithium**| Germyl-» 561:109
**Lithium**| Methyl-» 549:49
**Lithium**| Phenylthio-Benzyl-»
· H-1,Li-6-HOESY-NMR 550:359, 550:381
· Ion-Pair-Equilibria 550:359, 550:381
· Polyamine 550:359
· Polyether-Ligand 550:381
· Solution-Structure 550:359, 550:381
· Tetrahydrofuran 550:359, 550:381
**Lithium**| Silyl-» 561:109
**Lithium**| Tributyltin-» 563:31
**Lithium-Amide**
· Ab-Initio 549:81
· Amide 549:81
· Chiral-Ligand 549:81
· DFT 549:81
· Polyethyleneimine 549:39
· Thermal-Decomposition 549:39
· TMS-Shift 549:39
· X-Ray 549:39
**Lithium-Chloride** 553:507
**Lithium-Organyl** 558:81
**Lithium-Pentaorganylsilicate** 548:29
**Lithium-Perchlorate** 549:199
**Lithium-Reagent** 550:283
**Lithium-Silylamide** 561:77
**Living-Intermediate** 557:69
**Low-Oxidation-State** 555:263
**Luminescence**
· Copper 556:169
· Metallo-Macrocycle 556:169
· Photophysics 556:169
· Tetranuclear-Cluster 556:169
· Thiolate 548:289
· Zigzag-Chain 556:169
· Zirconocene 548:289
**Lutetium** 562:255
**Macrocycle**
· Bibracchial 550:7
· Boron 568:149
· Copper 550:7
· Dinuclear-Complex 550:7
· Iridium 568:149
· Nido-Carborane 568:149
· Oligophenyl-Metalla-Siloxane 562:141
· Organosiloxane 562:141
· Periphery-and-Template-Reaction 553:39
· Phosphinoethyl-Amine 553:39
· Reactivity 568:149
· Rhodium 568:149
· Schiff-Base 550:7
· Single-Crystal 562:141
· Stereoregular 562:141
· Sulfur 568:149
· Tetraimine 550:7
· Thioether 568:149
· Thiophene 550:7
· Trimethyl-Silylation 562:141
· X-Ray 550:7, 562:141
**Macrocycle**| Metallo-» 556:169
**Macrocycle**| Tetraaza-» 550:301
**Macrocycle**| Thia-» 555:167
**Macrocyclic-Amine-Ligand** 552:255
**Macropolyhedral** 557:181
**Magic-Angle-Spinning** 568:1
**Magnesium**
· Ab-Initio 552:285
· Amide 552:285
· Ansa-Metallocene 553:331
· Caprolactamate 555:237
· Chirality 553:331
· Configuration 553:331
· Dynamics 553:331
· Hapticity 553:331
· Lithium 552:285
· Silylamido 552:285
· X-Ray 552:285
**Magnesium**| Alkyl-» 550:111
**Magnesium**| Allyl-» 548:143
**Magnesium**| Ortho-Phenylene-» 550:347
**Magnesium-Enolate** 559:173
**Magnetic-Field-Effect** 566:73
**Manganese**
· Acyl 564:267
· Alcohol 564:267
· Alkoxycarbonyl 564:267
· Alkyne 565:271
· Alkyne-Reaction 565:125
· Allyl 563:147
· Amino-Acid 552:237
· Aryl-Hydrazone 565:125
· Bimetallic-Complex 566:133
· Bioctahedron-Complex 558:81
· Calorimetry 554:123
· Carbene 566:133
· Carbonyl 552:237, 554:123, 558:81, 561:57, 567:65, 568:213
· Chalcogenide 551:281
· Chromium 566:133, 567:65
· Cluster 565:271
· Cobalt 554:49, 554:123
· Cyclometallated-Complex 551:281
· Cyclometallation 552:237, 567:65
· Decomposition 566:133
· Density-Functional 565:271
· DFT 565:271
· Diimine 561:57
· Dinuclear-Complex 566:133
· Heteropolymetallic-Complex 564:101
· Hydrolysis 549:89
· Indenyl-Phosphine-Complex 564:101
· Insertion 551:281
· Iron 554:49, 560:125, 565:271
· Kinetics 561:57
· Lithium-Organyl 558:81
· Mechanism 561:57
· Mer-to-Fac-Isomerization 561:57
· Metal-Complex 552:237
· Metallo-Carboxylate 549:89
· Metallo-Mesogen 551:271
· Metallocyclic-Ring 551:281
· Multinuclear-NMR 568:213
· N-Donor-Substrate 565:125
· Nucleophile 558:81
· Orthometallation 565:125
· Phosphine 549:89
· Photoelectron-Spectroscopy 563:147
· Rhenium 552:237, 554:123, 558:81, 563:147, 568:213
· Schiff-Base 551:271, 552:237
· Selectivity 558:81
· Stannylene 560:125
· Stibine 568:213
· Thermal-Decomposition 554:123
· Thienylene 566:133
· Thiophene 566:133
· Time-Resolved-IR-Spectroscopy 554:49
· Triphenyl-Phosphine 551:281
· Vinylidene 565:271
· X-Ray 564:101, 568:213
**Manganese**| Aryl-» 558:61
**Mass-Spectrometry** 558:51
**Matrix**
· Allylic-Alkylation 567:219
· Borane 567:219
· Carbonyl 554:75, 561:49
· Catalysis 567:219
· Coupling-Reaction 567:219
· Cyclopentadienyl 557:77, 561:49
· Diphosphine 567:219
· Hydrogenation 567:219
· IR-Spectroscopy 554:75
· Molybdenum 561:49
· Niobium 557:77
· Nujol 554:75, 557:77, 561:49
· Palladium 567:219
· Phosphine 567:219
· Photochemistry 554:75, 557:77, 561:49
· Polypyrrole 567:219

· Rhodium 554:75, 567:219
· Supported-Ligand 567:219
· Tantalum 557:77
· Terminal-Carbonyl-Ligand 554:75
· UV-Visible-Spectra 554:75
**Matrix-Isolation**
· Alkyne 554:147
· Carbonyl 554:147
· Cobalt 554:147
· Density-Functional 566:45, 566:225
· IR-Spectroscopy 566:45
· Iron 566:225
· Mechanism 554:147
· Pauson-Khand-Reaction 554:147
· Photochemistry 554:147, 566:225
· Raman-Spectra 566:225
· Silanone 566:45
· Silyl-Metal-Complex 566:225
**Mechanism**
· 1,3-Migration 560:41
· Alkyne 553:31, 554:147
· Allyl-Amination 566:61
· Anchimeric-Assistance 560:41
· Asymmetric-Hydride-Transfer 567:133
· Aza-Ligand 567:133
· Bidentate-Ligand 566:61
· Carbonyl 554:147, 561:57
· Carbonylation 551:339, 553:473
· Catalysis 553:473, 567:133
· Cis-Trans-Isomerism 551:339
· Cobalt 554:147
· Copper 553:31
· Diimine 561:57
· Enantioselectivity 567:133
· Insertion 550:457
· Iridium 551:339
· Kinetics 551:339, 561:57
· Labeling-Study 553:473
· Lithiation 550:457
· Manganese 561:57
· Matrix-Isolation 554:147
· Mer-to-Fac-Isomerization 561:57
· Model 553:473
· Nitrile 550:457
· Nitrogen 567:133
· Optically-Active 567:133
· Organosilane 560:41
· Palladium 566:61
· Pauson-Khand-Reaction 554:147
· Phenyl-Migration 560:41
· Photochemistry 554:147
· Reactivity 553:31
· Reduction 567:133
· Rhodium 551:339, 553:473
· Spectroscopy 548:191
· Substitution 548:191, 567:133
· Theoretical-Calculation 567:133
· Titanocene 553:31
· Trimethyl-Phosphine 548:191
· Tungsten 548:191
· X-Ray 550:457
**Melamine** 553:307
**Mercury**
· Anil 564:233
· Carbene 552:45
· Catalysis 560:77
· Ferrocene 552:45, 564:233
· Imidazoline-Ylidene 552:45
· Iron 552:45, 563:23
· Lead 560:77
· Ligand-Modification 560:77
· MAS-NMR 550:89
· Metal-Complex 552:45
· Osmium 563:23
· Palladium 552:45
· Phenylation 560:77
· Pyrazolylborate 552:31
· Ruthenium 563:23
· Solid-State 550:89
· Systematic-Synthesis 563:23
· Tetrahedral-Coordination 552:31
· Tin 564:233
· Transmetallation 564:233
· Tungsten 552:45
· Vibrational-Spectroscopy 550:89
· X-Ray 552:31, 552:45, 564:233
**Mercury**| Methyl-» 555:255
**Mesityl-Group** 568:21
**Mesogen**| Metallo-»
· Chromium-Arene-Complex 552:171
· Disk-Shaped 552:171
· Manganese 551:271
· Mesomorphism 552:171
· Mesophase 551:299
· Nematic-Liquid-Crystal 552:171
· Nickel 551:299
· Organosiloxane 551:299
· Schiff-Base 551:271
· Self-Assembly 551:299
· Thermooptical-Property 551:299
· Triphenylene 552:171
**Mesogenism** 555:81
**Mesomorphism** 552:171
**Mesophase** 551:299
**Metal-Alkene-Complex** 569:55
**Metal-Amide** 566:287
**Metal-Carbonyl**
· Cyclopentadienyl 553:149
· Electrochemistry 562:197
· Ferrocene 562:197
· Heterobimetallic-Complex 562:197
· Iron 553:149
· Sila-Bridged-Complex 553:149
· X-Ray 553:149
**Metal-Carbonyl-Radical** 556:141
**Metal-Center** 559:107
**Metal-Centered-Radical** 557:13
**Metal-Complex**
· Absolute-Configuration 550:29
· Acetylacetonate 551:117
· Acetylene 565:37
· Alkyne 565:37
· Amino-Acid 552:237
· Amphoteric-Catalyst 550:29
· Asymmetric-Hydrophosphonylation 550:29
· Carbene 552:45
· Carbonyl 552:237, 563:227
· Chiral-Derivatizing-Agent 550:29
· Configurational-Stability 550:29
· Cyclometallation 552:237
· Cyclopentadienyl 565:37
· Dihydrogen-Complex 565:37
· Dinuclear-Complex 551:117
· Enantiopurity-Assay 550:29
· Ferrocene 552:45
· Group-8 565:37
· Hydride-Complex 565:37
· Imidazoline-Ylidene 552:45
· Iron 552:45, 563:227
· Manganese 552:237
· Mercury 552:45
· Mononuclear-Complex 563:227
· Multidentate-Ligand 563:227
· NMR 563:227
· Olefin 563:227
· Palladium 552:45
· Phosphane 563:227
· Platinum 551:117
· Pudovik-Reaction 550:29
· Rhenium 552:237
· Ruthenium 563:227, 565:37
· Schiff-Base 552:237
· Tungsten 552:45
· X-Ray 552:45, 563:227
**Metal-Hydride** 552:303
**Metal-Metal-Bond**
· Amide-Polymer 554:19
· Bimetallic-Complex 552:91
· Cleavage 559:31
· Diphenyl-Phosphino-Pyridine 559:31
· Hydride 552:91
· Lewis-Acid 559:31
· Model 554:19
· Osmium 559:31
· Photochemistry 554:19
· Polymer 554:19
· Radical 554:19
· Rhenium 552:91
· Ruthenium 559:31
· Trinuclear-Cluster 559:31
· Zirconium 552:91
**Metal-Metal-Bond-Scission** 569:55
**Metal-Vapor-Synthesis**
· Arene 550:63
· Chromium 548:177
· Fluorene 548:177
· Molybdenum 548:177, 550:63
· Phosphine 550:63
· Sandwich-Complex 548:177
· Titanium 548:177
· Tungsten 548:177
**Metallacycle**
· Aryl-Azide 551:367
· Binuclear-Complex 568:53
· Biological-Activity 560:233
· Carbodiimide 551:367
· Electrospray 560:233
· Gold 557:231, 560:233
· Guanidine 556:75
· Isocyanide 551:367
· Kinetics 568:53
· Mononuclear-Complex 568:53
· Ortho-Metallation 551:367
· Platinum 568:53
· Platinum-Group 556:75
· Salicylate 560:233
· Silver-Oxide 556:75
· Thiosalicylate 560:233
· Triazatrimethylenemethane 556:75
· Ureylene 557:231
**Metallated-Compound** 566:93
**Metallation**
· Butylphenoxide 569:89
· Cyclopentadienyl-Free 569:89
· Dibutylphenoxide 569:89
· Grignard-Reagent 550:445
· Iminophosphorane 550:445
· Polymerization 569:89
· Reactivity 569:89
· Trimethyl-Silylmethyl 569:89
· X-Ray 550:445
· Yttrium 569:89
**Metallocene**
· Acenaphthyl 549:177
· Addition 569:217
· Alkenyl 562:153, 568:87
· Allyl 568:113
· Aluminum 568:113
· Amine 550:71
· Aminoindenyl 557:227
· Ansa-Zirconocene 558:219
· Binuclear-Complex 568:113
· Butadiene-Metal-Complex 569:217
· Butyl-Cyclopentadienyl 568:113
· C-C-Bond-Activation 560:69
· C-H-Bond-Activation 560:69
· Catalysis 549:177, 551:159, 553:173, 553:507, 558:111, 558:171, 558:219, 562:153, 568:87, 568:253, 568:263
· Cation 551:159
· Cationic-Complex 569:217
· Chiral-at-Metal-Complex 553:507
· Chromocene 560:15
· Cubane 550:71
· Cyclopentadienyl 549:177, 560:15
· Cyclopentadienylidene 568:87
· Dehydropolymerisation 568:253
· Dinuclear-Complex 569:217
· Electron-Structure 569:177
· Epimerization 558:219
· Ethene 549:177, 553:173
· Ethene-Polymerization 559:97
· Ethylene 552:313, 558:111, 562:153, 568:87, 568:263
· Fluorenylidene 568:87
· Fluorenylidene-Indenylidene-Complex 562:153
· Group-14 550:71
· Group-4 553:507, 569:217
· Hafnium 553:173, 558:111
· Heterogeneous-Catalysis 553:205
· Hydride 568:113
· Immobilization 562:153
· Indenyl 553:173, 558:171
· Indenylidene-Cyclopentadienylidene 558:111
· Insertion 551:159
· Isomerism 558:171
· Isotactic 558:219
· Lithium 550:71
· Lithium-Chloride 553:507
· Micro-Gel 568:263
· Mixed-Valence 549:13
· Olefin 551:159, 553:205, 558:171

· Polyethylene 552:313, 568:87
· Polymerization 549:177, 551:159, 552:313, 553:173, 553:205, 558:111, 558:171, 558:219, 562:153, 568:87, 568:263
· Polypropylene 558:219, 568:87
· Polysilane 568:253
· Polysiloxane 568:263
· Propene 549:177
· Racemic-Complex 553:507
· Reduction 560:69
· Ruthenocene 549:13
· Silica 568:263
· Siloxy 558:171
· Silyl 568:87
· Substituted-Cyclopentadienyl 559:97
· Superconductors 569:177
· Thioether 551:159
· Tin 550:71
· Titanocene 568:253
· X-Ray 549:13, 551:159, 558:111
· Ytterbium 559:97, 568:113
· Zirconium 549:177, 551:159, 553:173, 553:205, 558:111, 558:171, 560:69, 562:153, 568:87
· Zirconocene 552:313, 568:253, 569:217

**Metallocene**| Ansa-»
· Alkenyl 562:229
· Amino-Silyl-Cyclopentadienyl 564:109
· Ate-Complex 564:5
· Borohydride 564:5
· C-2-Symmetry 568:41
· Catalysis 562:229, 568:127
· Chirality 553:331
· Configuration 553:331
· Dynamics 553:331
· Ethylene 562:229
· Ethylene-Bridge 558:181
· Ethylene-Polymerization 564:109
· Group-4 564:109
· Hafnium 564:109, 568:127
· Hapticity 553:331
· Indenyl 558:181, 559:65, 564:109, 568:41
· Magnesium 553:331
· Metal-Amide 566:287
· Olefin 559:65
· Olefin-Polymerization 568:127
· Palladium-Coupling 568:41
· Polymer 564:5
· Polymerization 559:65, 562:229, 564:109
· PPh-Bridge 568:127
· Self-Immobilization 562:229
· Siloxy 558:181, 559:65
· Tetrahydroindenyl 566:287
· Titanium 564:109, 568:41
· Ytterbium 564:5
· Zirconium 558:181, 559:65, 562:229, 564:109, 568:41, 568:127
· Zirconocene 566:287

**Metallocene-Reaction** 553:67
**Metallocyclic-Ring** 551:281
**Metathesis**
· Allyl-Germane 553:493
· Binuclear-Complex 568:13
· Borasiloxane 560:109
· Catalysis 553:493, 562:203
· Cyclocarboborasiloxane 560:109
· Hydridotris-Pyrazolyl-Borate 562:203
· Mononuclear-Complex 568:13
· Norbornene 562:203
· p-Cymene-Ruthenium 568:13
· Palladium 553:493
· Polymerization 562:203
· Reactivity 568:13
· Ring-Closing-Metathesis 560:109
· Ring-Opening 562:203
· Ruthenium 562:203
· Ruthenium-Arene-Complex 568:13
· Vinylidene 562:203

**Methanol** 551:229
**Methoxy-Species** 551:101
**Methoxyquinoline** 561:143
**Methyl-Acrylate** 561:175
**Methyl-Group-Transfer** 550:453
**Methyl-Methacrylate**
· Alane 568:33
· Bivalent-Ytterbocene 568:33
· Butyl-Isocyanate 569:147
· Catalysis 569:147
· Epsilon-Caprolactone 569:147
· Hexyl-Isocyanate 569:147
· Polymerization 568:33, 569:147
· Rare-Earth-Metal 569:147
· Triphenyl-Samarium 569:147

**Methyl-Vinyl-Ketone**
· C-H-Bond-Activation 564:241
· Carbonyl 566:211
· Hydride-Complex 564:241
· Iridium 564:241
· Molybdenum 566:211
· Olefin 566:211
· Reactivity 566:211
· Unsaturated-Amide 566:211
· Unsaturated-Ester 566:211
· Vinyl 564:241

**Methylene**
· Alkene 569:71
· Alkenyl 569:71
· Alkyne 554:155
· C-C-Bond-Formation 554:155
· C-C-Coupling 569:71, 569:85
· C-H-Bond-Activation 569:85
· Cyclopentadienyl 554:155
· Grignard-Reagent 569:85
· Insertion 554:155
· Iridium 569:85
· Pentamethyl-Cyclopentadienyl 569:85
· Rhodium 554:155
· Ruthenium 569:71
· Vinyl 569:85

**Michael-Reaction** 569:3
**Micro-Gel** 568:263
**Migration**
· Alkylidyne 569:125
· Alpha-Hydrogen 569:125
· C-H-Bond-Activation 553:1
· Cyclopentadienyl 569:125
· Elimination 553:1
· Germyl-Radical 553:163
· Iridium 553:1
· Laser-Photolysis 553:163
· Naphthyl-Germane 553:163
· Photochemistry 553:163
· Silyl 553:1
· Thermal-Reactions 553:1
· Tungsten 569:125

**Mixed-Valence** 549:13
**MO-Calculation**
· Ab-Initio 559:173, 560:183
· Aryl-Telluride 552:145
· Borane-Cluster 550:21
· Borate 552:247
· Bridging-Ability 559:173
· Chromium 550:21
· Energy-Barrier 552:145
· Equilibria 559:173
· Free-Radical 552:145
· Gas-Phase-Electron-Diffraction 560:183
· Hauser-Base 559:173
· Hydroboration 552:247
· Magnesium-Enolate 559:173
· Metalla-Borane 550:21
· Phenyl-Silane 560:183
· Pyrrole 552:247
· Solvent-Effect 559:173
· Tributyl-Germyl 552:145
· Tributyl-Stannyl 552:145
· X-Ray 552:247

**MO-Dynamics**| Direct-» 555:161
**Model**
· Actinide 559:209
· Amide-Polymer 554:19
· Aryl-Group-Migration 558:227
· Carbonylation 553:473
· Catalysis 553:473
· Cis-Influence 560:155
· Cluster 550:423
· Commo-Metallabisdicarbollide 550:423
· Crystal-Field-Parameter 559:209
· Cyclometallated-Complex 558:103
· Cyclooctatetraenyl 559:209
· Cytosine 558:103
· Dipropargyl-Thioether 550:423
· Electron-Structure 559:209
· Epoxysilane 558:227
· Ether-Bridge 550:423
· Flytrap 550:423
· Gold 552:127
· Half-Sandwich-Complex 559:209
· Hypervalent-Silicon 558:227
· Labeling-Study 553:473
· Lanthanide 559:209
· Mechanism 553:473
· Metal-Metal-Bond 554:19
· Nucleobase 552:127, 558:103
· Optical-Spectra 559:209
· Oxime 560:155
· Palladium 558:103
· Photochemistry 554:19
· Polymer 554:19
· Radical 554:19
· Radiotransition 550:423
· Rhodium 553:473
· Stoichiometry 559:209
· Uracil 552:127
· Vitamin-B-12 560:155
· X-Ray 552:127

**Moiety** 563:161
**Moiety**| Halogenopentacarbonyl-Metal-» 549:295
**Molecular-Construction** 548:83
**Molecular-Mechanics** 560:63
**Molybdenum**
· 7-Coordinate 549:193
· 7-Coordinate-Complex 566:245
· Acetylacetonate 549:193
· Alkene 558:51
· Alkylidene 564:85
· Alkylidyne 555:89
· Alkyne 552:83, 555:89, 565:225, 569:21
· Allyl 550:267, 560:265
· Amido-Ligand 560:245
· Ansa-Bridged 551:133
· Arene 550:63
· Azido-Ligand 560:245
· Azo-Phosphine 568:279
· Bimetallic-Complex 549:25, 552:83, 562:89
· Binuclear-Complex 560:117
· Bipyridine 566:151
· Carbonyl 555:89, 561:49, 562:29, 565:179, 565:225, 566:211, 568:185
· Carbyne 563:191
· Cationic-Complex 563:191
· Chalcogen 557:221
· Chalcogenide 568:197
· Chirality 558:213
· Chromium 548:177, 558:213, 564:71, 568:279
· Cluster 557:221, 559:219
· Cluster-Complex 568:157
· Cobalt 555:89
· Copper 558:51, 558:213
· Crown-Ether 565:179
· Cyanide-Bridge 560:117
· Cycloaddition 566:271
· Cycloheptatrienyl 560:265, 566:151
· Cycloheptyne 562:29
· Cyclopentadienyl 548:157, 549:25, 551:133, 560:245, 561:49, 568:157
· Cyclopropene 564:85
· Decamethylpentasila-cycloheptyne 562:29
· Decomposition 560:245
· Diazabutadiene 566:151
· Diazo-Alkane 566:271
· Dinuclear-Complex 555:89, 559:219
· Direct-MO-Dynamics 555:161
· Disproportionation 562:89
· Dynamics 552:83
· EHMO-Calculation 569:21
· Electrochemistry 568:185
· Fluorene 548:177
· Fullerene 549:213
· Functionalized-Cyclopentadienyl 555:119
· Gas-Phase-Reaction 558:51
· Group-6 548:157, 562:89, 568:279
· Hapticity 560:265
· Heterotetrametallics 555:89
· Heterotrimetallics 555:89
· Hexahydrotriazine-Ligand 558:213
· Hydrazone 549:25
· Hydride 557:221

· Imido-Complex 551:133, 564:85
· Insertion 552:83
· Iron 557:221, 559:219, 560:117, 568:197
· Isocyanide 560:265
· Mass-Spectrometry 558:51
· Matrix 561:49
· Metal-Vapor-Synthesis 548:177, 550:63
· Methyl-Cyclopentadiene 568:185
· Methyl-Fulvalene 568:185
· Methyl-Vinyl-Ketone 566:211
· Niobocene 564:71
· Nitrido-Ligand 560:245
· Nitrogen 563:191
· Nitrosyl 548:157
· NMR 553:99
· Nonlinear-Optics 568:197
· Nujol 561:49
· Olefin 558:51, 566:211
· Optically-Active 558:213
· Osmium 568:197
· Oxo-Complex 564:85
· Phosphametallacycle 566:271
· Phosphenium 566:271
· Phosphine 550:63, 562:89, 565:225
· Phosphite 566:245
· Phosphorus 559:219, 563:191
· Photochemistry 555:161, 561:49, 562:89
· Photoluminescence 563:191
· Polydiphenylphosphite 549:213
· Polymetal-Complex 564:71
· Polynuclear-Complex 555:89
· Polysilane 555:161
· Reactivity 548:157, 550:267, 553:317, 564:85, 566:211, 568:157
· Rearrangement 555:89
· Redox 566:151
· Rhenium 558:51, 560:117
· Rhodium 549:213
· Ruthenium 549:213, 568:157, 568:197
· Sandwich-Complex 548:177
· Second-Sphere-Coordination 565:179
· Selenium 564:71
· Silyl 553:317
· Single-Source-Precursor 553:317
· Stereoselectivity 548:157
· Substitution 562:89
· Sulfur 557:221, 563:191, 564:71
· Technetium 558:51
· Tellurium 557:221
· Tetrahedral-Cluster 568:197
· Tetrathio-Metalates 564:71
· Thiolato 557:221
· Thiolato-Bridge 560:245
· Titanium 548:177, 551:133
· Transition-Metal 558:213, 560:117
· Transition-Metal-Carbonyl 568:157
· Triazacyclohexane 565:225
· Triplet-State 555:161
· Tripodal-Ligand 553:99, 555:119, 563:191
· Trisphosphine 553:99
· Tungsten 548:177, 553:317, 558:213, 560:265, 563:191, 564:85, 565:179, 565:225, 566:245, 566:271, 568:157, 568:279
· Unsaturated-Amide 566:211
· Unsaturated-Ester 566:211
· X-Ray 548:157, 550:267, 553:317, 558:213, 560:265, 564:85, 566:245
· Zirconium 551:133, 552:83

**Monodentate-Ligand**
· Bidentate-Ligand 554:181, 560:131
· Cationic-Complex 560:131
· Mononuclear-Complex 560:131
· Phosphino-Amine 560:131
· Phosphorus 560:131
· Pyridyl-Phosphine 554:181
· Ruthenium 560:131
· Transition-Metal 560:131

**Mononuclear-Complex**
· Arene-Thiolato 559:197
· Bidentate-Ligand 560:131
· Binuclear-Complex 560:7, 568:13, 568:53
· Carbonyl 563:227
· Cationic-Complex 560:131
· Chromium 560:7
· Cyclooctatetraene 559:197, 560:7
· Diaryl-Disulfide 559:197
· Ethylene 554:195
· Iron 560:7, 563:227
· Kinetics 568:53
· Metal-Complex 563:227
· Metallacycle 568:53
· Metathesis 568:13
· Monodentate-Ligand 560:131
· Multidentate-Ligand 563:227
· NMR 563:227
· Olefin 563:227
· p-Cymene-Ruthenium 568:13
· Phenoxide 554:195
· Phosphane 563:227
· Phosphino-Amine 560:131
· Phosphorus 560:131
· Photoelectron-Spectroscopy 560:7
· Platinum 568:53
· Polymerization 554:195
· Procatalyst 554:195
· Pyridine-Thiolato 559:197
· Reactivity 568:13
· Ruthenium 560:131, 563:227
· Ruthenium-Arene-Complex 568:13
· Samarium 559:197
· Transition-Metal 560:131
· Vanadium 554:195
· X-Ray 563:227

**Multidentate-Ligand** 563:227
**Multiple-Insertion** 559:91
**Mössbauer-Spectroscopy**
· Alkyne 565:75
· Alkynyl 565:75
· Allenylidene 565:75
· Butadienyl 565:75
· Carbene 565:75
· Copper 559:55
· Cumulene 565:75
· Cyclic-Voltammetry 552:265
· Dimethylaminomethyl-Ferrocenyl 552:265, 554:139
· Gold 552:265
· Heterobimetallic-Complex 552:265
· Iron 554:139, 561:221, 565:75
· Lewis-Acid 559:55
· Nickel 559:55
· NMR 552:265
· Salicylaldimine 559:55
· Schiff-Base 559:55
· Silicon 554:139
· Tellurium 561:221
· Tin 559:55
· Transition-Metal 559:55
· Vinylidene 565:75
· Zinc 559:55

**N-Acetyl-L-Cysteine** 568:143
**N-Acylation** 568:171
**N-Donor** 566:187
**N-Donor-Ligand**
· Bidentate-Ligand 553:345
· Cyclometallation 563:179
· Electrochemistry 563:179
· Ethylene 564:115
· Fluorenyl 564:115
· Half-Sandwich-Complex 564:115
· Indenyl 564:115
· Methyl-Imidazole-Derivative 553:345
· Platinum 563:179
· Polymerization 564:115
· Reactivity 563:179
· Tin 553:345
· Zirconium 564:115

**N-Donor-Substrate** 565:125
**N-Heterocyclic-Ligand** 557:93
**Nano-Building-Block** 567:137
**Nanocomposite** 557:121
**Nanoparticle** 557:121
**Naphthalene**
· 3-Membered-Ring-Opening 566:175
· Alkylation 566:175
· Carbenoid 566:175
· Carbocation 566:175
· Cycloadduct 566:175
· Cyclopropane 566:175
· Cyclopropene 566:175
· Ferrocene 566:175
· Iron 556:89
· Reactivity 556:89
· Reduction 556:89
· Regioselectivity 566:175
· Sodium-Naphthalene 556:89
· X-Ray 566:175

**Naphthalenide** 550:283
**Naphthyl**
· Addition 565:153
· Carbyne 551:247
· Chromium 551:247
· Hydride 565:153
· Osmium 551:247, 565:153
· Ruthenium 551:247
· Vinylidene 565:153

**Naproxen** 556:239
**Neodymium**
· Allyl 552:195
· Butadiene 552:195
· Catalysis 552:195
· Cerium 553:393
· Chiral-Complex 562:255
· Conformation 564:167
· Cyclooctatetraenyl 553:393
· Cyclopentadienyl 549:239, 565:201
· Gadolinium 549:239
· Holmium 562:255
· Indenyl 549:203, 564:167
· Lanthanide 549:239, 553:393
· Lanthanidocene 562:255
· Lanthanoid 549:203, 564:167, 565:201
· Lanthanum 549:203, 549:239, 564:167
· Lutetium 562:255
· NIR-Vis-Spectroscopy 564:167
· NMR 549:203, 564:167
· Phosphine-Oxide 565:201
· Polymerization 552:195
· Praseodymium 549:203, 564:167
· Samarium 553:393, 562:255, 564:167
· Scandium 562:255
· Solid-State 564:167
· Solution-NMR 549:203
· Tetrahydrofuran-Adduct 549:203
· Transition-Metal 553:393
· Trimethyl-Silyl 549:239
· Triple-Decker-Sandwich-Complex 553:393
· X-Ray 562:255, 565:201
· Ytterbium 565:201

**Neodymocene** 548:139
**Neutron-Diffraction** 550:449
**Nickel**
· 2-Phase-System 553:469
· Addition 567:157
· Alkyne 563:73
· Anion 551:215
· Aryl-Derivative 551:215
· Arylation 567:157
· Carbonyl 563:73
· Catalysis 567:157
· Chromium 568:143
· Cobalt 568:143
· Copper 559:55
· Electrochemistry 563:73
· Ferrocene 563:73
· Grignard-Reagent 567:157
· Hafnocene 563:73
· Iron 568:143
· Isomerization 553:469
· Lewis-Acid 559:55
· Mesophase 551:299
· Metallo-Mesogen 551:299
· Mössbauer-Spectroscopy 559:55
· N-Acetyl-L-Cysteine 568:143
· Olefin 553:469
· Organosiloxane 551:299
· Palladium 567:157
· Poly-Pyrazolyl-Borate 551:215
· Potentiometric-Titration 568:143
· Salicylaldimine 559:55
· Schiff-Base 559:55
· Self-Assembly 551:299
· Stability-Constant 568:143
· Stereochemistry 567:157
· Thermooptical-Property 551:299
· Tin 559:55
· Transition-Metal 559:55
· Unsaturated-Glycoside 567:157
· Water-Soluble-Phosphine 553:469

· Zinc 559:55
**Nickel**| Organometallic-» 553:115
**Nickel-Acetylide** 559:91
**Nickel-Alkyl-Complex**
· Backbone 569:159
· Catalysis 569:159
· Cyclopentadienyl 564:193
· Diazadiene-Ligand 569:159
· Ethylene 569:159
· Head-to-Tail-Compound 564:193
· Polymerization 569:159
· Pyridine-Substituted-Alkyl 564:193
· Reductive-Carbonylation 569:159
· X-Ray 569:159
**Nickel-Bipyridine-Complex** 560:103
**Nickelocene**
· Alkyl-Lithium 550:111
· Alkyl-Magnesium 550:111
· Beta-Hydrogen-Elimination 550:111
· Cluster 550:111
· Cyclopentadienyl 550:111
· Metal-Cluster 566:217
**Nido-Carborane** 568:149
**Niobiocene**| Ansa-» 562:71
**Niobium**
· Alkoxide 550:473
· Amido-Complex 548:309
· Anthracene 557:3, 566:111
· Carbonyl 562:61
· Catalysis 566:111
· Cyclooctatetraene 557:3
· Cyclopentadienyl 557:77
· Electrocatalysis 548:309
· Electroreduction 548:309
· Ethylene 566:111
· Half-Metallocene 566:111
· Half-Sandwich-Complex 557:3
· Imido-Complex 548:309
· Matrix 557:77
· Nitrogen-Ligand 562:61
· Nujol 557:77
· Organophosphonate 550:473
· Photochemistry 557:77
· Polymerization 566:111
· Protonation 548:309
· Reduction 548:309
· Tantalum 557:3, 557:77, 562:61, 566:111
· Titanium 550:473
· Xylylene 557:3, 566:111
· Zirconium 566:111
**Niobocene**
· Cation 568:271
· Chromium 564:71
· Formato-Complex 566:203
· Molybdenum 564:71
· Oxidation 568:271
· Oxo-Complex 566:203
· Polymetal-Complex 564:71
· Reactivity 566:203
· Selenium 564:71
· Sulfur 564:71
· Tetrathio-Metalates 564:71
**NIR-Vis-Spectroscopy** 564:167
**Nitrene** 551:171
**Nitrido-Ligand** 560:245
**Nitrile** 550:457
**Nitrile-Orbital** 553:115
**Nitrogen**
· Alcohol 556:229
· Alkaloid 567:101
· Alkoxide 556:229
· Alkyl-Titanium 564:93
· Alkyne-Insertion 567:101
· Alpha-Diimine-Ligand 551:67
· Amido-Silyl-Cyclopentadienyl 564:93
· Amido-Titanium 564:93
· Aminocarbene 567:101
· Asymmetric-Hydride-Transfer 567:133
· Aza-Ligand 567:133
· Bidentate-Ligand 551:67, 564:29
· Bite-Angle 564:29
· Carbyne 563:191
· Catalysis 567:133
· Cationic-Complex 563:191
· Chiral-Ligand 556:229
· Chromium 567:101
· Cyclopentadienyl-Lanthanoid 556:229
· Dithiadiazolyl 550:241
· Enantioselectivity 567:133
· Heterocyclic-Chelator 550:241
· Insertion 551:67
· Mechanism 567:133
· Molybdenum 563:191
· NMR 556:229
· Norbornane 564:29
· Optically-Active 567:133
· Palladium 551:67
· Phosphorus 563:191
· Photoluminescence 563:191
· Pyridyl 564:29
· Radical 550:241
· Reactivity 564:93
· Reduction 567:133
· Substitution 567:133
· Sulfur 550:241, 563:191
· Theoretical-Calculation 567:133
· Tripodal-Ligand 563:191
· Tungsten 563:191
· X-Ray 564:93
· Ylide 567:101
**Nitrogen-Ligand** 562:61
**Nitrosyl**
· Absolute-Configuration 556:129
· Allyl-Iron 554:167
· Carbonyl 556:129
· Cation 555:135
· Chiral-Complex 554:167
· Chirality 556:129
· Cleavage 555:135
· Cobalt 556:129
· Cyclic-Voltammetry 558:1
· Cyclopentadienyl 548:157
· Electrochemistry 558:1
· Electron-Transfer 555:135
· Epimerization 556:129
· EPR-Spectra 555:135
· Group-6 548:157
· Ir-C-Bond 555:135
· Iron-Dinitrosyl-Complex 558:1
· Molybdenum 548:157
· NMR 558:1
· Planar-Chirality 554:167
· Pyridine 555:135
· Reactivity 548:157
· Stereochemistry 554:167
· Stereoselectivity 548:157
· TCNE 558:1
· Transition-Metal 556:129
· X-Ray 548:157, 556:129, 558:1
**NMR**
· 9-Vertex 550:441
· Ab-Initio 550:409
· Acyl-Pyrazolone 557:187
· Alcohol 556:229
· Alkali-Metal 550:397
· Alkaline-Hydrolysis 552:1
· Alkoxide 556:229
· Alkyne 562:207
· Allyl-Lanthanum 555:201
· Aminophosphine 563:37
· Antimony 555:271
· Antitumor-Drug 565:29
· Arachno 550:441
· B-11-Chemical-Shift 550:409
· Borane-Cluster 550:441
· Boron 562:207
· Butadiene 555:201
· Carbonyl 552:1, 563:227
· Carbonylation 563:37
· Carborane 550:409
· Carboxylate 555:271
· Catalysis 555:201
· Chiral-Ligand 556:229
· Chiral-Phophorus-Triflate 567:199
· Chiral-Phosphite 553:277
· Chromium 552:1
· Conformation 564:167
· Cyclic-Voltammetry 552:265, 558:1
· Cyclopentadiene 550:397
· Cyclopentadienyl-Lanthanoid 556:229
· Dendrimer 554:113
· Dimethylaminomethyl-Ferrocenyl 552:265
· Electrochemistry 558:1
· Fermi-Resonance 552:1
· Ferrocene 555:187, 563:37
· Ferrocenediol 556:173
· Ferrocenol 556:173
· Ferrocenophane 555:187, 556:173
· Fluorine 553:111
· GIAO-Computed-C-13 550:409
· Gold 552:265
· Group-1 550:409
· Halogenopentacarbonyl-Metal-Moiety 549:295
· Halogenotrimethyl-Metal-Moiety 549:295
· Heterobimetallic-Complex 552:265
· Homogeneous-Catalysis 557:169
· Hydroformylation 563:37
· Hydrolysis 555:271, 565:29
· Inadequate 554:113
· Indenyl 549:203, 564:167
· IR-Spectroscopy 552:1
· Iridium 557:187
· Iron 557:169, 563:227
· Iron-Dinitrosyl-Complex 558:1
· Isomerism 550:441
· Kinetics 552:1
· Lanthanoid 549:203, 564:167
· Lanthanum 549:203, 564:167
· Living-Intermediate 557:69
· Metal-Complex 563:227
· Metalla-Carborane 550:409
· Methyl-Cyclopentadienyl 565:29
· Methyl-Mercury 555:255
· Methylchloro-Silane 552:99
· Molybdenum 553:99
· Mononuclear-Complex 563:227
· Multidentate-Ligand 563:227
· Mössbauer-Spectroscopy 552:265
· Neodymium 549:203, 564:167
· NIR-Vis-Spectroscopy 564:167
· Nitrogen 556:229
· Nitrosyl 558:1
· Nonaborane 550:441
· Nucleotide-Binding 565:29
· Olefin 557:69, 563:227
· Organoboration 562:207
· Palladium 563:37
· Pentalene 562:207
· Phosphane 563:227
· Phosphine 555:255, 563:37
· Phosphorus 555:187
· Phosphorus-Oxygen-Interaction 567:199
· Phthalide 552:1
· Platinum 549:295, 563:37
· Platinum-Diphosphine-Complex 557:169
· Polymerization 555:201
· Polysilane 554:113
· Praseodymium 549:203, 564:167
· Precatalyst 555:201
· Rhenium 549:295
· Rhodathiaborane 550:315
· Ruthenium 563:227
· Samarium 564:167
· Silicon 553:111, 562:207
· Silyl 550:397
· Silylation 548:131
· Single-Crystal 557:169
· Solid-State 564:167
· Solution-NMR 549:203
· Stereospecificity 555:201
· Structure-Activity-Relationship 555:201
· Styrene 563:37
· Tautomerism 548:131
· TCNE 558:1
· Tetrahydrofuran-Adduct 549:203
· Through-Space-Coupling 553:111
· Tin 557:187
· Titanocene 553:277, 565:29
· Transition-Metal 563:37
· Transmission-of-Substituent-Effect 552:1
· Triclinic-Crystal 557:169
· Trifluormethane-Sulfonic-Acid 548:131
· Trimethyl-Silylmethyl 550:397
· Tripodal-Ligand 553:99
· Trisphosphine 553:99
· Wades-Rule 550:315
· X-Ray 548:131, 549:295, 550:315, 550:409, 550:441, 553:111, 555:187, 556:173, 557:169, 558:1, 563:227
· Zirconium 557:69
**NMR**| Al-27-» 561:203

**NMR**| C-13-» 550:119
**NMR**| Dynamic-» 557:13
**NMR**| EXSY-» 555:35
**NMR**| F-19-» 551:9
**NMR**| GIAO-» 550:101
**NMR**| H-1,Li-6-HOESY-»
· Ion-Pair-Equilibria 550:359, 550:381
· Phenylthio-Benzyl-Lithium 550:359, 550:381
· Polyamine 550:359
· Polyether-Ligand 550:381
· Solution-Structure 550:359, 550:381
· Tetrahydrofuran 550:359, 550:381
**NMR**| H-1-» 549:283
**NMR**| IGLO-» 550:101
**NMR**| MAS-» 550:89
**NMR**| Multinuclear-»
· Carbonyl 568:213
· Catalysis 558:19
· Distannoxane 558:19
· Lithium-Silylamide 561:77
· Manganese 568:213
· Rearrangement 558:19
· Rhenium 568:213
· Rhodium 550:221
· Stibine 568:213
· Tetrabutyl-Stannoxane 558:19
· Tin 558:19
· X-Ray 568:213
**NMR**| P-31-Solid-State-» 565:193
**NMR**| Rh-103-» 551:81
**NMR**| Si-29-»
· Butadienediyl 548:29
· C-13-NMR 550:119
· Cyclic-Stannylsilane 556:165
· DFT-IGLO-Method 550:119
· Lithium-Pentaorganylsilicate 548:29
· Silylcarboxonium-Ion 550:119
· Sn-119-NMR 556:165
· Stereomutation 548:29
· Tetraorganylsilane 548:29
· Trigonal-Bipyramidal-Structure 548:29
**NMR**| Sn-119-»
· Absorption-Spectra 562:217
· Chromium 562:217
· Cyclic-Stannylsilane 556:165
· Nano-Building-Block 567:137
· Oxo-Hydroxo-Organotin-Cluster 567:137
· Pi-System 562:217
· Si-29-NMR 556:165
· Solid-State 552:177
· Stannoxane 552:177
· Star-Type-Compound 562:217
· Tin 552:177, 562:217, 567:137
· Trigonal-Planar-Coordination 562:217
**NMR**| Solid-State-» 568:1
**NMR**| Solution-» 549:203
**NMR**| Te-125-» 555:279
**Non-A-Frame-Complex** 569:189
**Non-Racemic** 567:31
**Nonaborane** 550:441
**Nonlinear-Optics**
· Acetylide 549:127
· Alkynyl 549:127, 563:137
· Aryl-Acetylide 549:127, 563:137
· Benzonitrile 553:115
· Chalcogenide 568:197
· Cyclopentadienyl 549:127
· Delocalization 553:115
· Electrochemistry 553:115
· Hyperpolarizability 549:127, 563:137
· Iron 568:197
· Molybdenum 568:197
· Nitrile-Orbital 553:115
· Organometallic-Nickel 553:115
· Osmium 568:197
· Phosphine 549:127
· Pyridyl-Acetylide 563:137
· Ruthenium 549:127, 563:137, 568:197
· Susceptibility 549:127
· Tetrahedral-Cluster 568:197
· X-Ray 549:127, 553:115, 563:137
**Norbornadiene** 552:135
**Norbornane** 564:29
**Norbornene** 562:203
**Nucleobase**
· Cyclometallated-Complex 558:103
· Cytosine 558:103
· Gold 552:127
· Model 552:127, 558:103
· Palladium 558:103
· Uracil 552:127
· X-Ray 552:127
**Nucleophile** 558:81
**Nucleophile**| Selective-Attack-of-» 553:497
**Nucleophilic-Addition** 558:11
**Nucleophilic-Ortho-Functionalization** 567:57
**Nucleophilic-Vinylic-Substitution** 556:141
**Nucleotide-Binding** 565:29
**Nujol**
· Carbonyl 554:75, 561:49
· Cyclopentadienyl 557:77, 561:49
· IR-Spectroscopy 554:75
· Matrix 554:75, 557:77, 561:49
· Molybdenum 561:49
· Niobium 557:77
· Photochemistry 554:75, 557:77, 561:49
· Rhodium 554:75
· Tantalum 557:77
· Terminal-Carbonyl-Ligand 554:75
· UV-Visible-Spectra 554:75
**O-Donor** 566:187
**Octahedral-Environment** 556:105
**Octasilsesquioxane** 565:159
**Olefin**
· 2-Phase-System 553:469
· Alkene 558:51
· Alkyl-Substituent 558:11
· Alkylindene 558:11
· Amination 566:277
· Ansa-Metallocene 559:65
· Anti-Markovnikov-Reaction 566:277
· Arene 552:159
· Carbonyl 563:227, 566:211
· Catalysis 549:319, 551:159, 552:159, 558:171, 566:277
· Cation 551:159
· Cationic-Complex 566:277
· Copper 558:51
· Diphosphine 551:165
· Ethylene-Propylene-Copolymerization 562:53
· Gas-Phase-Reaction 558:51
· Heterogeneous-Catalysis 553:205
· Hydroformylation 551:165
· Hydrogenation 552:159
· Indenyl 558:171, 559:65
· Insertion 551:159
· Iron 563:227
· Isomerism 558:171
· Isomerization 551:165, 553:469
· Living-Intermediate 557:69
· Main-Group 549:319
· Mass-Spectrometry 558:51
· Metal-Complex 563:227
· Metallocene 551:159, 553:205, 558:171
· Methyl-Vinyl-Ketone 566:211
· Methyltrioxo-Rhenium 549:319
· Molybdenum 558:51, 566:211
· Mononuclear-Complex 563:227
· Multidentate-Ligand 563:227
· Nickel 553:469
· NMR 557:69, 563:227
· Nucleophilic-Addition 558:11
· Oxidation 566:277
· Phosphane 563:227
· Platinum 551:165
· Polymerization 551:159, 553:205, 558:171, 559:65, 562:53
· Pyridine 549:319
· Reactivity 566:211
· Regioselectivity 551:165
· Rhenium 558:51
· Rhodium 552:159, 566:277
· Ruthenium 563:227
· Siloxy 558:171, 559:65
· Technetium 558:51
· Thioether 551:159
· Tin 551:165
· Transition-Metal 549:319
· Unsaturated-Amide 566:211
· Unsaturated-Ester 566:211
· Vanadium 562:53
· Water-Soluble-Phosphine 553:469
· X-Ray 551:159, 552:159, 563:227
· Zirconium 551:159, 553:205, 557:69, 558:11, 558:171, 559:65
**Olefin-Chelate** 558:163
**Olefin-Rotation** 560:137
**Oligomerization** 557:143
**Oligophenylene** 564:47
**Oligosilane** 559:11
**Oligosiloxane** 557:143
**One-Pot-Synthesis**
· Chirality 567:191
· Cis-Influence 557:243
· Ferrocene 567:191
· Ferrocenophane 567:191
· Organodicobaloxime 557:243
· Pyrazine 557:243
**Opened-THF** 563:53
**Optical-Activity** 548:91
**Optical-Spectra** 559:209
**Optically-Active**
· Asymmetric-Hydride-Transfer 567:133
· Aza-Ligand 567:133
· Catalysis 567:133
· Chirality 558:213
· Chromium 558:213
· Copper 558:213
· Enantioselectivity 567:133
· Hexahydrotriazine-Ligand 558:213
· Mechanism 567:133
· Molybdenum 558:213
· Nitrogen 567:133
· Reduction 567:133
· Substitution 567:133
· Theoretical-Calculation 567:133
· Transition-Metal 558:213
· Tungsten 558:213
· X-Ray 558:213
**Organic-Halide** 553:417
**Organoborane**
· Azide-Alkylation 567:31
· Borane 550:207
· Carbonyl 550:207
· Chirality 567:31
· Fluxionality 550:207
· Geometrical-Isomerism 550:207
· Hydroboration 550:207, 567:31
· Non-Racemic 567:31
· Pyrrolidine 567:31
· Tandem-Reaction 567:31
· Tetraborane-Carbonyl 550:207
**Organoboration** 562:207
**Organochalcogenide** 564:37
**Organocobaloxime** 548:211
**Organodicobaloxime** 557:243
**Organodimetallics** 553:397
**Organophosphonate** 550:473
**Organorhodoxime**
· Boron-Substituted 548:211
· Conformational-Equilibria 548:211
· Organocobaloxime 548:211
· Oxime-Imine-Moiety 561:191
· Reduction 561:191
· Rhodium 561:191
· X-Ray 548:211
**Organosilane** 560:41
**Organosilicon-Polymer**
· Conducting-Polymer 553:487
· Oligophenylene 564:47
· Pyrolysis 564:47
· Silole 553:487
· Thermal-Properties 564:47
**Organosiloxane**
· Macrocycle 562:141
· Mesophase 551:299
· Metallo-Mesogen 551:299
· Nickel 551:299
· Oligophenyl-Metalla-Siloxane 562:141
· Self-Assembly 551:299
· Single-Crystal 562:141
· Stereoregular 562:141
· Thermooptical-Property 551:299
· Trimethyl-Silylation 562:141
· X-Ray 562:141
**Organylsilane** 548:149
**Ortho-Metallation**
· Addition 558:91

· Alkyne-Insertion 558:91
· Aryl-Azide 551:367
· Carbodiimide 551:367
· Catalysis 558:91
· Cobalt 558:91
· Diaryl-Diazene 558:91
· Dihydrocinnoline 558:91
· Hydride-Complex 558:91
· Isocyanide 551:367
· Metallacycle 551:367
· Stibenylazobenzene 558:91
· Transition-Metal 558:91
**Ortho-Position-of-the-Phenol-Ring** 548:305
**Orthometallated** 549:73
**Orthometallation**
· Alkyne-Reaction 565:125
· Aryl-Hydrazone 565:125
· Manganese 565:125
· N-Donor-Substrate 565:125
· Paramethoxyphenyl-Phosphine 568:177
· Rhodium 568:177
**Orthoquinone** 550:165
**Osmium**
· Acetylide 556:219
· Addition 565:153
· Alkene 565:231
· Alkylidene 558:71
· Alkylidyne 558:71
· Alkyne 563:235, 565:231
· Bimetallic-Complex 556:219
· Carbonyl 550:131, 551:125, 559:81, 564:133, 568:133
· Carboxylate 556:197
· Carbyne 551:247
· Chalcogenide 568:197
· Chromium 551:247
· Cleavage 559:31
· Cluster 556:197, 559:81, 564:133, 568:133
· Cluster-Complex 558:71
· Copper 563:235
· Cycloalkyne 563:235
· Cyclooctadiene 566:237
· Dihydrogen-Complex 564:21
· Diimine 559:37
· Dioxygen-Complex 564:21
· Diphenyl-Phosphino-Pyridine 559:31
· Electrochemistry 559:37
· Fluorenyl 556:219
· Gold 550:131
· Heterobimetallic-Cluster 550:131
· Hexafluoroacetyl 563:235
· Hydride 565:153
· Hydride-Complex 564:21
· Hydrido-Cluster 566:237
· Hydroxy-Benzotriazinone 549:155
· Iron 563:23, 568:197
· Isomerism 568:133
· Lewis-Acid 559:31
· Ligand-Cluster-Complex 559:37
· Mercury 563:23
· Metal-Cluster 551:125
· Metal-Metal-Bond 559:31
· Methyl-Quinoline 568:133
· Molybdenum 568:197
· Naphthyl 551:247, 565:153
· Nonlinear-Optics 568:197
· Phosphine 550:131, 559:81, 564:21, 568:133
· Platinum 556:219
· Polymer 556:219
· Pyrazyne 559:37
· Reactivity 564:133
· Rearrangement 550:131
· Rhodium 566:237
· Ruthenium 551:125, 551:247, 556:219, 559:31, 563:23, 565:231, 568:197
· Silsesquioxane 551:125
· Silver 563:235
· Stibine 565:231
· Substitution 559:81
· Sulfido-Ligand 558:71
· Systematic-Synthesis 563:23
· Tetrahedral-Cluster 568:197
· Tetramethyl-Thiourea 564:133
· Thiazolide-Ligand 559:81
· Thiocarboxylate 556:197
· Thiol-Functionality 551:125
· Trinuclear-Cluster 559:31
· Tungsten 558:71
· Vinylidene 565:153
· X-Ray 550:131, 558:71, 563:235, 565:231
**Oxazolidinone** 553:463
**Oxidation**
· 47-Electron 568:63
· Alcohol 567:75
· Alkene 551:387
· Allylidene-Derivative 568:63
· Amination 566:277
· Anti-Markovnikov-Reaction 566:277
· Arene 553:253
· C-F-Bond-Activation 552:165
· Catalysis 566:277
· Cation 568:271
· Cationic-Complex 566:277
· Chiral-Complex 567:75
· Copper 551:387
· Cyclic-Voltammetry 568:63
· Cyclopentadienyl 552:165, 553:253
· Cyclopentane 565:135
· Diastereoselectivity 567:75
· Dichalcogenide 565:135
· Dimer 552:165
· Diorgano-Arsenic 549:187
· DMF 551:387
· Electrochemistry 553:253, 568:63
· Fluoride 552:165
· Iridium 553:253
· Iron 553:253
· Lanthanoid 552:165
· Metal-Cluster 568:63
· Molecular-Oxygen 551:387
· Niobocene 568:271
· Olefin 566:277
· Palladium 551:387, 565:135
· Platinum 565:135
· Quinone 563:1
· Reduction 553:253, 567:75
· Reductive-Elimination 565:135
· Rhenium 567:75
· Rhodium 566:277
· Ruthenium 563:1, 568:63
· Secondary-Amine 553:253
· Selenolate 565:135
· Tetramethyl-Diarsine-Disulfide 549:187
· Thiolate 565:135
· Tin 565:135
· Wittig-Reaction 567:75
· X-Ray 552:165
· Ytterbium 552:165
**Oxidative-Addition**
· Alkene 560:137
· Heterobimetallics 557:259
· Iminophosphine 560:137
· Iodoalkyl 557:259
· Mer-Cis-to-Fac-Isomerization 549:105
· Olefin-Rotation 560:137
· Palladium 560:137
· Photochemistry 549:105
· Platinum 548:57, 557:259
· Polymethylene-Bridge 557:259
· Silyl 548:57
· Tin 548:57
· Transition-Metal 548:57, 557:259
· Tungsten 549:105, 557:259
· X-Ray 548:57
**Oxidative-Coupling-Reaction** 553:417
**Oxime** 560:155
**Oxime-Imine-Moiety** 561:191
**Oxo-Bridge** 556:159
**Oxo-Complex**
· Alkylidene 564:85
· Carbene 553:241
· Carbyne 553:241
· Catalysis 553:241
· Cyclopropene 564:85
· Formato-Complex 566:203
· Imido-Complex 564:85
· Metathetic-Polymerization 553:241
· Molybdenum 564:85
· Niobocene 566:203
· Reactivity 564:85, 566:203
· Ring-Opening 553:241
· Tripodal-Ligand 553:241
· Tungsten 553:241, 564:85
· X-Ray 564:85
**Oxo-Dienyl** 567:57
**Oxofunctionalization** 566:259
**Oxygen**| Molecular-» 551:387
**Oxygen-Complex** 566:73
**P-Donor** 566:187
**P-Ligand**
· C-H-Bond-Activation 564:155
· Catalysis 564:227
· Cationic-Complex 564:227
· Chelate 564:155
· Chirality 564:155, 564:227
· Enantioselective-Hydrogenation 564:227
· Platinum 564:155
· Racemic-Ligand 564:155
· Rhodium 564:227
· X-Ray 564:155
**P-N-Chelating-Ligand** 548:17
**P-O-Chelating-Ligand** 561:157
**Palladium**
· 12-Nuclear-Cluster 566:15
· Absorption-Spectra 559:223
· Acetylenic-Urea 562:35
· Addition 564:1, 567:157
· Alcohol 554:135
· Alkane 554:135
· Alkene 551:387, 560:137
· Alkoxycarbonyl 566:37
· Alkyne 565:11
· Allyl 548:301, 552:187, 569:203
· Allyl-Amination 566:61
· Allyl-Germane 553:493
· Allylic-Alkylation 567:219
· Allylphenol 560:163
· Alpha-Diimine-Ligand 551:67
· Alpha-Methoxyl-Naphthyl-Ethanol 556:239
· Amine 548:301
· Amino-Acid 554:105
· Aminoallyl-Complex 569:39
· Aminophosphine 563:37
· Aryl 548:301
· Arylation 567:157
· Asymmetric-Hydrovinylation 552:187
· Benzofurane 560:163
· Bidentate-Ligand 551:67, 566:61
· Borane 567:219
· Butadiene-Telomerization 569:203
· C-Cl-Bond-Activation 554:207
· C-H-Bond-Activation 548:301
· Carbene 552:45, 554:175, 557:93
· Carbonyl 566:15
· Carbonylation 556:239, 563:37, 566:37
· Carborane 555:17, 562:105
· Catalysis 548:301, 553:493, 555:141, 556:239, 557:93, 558:235, 560:163, 562:35, 564:1, 567:157, 567:173, 567:219, 569:225
· Cationic-Complex 552:187, 569:203
· Charge-Transfer 559:215
· Chiral-Ligand 552:187
· Chirality 554:105
· Chloride-Bridge 555:17
· Chloromethylchlorophosphine 554:207
· Cluster 569:109
· Cluster-Fragmentation 557:131
· Cobalt 549:55
· Codimerization 552:187
· Conformational-Analysis 550:255
· Copper 551:387, 555:167, 569:109
· Coupling-Reaction 557:93, 567:173, 567:219
· Cyanoethyl-Phosphine 550:255
· Cyclization 560:163, 562:35
· Cyclometallated-Complex 549:73, 556:21, 556:31, 558:103
· Cyclometallated-Fragment 548:45
· Cyclometallation 548:301, 552:23, 555:81, 555:211
· Cyclopentane 565:135
· Cytosine 558:103
· Degradation 555:17
· Diazo-Compound 554:105
· Dichalcogenide 565:135
· Dichlorotrifluorophenyl 551:9
· Dimethyl-Imidazolin-Ylidene 554:175
· Dimethylallyl 549:283
· Diphosphazane 554:105
· Diphosphine 555:17, 567:219
· Dithiophosphate 549:73
· DMF 551:387
· Electron-Donor 569:225

· Enyne 567:173
· Epoxide 567:173
· Ethylene 552:187
· F-19-NMR 551:9
· Ferrocene 552:45, 555:167, 559:215, 563:37, 569:225
· Ferrocenyl 552:293
· Ferrocenylhydrazone 555:211
· Functionalized-Hexadecatetraene 569:203
· Germyl-Selenide 564:1
· Gold 549:55, 569:109
· Grignard-Reagent 567:157
· H-1-NMR 549:283
· Half-Sandwich-Complex 564:179
· Heck-Reaction 555:141, 557:93
· Heteroatom 564:1
· Heteronuclear-Cluster 557:131, 565:11
· Hexafluorophosphate 549:283
· Hydroformylation 563:37
· Hydrogenation 567:219
· Imidazoline-Ylidene 552:45
· Iminophosphine 560:137
· Immobilized-Complex 558:235
· Insertion 551:67
· Iridium 550:255, 564:179
· Iron 549:55, 552:45
· Isocoumarine 560:163
· Liquid-Crystal 555:81
· Matrix 567:219
· Mechanism 566:61
· Mercury 552:45
· Mesogenism 555:81
· Metal-Complex 552:45
· Metalla-Carbaborane 562:105
· Metalla-Cyclobutanimine 569:39
· Metathesis 553:493
· Methano(10)-Annulene 569:225
· Model 558:103
· Molecular-Oxygen 551:387
· N-Heterocyclic-Ligand 557:93
· Naproxen 556:239
· Nickel 567:157
· Nitrogen 551:67
· Nitrogen-Heterocycle 562:35
· NMR 563:37
· Nucleobase 558:103
· Olefin-Rotation 560:137
· Optically-Active-Cluster 549:55
· Orthometallated 549:73
· Oxidation 551:387, 565:135
· Oxidative-Addition 560:137
· Oxidative-Carbonylation 562:35
· P-Cl-Bond-Activation 554:207
· Pentanuclear-Heterotrimetallic-Cluster 549:55
· Phenanthroline 566:37
· Phosphine 556:31, 558:235, 563:37, 566:15, 567:219
· Phosphino-Oxazoline 549:283
· Phosphinomethyl-Bridge 554:207
· Photochemistry 559:215, 559:223
· Platinum 550:255, 551:9, 552:293, 554:105, 555:167, 562:105, 563:37, 565:135, 569:39, 569:203
· Poly-Pyrazolyl-Borate 552:23
· Polyhedral-Rearrangement 562:105
· Polypyrrole 567:219
· Reactivity 552:23, 556:31, 557:131
· Redox 569:225
· Reductive-Elimination 565:135
· Regioselectivity 564:1
· Rhodium 549:55, 550:255, 564:179, 565:11, 567:219
· Ruthenium 564:179
· Schiff-Base 555:81, 564:179
· Selenolate 565:135
· Self-Assembly 548:45
· Semicarbazone 556:21
· Silver 555:167, 567:173, 569:109
· Silyl-Germane 564:1
· Silyl-Selenide 564:1
· Single-Crystal 566:15
· Slip-Distortion 562:105
· Stereochemistry 567:157
· Stereoselectivity 564:1
· Styrene 552:187, 563:37
· Sulfido-Complex 569:109
· Sulfur 552:277
· Supported-Ligand 567:219
· Tetranuclear-Cation 552:277
· Thia-Macrocycle 555:167
· Thiolate 565:135
· Thiophene 562:105
· Tin 565:135
· Tolyl-Phosphine 552:23
· Transition-Metal 555:167, 563:37
· Triethyl-Silane 554:135
· Tungsten 552:45, 569:109
· Ullmann-Reaction 555:141
· Unsaturated-Glycoside 567:157
· Vinyl-Triflate 567:173
· Wing-Tip-Butterfly-Structure 549:55
· X-Ray 549:55, 549:283, 552:45, 552:293, 554:207, 562:105, 566:15, 566:37

**Palladium**| Aryl-» 553:83
**Palladium**| Methyl-» 558:41
**Palladium-Alkyl-Complex** 549:167
**Palladium-Carbene-Complex**| Methyl-» 565:165
**Palladium-Coupling** 568:41
**Paramagnetic-Intermediate** 566:73
**Paramethoxyphenyl-Phosphine** 568:177
**Pauson-Khand-Reaction** 554:147
**Pd-C-Sigma-Bond** 549:167
**Pentacarbonyl-Fragment** 560:55
**Pentacoordination** 563:61
**Pentadienyl-Derivative** 563:209
**Pentadienyl-System** 549:305
**Pentafluorophenyl** 568:233
**Pentalene** 562:207
**Pentenynyl-System** 549:305
**Perfluoroalkyl-Iodide** 548:109
**Periphery-and-Template-Reaction** 553:39
**pH-Function** 568:247
**Phenanthroline** 566:37
**Phenoxide**
· Ethylene 554:195
· Hydrogen-Bonding 558:41
· Methyl-Palladium 558:41
· Methyl-Platinum 558:41
· Mononuclear-Complex 554:195
· Phosphine 558:41
· Polymerization 554:195
· Procatalyst 554:195
· Vanadium 554:195
**Phenyl-Migration** 560:41
**Phenyl-Ring-Orientation** 553:285
**Phenyl-Silane** 560:183
**Phenylacetylene** 551:49
**Phenylation** 560:77
**Phenylazophenyl** 549:257
**Phenylimino-Ethyl-Pyridine** 555:35
**Phenylpyrazole** 568:225
**Phenylsilane** 552:303
**Phospha-Alkyne** 564:189
**Phospha-Carbon-Ring-System**| Metalla-» 553:103
**Phosphacymantrene** 548:17
**Phosphaferrocene** 548:17
**Phosphametallacycle**
· (3+2)-Cycloaddition 568:241, 568:247
· Arsane 568:241, 568:247
· Cycloaddition 566:271
· Cyclopentadienyl 568:241
· Diazo-Alkane 566:271
· Insertion 568:247
· Iron 568:241, 568:247
· Metallo-Phosphane 568:241, 568:247
· Molybdenum 566:271
· pH-Function 568:247
· Phosphenium 566:271
· Reactivity 568:247
· Ring-Opening 568:241
· Ruthenium 568:241
· Stibane 568:241, 568:247
· Transition-Metal 568:241
· Tungsten 566:271
**Phosphane**
· Alkoxycarbonyl 562:183
· Carbonyl 563:227
· Iron 562:183, 563:227
· Metal-Complex 563:227
· Mononuclear-Complex 563:227
· Multidentate-Ligand 563:227
· NMR 563:227
· Olefin 563:227
· Ruthenium 563:227
· Transesterification 562:183
· X-Ray 563:227
**Phosphane**| Metallo-»
· (3+2)-Cycloaddition 568:241, 568:247
· Arsane 568:241, 568:247
· Cyclopentadienyl 568:241
· Insertion 568:247
· Iron 568:241, 568:247
· pH-Function 568:247
· Phosphametallacycle 568:241, 568:247
· Reactivity 568:247
· Ring-Opening 568:241
· Ruthenium 568:241
· Stibane 568:241, 568:247
· Transition-Metal 568:241
**Phosphenium** 566:271
**Phosphenium-Ion** 564:13
**Phosphide** 550:481
**Phosphido-Bridged** 553:371
**Phosphinate** 550:1
**Phosphine**
· 12-Nuclear-Cluster 566:15
· 5-Coordinate-Complex 565:243
· Acetylide 549:127
· Alkylidyne 548:195
· Alkyne 565:225
· Alkynol 549:221
· Alkynyl 549:127
· Allenylidene 549:221
· Allylic-Alkylation 567:219
· Aminophosphine 563:37
· Antimony 560:35
· Arene 550:63, 559:141, 560:35, 566:165
· Arsine 560:35
· Aryl-Acetylide 549:127
· Backbone 552:229
· Bimetallic-Complex 562:89
· Borane 567:219
· Carbonyl 550:131, 559:81, 563:201, 565:81, 565:225, 566:15, 568:133
· Carbonyl-Chloro-Complex 552:229
· Carbonylation 563:37
· Catalysis 552:39, 558:235, 566:165, 567:219
· Chiral-Complex 560:257
· Cluster 559:81, 568:133
· Coupling-Reaction 567:219
· Cyclometallated-Complex 556:31
· Cyclometallation 564:61
· Cyclopentadienyl 549:127, 561:85, 565:81
· Desulfurization 563:201
· Diene 564:61
· Dihydrogen-Complex 564:21
· Dioxygen-Complex 564:21
· Diphosphine 564:61, 567:219
· Disproportionation 562:89
· Diyne 564:61
· Electrochemistry 559:141, 565:243
· Enantioselectivity 560:257
· EXAFS 552:229
· Ferrocene 561:85, 563:37, 565:243
· Fluxionality 565:81
· Gold 550:131, 551:313
· Group-6 548:195, 561:85, 562:89
· Hetero(Si,Ge,P)Cyclopentane 564:61
· Heterobimetallic-Cluster 550:131
· Hydride-Complex 560:35, 564:21
· Hydroformylation 563:37
· Hydrogen-Bonding 558:41
· Hydrogenation 566:165, 567:219
· Hydrolysis 549:89
· Hyperpolarizability 549:127
· Immobilized-Complex 558:235
· Iridium 552:229, 565:81
· Iron 563:201
· Isomerism 568:133
· Manganese 549:89

· Matrix 567:219
· Metal-Vapor-Synthesis 550:63
· Metallo-Carboxylate 549:89
· Methyl-Mercury 555:255
· Methyl-Palladium 558:41
· Methyl-Platinum 558:41
· Methyl-Quinoline 568:133
· Mixed-Metal-Cluster 565:81
· Molybdenum 550:63, 562:89, 565:225
· NMR 555:255, 563:37
· Nonlinear-Optics 549:127
· Osmium 550:131, 559:81, 564:21, 568:133
· Palladium 556:31, 558:235, 563:37, 566:15, 567:219
· Phenoxide 558:41
· Phosphole 560:257
· Photochemistry 562:89
· Platinum 551:313, 563:37
· Polypyrrole 567:219
· Reactivity 548:195, 556:31, 561:85
· Rearrangement 550:131
· Rhodium 567:219
· Ruthenium 549:127, 549:221, 552:39, 559:141, 560:35, 560:257, 565:243, 566:165
· Silyl-Enol-Ether 552:39
· Single-Crystal 566:15
· Stereoselectivity 564:61
· Stibine 560:35
· Styrene 563:37, 566:165
· Substitution 559:81, 562:89, 563:201
· Supported-Ligand 567:219
· Susceptibility 549:127
· Thiazolide-Ligand 559:81
· Thiocarbonyl 563:201
· Thioether 561:85
· Transition-Metal 560:257, 563:37
· Triazacyclohexane 565:225
· Tridentate-Ligand 548:195
· Triphos 548:195
· Tripodal-Ligand 552:229
· Tungsten 565:81, 565:225
· Vinylidene 549:221
· X-Ray 549:127, 550:131, 565:81, 566:15
· Zirconocene 564:61

**Phosphine**| Dimethoxyphenyl-Diphenyl-»
· Alkyne 569:29
· Dichloro-Arene-Ruthenium 569:29
· Lewis-Base 569:29
· P-O-Chelating-Ligand 561:157
· Pentamethyl-Cyclopentadienyl 561:157
· Rhodium 561:157
· Ruthenium-Alkyne-Complex 569:29

**Phosphine**| Trimethyl-» 548:191

**Phosphine**| Triphenyl-»
· Catalysis 553:269
· Chalcogenide 551:281
· Cyclometallated-Complex 551:281
· Electron-Transfer 553:269
· Insertion 551:281
· Iron 553:269
· Manganese 551:281
· Metallocyclic-Ring 551:281
· Reduction 553:269
· Substitution 553:269
· Thermodynamics 553:269

**Phosphine-Oxide** 565:201
**Phosphinidene** 553:511
**Phosphinine** 567:151
**Phosphino-Amine** 560:131
**Phosphino-Carbene** 553:103

**Phosphino-Methane**| Diisopropyl-» 569:189

**Phosphino-Oxazoline** 549:283
**Phosphinoethyl-Amine** 553:39
**Phosphinomethyl-Bridge** 554:207

**Phosphite**
· 7-Coordinate-Complex 566:245
· Anisotropic-ESR-Spectrum 565:19
· Carbonyl 555:25
· Cluster 555:25
· Cyclopentadienyl 555:25
· Iridium 555:25
· Molybdenum 566:245
· Redox 565:19
· Substitution 555:25
· Tungsten 555:25, 566:245
· Voltammetry 565:19
· X-Ray 555:25, 566:245

**Phosphole**
· Ab-Initio 566:29
· Aromaticity 566:29
· Chiral-Complex 560:257
· Enantioselectivity 560:257
· Phosphine 560:257
· Phosphorus 566:29
· Photoelectron-Spectroscopy 566:29
· Ruthenium 560:257
· Transition-Metal 560:257

**Phosphole-(1,5)-Shift** 548:17
**Phosphonate** 567:13
**Phosphonium** 550:481

**Phosphorus**
· Ab-Initio 566:29
· Acid-Reactivity 564:13
· Aromaticity 566:29
· Bidentate-Ligand 560:131, 567:13
· Carbyne 563:191
· Cationic-Complex 560:131, 563:191
· Cluster 559:219
· Dinuclear-Complex 559:219
· Ferrocene 555:187
· Ferrocenophane 555:187
· Hemilabile-Ligand 567:13
· Hydroformylation 567:13
· Iminophosphorane 550:449
· Iron 559:219
· Molybdenum 559:219, 563:191
· Monodentate-Ligand 560:131
· Mononuclear-Complex 560:131
· Neutron-Diffraction 550:449
· Nitrogen 563:191
· NMR 555:187
· Phosphenium-Ion 564:13
· Phosphino-Amine 560:131
· Phosphole 566:29
· Phosphonate 567:13
· Photoelectron-Spectroscopy 566:29
· Photoluminescence 563:191
· Rhodium 567:13
· Ruthenium 560:131
· Sulfur 563:191
· Transition-Metal 560:131
· Tripodal-Ligand 563:191
· Tungsten 563:191, 564:13
· X-Ray 550:449, 555:187

**Phosphorus-Bridge** 557:29
**Phosphorus-Heterocycle** 567:151
**Phosphorus-Oxygen-Interaction** 567:199
**Phosphorus-Ylide** 561:67

**Photochemistry**
· Absorption-Spectra 553:517, 559:223
· Alkyne 554:147
· Amide-Polymer 554:19
· Amorphous 554:63
· Arene 562:97
· Beta-Diketone 568:165
· Bimetallic-Complex 562:89
· Biradical Dimethylsilylene 566:73
· C-H-Bond-Activation 554:1, 554:41
· Carbonyl 554:75, 554:147, 555:285, 557:13, 561:49
· Carbyne 552:255
· Catalysis 554:41
· Charge-Transfer 559:215, 568:165, 568:291
· Cleavage 568:121
· CO-Pressure 554:41
· Cobalt 554:147
· Cyclopentadienyl 557:77, 561:49
· Dehydrogenation 554:41
· Density-Functional 566:225
· Dicyanoanthracene 568:121
· Dimer 557:13
· Direct-MO-Dynamics 555:161
· Disilane 559:11
· Disproportionation 562:89
· Dynamic-NMR 557:13
· Electrochemistry 552:255
· Electron-Complex 554:13
· Electron-Transfer 568:121
· Excited-State 554:1
· Ferrocene 559:215
· Ferrocenylacetylacetone 568:165
· Fullerene 559:11
· Germyl-Radical 553:163
· Group-6 552:255, 562:89
· Half-Sandwich-Complex 562:97
· IR-Spectroscopy 554:75
· Iron 554:63, 566:225, 568:291
· Kinetics 554:41
· Laser-Photolysis 553:163
· Ligand-Exchange 568:165
· Macrocyclic-Amine-Ligand 552:255
· Magnetic-Field-Effect 566:73
· Matrix 554:75, 557:77, 561:49
· Matrix-Isolation 554:147, 566:225
· Mechanism 554:147
· Mer-Cis-to-Fac-Isomerization 549:105
· Metal-Carbyne 554:13
· Metal-Centered-Radical 557:13
· Metal-Metal-Bond 554:19
· Metal-Radical 554:13
· Migration 553:163
· Model 554:19
· Molybdenum 555:161, 561:49, 562:89
· Naphthyl-Germane 553:163
· Niobium 557:77
· Nujol 554:75, 557:77, 561:49
· Oligosilane 559:11
· Oxidative-Addition 549:105
· Oxygen-Complex 566:73
· Palladium 559:215, 559:223
· Paramagnetic-Intermediate 566:73
· Pauson-Khand-Reaction 554:147
· Permethyl-Oligo-Germane 568:121
· Phosphine 562:89
· Photophysics 554:1
· Platinum 553:517
· Polymer 554:19
· Polysilane 555:161
· Proton-Transfer 568:165
· Pyridine 568:165
· Radical 554:19
· Raman-Spectra 566:225
· Reactive-Intermediate 561:19
· Reactivity 557:13
· Rhenium 555:285
· Rhodium 554:1, 554:41, 554:75
· Ruthenium 557:13, 562:97
· Sandwich-Complex 562:97
· Silanorbornadiene 566:73
· Silene 561:19
· Silyl-Metal-Complex 566:225
· Substitution 562:89
· Sulfide 555:285
· Surface-Chemistry 554:63
· Tantalum 557:77
· Terminal-Carbonyl-Ligand 554:75
· Tetramethyl-Diamino-Carbene 555:285
· Tetramethyl-Thiourea 555:285
· Thin-Film 554:63
· Triazacyclononane 552:255
· Triplet-State 555:161
· Tungsten 549:105
· UV-Visible-Spectra 554:75
· Vinyldisilane 561:19

**Photoelectron-Spectroscopy**
· Ab-Initio 566:29
· Allyl 563:147
· Aromaticity 566:29
· Binuclear-Complex 560:7
· Chromium 560:7
· Cyclooctatetraene 560:7
· Iron 560:7
· Manganese 563:147
· Mononuclear-Complex 560:7
· Phosphole 566:29
· Phosphorus 566:29
· Rhenium 563:147

**Photoluminescence** 563:191

**Photolysis**| Laser-» 553:163

**Photolysis**| Laser-Flash-» 560:55

**Photophysics**
· C-H-Bond-Activation 554:1
· Copper 556:169
· Excited-State 554:1
· Luminescence 556:169

· Metallo-Macrocycle 556:169
· Photochemistry 554:1
· Rhodium 554:1
· Tetranuclear-Cluster 556:169
· Zigzag-Chain 556:169
**Phthalide** 552:1
**Pi-Complex** 553:503
**Pi-System** 562:217
**Piperazine-Alcohol** 553:221
**Piperidine-Alcohol** 553:221
**Platinum** 559:203
· 18-Vertex 557:181
· 19-Vertex 557:181
· Absorption-Spectra 553:517
· Acetylacetonate 551:117
· Acetylide 556:219
· Addition 550:183
· Alcohol 564:57
· Alkyne 548:247, 551:383
· Allyl 569:203
· Amino-Acid 554:105
· Aminoallyl-Complex 569:39
· Aminophosphine 563:37
· Arachno 550:151
· Basicity 564:125
· Bimetallic-Complex 556:219
· Binuclear-Complex 568:53
· Boron 550:183
· Butadiene-Telomerization 569:203
· C-H-Bond-Activation 564:155
· Carbazole 558:189
· Carbonylation 563:37
· Carborane 562:105
· Catalysis 564:57
· Cationic-Complex 569:203
· Chelate 564:155
· Chirality 554:105, 564:155
· Cis-Trans-Isomerization 561:7
· Cluster 551:171, 557:181
· Cluster-Complex 551:383
· Cluster-Compound 550:151
· Conformational-Analysis 550:255
· Copper 555:167
· Crown-Ether 548:247
· Cyanoethyl-Phosphine 550:255
· Cyclometallated-Ligand 561:67
· Cyclometallation 563:179
· Cyclopentane 565:135
· Diazo-Compound 554:105
· Dichalcogenide 565:135
· Dichlorotrifluorophenyl 551:9
· Dinuclear-Complex 551:117
· Diphosphazane 554:105
· Diphosphine 551:165
· Electrochemistry 563:179
· EXSY-NMR 555:35
· F-19-NMR 551:9
· Ferrocene 555:167, 563:37
· Ferrocenyl 552:293
· Ferrocenylamine 564:125
· Fluorenyl 556:219
· Fluxionality 551:383, 555:35
· Functionalized-Hexadecatetraene 569:203
· Gold 551:313
· Halogenopentacarbonyl-Metal-Moiety 549:295
· Halogenotrimethyl-Metal-Moiety 549:295
· Heterobimetallics 557:259
· Hydride 558:189
· Hydroformylation 551:165, 563:37
· Imine 555:35
· Insertion 556:189
· Intramolecular-Hydrosilylation 564:57
· Iodoalkyl 557:259
· Iridium 550:255
· Isomerization 551:165
· Kinetics 568:53
· Macropolyhedral 557:181
· Metal-Complex 551:117
· Metalla-Borane 557:181
· Metalla-Carbaborane 562:105
· Metalla-Cyclobutanimine 569:39
· Metalla-Heteroborane 550:151
· Metallacycle 568:53
· Metallated-Compound 566:93
· Mononuclear-Complex 568:53
· N-Donor-Ligand 563:179
· Nitrene 551:171
· NMR 549:295, 563:37
· Olefin 551:165
· Osmium 556:219
· Oxidation 565:135
· Oxidative-Addition 548:57, 557:259
· P-Ligand 564:155
· Palladium 550:255, 551:9, 552:293, 554:105, 555:167, 562:105, 563:37, 565:135, 569:39, 569:203
· Phenylimino-Ethyl-Pyridine 555:35
· Phosphine 551:313, 563:37
· Phosphorus-Ylide 561:67
· Photochemistry 553:517
· Polyhedral-Rearrangement 562:105
· Polymer 556:219
· Polymethylene-Bridge 557:259
· Propargyl-Alcohol 564:57
· Racemic-Ligand 564:155
· Reactivity 561:67, 563:179, 564:125
· Redox 564:125
· Reductive-Elimination 565:135
· Regioselectivity 551:165, 564:57
· Rhenium 549:295
· Rhodium 550:151, 550:255
· Ruthenium 556:219
· Schiff-Base 566:93
· Selenolate 565:135
· Silicon 564:57
· Silver 555:167
· Silyl 548:57
· Slip-Distortion 562:105
· Stereochemistry 555:35
· Styrene 563:37
· Tetrahydropyrimidine 561:7
· Thia-Macrocycle 555:167
· Thioalkenyl 556:189
· Thioalkyne 556:189
· Thiolate 565:135
· Thiophene 562:105
· Tin 548:57, 551:165, 565:135
· Transinfluence 561:7
· Transition-Metal 548:57, 555:35, 555:167, 557:259, 563:37
· Tungsten 557:259
· X-Ray 548:57, 548:247, 549:295, 550:151, 552:293, 556:189, 558:189, 562:105, 564:155
· Zeise's-Salt 548:247
**Platinum| Aryl-»** 551:1
**Platinum| Methyl-»** 558:41
**Platinum-Acetylide** 569:195
**Platinum-Diphosphine-Complex** 557:169
**Platinum-Group**
· Cluster 559:191
· Fluoride 559:191
· Guanidine 556:75
· Metallacycle 556:75
· Silver-Oxide 556:75
· Triazatrimethylenemethane 556:75
**Plug-Flow-Reactor** 567:143
**Plumbylene** 561:167
**Poly-Metallocene** 548:49
**Poly-Pyrazolyl-Borate**
· Anion 551:215
· Aryl-Derivative 551:215
· Cyclometallation 552:23
· Nickel 551:215
· Palladium 552:23
· Reactivity 552:23
· Tolyl-Phosphine 552:23
**Polyamine** 550:359
**Polydiphenylphosphite** 549:213
**Polyether-Ligand** 550:381
**Polyethylene**
· Alkenyl 568:87
· Catalysis 568:87
· Cyclopentadienylidene 568:87
· Ethylene 552:313, 568:87
· Fluorenylidene 568:87
· Metallocene 552:313, 568:87
· Polymerization 552:313, 568:87
· Polypropylene 568:87
· Silyl 568:87
· Zirconium 568:87
· Zirconocene 552:313
**Polyethyleneimine** 549:39
**Polygermane** 564:81
**Polyhedral-Rearrangement** 562:105
**Polymer**
· Acetylide 556:219
· Alane 550:283
· Alkali-Metal 550:283
· Alumina 550:283
· Amide-Polymer 554:19
· Ansa-Metallocene 564:5
· Ate-Complex 564:5
· Bimetallic-Complex 556:219
· Borohydride 564:5
· Butylammonium 548:83
· Cyanide 568:1
· Fluorenyl 556:219
· Gallane 550:283
· Iron 568:1
· Lead 568:1
· Lithium-Reagent 550:283
· Magic-Angle-Spinning 568:1
· Metal-Metal-Bond 554:19
· Model 554:19
· Molecular-Construction 548:83
· Naphthalenide 550:283
· Osmium 556:219
· Photochemistry 554:19
· Platinum 556:219
· Polystyrene 550:283
· Radical 554:19
· Ruthenium 556:219, 568:1
· Silica 550:283
· Sodium-Reagent 550:283
· Solid-State-NMR 568:1
· Tinkertoy 548:83
· Titania 550:283
· Vibrational-Spectroscopy 568:1
· Ytterbium 564:5
**Polymerization**
· Acenaphthyl 549:177
· Alane 568:33
· Alkenyl 562:153, 562:229, 568:87
· Alkyne 564:143
· Allyl 552:195
· Allyl-Lanthanum 548:229, 555:201
· Amino-Silyl-Cyclopentadienyl 564:109
· Ansa-Metallocene 559:65, 562:229, 564:109
· Ansa-Zirconocene 558:219, 561:37
· Anthracene 566:111
· Aryl-Isocyanide 559:91
· Backbone 569:159
· Binuclear-Complex 562:11
· Bivalent-Ytterbocene 568:33
· Butadiene 548:229, 552:195, 555:201
· Butyl-Isocyanate 569:147
· Butylphenoxide 569:89
· Catalysis 548:23, 548:229, 549:177, 551:159, 552:195, 553:173, 555:177, 555:201, 558:111, 558:171, 558:219, 558:231, 562:153, 562:203, 562:229, 566:9, 566:111, 568:87, 568:263, 569:147, 569:159
· Cation 551:159
· Chromium 553:477
· Cyclopentadienyl 549:177, 553:477
· Cyclopentadienyl-Free 569:89
· Cyclopentadienyl-Nickel 559:91
· Cyclopentadienylidene 568:87
· Diazadiene-Ligand 569:159
· Dibutylphenoxide 569:89
· Donor-Ligand 548:229
· Epimerization 558:219
· Epsilon-Caprolactone 569:147
· Ethene 549:177, 553:173
· Ethylene 552:313, 553:477, 554:195, 555:177, 558:111, 562:153, 562:229, 564:115, 566:111, 568:87, 568:263, 569:159
· Ethylene-Bridge 561:37
· Ethylene-Polymerization 564:109
· Ethylene-Propylene-Copolymerization 562:53
· Fluorenyl 564:115
· Fluorenylidene 568:87
· Fluorenylidene-Indenylidene-Complex 562:153
· German 564:143
· Group-4 564:109

· Hafnium 553:173, 558:111, 564:109
· Half-Metallocene 566:111
· Half-Sandwich-Complex 564:115
· Heterogeneous-Catalysis 553:205
· Hexyl-Isocyanate 569:147
· Hydridotris-Pyrazolyl-Borate 562:203
· Immobilization 562:153
· Indenyl 553:173, 558:171, 558:231, 559:65, 562:11, 564:109, 564:115
· Indenylidene-Cyclopentadienylidene 558:111
· Insertion 551:159
· Isomerism 558:171
· Isotactic 558:219
· Lanthanocene 566:9
· Metallation 569:89
· Metallocene 549:177, 551:159, 552:313, 553:173, 553:205, 558:111, 558:171, 558:219, 562:153, 568:87, 568:263
· Metathesis 562:203
· Methyl-Methacrylate 568:33, 569:147
· Micro-Gel 568:263
· Mononuclear-Complex 554:195
· Multiple-Insertion 559:91
· N-Donor-Ligand 564:115
· Neodymium 552:195
· Nickel-Acetylide 559:91
· Nickel-Alkyl-Complex 569:159
· Niobium 566:111
· NMR 555:201
· Norbornene 562:203
· Olefin 551:159, 553:205, 558:171, 559:65, 562:53
· Oligomerization 557:143
· Oligosiloxane 557:143
· Phenoxide 554:195
· Polyethylene 552:313, 568:87
· Polypropene 548:23
· Polypropylene 558:219, 568:87
· Polysiloxane 568:263
· Precatalyst 555:201
· Procatalyst 554:195
· Propene 548:23, 549:177
· Pseudo-C-S-Symmetry 561:37
· Rare-Earth-Metal 569:147
· Reactivity 564:143, 569:89
· Reductive-Carbonylation 569:159
· Ring-Opening 562:203
· Ruthenium 562:203
· Self-Immobilization 562:229
· Silica 568:263
· Siloxane 557:143
· Siloxy 558:171, 558:231, 559:65
· Silyl 568:87
· Stereospecificity 548:229, 555:201
· Structure-Activity-Relationship 555:201
· Styrene 562:11
· Syndiotactic-Polystyrene 558:231
· Tantalum 566:111
· Tetramethyl-Cyclopentadienyl 558:231
· Thioether 551:159
· Titanium 548:23, 558:231, 562:11, 564:109
· Trimethyl-Silylmethyl 569:89
· Triphenyl-Samarium 569:147
· Tungsten 564:143
· Vanadium 554:195, 562:53
· Vinylidene 562:203
· X-Ray 551:159, 555:177, 558:111, 564:143, 566:9, 569:159
· Xylylene 566:111
· Yttrium 569:89
· Zirconium 549:177, 551:159, 553:173, 553:205, 558:111, 558:171, 559:65, 562:153, 562:229, 564:109, 564:115, 566:111, 568:87
· Zirconocene 552:313, 555:177

**Polymerization**| Ethene-» 559:97
**Polymerization**| Ethylene-» 564:109
**Polymerization**| Metathetic-» 553:241
**Polymerization**| Olefin-»
· Ansa-Metallocene 568:127
· Ansa-Zirconocene 560:47
· Catalysis 560:47, 568:127
· di-tert-Butyl-Cyclopentadienyl 560:47
· Hafnium 568:127
· Hexene 560:47
· High-Pressure 560:47
· PPh-Bridge 568:127
· Zirconium 568:127

**Polymerization**| Propylene-» 559:149
**Polymetal-Complex** 564:71
**Polymetallic-Reagent** 567:181
**Polymethylene-Bridge** 557:259
**Polynuclear-Complex**
· Alkylidyne 555:89
· Alkyne 555:89
· Backbone 569:195
· Butadiynediyl 565:49
· Carbonyl 555:89
· Cluster-Compound 565:49
· Cobalt 555:89
· Conjugated-Pyridine 564:257
· Dendrimer 569:195
· Dicarbide 565:49
· Dinuclear-Complex 555:89
· Ethynediyl 565:49
· Ethynyl 565:49
· Heterotetrametallics 555:89
· Heterotrimetallics 555:89
· Iron 565:49
· Molybdenum 555:89
· Platinum-Acetylide 569:195
· Polyynediyl 565:49
· Rearrangement 555:89

**Polypropene** 548:23
**Polypropylene**
· Alkenyl 568:87
· Ansa-Zirconocene 558:219
· Catalysis 558:219, 568:87
· Cyclopentadienylidene 568:87
· Epimerization 558:219
· Ethylene 568:87
· Fluorenylidene 568:87
· Isotactic 558:219
· Metallocene 558:219, 568:87
· Polyethylene 568:87
· Polymerization 558:219, 568:87
· Silyl 568:87
· Zirconium 568:87

**Polypyrrole** 567:219
**Polysilane**
· Catalysis 568:253
· Dehydropolymerisation 568:253
· Dendrimer 554:113
· Direct-MO-Dynamics 555:161
· Inadequate 554:113
· Metallocene 568:253
· Molybdenum 555:161
· NMR 554:113
· Photochemistry 555:161
· Titanocene 568:253
· Triplet-State 555:161
· Zirconocene 568:253

**Polysiloxane** 568:263
**Polystyrene** 550:283
**Polyynediyl** 565:49
**Porphyrin-Silyl** 568:257
**Potassium** 558:193
**Potentiometric-Titration** 568:143
**PPh-Bridge** 568:127
**Praseodymium**
· Conformation 564:167
· Indenyl 549:95, 549:203, 564:167
· Lanthanide 549:95
· Lanthanoid 549:203, 564:167
· Lanthanum 549:95, 549:203, 564:167
· Neodymium 549:203, 564:167
· NIR-Vis-Spectroscopy 564:167
· NMR 549:203, 564:167
· Samarium 564:167
· Solid-State 564:167
· Solution-NMR 549:203
· Tetrahydrofuran-Adduct 549:203
· X-Ray 549:95

**Prazepam** 553:405
**Precatalyst** 555:201
**Procatalyst** 554:195
**Propargyl-Alcohol** 564:57
**Propargyl-Amine** 555:113
**Propeller-Conformation** 568:21
**Propene**
· Acenaphthyl 549:177
· Catalysis 548:23, 549:177
· Cyclopentadienyl 549:177
· Ethene 549:177
· Metallocene 549:177
· Polymerization 548:23, 549:177
· Polypropene 548:23
· Titanium 548:23
· Zirconium 549:177

**Protein** 568:171
**Proton-Sponge** 549:233
**Proton-Transfer** 568:165
**Protonation**
· Alkene-Rhodium 558:123
· Alkyl-Rhodium 558:123
· Amido-Complex 548:309
· Azavinylidene 548:255, 554:117
· Carbonyl 548:255, 554:117
· Cluster 554:117
· Diphenylphosphine 548:255
· EHMO-Calculation 554:117
· Electrocatalysis 548:309
· Electroreduction 548:309
· Imido-Complex 548:309
· Niobium 548:309
· Reduction 548:309
· Ruthenium 548:255, 554:117
· Trinuclear-Cluster 548:255

**Pseudo-C-S-Symmetry** 561:37
**Pudovik-Reaction** 550:29
**Pyrazine** 557:243
**Pyrazolate**
· Binuclear-Complex 551:55, 558:131
· Bridging-Phosphine-Ligand 558:131
· Copper 558:131
· Iron-Carbonylate-Anion 558:131
· Pentamethyl-Cyclopentadienyl 551:55
· Rhodium 551:55
· Thiolate 551:55

**Pyrazolato-Ligand** 561:227
**Pyrazole** 555:293
**Pyrazolone**| Acyl-»
· Iridium 557:187
· NMR 557:187
· Tin 557:187
· Triphenyl-Antimony 560:95
· X-Ray 560:95

**Pyrazolyl** 549:167
**Pyrazolylborate**
· Carbonyl 560:1
· Dithio-Ligand 560:1
· Mercury 552:31
· Tetrahedral-Coordination 552:31
· Tungsten 560:1
· X-Ray 552:31

**Pyrazyne** 559:37
**Pyridine**
· Alkyne 557:251
· Alkyne-Cyclotrimerization 551:37
· Amine 557:251
· Aniline 557:251
· Arene 551:37
· Beta-Diketone 568:165
· Catalysis 549:319
· Cation 555:135
· Charge-Transfer 568:165
· Chirality 548:17
· Cleavage 555:135, 557:251
· Copper 557:251
· Cyclooctadiene 551:37
· Dinuclear-Complex 557:251
· Electron-Transfer 555:135
· EPR-Spectra 555:135
· Ferrocenylacetylacetone 568:165
· Halogeno-Complex 557:251
· Ir-C-Bond 555:135
· Lewis-Base 557:251
· Ligand-Exchange 568:165
· Main-Group 549:319
· Methyltrioxo-Rhenium 549:319
· Nitrosyl 555:135
· Olefin 549:319
· P-N-Chelating-Ligand 548:17
· Phosphacymantrene 548:17
· Phosphaferrocene 548:17
· Phosphole-(1,5)-Shift 548:17

· Photochemistry 568:165
· Proton-Transfer 568:165
· Pyridyl 548:17
· Quinoline 548:17
· Ruthenium 551:37
· Stoichiometry 551:37
· Transition-Metal 549:319
**Pyridine**| Conjugated-» 564:257
**Pyridine**| Diphenyl-Phosphino-» 559:31
**Pyridine-Substituted-Alkyl** 564:193
**Pyridine-Thiolato** 559:197
**Pyridinethiolate** 561:13
**Pyridinium-Ylide-Complex** 567:119
**Pyridyl**
· Bidentate-Ligand 564:29
· Bite-Angle 564:29
· Chirality 548:17
· Nitrogen 564:29
· Norbornane 564:29
· P-N-Chelating-Ligand 548:17
· Phosphacymantrene 548:17
· Phosphaferrocene 548:17
· Phosphole-(1,5)-Shift 548:17
· Pyridine 548:17
· Quinoline 548:17
**Pyridyl-Acetylide** 563:137
**Pyridyl-Amide** 550:453
**Pyridyl-Phosphine** 554:181
**Pyrolysis** 564:47
**Pyrone**| Alpha-» 549:49
**Pyrrole** 552:247
**Pyrrolidine** 567:31
**Pyrrolizine** 556:145
**Quantum-Chemical-Calculation** 561:203
**Quasi-Dianion-Complex** 566:143
**Quinoline** 548:17
**Quinoline**| Methyl-» 568:133
**Quinone**
· Hydroquinone 553:483
· Iridium 553:483
· Oxidation 563:1
· Pentamethyl-Cyclopentadienyl 553:483
· Ruthenium 563:1
· Semiquinone 553:483
· X-Ray 553:483
**Quinuclidinone** 559:43
**Racemic-Complex** 553:507
**Racemic-Ligand** 564:155
**Radical**
· Absorption-Spectra 558:35
· Amide-Polymer 554:19
· Cobalt 548:109
· Cyclopentadienyl-Ring 548:109
· Dithiadiazolyl 550:241
· Heterocyclic-Chelator 550:241
· Laser-Induced-Decomposition 566:263
· Metal-Metal-Bond 554:19
· Model 554:19
· Nitrogen 550:241
· Perfluoroalkyl-Iodide 548:109
· Photochemistry 554:19
· Polymer 554:19
· Scrambling 566:263
· Selective-Fluoroalkylation 548:109
· Silacyclobutane 566:263
· Silene 566:263
· Silicon 558:35
· Sulfur 550:241
**Radical**| Acyl-» 548:105
**Radical**| Metal-» 554:13
**Radical-Chain-Mechanism** 557:163
**Radical-Chain-Reaction** 556:141
**Radical-Coupling** 563:219
**Radiochromatographic-Method** 549:45
**Radiotransition** 550:423
**Raman-Spectra**
· Density-Functional 566:225
· Dicyclopentadienyl-Zinc 553:59
· Iron 566:225
· Matrix-Isolation 566:225
· Photochemistry 566:225
· Ruthenium-Azide-Complex 559:165
· Silyl-Metal-Complex 566:225
· Vibrational-Frequency 553:59
· ZINDO-Calculation 559:165
**Rare-Earth-Metal** 569:147
**Reaction-Behavior**
· Chlorosilane 556:67, 563:61
· Lithium 556:67
· Pentacoordination 563:61
· Silane 556:67
· Silyl 556:67
**Reaction-Chemistry** 565:165
**Reactive-Intermediate** 561:19
**Reactivity**
· (3+2)-Cycloaddition 568:247
· 4-Component-Reaction 552:17
· Acetylpyrazolonato 566:187
· Alkyl-Halide 567:39
· Alkyl-Titanium 564:93
· Alkylidene 564:85, 564:277
· Alkylidyne 548:195
· Alkyne 553:31, 564:143
· Allyl 550:267
· Allylic-Halide 567:39
· Amide 548:9
· Amido-Silyl-Cyclopentadienyl 564:93
· Amido-Titanium 564:93
· Antibiotics 552:17
· Arsane 568:247
· Azavinylidene 564:201
· Basicity 564:125
· Benzylic-Halide 567:39
· Beta-Lactam 552:17
· Binuclear-Complex 568:13
· Boron 568:149
· Butylphenoxide 569:89
· Carbonyl 551:375, 557:13, 564:133, 566:211
· Carborane 561:13
· Catalysis 566:259
· Cation 548:9
· Chiral-Thiolate 551:375
· Cluster 563:113, 564:133, 564:201
· Cluster-Complex 568:157
· Cluster-Fragmentation 557:131
· Cobaltocene 563:113
· Coordinated-Ligand 555:247
· Copper 553:31
· Cyclometallated-Complex 556:31
· Cyclometallated-Ligand 561:67
· Cyclometallation 552:23, 563:179
· Cyclopentadienyl 548:157, 561:85, 564:277, 568:157
· Cyclopentadienyl-Free 569:89
· Cyclopropene 564:85
· Dibutylphenoxide 569:89
· Diiodo-Samarium 567:39
· Dimer 557:13
· Diphenylphosphine 563:113
· Diphosphine 551:375
· Dithiolate 551:375
· Dynamic-NMR 557:13
· Electrochemistry 552:17, 563:179
· Ether-Phosphine-Ligand 555:247
· Ferracyclopentadiene-Ring 555:113
· Ferrocene 561:85, 563:113
· Ferrocenecarboxaldehyde 553:463
· Ferrocenylalkyl-Isocyanide 552:17
· Ferrocenylamine 564:125
· Formato-Complex 566:203
· Functionalized-Cyclopentadienyl 549:139
· German 564:143
· Gold 552:17, 561:13
· Group-13 563:87
· Group-6 548:157, 548:195, 561:85
· Heteronuclear-Cluster 557:131
· Hydrogenation 564:201
· Imido-Complex 564:85, 564:277
· Insertion 549:167, 568:247
· Ionic-Complex 551:375
· Iridium 568:149
· Iron 549:139, 555:113, 556:89, 568:247
· Macrocycle 568:149
· Mechanism 553:31
· Metal-Centered-Radical 557:13
· Metallation 569:89
· Metallo-Phosphane 568:247
· Metallo-Silane 566:259
· Metallo-Silanol 566:259
· Metallo-Siloxane 566:259
· Metathesis 568:13
· Methyl-Vinyl-Ketone 566:211
· Molybdenum 548:157, 550:267, 553:317, 564:85, 566:211, 568:157
· Mononuclear-Complex 568:13
· N-Donor 566:187
· N-Donor-Ligand 563:179
· Naphthalene 556:89
· Nido-Carborane 568:149
· Niobocene 566:203
· Nitrogen 564:93
· Nitrosyl 548:157
· O-Donor 566:187
· Olefin 566:211
· Osmium 564:133
· Oxazolidinone 553:463
· Oxo-Complex 564:85, 566:203
· Oxofunctionalization 566:259
· p-Cymene-Ruthenium 568:13
· P-Donor 566:187
· Palladium 552:23, 556:31, 557:131
· Palladium-Alkyl-Complex 549:167
· Pd-C-Sigma-Bond 549:167
· pH-Function 568:247
· Phosphametallacycle 568:247
· Phosphine 548:195, 556:31, 561:85
· Phosphorus-Ylide 561:67
· Photochemistry 557:13
· Planar-Chirality 553:463
· Platinum 561:67, 563:179, 564:125
· Poly-Pyrazolyl-Borate 552:23
· Polymerization 564:143, 569:89
· Propargyl-Amine 555:113
· Pyrazolyl 549:167
· Pyridinethiolate 561:13
· Redox 564:125
· Reduction 556:89
· Rhodium 551:375, 566:187, 568:149
· Ruthenium 555:247, 557:13, 563:113, 564:201, 568:157
· Ruthenium-Arene-Complex 568:13
· Saltren 563:87
· Silver 561:13
· Silyl 553:317
· Single-Source-Precursor 553:317
· Sodium-Naphthalene 556:89
· Stereoselectivity 548:157
· Stibane 568:247
· Sulfur 568:149
· Tertiary-Silane 564:201
· Tertiary-Stannane 564:201
· Tetrahydropyran 567:39
· Tetramethyl-Thiourea 564:133
· Thioether 561:85, 568:149
· Titanocene 553:31
· Tolyl-Phosphine 552:23
· Transition-Metal 566:259
· Transition-Metal-Carbonyl 568:157
· Tridentate-Ligand 548:195
· Triethoxy-Silyl-Alkane 562:79
· Triethoxy-Silyl-Carbanion 562:79
· Triethoxy-Silyl-Ketene 562:79
· Trimethyl-Silylmethyl 569:89
· Triphos 548:195
· Tripodal-Ligand 549:139
· Tungsten 553:317, 564:85, 564:143, 564:277, 566:259, 568:157
· Unsaturated-Amide 566:211
· Unsaturated-Ester 566:211
· Uranium 548:9
· X-Ray 548:157, 550:267, 553:317, 564:85, 564:93, 564:143, 564:201
· Yttrium 569:89
**Rearrangement**
· Alkylidyne 555:89
· Alkyne 549:199, 555:89
· Allyl-Propargyl-Ether 549:199
· Carbonyl 549:199, 550:131, 555:89
· Catalysis 558:19

· Cobalt 549:199, 555:89
· Dilithioalkene 566:143
· Dinuclear-Complex 555:89
· Distannoxane 558:19
· Gold 550:131
· Heterobimetallic-Cluster 550:131
· Heterotetrametallics 555:89
· Heterotrimetallics 555:89
· Lithiation 566:143
· Lithium-Perchlorate 549:199
· Molybdenum 555:89
· Multinuclear-NMR 558:19
· Osmium 550:131
· Phosphine 550:131
· Polynuclear-Complex 555:89
· Quasi-Dianion-Complex 566:143
· Silyl-Ether 553:481
· Silyl-Migration 553:481
· Silylacetylenic-Alcohol 553:481
· Tetrabutyl-Stannoxane 558:19
· Tin 558:19
· X-Ray 550:131
**Redox**
· Alkylidene-Bridge 563:161
· Anisotropic-ESR-Spectrum 565:19
· Basicity 564:125
· Bipyridine 566:151
· Catalysis 569:225
· Cleavage 563:161
· Cobalt 563:161
· Copper 561:209
· Cyclic-Voltammetry 563:161
· Cycloheptatrienyl 566:151
· Diazabutadiene 566:151
· Disproportionation 563:219
· Electrochemistry 563:161
· Electron-Donor 569:225
· Ferrocene 561:209, 569:225
· Ferrocenylamine 564:125
· Formyl-Pentamethyl-Cobaltocene 563:219
· Metalla-Dithiolene 563:161
· Methano(10)-Annulene 569:225
· Moiety 563:161
· Molybdenum 566:151
· Palladium 569:225
· Phosphite 565:19
· Platinum 564:125
· Radical-Coupling 563:219
· Reactivity 564:125
· Rhodium 563:161
· Schiff-Base 561:209
· Silver 561:209
· Spectroelectrochemistry 554:29
· Tridentate-Ligand 554:29
· Voltammetry 565:19
· X-Ray 561:209, 563:161, 563:219
**Reduction**
· Alcohol 567:75
· Amido-Complex 548:309
· Arene 551:93, 553:253
· Arene-Chromium 559:131
· Asymmetric-Hydride-Transfer 567:133
· Aza-Ligand 567:133
· C-C-Bond-Activation 560:69
· C-H-Bond-Activation 560:69
· Carbonyl 548:285
· Catalysis 553:269, 567:133
· Chiral-Complex 567:75
· Cyclic-Voltammetry 551:93
· Cyclopentadienyl 551:93, 553:253
· Deuteration 548:285
· Diastereoselectivity 567:75
· Electrocatalysis 548:309
· Electrochemistry 553:253
· Electron-Transfer 553:269
· Electroreduction 548:309
· Enantioselectivity 567:133
· Imido-Complex 548:309
· Indole 559:131
· Indoline 559:131
· Iridium 553:253
· Iron 548:285, 553:253, 553:269, 556:89
· Mechanism 567:133
· Metallocene 560:69
· Naphthalene 556:89
· Niobium 548:309
· Nitrogen 567:133
· Optically-Active 567:133
· Organorhodoxime 561:191
· Oxidation 553:253, 567:75
· Oxime-Imine-Moiety 561:191
· Protonation 548:309
· Reactivity 556:89
· Rhenium 567:75
· Rhodium 561:191
· Ruthenium 551:93
· Sandwich-Complex 551:93
· Secondary-Amine 553:253
· Sodium-Cyanoborohydride 559:131
· Sodium-Naphthalene 556:89
· Substitution 553:269, 567:133
· Theoretical-Calculation 567:133
· Thermodynamics 553:269
· Triphenyl-Phosphine 553:269
· Wittig-Reaction 567:75
· Zirconium 560:69
**Regioselectivity**
· 3-Membered-Ring-Opening 566:175
· Addition 551:151, 564:1
· Alcohol 564:57
· Alkylation 566:175
· Allylic-Alcohol 549:305
· Bridged-Ligand 563:7
· C-F-Bond-Activation 558:209
· C-H-Bond-Activation 558:209
· Carbenoid 566:175
· Carbocation 566:175
· Carboxylic-Acid 551:151
· Catalysis 548:279, 551:151, 564:1, 564:57
· Chiral-at-Metal-Complex 558:209
· Chirality 565:115
· Cycloadduct 566:175
· Cyclopentadienyl 563:7, 567:57
· Cyclopropane 566:175
· Cyclopropene 566:175
· Deuterioformylation 548:279
· Diastereoselectivity 565:115
· Dienone 567:57
· Diphosphine 551:165
· Ferrocene 565:115, 566:175
· Fluorenyl 563:7
· Germyl-Selenide 564:1
· Heteroatom 564:1
· Hydroformylation 548:279, 551:165
· Indium 549:305
· Intramolecular-Hydrosilylation 564:57
· Iridium 567:57
· Iron 565:115
· Isomerization 551:165
· Naphthalene 566:175
· Nucleophilic-Ortho-Functionalization 567:57
· Olefin 551:165
· Oxo-Dienyl 567:57
· Palladium 564:1
· Pentadienyl-System 549:305
· Pentenynyl-System 549:305
· Platinum 551:165, 564:57
· Propargyl-Alcohol 564:57
· Rhodium 548:279, 558:209
· Ruthenium 551:151
· Silicon 564:57
· Silyl-Germane 564:1
· Silyl-Selenide 564:1
· Stereoselectivity 564:1
· Tin 551:165
· Titanium 563:7
· Triple-Bond 551:151
· Vinylpyrrole 548:279
· X-Ray 565:115, 566:175
**Reversible**
· Acetylide 565:3
· Cyclopentadienyl-Nickel 564:37
· Heterometallic-Cluster 565:3
· Organochalcogenide 564:37
· Ruthenium 565:3, 569:61
· Sulfur-Dioxide 564:37
· Transfer-Reaction 569:61
· Tungsten 565:3
**Rhenium**
· Acyl-Gold 553:497
· Alcohol 567:75
· Alkene 558:51
· Alkyne-Coupling 556:207
· Allyl 563:147
· Amino-Acid 552:237
· Bimetallic-Complex 552:91
· Binuclear-Complex 560:117
· Bioctahedron-Complex 558:81
· Calorimetry 554:123
· Carbonyl 548:121, 552:237, 554:123, 555:285, 556:207, 558:81, 568:213
· Carbonyl-Substitution 556:111
· Carbonylmetallate 556:141
· Chiral-Complex 567:75
· Cobalt 554:123
· Copper 558:51
· CVD-Process 553:443
· Cyanide-Bridge 560:117
· Cyclometallation 552:237
· Cyclopentadienyl 556:111
· Diastereoselectivity 567:75
· Dinuclear-Complex 548:295
· Electron-Structure 556:207
· Fumarate 569:55
· Gas-Phase-Reaction 558:51
· Halogenopentacarbonyl-Metal-Moiety 549:295
· Halogenotrimethyl-Metal-Moiety 549:295
· Hydride 552:91
· Iron 560:117
· Isomerization 556:111
· Lewis-Acid 556:207
· Lithium-Organyl 558:81
· Main-Group 553:443
· Manganese 552:237, 554:123, 558:81, 563:147, 568:213
· Mass-Spectrometry 558:51
· Metal-Alkene-Complex 569:55
· Metal-Carbonyl-Radical 556:141
· Metal-Complex 552:237
· Metal-Metal-Bond 552:91
· Metal-Metal-Bond-Scission 569:55
· Molybdenum 558:51, 560:117
· Multinuclear-NMR 568:213
· NMR 549:295
· Nucleophile 558:81
· Nucleophilic-Vinylic-Substitution 556:141
· Olefin 558:51
· Oxidation 567:75
· Photochemistry 555:285
· Photoelectron-Spectroscopy 563:147
· Platinum 549:295
· Radical-Chain-Reaction 556:141
· Reduction 567:75
· Schiff-Base 552:237
· Selective-Attack-of-Nucleophile 553:497
· Selectivity 558:81
· Sodium-Reduction 548:121
· Solid-State 556:111
· Stibine 568:213
· Sulfide 555:285
· Technetium 558:51
· Tetramethyl-Cyclobutadiene 556:207
· Tetramethyl-Diamino-Carbene 555:285
· Tetramethyl-Thiourea 555:285
· Thermal-Decomposition 554:123
· Thermogravimetry 553:443
· Transition-Metal 553:443, 560:117
· Wittig-Reaction 567:75
· X-Ray 549:295, 568:213
· Zirconium 552:91
**Rhenium**| Methyltrioxo-»
· Catalysis 549:319, 555:293
· Main-Group 549:319
· Olefin 549:319
· Olefin-Epoxidation 555:293
· Pyrazole 555:293
· Pyridine 549:319
· Transition-Metal 549:319
**Rhenium-Dinitrogen-Complex** 569:3
**Rhenium-Enolate-Complex** 569:3
**Rhodathiaborane** 550:315
**Rhodium**
· 5-Coordinate-Hydride 565:217
· A-Frame-Complex 569:189
· Acetylenedicarboxylate 560:253
· Acetylpyrazolonato 566:187
· Acrylic-Acid 553:199
· Alkanethiol 551:195
· Alkene 560:217
· Alkylidene-Bridge 563:161

· Alkyne 554:155, 560:217, 565:11
· Allylic-Alkylation 567:219
· Amination 566:277
· Anti-Markovnikov-Reaction 566:277
· Arachno 550:151
· Arene 552:159
· Aroyl-Chloride 560:217
· Asymmetric-Transfer-Hydrogenation 553:199
· Benz[f]Indene 569:121
· Bidentate-Ligand 567:13
· Bimetallic-Complex 557:97
· Binuclear-Complex 551:55
· Borane 567:219
· Boron 568:149
· Bridging-Carbonato-Ligand 569:189
· Bridging-Hydrido-Ligand 569:189
· Butyl-Lithium 569:121
· C-C-Bond-Formation 554:155
· C-F-Bond-Activation 555:67, 558:209
· C-H-Bond-Activation 554:1, 554:41, 555:67, 558:209
· Carbonyl 551:375, 554:75, 569:121
· Carbonylation 551:229, 551:339, 553:473
· Catalysis 548:279, 551:49, 551:229, 552:159, 553:199, 553:473, 554:41, 559:123, 560:217, 560:253, 564:227, 566:277, 567:219
· Cation 560:253
· Cationic-Complex 559:23, 564:227, 566:277
· Chalcogenide 551:195
· Chiral-Annulated-Cyclopentadienyl 551:355
· Chiral-at-Metal-Complex 558:209
· Chiral-Diphosphine 553:199
· Chiral-Ligand 559:23
· Chiral-Thiolate 551:375
· Chirality 564:227
· Chromium 557:97
· Cis-Trans-Isomerism 551:339
· Cleavage 563:161
· Cluster-Compound 550:151
· CO-Pressure 554:41
· Cobalt 549:55, 563:161
· Conformational-Analysis 550:255
· Coupling-Reaction 567:219
· Cyanoethyl-Phosphine 550:255
· Cyclic-Voltammetry 563:161
· Cyclooctadiene 566:237
· Cyclopentadienyl 554:155
· Dehydrogenation 554:41
· Density-Functional 565:217
· Deuterioformylation 548:279
· Dialkyl 560:253
· Dialkyl-Sulfane 551:195
· Diisopropyl-Phosphino-Methane 569:189
· Dimerization 560:253
· Dimethoxyphenyl-Diphenyl-Phosphine 561:157
· Dinuclear-Complex 569:189
· Diphosphine 551:375, 567:219
· Disilane 560:217
· Dithioether 559:23
· Dithiolate 551:375
· Electrochemistry 563:161
· Enantioselective-Hydrogenation 564:227
· Excited-State 554:1
· Formate 553:199
· Fullerene 549:213
· Fused-Camphor-Derivative 551:355
· Gold 549:55
· Half-Sandwich-Complex 564:179
· Hemilabile-Ligand 567:13
· Hetero-Aromatic-Aldehyde 559:123
· Heteronuclear-Cluster 565:11
· Hydrido-Cluster 566:237
· Hydroformylation 548:279, 559:23, 567:13
· Hydrogenation 551:49, 552:159, 567:219
· Hydrosilylation 559:123
· Indacenyl-Ligand 557:97
· Indenyl 557:97
· Insertion 554:155
· Interstitial-Hydride-Cluster 565:217
· Ionic-Complex 551:375
· IR-Spectroscopy 554:75
· Iridium 549:117, 550:255, 551:339, 564:179, 568:149
· Iron 549:55
· Kinetics 551:49, 551:229, 551:339, 554:41
· Labeling-Study 553:473
· Macrocycle 568:149
· Matrix 554:75, 567:219
· Mechanism 551:339, 553:473
· Metalla-Dithiolene 563:161
· Metalla-Heteroborane 550:151
· Methanol 551:229
· Methylene 554:155
· Model 553:473
· Moiety 563:161
· Molybdenum 549:213
· Multinuclear-NMR 550:221
· N-Donor 566:187
· Nido-Carborane 568:149
· Non-A-Frame-Complex 569:189
· Nujol 554:75
· O-Donor 566:187
· Olefin 552:159, 566:277
· Optically-Active-Cluster 549:55
· Organorhodoxime 561:191
· Orthometallation 568:177
· Osmium 566:237
· Oxidation 566:277
· Oxime-Imine-Moiety 561:191
· P-Donor 566:187
· P-Ligand 564:227
· P-O-Chelating-Ligand 561:157
· Palladium 549:55, 550:255, 564:179, 565:11, 567:219
· Paramethoxyphenyl-Phosphine 568:177
· Pentamethyl-Cyclopentadienyl 549:117, 551:55, 561:157
· Pentanuclear-Heterotrimetallic-Cluster 549:55
· Phenylacetylene 551:49
· Phosphine 567:219
· Phosphonate 567:13
· Phosphorus 567:13
· Photochemistry 554:1, 554:41, 554:75
· Photophysics 554:1
· Platinum 550:151, 550:255
· Polydiphenylphosphite 549:213
· Polypyrrole 567:219
· Porphyrin-Silyl 568:257
· Pyrazolate 551:55
· Reactivity 551:375, 566:187, 568:149
· Redox 563:161
· Reduction 561:191
· Regioselectivity 548:279, 558:209
· Rh-103-NMR 551:81
· Ruthenium 549:213, 564:179
· Schiff-Base 564:179
· Silyl 551:81
· Stevens-Rearrangement 551:195
· Styrene 559:23
· Substitution 552:9
· Sulfur 552:9, 568:149
· Supported-Ligand 567:219
· Syn-and-Anti-Structure 557:97
· Te-125-NMR 555:279
· Telluraindane 555:279
· Terminal-Carbonyl-Ligand 554:75
· Thioether 568:149
· Thiolate 551:55
· Transition-Metal 559:123
· UV-Visible-Spectra 554:75
· Vinylpyrrole 548:279
· Wing-Tip-Butterfly-Structure 549:55
· X-Ray 549:55, 550:151, 552:159, 563:161

**Rhodium**| Alkene-» 558:123
**Rhodium**| Alkyl-» 558:123
**Rhodium**| Dicarbonyl-» 557:157
**Ring-Closing-Metathesis** 560:109
**Ring-Loss** 555:1
**Ring-Opening**
· (3+2)-Cycloaddition 568:241
· Arsane 568:241
· Carbene 553:241
· Carbyne 553:241
· Catalysis 553:241, 562:203
· Cyclopentadienyl 568:241
· Cyclopropene 559:1
· Ferrocene 559:1
· Hydridotris-Pyrazolyl-Borate 562:203
· Iron 559:1, 568:241
· Metallo-Phosphane 568:241
· Metathesis 562:203
· Metathetic-Polymerization 553:241
· Norbornene 562:203
· Oxo-Complex 553:241
· Phosphametallacycle 568:241
· Polymerization 562:203
· Ruthenium 562:203, 568:241
· Stibane 568:241
· Transition-Metal 568:241
· Tripodal-Ligand 553:241
· Tungsten 553:241
· Vinylidene 562:203
· X-Ray 559:1
· Zwitterion 559:1
**Ring-Opening**| 3-Membered-» 566:175
**Ruthenaboride** 550:309
**Ruthenacarborane** 562:17
**Ruthenium**
· (3+2)-Cycloaddition 568:241
· 47-Electron 568:63
· 5-Coordinate-Complex 565:243
· Acetylene 565:37
· Acetylide 549:127, 556:219, 565:3
· Acyl-Vinylidene 565:63
· Acylacetylide 565:63
· Addition 551:151
· Alkene 565:231, 569:71
· Alkenyl 569:71
· Alkenyl-Vinylidene 565:63
· Alkyne 549:263, 549:275, 552:109, 565:37, 565:63, 565:231
· Alkyne-Cyclotrimerization 551:37
· Alkynol 549:221
· Alkynyl 549:127, 563:137
· Allenylidene 549:221
· Allyl 557:213
· Allylidene-Derivative 568:63
· Amido-Complex 565:97
· Aminocarbyne 563:153
· Anthraquinone-Derivative 562:115
· Antimony 560:35
· Aqueous-Solution 561:227
· Arene 551:37, 551:93, 559:141, 560:35, 562:97, 566:165
· Arsane 568:241
· Arsine 560:35
· Aryl-Acetylide 549:127, 563:137
· Asymmetric-Transfer-Hydrogenation 568:77
· Azavinylidene 548:255, 554:117, 564:201
· B-Frame 550:341
· Benzyne 565:141
· Bidentate-Ligand 560:131
· Bimetallic-Complex 556:219
· Bimetallics 550:341
· BINAP 557:213
· Binaphthyl 568:77
· Bisphosphine-Ligand 565:105
· Boride-Cluster 565:105
· Boron 550:341
· Butatrienylidene 565:63
· C-C-Bond-Formation 563:153
· C-C-Coupling 549:275, 569:71
· C-H-Bond-Activation 561:175
· Carbide 565:259
· Carbon-Monoxide 565:141
· Carbonyl 548:255, 550:431, 551:27, 551:125, 551:235, 553:371, 553:453, 554:117, 554:129, 557:13, 563:227, 565:193
· Carbonyl-Cluster 561:97
· Carboxylic-Acid 551:151
· Carbyne 551:247, 563:153
· Catalysis 551:151, 551:349, 552:39, 557:207, 562:203, 566:165, 567:163, 568:77
· Cationic-Complex 560:131, 561:227, 565:97

· Chalcogenide 568:197
· Chiral-Complex 560:257, 563:173
· Chirality 559:157
· Chromium 551:247
· Cinnamaldehyde 557:207
· Citral 557:207
· Clay 551:349
· Cleavage 559:31
· Closo-Ruxcy-Polyhedral-Framework 550:431
· Cluster 549:263, 549:275, 551:235, 552:109, 553:371, 553:453, 554:117, 558:197, 563:113, 564:201, 565:193, 565:267, 565:279
· Cluster-Complex 559:157, 568:157
· Cobalt 554:129
· Cobaltocene 563:113
· Cocrystallization 557:213
· Coordinated-Ligand 555:247
· Coupling-of-Diyne 558:197
· Cyanide 568:1
· Cyclic-Voltammetry 551:93, 561:175, 561:181, 568:63
· Cyclooctadiene 551:37
· Cyclopentadienyl 549:127, 551:93, 565:37, 568:157, 568:241
· Dicarbido-Cluster 561:97
· Dicarbon-Ligand 551:235
· Dihydrogen 551:21
· Dihydrogen-Complex 565:37
· Dimer 557:13
· Dimerization 552:109, 561:181
· Diphenyl-Phosphino-Pyridine 559:31
· Diphenyl-Phosphinomethyl-Biphenyl 557:207
· Diphenylphosphine 548:255, 563:113
· Dithiacyclohexane 553:453
· Dynamic-Kinetic-Resolution 567:163
· Dynamic-NMR 557:13
· EHMO-Calculation 554:117
· Electrochemistry 559:141, 562:115, 565:193, 565:243, 568:63
· Electron-Count 550:341
· Electronic-Absorption-Spectra 563:209
· Enantioselectivity 560:257, 567:163
· Epoxide 551:349
· Ether-Phosphine-Ligand 555:247
· Ethynyl 565:279
· Ferrocene 563:113, 565:243
· Ferrocenyl 556:55
· Fluorenyl 556:219
· Fullerene 549:213, 562:115
· Geometry 551:235
· Gold 565:105
· Group-8 565:37
· Half-Sandwich-Complex 562:97, 564:179
· Heterocycle 561:227
· Heteroligand 553:453
· Heterometallic-Cluster 565:3
· Hexamethylbenzene 561:227, 565:97
· Hydrazine 565:97
· Hydride 561:227
· Hydride-Complex 560:35, 565:37
· Hydridotris-Pyrazolyl-Borate 562:203
· Hydrogenation 551:349, 557:207, 564:201, 566:165, 567:163
· Hyperpolarizability 549:127, 563:137
· Indenyl 569:99
· Insertion 565:267
· Interstitial-Phosphido 565:193
· Iridium 564:179
· Iron 551:235, 563:23, 563:209, 563:227, 568:1, 568:197, 568:241
· Isopropylphosphine 565:141
· Lead 568:1
· Lewis-Acid 559:31
· Magic-Angle-Spinning 568:1
· Melamine 553:307
· Mercury 563:23
· Metal-Centered-Radical 557:13
· Metal-Cluster 551:125, 568:63
· Metal-Complex 563:227, 565:37
· Metal-Metal-Bond 559:31
· Metalla-Carborane 551:27
· Metallo-Alkyne 565:259
· Metallo-Carborane 556:55
· Metallo-Phosphane 568:241
· Metathesis 562:203
· Methyl-Acrylate 561:175
· Methylene 569:71
· Molybdenum 549:213, 568:157, 568:197
· Monodentate-Ligand 560:131
· Mononuclear-Complex 560:131, 563:227
· Multi-Cluster 553:307
· Multidentate-Ligand 563:227
· Naphthyl 551:247
· Nido-and-Closo-Geometry 550:341
· NMR 563:227
· Nonlinear-Optics 549:127, 563:137, 568:197
· Norbornene 562:203
· Olefin 563:227
· Organometallic-Cluster 550:431
· Osmium 551:125, 551:247, 556:219, 559:31, 563:23, 565:231, 568:197
· Oxidation 563:1, 568:63
· P-31-Solid-State-NMR 565:193
· Palladium 564:179
· Pentadienyl-Derivative 563:209
· Pentanuclear-Cluster 565:259
· Phosphametallacycle 568:241
· Phosphane 563:227
· Phosphido-Bridged 553:371
· Phosphine 549:127, 549:221, 552:39, 559:141, 560:35, 560:257, 565:243, 566:165
· Phosphino-Amine 560:131
· Phosphole 560:257
· Phosphorus 560:131
· Photochemistry 557:13, 562:97
· Platinum 556:219
· Polydiphenylphosphite 549:213
· Polymer 556:219, 568:1
· Polymerization 562:203
· Protonation 548:255, 554:117
· Pyrazolato-Ligand 561:227
· Pyridine 551:37
· Pyridyl-Acetylide 563:137
· Quinone 563:1
· Reactivity 555:247, 557:13, 563:113, 564:201, 568:157
· Reduction 551:93
· Regioselectivity 551:151
· Reversible 565:3, 569:61
· Rhodium 549:213, 564:179
· Ring-Opening 562:203, 568:241
· Rydberg-Transition 563:209
· Sandwich-Complex 551:93, 562:97
· Schiff-Base 564:179
· Silsesquioxane 551:125
· Silyl-Enol-Ether 552:39
· Single-Crystal 559:157
· Solid-State-NMR 568:1
· Square-Antiprism 565:193
· Stibane 568:241
· Stibine 560:35, 565:231
· Stoichiometry 551:37
· Styrene 566:165
· Substitution 553:453, 561:97
· Sulfonamide 568:77
· Sulfone 551:349
· Sulfur 554:129
· Susceptibility 549:127
· Systematic-Synthesis 563:23
· Tertiary-Silane 564:201
· Tertiary-Stannane 564:201
· Tetrahedral-Cluster 568:197
· Thienyl-Phosphine 553:453
· Thiol-Functionality 551:125
· Thiolato-Ligand 569:99
· Transfer-Reaction 569:61
· Transition-Metal 559:157, 560:131, 560:257, 563:173, 568:241
· Transition-Metal-Carbonyl 568:157
· Triazolato-Ligand 561:227
· Trigonal-Prism 551:235
· Trimethyl-Silyl-Hexa-Triyne 565:279
· Trinuclear-Cluster 548:255, 554:129, 559:31, 569:99
· Triphenyl-Arsine 565:267
· Triple-Bond 551:151
· Tungsten 565:3, 568:157
· Vibrational-Spectroscopy 568:1
· Vinyl 549:263
· Vinylidene 549:221, 562:203
· Voltammetry 565:193
· X-Ray 549:127, 551:27, 553:307, 553:371, 557:213, 559:157, 561:97, 563:137, 563:227, 564:201, 565:63, 565:105, 565:141, 565:193, 565:231, 565:259, 565:267, 569:99

**Ruthenium**| Arene-» 560:223
**Ruthenium**| Dichloro-Arene-» 569:29
**Ruthenium**| p-Cymene-» 568:13
**Ruthenium-Alkyne-Complex** 569:29
**Ruthenium-Arene-Complex** 568:13
**Ruthenium-Azide-Complex** 559:165
**Ruthenium-Bypyridine-Complex** 552:205
**Ruthenium-Carbene** 558:163
**Ruthenium-Diphosphine-Complex** 556:151
**Ruthenium-dpmf-Complex** 560:223
**Ruthenium-dppf-Complex** 560:223
**Ruthenium-Hydride-Complex** 553:157
**Ruthenium-Vinylidene-Complex** 553:417
**Ruthenocene**
· Cyclopentadienyl 565:283
· Metallocene 549:13
· Mixed-Valence 549:13
· X-Ray 549:13
**Ruthenocenyl** 569:169
**Rydberg-Transition** 563:209
**Sakurai-Reaction** 553:67
**Salicylaldimine** 559:55
**Salicylate** 560:233
**Saltren** 563:87
**Samarium**
· Arene-Thiolato 559:197
· Cerium 553:393
· Chiral-Complex 562:255
· Conformation 564:167
· Cyclooctatetraene 559:197
· Cyclooctatetraenyl 549:101, 553:393
· Diaryl-Disulfide 559:197
· Diazadiene-Ligand 549:101
· Dynamics 553:503
· Fulvalene 553:503
· Holmium 562:255
· Indenyl 564:167
· Lanthanide 549:1, 549:101, 553:393, 553:503
· Lanthanidocene 562:255
· Lanthanoid 564:167
· Lanthanum 564:167
· Lutetium 562:255
· Mononuclear-Complex 559:197
· Neodymium 553:393, 562:255, 564:167
· NIR-Vis-Spectroscopy 564:167
· NMR 564:167
· Pi-Complex 553:503
· Praseodymium 564:167
· Pyridine-Thiolato 559:197
· Scandium 562:255
· Solid-State 564:167
· Tetrahydrofuran 549:1
· Transition-Metal 549:101, 553:393
· Trimethyl-Silyl-Aza-Allyl 549:1
· Triple-Decker-Sandwich-Complex 553:393
· X-Ray 549:1, 562:255
· Ytterbium 549:1, 549:101, 553:503

**Samarium**| Diiodo-» 567:39
**Samarium**| Triphenyl-» 569:147
**Sandwich-Complex**
· Arene 551:93, 562:97
· Chromium 548:177

· Cyclic-Voltammetry 551:93
· Cyclopentadienyl 551:93
· Fluorene 548:177
· Half-Sandwich-Complex 562:97
· Metal-Vapor-Synthesis 548:177
· Molybdenum 548:177
· Photochemistry 562:97
· Reduction 551:93
· Ruthenium 551:93, 562:97
· Titanium 548:177
· Tungsten 548:177
**Sandwich-Complex**| Bent-» 559:181
**Sandwich-Complex**| Triple-Decker-» 553:393
**Scandium** 562:255
**Schiff-Base**
· Amino-Acid 552:237
· Bibracchial 550:7
· C-2-Symmetry 553:179
· C-C-Bond-Formation 548:139
· Carbonyl 552:237
· Chirality 548:139
· Copper 550:7, 559:55, 561:209
· Cyclometallation 552:237, 555:81
· Cyclopentadienyl-Lanthanide 553:179
· Dinuclear-Complex 550:7
· Ferrocene 561:209
· Half-Sandwich-Complex 564:179
· Hydrogen-Transfer 548:139
· Iridium 564:179
· Lewis-Acid 559:55
· Liquid-Crystal 555:81
· Macrocycle 550:7
· Manganese 551:271, 552:237
· Mesogenism 555:81
· Metal-Complex 552:237
· Metallated-Compound 566:93
· Metallo-Mesogen 551:271
· Mössbauer-Spectroscopy 559:55
· Neodymocene 548:139
· Nickel 559:55
· Palladium 555:81, 564:179
· Platinum 566:93
· Redox 561:209
· Rhenium 552:237
· Rhodium 564:179
· Ruthenium 564:179
· Salicylaldimine 559:55
· Silver 561:209
· Tetradentate-Ligand 553:179
· Tetraimine 550:7
· Thiophene 550:7
· Tin 559:55
· Transition-Metal 559:55
· X-Ray 550:7, 561:209
· Ytterbium 553:179
· Zinc 559:55
**Schwartz's-Reagent** 550:469
**Scrambling** 566:263
**Second-Sphere-Coordination** 565:179
**Secondary-Amine** 553:253
**Selectivity** 558:81
**Selenium**
· Carbene 566:159
· Chromium 564:71, 566:159
· Cluster 566:159
· Fischer-Complex 566:159
· Iron 566:159
· Molybdenum 564:71
· Niobocene 564:71
· Polymetal-Complex 564:71
· Sulfur 564:71
· Tetrathio-Metalates 564:71
· Thermolysis 566:159
· X-Ray 566:159
**Selenolate** 565:135
**Self-Assembly**
· Cyclometallated-Fragment 548:45
· Desulfurization 560:169
· Dimethylbenzylamine 560:169
· Electrospray-Mass-Spectrometry 560:169
· Gold 560:169
· Mesophase 551:299
· Metallo-Mesogen 551:299
· Nickel 551:299
· Nonametallic-Aggregate 560:169
· Organosiloxane 551:299
· Palladium 548:45
· Silver 560:169
· Sulfide 560:169
· Thermooptical-Property 551:299
· Thiourea 560:169
**Self-Immobilization** 562:229
**Semicarbazone** 556:21
**Semiconductor** 558:147
**Semiquinone** 553:483
**Sigma*-Pi*-Conjugation** 559:73
**Sigmatropic-Shift** 557:117
**Sila-Bridged-Complex** 553:149
**Silacyclobutane** 566:263
**Silacyclopentene** 563:53
**Silane**
· Allyl 553:67
· Catalysis 553:67
· Chlorosilane 556:67
· Cycloaddition 553:67
· Electrophilic-Substitution 568:233
· Ene-Reaction 553:67
· Germane 568:21
· Lewis-Acid 553:67
· Lithium 556:67
· Mesityl-Group 568:21
· Metallocene-Reaction 553:67
· Pentafluorophenyl 568:233
· Propeller-Conformation 568:21
· Reaction-Behavior 556:67
· Sakurai-Reaction 553:67
· Silyl 556:67
· Stannane 553:67
· Steric-Congestion 568:21
**Silane**| Acyl-» 567:181
**Silane**| Metallo-» 566:259
**Silane**| Methylchloro-» 552:99
**Silane**| Tertiary-» 564:201
**Silane**| Trialkoxy-» 553:193
**Silane**| Triethyl-» 554:135
**Silanol**| Metallo-» 566:259
**Silanone** 566:45
**Silanorbornadiene** 566:73
**Silanorbornene** 566:85
**Silatrane** 548:149
**Silene**
· Laser-Induced-Decomposition 566:263
· Photochemistry 561:19
· Radical 566:263
· Reactive-Intermediate 561:19
· Scrambling 566:263
· Silacyclobutane 566:263
· Vinyldisilane 561:19
**Silica**
· Alane 550:283
· Alkali-Metal 550:283
· Alumina 550:283
· Catalysis 568:263
· Ethylene 568:263
· Gallane 550:283
· Hybrid 548:99
· Lithium-Reagent 550:283
· Metallocene 568:263
· Micro-Gel 568:263
· Naphthalenide 550:283
· Polymer 550:283
· Polymerization 568:263
· Polysiloxane 568:263
· Polystyrene 550:283
· Sodium-Reagent 550:283
· Titania 550:283
**Silica-Xerogel** 557:121
**Silicon**
· Absorption-Spectra 558:35
· Alcohol 564:57
· Alkyne 562:207
· Boron 562:207
· Catalysis 564:57
· Dimetallatriptycene 550:347
· Dimethylaminomethyl-Ferrocenyl 554:139
· Fluorine 553:111
· Germanium 550:347
· Group-14 550:347
· Intramolecular-Hydrosilylation 564:57
· Iron 554:139
· Lithium 556:145
· Mössbauer-Spectroscopy 554:139
· NMR 553:111, 562:207
· Organoboration 562:207
· Ortho-Phenylene-Magnesium 550:347
· Pentalene 562:207
· Platinum 564:57
· Propargyl-Alcohol 564:57
· Pyrrolizine 556:145
· Radical 558:35
· Regioselectivity 564:57
· Thallium 556:145
· Through-Space-Coupling 553:111
· Tin 550:347, 556:145
· X-Ray 553:111
**Silicon**| Hypervalent-» 558:227
**Silicon-Compound**| Transition-Metal-» 552:213
**Silicon-Hydride** 548:105
**Silicon-Hydride**| Hypervalent-» 561:131
**Silole**
· Ab-Initio 559:73
· Conducting-Polymer 553:487
· Electron-Structure 559:73
· Organosilicon-Polymer 553:487
· Sigma*-Pi*-Conjugation 559:73
· Substituent-Effect 559:73
· UV-Absorption-Spectra 559:73
**Siloxane** 557:143
**Siloxane**| Metalla-» 553:23
**Siloxane**| Metallo-» 566:259
**Siloxane**| Oligophenyl-Metalla-» 562:141
**Siloxy**
· Ansa-Metallocene 558:181, 559:65
· Catalysis 558:171, 558:231
· Ethylene-Bridge 558:181
· Indenyl 558:171, 558:181, 558:231, 559:65
· Isomerism 558:171
· Metallocene 558:171
· Olefin 558:171, 559:65
· Polymerization 558:171, 558:231, 559:65
· Syndiotactic-Polystyrene 558:231
· Tetramethyl-Cyclopentadienyl 558:231
· Titanium 558:231
· Zirconium 558:171, 558:181, 559:65
**Siloxy**| Triisopropyl-» 555:127
**Silsesquioxane**
· Carbonyl 551:125
· Metal-Cluster 551:125
· Octasilsesquioxane 565:159
· Osmium 551:125
· Ruthenium 551:125
· Thiol-Functionality 551:125
· X-Ray 565:159
**Silver**
· Alkyne 563:235
· Carborane 561:13
· Catalysis 567:173
· Cluster 569:109
· Copper 555:167, 561:209, 563:235, 569:109
· Coupling-Reaction 567:173
· Cycloalkyne 563:235
· Desulfurization 560:169
· Deuterobenzene-Pi-Coordination 550:59
· Dimethylbenzylamine 560:169
· Electrospray-Mass-Spectrometry 560:169
· Enyne 567:173
· Epoxide 567:173
· Ferrocene 555:167, 561:209
· Ferrocenyl 569:169
· Gold 560:169, 561:13, 569:109
· Hexafluoroacetyl 563:235
· Nonametallic-Aggregate 560:169
· Osmium 563:235
· Palladium 555:167, 567:173, 569:109
· Platinum 555:167
· Pyridinethiolate 561:13
· Reactivity 561:13
· Redox 561:209
· Ruthenocenyl 569:169
· Schiff-Base 561:209
· Self-Assembly 560:169
· Sulfide 560:169
· Sulfido-Complex 569:109
· Thia-Macrocycle 555:167
· Thiourea 560:169
· Titanium-Tweezer 569:169
· Titanocene 569:169
· Transition-Metal 555:167
· Tungsten 569:109
· Vinyl-Triflate 567:173
· X-Ray 561:209, 563:235

**Silver-Oxide** 556:75
**Silyl**
· Alkali-Metal 550:397
· Alkenyl 568:87
· C-H-Bond-Activation 553:1
· Catalysis 568:87
· Chlorosilane 556:67
· Cyclopentadiene 550:397
· Cyclopentadienylidene 568:87
· Dimerization 566:251
· Diyne 566:251
· Elimination 553:1
· Ethylene 568:87
· Fluorenylidene 568:87
· Iridium 553:1
· Lithium 556:67
· Metallocene 568:87
· Migration 553:1
· Molybdenum 553:317
· NMR 550:397
· Oxidative-Addition 548:57
· Platinum 548:57
· Polyethylene 568:87
· Polymerization 568:87
· Polypropylene 568:87
· Reaction-Behavior 556:67
· Reactivity 553:317
· Rh-103-NMR 551:81
· Rhodium 551:81
· Silane 556:67
· Single-Source-Precursor 553:317
· Thermal-Reactions 553:1
· Tin 548:57
· Transition-Metal 548:57
· Trimethyl-Silylmethyl 550:397
· Tungsten 553:317
· X-Ray 548:57, 553:317
· Zirconium 568:87
**Silyl**| Dichloro-Methyl-» 551:293
**Silyl**| Trimethyl-» 549:239
**Silyl-Alkane**| Triethoxy-» 562:79
**Silyl-Aza-Allyl**| Trimethyl-» 549:1
**Silyl-Carbanion**| Triethoxy-» 562:79
**Silyl-Enol-Ether** 552:39
**Silyl-Ether** 553:481
**Silyl-Germane** 564:1
**Silyl-Hexa-Triyne**| Trimethyl-» 565:279
**Silyl-Ketene**| Triethoxy-» 562:79
**Silyl-Metal-Complex** 566:225
**Silyl-Methyl**| Trimethyl-» 564:215
**Silyl-Migration** 553:481
**Silyl-Selenide** 564:1
**Silyl-Tetramethyl**| Trimethyl-» 552:75
**Silylacetylenic-Alcohol** 553:481
**Silylamido** 552:285
**Silylation** 548:131
**Silylation**| Trimethyl-»
· Acetylenic-Alcohol 553:129
· Acetylenic-Glycol 553:129
· Macrocycle 562:141
· Oligophenyl-Metalla-Siloxane 562:141
· Organosiloxane 562:141
· Single-Crystal 562:141
· Stereoregular 562:141
· X-Ray 562:141
**Silylcarbonylation** 548:105
**Silylcarboxonium-Ion** 550:119
**Silylene**| Aminomethyl-» 561:121
**Silylimine**| Trimethyl-» 548:269
**Silylium-Group** 549:45
**Silylmethyl**| Trimethyl-»
· Alkali-Metal 550:397
· Butylphenoxide 569:89
· Cyclopentadiene 550:397
· Cyclopentadienyl-Free 569:89
· Dibutylphenoxide 569:89
· Metallation 569:89
· NMR 550:397
· Polymerization 569:89
· Reactivity 569:89
· Silyl 550:397
· Yttrium 569:89
**Single-Crystal**
· 12-Nuclear-Cluster 566:15
· Carbonyl 566:15
· Chirality 559:157
· Cluster-Complex 559:157
· Ferrocene 564:249
· Gold-Transition-Metal-Bond 564:249
· Homogeneous-Catalysis 557:169
· Iridium 564:249
· Iron 557:169
· Macrocycle 562:141
· NMR 557:169
· Oligophenyl-Metalla-Siloxane 562:141
· Organosiloxane 562:141
· Palladium 566:15
· Phosphine 566:15
· Platinum-Diphosphine-Complex 557:169
· Ruthenium 559:157
· Stereoregular 562:141
· Transition-Metal 559:157
· Triclinic-Crystal 557:169
· Trimethyl-Silylation 562:141
· X-Ray 557:169, 559:157, 562:141, 564:249, 566:15
**Single-Source-Precursor** 553:317
**Slip-Distortion** 562:105
**Sodium** 553:23
**Sodium-Cyanoborohydride** 559:131
**Sodium-Naphthalene** 556:89
**Sodium-Reagent** 550:283
**Sodium-Reduction** 548:121
**Sodium-Solvation**| Ether-Dependent-» 548:115
**Sol-Gel-Chemistry** 557:121
**Solid-Carbon-Dioxide** 552:63
**Solid-State**
· Carbonyl-Substitution 556:111
· Conformation 564:167
· Cyclopentadienyl 556:111
· Indenyl 564:167
· Isomerization 556:111
· Lanthanoid 564:167
· Lanthanum 564:167
· MAS-NMR 550:89
· Mercury 550:89
· Neodymium 564:167
· NIR-Vis-Spectroscopy 564:167
· NMR 564:167
· Praseodymium 564:167
· Rhenium 556:111
· Samarium 564:167
· Sn-119-NMR 552:177
· Stannoxane 552:177
· Tin 552:177
· Vibrational-Spectroscopy 550:89
**Solid-State-Conductivity** 558:147
**Solid-State-Synthesis** 568:287
**Solvent-Effect** 559:173
**Spectroelectrochemistry** 554:29
**Spectroscopy** 548:191
**Square-Antiprism** 565:193
**Stability-Constant** 568:143
**Stannane** 553:67
**Stannane**| Tertiary-» 564:201
**Stannoxane** 552:177
**Stannoxane**| Tetrabutyl-» 558:19
**Stannyl**| Tributyl-» 552:145
**Stannylene**
· Germylene 561:167
· Heteroleptic-Species 561:167
· Iron 560:125
· Manganese 560:125
· Plumbylene 561:167
· Tin 561:167
**Star-Type-Compound** 562:217
**Stereochemistry**
· Addition 567:157
· Allyl-Iron 554:167
· Amino-Metalladiene 556:119
· Arylation 567:157
· Carbene 556:119
· Catalysis 567:157
· Chiral-Complex 554:167
· Chiral-Ligand 561:199
· Chromium 556:119
· Diels-Alder-Reaction 566:85
· Enamine 556:119
· EXSY-NMR 555:35
· Ferrocene 561:199
· Fluxionality 555:35
· Grignard-Reagent 567:157
· High-Pressure 566:85
· Imine 555:35
· Nickel 567:157
· Nitrosyl 554:167
· Palladium 567:157
· Phenylimino-Ethyl-Pyridine 555:35
· Planar-Chirality 554:167
· Platinum 555:35
· Silanorbornene 566:85
· Thiourea 561:199
· Transition-Metal 555:35, 556:119, 561:199
· Tungsten 556:119
· Unsaturated-Glycoside 567:157
· X-Ray 561:199, 566:85
**Stereomutation** 548:29
**Stereoregular** 562:141
**Stereoselective-Crystallization** 550:463
**Stereoselectivity**
· Ab-Initio 548:185
· Acyl-Silane 567:181
· Addition 564:1
· Aminoacetal 567:21
· Beta-Tributylstannyl-Acrolein 567:21
· Carbonyl 560:197
· Catalysis 564:1
· Chemioselectivity 567:181
· Chromium 560:197
· Cyclometallation 564:61
· Cyclopentadienyl 548:157
· Diene 564:61
· Diphosphine 564:61
· Diyne 564:61
· Gamma-Aminoallyl-Tin 567:21
· Germyl-Selenide 564:1
· Group-6 548:157
· Hetero(Si,Ge,P)Cyclopentane 564:61
· Heteroatom 564:1
· Lithiation 548:185
· Molybdenum 548:157
· Nitrosyl 548:157
· Palladium 564:1
· Phosphine 564:61
· Polymetallic-Reagent 567:181
· Reactivity 548:157
· Regioselectivity 564:1
· Silyl-Germane 564:1
· Silyl-Selenide 564:1
· Vinyl-Tin 567:21
· X-Ray 548:157
· Zirconocene 564:61
**Stereospecificity**
· Allyl-Lanthanum 548:229, 555:201
· Butadiene 548:229, 555:201
· Catalysis 548:229, 555:201
· Donor-Ligand 548:229
· NMR 555:201
· Polymerization 548:229, 555:201
· Precatalyst 555:201
· Structure-Activity-Relationship 555:201
**Steric-Congestion** 568:21
**Steric-Protection** 553:135
**Sterically-Hindered-Diol** 562:3
**Stevens-Rearrangement** 551:195
**Stibane**
· (3+2)-Cycloaddition 568:241, 568:247
· Arsane 568:241, 568:247
· Cyclopentadienyl 568:241
· Insertion 568:247
· Iron 568:241, 568:247
· Metallo-Phosphane 568:241, 568:247
· pH-Function 568:247
· Phosphametallacycle 568:241, 568:247
· Reactivity 568:247
· Ring-Opening 568:241
· Ruthenium 568:241
· Transition-Metal 568:241
**Stibenylazobenzene** 558:91
**Stibine**
· Alkene 565:231
· Alkyne 565:231
· Antimony 560:35
· Arene 560:35
· Arsine 560:35
· Carbonyl 568:213
· Hydride-Complex 560:35
· Manganese 568:213
· Multinuclear-NMR 568:213
· Osmium 565:231
· Phosphine 560:35
· Rhenium 568:213
· Ruthenium 560:35, 565:231
· X-Ray 565:231, 568:213

**Stoichiometry**
· Actinide 559:209
· Alkyne-Cyclotrimerization 551:37
· Arene 551:37
· Crystal-Field-Parameter 559:209
· Cyclooctadiene 551:37
· Cyclooctatetraenyl 559:209
· Electron-Structure 559:209
· Half-Sandwich-Complex 559:209
· Lanthanide 559:209
· Model 559:209
· Optical-Spectra 559:209
· Pyridine 551:37
· Ruthenium 551:37
**Structural-Analysis** 553:285
**Structural-Chemistry** 561:29
**Structure**| Electron-»
· Ab-Initio 559:73
· Actinide 559:209
· Alkyne-Coupling 556:207
· Carbonyl 556:207
· Crystal-Field-Parameter 559:209
· Cyclooctatetraenyl 559:209
· Half-Sandwich-Complex 559:209
· Heteroallyl 566:125
· Lanthanide 559:209, 566:125
· Lewis-Acid 556:207
· Metallocene 569:177
· Model 559:209
· Optical-Spectra 559:209
· Rhenium 556:207
· Sigma*-Pi*-Conjugation 559:73
· Silole 559:73
· Stoichiometry 559:209
· Substituent-Effect 559:73
· Superconductors 569:177
· Tetramethyl-Cyclobutadiene 556:207
· UV-Absorption-Spectra 559:73
**Structure**| Electronic-and-Geometric-» 556:11
**Structure**| Solution-»
· H-1,Li-6-HOESY-NMR 550:359, 550:381
· Ion-Pair-Equilibria 550:359, 550:381
· Phenylthio-Benzyl-Lithium 550:359, 550:381
· Polyamine 550:359
· Polyether-Ligand 550:381
· Tetrahydrofuran 550:359, 550:381
**Structure**| Syn-and-Anti-» 557:97
**Structure**| Trigonal-Bipyramidal-» 548:29
**Structure**| Wing-Tip-Butterfly-» 549:55
**Structure-Activity-Relationship** 555:201
**Styrene**
· Allyl 552:187
· Aminophosphine 563:37
· Arene 566:165
· Asymmetric-Hydrovinylation 552:187
· Binuclear-Complex 562:11
· Carbonylation 563:37
· Catalysis 566:165
· Cationic-Complex 552:187, 559:23
· Chiral-Ligand 552:187, 559:23
· Codimerization 552:187
· Cyclopentadienyl 558:163
· Cyclopropanation 558:163
· Diazo-Ester 558:163
· Dithioether 559:23
· Ethylene 552:187
· Ferrocene 563:37
· Homologation 558:163
· Hydroformylation 559:23, 563:37
· Hydrogenation 566:165
· Indenyl 562:11
· Insertion 558:163
· NMR 563:37
· Olefin-Chelate 558:163
· Palladium 552:187, 563:37
· Phosphine 563:37, 566:165
· Platinum 563:37
· Polymerization 562:11
· Rhodium 559:23
· Ruthenium 566:165
· Ruthenium-Carbene 558:163
· Titanium 562:11
· Transition-Metal 563:37
· Vinyl 558:163
**Substituent-Effect** 559:73
**Substitution**
· Asymmetric-Hydride-Transfer 567:133
· Aza-Ligand 567:133
· Bimetallic-Complex 562:89
· Carbon-Monoxide 563:31
· Carbonyl 553:453, 555:25, 559:81, 563:201
· Carbonyl-Cluster 561:97
· Catalysis 553:269, 567:133
· Cluster 553:453, 555:25, 559:81
· Cyclopentadienyl 555:25
· Desulfurization 563:201
· Dicarbido-Cluster 561:97
· Disproportionation 562:89
· Dithiacyclohexane 553:453
· Electron-Transfer 553:269, 563:31
· Enantioselectivity 567:133
· Group-6 562:89
· Heteroligand 553:453
· Iridium 555:25
· Iron 553:269, 563:201
· Mechanism 548:191, 567:133
· Molybdenum 562:89
· Nitrogen 567:133
· Optically-Active 567:133
· Osmium 559:81
· Phosphine 559:81, 562:89, 563:201
· Phosphite 555:25
· Photochemistry 562:89
· Reduction 553:269, 567:133
· Rhodium 552:9
· Ruthenium 553:453, 561:97
· Spectroscopy 548:191
· Sulfur 552:9
· Theoretical-Calculation 567:133
· Thermodynamics 553:269
· Thiazolide-Ligand 559:81
· Thienyl-Phosphine 553:453
· Thiocarbonyl 563:201
· Tin 563:31
· Tributyltin-Lithium 563:31
· Trimethyl-Phosphine 548:191
· Triphenyl-Phosphine 553:269
· Tungsten 548:191, 555:25
· X-Ray 555:25, 561:97
**Sulfane**| Dialkyl-» 551:195
**Sulfanilamide** 568:171
**Sulfide**
· Carbonyl 555:285
· Desulfurization 560:169
· Dimethylbenzylamine 560:169
· Electrospray-Mass-Spectrometry 560:169
· Gold 560:169
· Nonametallic-Aggregate 560:169
· Photochemistry 555:285
· Rhenium 555:285
· Self-Assembly 560:169
· Silver 560:169
· Tetramethyl-Diamino-Carbene 555:285
· Tetramethyl-Thiourea 555:285
· Thiourea 560:169
**Sulfido-Complex** 569:109
**Sulfido-Ligand** 558:71
**Sulfonamide**
· Acylation 568:171
· Asymmetric-Transfer-Hydrogenation 568:77
· Binaphthyl 568:77
· Carbodiimide 568:171
· Carbonyl 568:171
· Catalysis 568:77
· Cyclopentadienyl 568:171
· Dimesityl-Germylidene 548:123
· Germa-Imine 548:123
· Germanium–Nitrogen-Double-Bond 548:123
· Iron 568:171
· N-Acylation 568:171
· Protein 568:171
· Ruthenium 568:77
· Sulfanilamide 568:171
**Sulfonates** 550:1
**Sulfone**
· Addition 555:227
· Catalysis 551:349
· Clay 551:349
· Diene 555:227
· Epoxide 551:349
· Hydrogenation 551:349
· Iron 555:227
· Ruthenium 551:349
· Tricarbonyl-Cyclohexadiene 555:227
**Sulfonic-Acid**| Trifluormethane-» 548:131
**Sulfonylcarbamate** 563:81
**Sulfonylurea** 563:81
**Sulfur**
· Boron 568:149
· Carbonyl 554:129
· Carbyne 563:191
· Cationic-Complex 563:191
· Chalcogen 557:221
· Chromium 564:71
· Cluster 557:221
· Cobalt 554:129
· Dithiadiazolyl 550:241
· Heterocyclic-Chelator 550:241
· Hydride 557:221
· Iridium 568:149
· Iron 557:221
· Macrocycle 568:149
· Molybdenum 557:221, 563:191, 564:71
· Nido-Carborane 568:149
· Niobocene 564:71
· Nitrogen 550:241, 563:191
· Palladium 552:277
· Phosphorus 563:191
· Photoluminescence 563:191
· Polymetal-Complex 564:71
· Radical 550:241
· Reactivity 568:149
· Rhodium 552:9, 568:149
· Ruthenium 554:129
· Selenium 564:71
· Substitution 552:9
· Tellurium 557:221
· Tetranuclear-Cation 552:277
· Tetrathio-Metalates 564:71
· Thioether 568:149
· Thiolato 557:221
· Trinuclear-Cluster 554:129
· Tripodal-Ligand 563:191
· Tungsten 563:191
**Sulfur-Dioxide** 564:37
**Sulfur-Oxygen-Ligand** 553:83
**Superconductors** 569:177
**Supermesitylphosphaalkyne** 553:511
**Supported-Ligand** 567:219
**Supramolecular**| Metallo-» 550:193
**Supramolecular-Compound** 556:1
**Surface-Chemistry** 554:63
**Susceptibility** 549:127
**Syndiotactic-Polystyrene** 558:231
**Synthesis**| Systematic-» 563:23
**Tandem-Reaction** 567:31
**Tantalacarborane** 550:469
**Tantalum**
· Anthracene 557:3, 566:111
· Beta-Elimination 563:15
· Carbonyl 562:61
· Catalysis 566:111
· Cyclooctatetraene 557:3
· Cyclopentadienyl 554:185, 557:77
· Cyclopentadienyl-Analog 548:1
· Dialkyl 563:15
· Ethylene 566:111
· Half-Metallocene 566:111
· Half-Sandwich-Complex 557:3
· Hydridotributyl-Tin 553:397
· Imido-Complex 563:15
· Iminoacyl 563:15
· Insertion 563:15
· Matrix 557:77
· Niobium 557:3, 557:77, 562:61, 566:111
· Nitrogen-Ligand 562:61
· Nujol 557:77
· Organodimetallics 553:397
· Pentamethyl-Cyclopentadienyl 563:15
· Peralkyl-Cyclopentadienyl 553:397
· Photochemistry 557:77
· Polymerization 566:111
· X-Ray 554:185, 563:15
· Xylylene 557:3, 566:111
· Zirconium 566:111

**Tautomerism** 548:131
**TCNE** 558:1
**Technetium** 558:51
**Telluraindane** 555:279
**Telluride**| Aryl-» 552:145
**Tellurium**
· Chalcogen 557:221
· Cluster 557:221
· Hydride 557:221
· Iron 557:221, 561:221
· Molybdenum 557:221
· Mössbauer-Spectroscopy 561:221
· Phenylazophenyl 549:257
· Sulfur 557:221
· Thiolato 557:221
**Tellurium**| Alkyl-» 562:127
**Tellurium**| Aryl-» 562:127
**Telomerization**| Butadiene-» 569:203
**Terminal-Carbonyl-Ligand** 554:75
**Tetraborane-Carbonyl** 550:207
**Tetradentate-Ligand** 553:179
**Tetrahedral-Coordination** 552:31
**Tetrahydrofuran**
· H-1,Li-6-HOESY-NMR 550:359, 550:381
· Ion-Pair-Equilibria 550:359, 550:381
· Lanthanide 549:1
· Phenylthio-Benzyl-Lithium 550:359, 550:381
· Polyamine 550:359
· Polyether-Ligand 550:381
· Samarium 549:1
· Solution-Structure 550:359, 550:381
· Trimethyl-Silyl-Aza-Allyl 549:1
· X-Ray 549:1
· Ytterbium 549:1
**Tetrahydrofuran-Adduct** 549:203
**Tetrahydroindenyl** 566:287
**Tetrahydropyran** 567:39
**Tetrahydropyrimidine** 561:7
**Tetraimine** 550:7
**Tetramethyl-Diarsine-Disulfide** 549:187
**Tetranuclear-Cation** 552:277
**Tetranuclear-Complex** 556:159
**Tetranuclear-Compound** 553:379
**Tetraorganylsilane** 548:29
**Tetrathio-Metalates** 564:71
**Tetrazolate-Ligand** 563:101
**Thallium** 556:145
**Theoretical-Calculation** 567:133
**Thermal-Properties** 564:47
**Thermal-Reactions** 553:1
**Thermodynamics** 553:269
**Thermogravimetry** 553:443
**Thermolysis**
· Aminogallane 549:31
· Carbene 566:159
· Chromium 566:159
· Cluster 566:159
· Fischer-Complex 566:159
· Gallium 549:31
· Iron 566:159
· Selenium 566:159
· X-Ray 566:159
**Thermooptical-Property** 551:299
**Thermotropic** 548:49
**Thiazolide-Ligand** 559:81
**Thienyl-Phosphine** 553:453
**Thienylene** 566:133
**Thin-Film**
· Amorphous 554:63
· Azide 548:73
· Indium 548:73
· Iron 554:63
· Photochemistry 554:63
· Surface-Chemistry 554:63
**Thio-Ligand** 564:189
**Thioalkenyl** 556:189
**Thioalkyne** 556:189
**Thiocarbonyl** 563:201
**Thiocarboxylate** 556:197
**Thioether** 548:263
· Boron 568:149
· Catalysis 551:159
· Cation 551:159
· Cyclopentadienyl 561:85
· Ferrocene 561:85
· Group-6 561:85
· Insertion 551:159
· Iridium 568:149
· Macrocycle 568:149
· Metallocene 551:159
· Nido-Carborane 568:149
· Olefin 551:159
· Phosphine 561:85
· Polymerization 551:159
· Reactivity 561:85, 568:149
· Rhodium 568:149
· Sulfur 568:149
· X-Ray 551:159
· Zirconium 551:159
**Thioethercarboxylates** 553:83
**Thiol-Functionality** 551:125
**Thiolate**
· Binuclear-Complex 551:55
· Carborane 561:1
· Cyclopentane 565:135
· Dichalcogenide 565:135
· Gold 561:1
· Luminescence 548:289
· Oxidation 565:135
· Oxophosphoryl-Cyclopentadienyl 560:27
· Palladium 565:135
· Pentamethyl-Cyclopentadienyl 551:55
· Platinum 565:135
· Pyrazolate 551:55
· Reductive-Elimination 565:135
· Rhodium 551:55
· Selenolate 565:135
· Thiophosphoryl-Cyclopentadienyl 560:27
· Tin 565:135
· Titanium 560:27
· Zirconocene 548:289
**Thiolato** 557:221
**Thiolato-Bridge** 560:245
**Thiolato-Ligand** 569:99
**Thiolato-Metal** 548:223
**Thiophene**
· Bibracchial 550:7
· Bimetallic-Complex 566:133
· Carbene 566:133
· Carborane 562:105
· Chromium 566:133
· Copper 550:7
· Decomposition 566:133
· Dinuclear-Complex 550:7, 566:133
· Macrocycle 550:7
· Manganese 566:133
· Metalla-Carbaborane 562:105
· Palladium 562:105
· Platinum 562:105
· Polyhedral-Rearrangement 562:105
· Schiff-Base 550:7
· Slip-Distortion 562:105
· Tetraimine 550:7
· Thienylene 566:133
· X-Ray 550:7, 562:105
**Thiophene-Acetonitrile-Complex** 560:191
**Thiosalicylate** 560:233
**Thiourea**
· Chiral-Ligand 561:199
· Desulfurization 560:169
· Dimethylbenzylamine 560:169
· Electrospray-Mass-Spectrometry 560:169
· Ferrocene 561:199
· Gold 560:169
· Nonametallic-Aggregate 560:169
· Self-Assembly 560:169
· Silver 560:169
· Stereochemistry 561:199
· Sulfide 560:169
· Transition-Metal 561:199
· X-Ray 561:199
**Thiourea**| Tetramethyl-»
· Carbonyl 555:285, 564:133
· Cluster 564:133
· Osmium 564:133
· Photochemistry 555:285
· Reactivity 564:133
· Rhenium 555:285
· Sulfide 555:285
· Tetramethyl-Diamino-Carbene 555:285
**Through-Space-Coupling** 553:111
**Time-Dependent-Theory** 554:87
**Tin**
· Absorption-Spectra 562:217
· Acyl-Pyrazolone 557:187
· Amine 550:71
· Anil 564:233
· Asymmetric-Induction 555:151
· Bidentate-Ligand 553:345
· Carbon-Monoxide 563:31
· Catalysis 558:19
· Chromium 562:217
· Copper 556:1, 559:55
· Cubane 550:71
· Cyanide 556:1
· Cyclopentane 565:135
· Dichalcogenide 565:135
· Dimetallatriptycene 550:347
· Diphosphine 551:165
· Distannoxane 558:19, 561:143
· Disubstituted-Propenoate 555:151
· Electron-Transfer 563:31
· Ferrocene 564:233
· Germanium 550:347
· Germylene 561:167
· Group-14 550:71, 550:347
· Heteroleptic-Species 561:167
· Hydroformylation 551:165
· Iridium 557:187
· Isomerization 551:165
· Lewis-Acid 559:55
· Lithium 550:71, 556:145
· Mercury 564:233
· Metallocene 550:71
· Methoxyquinoline 561:143
· Methyl-Imidazole-Derivative 553:345
· Multinuclear-NMR 558:19
· Mössbauer-Spectroscopy 559:55
· N-Donor-Ligand 553:345
· Nano-Building-Block 567:137
· Nickel 559:55
· NMR 557:187
· Octahedral-Environment 556:105
· Olefin 551:165
· Ortho-Phenylene-Magnesium 550:347
· Oxidation 565:135
· Oxidative-Addition 548:57
· Oxo-Hydroxo-Organotin-Cluster 567:137
· Palladium 565:135
· Pi-System 562:217
· Platinum 548:57, 551:165, 565:135
· Plumbylene 561:167
· Pyrrolizine 556:145
· Radical-Addition 555:151
· Rearrangement 558:19
· Reductive-Elimination 565:135
· Regioselectivity 551:165
· Salicylaldimine 559:55
· Schiff-Base 559:55
· Selenolate 565:135
· Silicon 550:347, 556:145
· Silyl 548:57
· Sn-119-NMR 552:177, 562:217, 567:137
· Solid-State 552:177
· Stannoxane 552:177
· Stannylene 561:167
· Star-Type-Compound 562:217
· Substitution 563:31
· Supramolecular-Compound 556:1
· Tetrabutyl-Stannoxane 558:19
· Thallium 556:145
· Thiolate 565:135
· Transition-Metal 548:57, 559:55
· Transmetallation 564:233
· Tributyltin-Lithium 563:31
· Trigonal-Planar-Coordination 562:217
· Trimethyl-Silyl-Methyl 564:215
· Trisyl 564:215
· Trypanocide 556:105
· X-Ray 548:57, 556:105, 564:233
· Zinc 559:55
**Tin**| Butyl-» 566:103
**Tin**| Dialkyl-» 556:41
**Tin**| Gamma-Aminoallyl-» 567:21
**Tin**| Hexaphenyl-» 550:165
**Tin**| Hydridotributyl-» 553:397
**Tin**| Vinyl-» 567:21
**Tin-Hydride**| Trialkyl-» 567:25
**Tinkertoy** 548:83

**Titania** 550:283
**Titanium**
· Ab-Initio 555:101
· Acetamidinate 564:209
· Agostic-Bond 555:101
· Alkoxide 550:473
· Amidosilyl 551:293
· Amino-Silyl-Cyclopentadienyl 564:109
· Ansa-Bridged 551:133
· Ansa-Metallocene 564:109, 568:41
· Benzamidinate 564:209
· Binuclear-Complex 562:11, 564:209
· Bridged-Ligand 563:7
· C-2-Symmetry 568:41
· Carbene 553:427
· Carboxylate 550:1
· Catalysis 548:23, 558:231
· Charge-Density 555:101
· Chiral-Complex 549:251
· Chromium 548:177, 553:427
· Cyclopentadienyl 551:133, 551:293, 552:75, 555:49, 563:7
· Cyclopentadienyl-Imido-Complex 564:209
· Derivative 555:49
· Dichloro-Methyl-Silyl 551:293
· Donor-Ligand 549:251
· ESR-Spectra 552:75
· Ethylene-Polymerization 564:109
· Fluorene 548:177
· Fluorenyl 563:7
· Functionalized-Cyclopentadienyl 549:251
· Group-4 550:1, 564:109
· Hafnium 555:49, 564:109
· Half-Sandwich-Complex 564:209
· Imido-Complex 551:133
· Indenyl 558:231, 562:11, 564:109, 568:41
· Intermolecular-Coupling 553:427
· Metal-Vapor-Synthesis 548:177
· Molybdenum 548:177, 551:133
· Niobium 550:473
· Organophosphonate 550:473
· Oxophosphoryl-Cyclopentadienyl 560:27
· Palladium-Coupling 568:41
· Phosphinate 550:1
· Polymerization 548:23, 558:231, 562:11, 564:109
· Polypropene 548:23
· Propene 548:23
· Regioselectivity 563:7
· Sandwich-Complex 548:177
· Siloxy 558:231
· Styrene 562:11
· Sulfonamido-Cyclopentadiene 553:387
· Sulfonates 550:1
· Syndiotactic-Polystyrene 558:231
· Tetrachloro-Aluminate 552:75
· Tetramethyl-Cyclopentadienyl 558:231
· Thiolate 560:27
· Thiophosphoryl-Cyclopentadienyl 560:27
· Topological-Analysis 555:101
· Transition-Metal 550:1
· Trimethyl-Silyl-Tetramethyl 552:75
· Tungsten 548:177
· Vinylidine 553:427
· X-Ray 553:387, 555:49, 564:209
· Zirconium 549:251, 550:1, 551:133, 555:49, 564:109, 568:41
**Titanium| Alkyl-»** 564:93
**Titanium| Amido-»** 564:93
**Titanium-Tweezer** 569:169
**Titanocene**
· Alkyne 553:31
· Antitumor-Drug 565:29
· Bipyridine 551:207
· C-C-Coupling 567:151
· Catalysis 568:253
· Chiral 555:5
· Chiral-Phosphite 553:277
· Copper 553:31
· Cycloaddition 567:151
· Cyclopentadienyl 551:207, 555:5
· Dehydropolymerisation 568:253
· Ferrocenyl 569:169
· Hydrolysis 565:29
· Mechanism 553:31
· Metallocene 568:253
· Methyl-Cyclopentadienyl 565:29
· NMR 553:277, 565:29
· Nucleotide-Binding 565:29
· Phosphinine 567:151
· Phosphorus-Heterocycle 567:151
· Polysilane 568:253
· Reactivity 553:31
· Ruthenocenyl 569:169
· Silver 569:169
· Titanium-Tweezer 569:169
· Triplet-State 551:207
· Zirconocene 555:5, 567:151, 568:253
**TMS-Shift** 549:39
**Tolyl-Indene** 559:149
**Tolyl-Phosphine** 552:23
**Topological-Analysis** 555:101
**Total-Orbital-Energy** 550:141
**Transesterification**
· Alkoxycarbonyl 562:183
· Fullerenol 553:193
· Iron 562:183
· Phosphane 562:183
· Trialkoxy-Silane 553:193
**Transfer-Reaction** 569:61
**Transinfluence** 561:7
**Transition-Metal**
· (3+2)-Cycloaddition 564:189, 568:241
· (4+2)Annulation 549:311
· Absolute-Configuration 556:129
· Addition 558:91
· Alkenyl-Imine 549:311
· Alkyne-Insertion 558:91
· Alkynyl-Carbene 549:311
· Amino-Metalladiene 556:119
· Aminophosphine 563:37
· Arsane 568:241
· Aryl-Imine 549:311
· Bidentate-Ligand 560:131
· Binuclear-Complex 560:117
· Butyl-Cyclopentanienyl 564:189
· Carbene 548:91, 556:119
· Carbohydrate 548:91
· Carbonyl 556:129, 557:29
· Carbonylation 563:37
· Carboxylate 550:1
· Catalysis 549:319, 553:285, 558:91, 559:123, 566:259
· Cationic-Complex 560:131
· Cerium 553:393
· Chemical-Reactivity 557:29
· Chiral-Complex 560:257, 563:173
· Chiral-Ligand 561:199
· Chirality 556:129, 558:213, 559:157
· Chirality-Transfer 553:285
· Chromium 549:311, 556:119, 558:213
· Cluster-Complex 559:157
· Cobalt 556:129, 558:91
· Conformation 548:91
· Conformational-Analysis 553:285
· Copper 555:167, 558:213, 559:55
· CVD-Process 553:443
· Cyanide-Bridge 560:117
· Cyclooctatetraenyl 549:101, 553:393
· Cyclopentadienyl 559:107, 568:241
· Diaryl-Diazene 558:91
· Diazadiene-Ligand 549:101
· Dihydrocinnoline 558:91
· Dihydropyridine 549:311
· Diphenyl-Phosphanyl-Ethane-Type-Ligand 553:285
· Enamine 556:119
· Enantioselectivity 553:285, 560:257
· Epimerization 556:129
· EXSY-NMR 555:35
· Ferrocene 555:167, 561:199, 563:37
· Fluxionality 555:35
· Glycosyl 548:91
· Group-4 550:1
· Hetero-Aromatic-Aldehyde 559:123
· Heterobimetallics 557:259
· Hexahydrotriazine-Ligand 558:213
· Homogeneous-Catalysis 567:7
· Hydride-Complex 558:91
· Hydroformylation 563:37
· Hydrogen-Bonding 567:7
· Hydrosilylation 559:123
· Imine 555:35
· Iminium-Carbonylmetalate 549:311
· Iodoalkyl 557:259
· Iron 560:117, 568:241
· Lanthanide 549:101, 553:393
· Lewis-Acid 559:55
· Main-Group 549:319, 553:443
· Metal-Center 559:107
· Metallo-Phosphane 568:241
· Metallo-Silane 566:259
· Metallo-Silanol 566:259
· Metallo-Siloxane 566:259
· Methyltrioxo-Rhenium 549:319
· Molybdenum 558:213, 560:117
· Monodentate-Ligand 560:131
· Mononuclear-Complex 560:131
· Mössbauer-Spectroscopy 559:55
· Neodymium 553:393
· Nickel 559:55
· Nitrosyl 556:129
· NMR 563:37
· Olefin 549:319
· Optical-Activity 548:91
· Optically-Active 558:213
· Ortho-Metallation 558:91
· Oxidative-Addition 548:57, 557:259
· Oxofunctionalization 566:259
· Palladium 555:167, 563:37
· Phenyl-Ring-Orientation 553:285
· Phenylimino-Ethyl-Pyridine 555:35
· Phospha-Alkyne 564:189
· Phosphametallacycle 568:241
· Phosphinate 550:1
· Phosphine 560:257, 563:37
· Phosphino-Amine 560:131
· Phosphole 560:257
· Phosphorus 560:131
· Phosphorus-Bridge 557:29
· Platinum 548:57, 555:35, 555:167, 557:259, 563:37
· Polymethylene-Bridge 557:259
· Pyridine 549:319
· Reactivity 566:259
· Rhenium 553:443, 560:117
· Rhodium 559:123
· Ring-Opening 568:241
· Ruthenium 559:157, 560:131, 560:257, 563:173, 568:241
· Salicylaldimine 559:55
· Samarium 549:101, 553:393
· Schiff-Base 559:55
· Silver 555:167
· Silyl 548:57
· Single-Crystal 559:157
· Stereochemistry 555:35, 556:119, 561:199
· Stibane 568:241
· Stibenylazobenzene 558:91
· Structural-Analysis 553:285
· Styrene 563:37
· Sulfonates 550:1
· Thermogravimetry 553:443
· Thia-Macrocycle 555:167
· Thio-Ligand 564:189
· Thiourea 561:199
· Tin 548:57, 559:55
· Titanium 550:1
· Triple-Decker-Sandwich-Complex 553:393
· Trisulfide 564:189
· Tungsten 549:311, 556:119, 557:259, 558:213, 564:189, 566:259
· X-Ray 548:57, 556:129, 558:213, 559:157, 561:199
· Ytterbium 549:101
· Zinc 559:55
· Zirconium 550:1
**Transition-Metal-Carbonyl** 568:157

**Transmetallation**
· Anil 564:233
· Boron 562:133
· Ferrocene 564:233
· Mercury 564:233
· Tin 564:233
· X-Ray 564:233
· Zinc 562:133
**Transmission-of-Substituent-Effect** 552:1
**Triaryl-Metal** 548:223
**Triazacyclohexane** 565:225
**Triazacyclononane** 552:255
**Triazatrimethylenemethane** 556:75
**Triazolato-Ligand** 561:227
**Triclinic-Crystal** 557:169
**Tridentate-Ligand**
· Alkylidyne 548:195
· Aryl-Manganese 558:61
· Bond-Forming 558:61
· Copper 558:61
· Cross-Coupling-Catalyst 558:61
· Grignard-Reagent 558:61
· Group-6 548:195
· Phosphine 548:195
· Reactivity 548:195
· Redox 554:29
· Spectroelectrochemistry 554:29
· Triphos 548:195
**Triethanolamine** 548:149
**Trigonal-Planar-Coordination** 562:217
**Trigonal-Prism** 551:235
**Trimethylsilane**| Substituted-» 549:149
**Trinuclear-Compound** 560:89
**Triphenylene** 552:171
**Triphos** 548:195
**Triple-Bond** 551:151
**Triplet-State**
· Bipyridine 551:207
· Cyclopentadienyl 551:207
· Direct-MO-Dynamics 555:161
· Molybdenum 555:161
· Photochemistry 555:161
· Polysilane 555:161
· Titanocene 551:207
**Tripodal-Ligand**
· Backbone 552:229
· Carbene 553:241
· Carbonyl-Chloro-Complex 552:229
· Carbyne 553:241, 563:191
· Catalysis 553:241
· Cationic-Complex 563:191
· EXAFS 552:229
· Functionalized-Cyclopentadienyl 549:139, 553:433, 555:119
· Iridium 552:229
· Iron 549:139, 553:433
· Metathetic-Polymerization 553:241
· Molybdenum 553:99, 555:119, 563:191
· Nitrogen 563:191
· NMR 553:99
· Oxo-Complex 553:241
· Phosphine 552:229
· Phosphorus 563:191
· Photoluminescence 563:191
· Reactivity 549:139
· Ring-Opening 553:241
· Sulfur 563:191
· Trisphosphine 553:99
· Tungsten 553:241, 563:191
**Trisphosphine** 553:99
**Trisulfide** 564:189
**Trisyl** 564:215
**Trypanocide** 556:105
**Tungstaphosphabicyclo-Butanone-Complex** 553:103
**Tungsten**
· (3+2)-Cycloaddition 564:189
· (4+2)Annulation 549:311
· 17-Electron 555:57
· 7-Coordinate 560:191
· 7-Coordinate-Complex 566:245
· Acetylide 565:3
· Acid-Reactivity 564:13
· Acylation 561:153
· Alkenyl-Imine 549:311
· Alkoxy-Carbene 567:119
· Alkylidene 558:71, 564:85, 564:277
· Alkylidyne 558:71, 569:125
· Alkyne 564:143, 565:225
· Alkyne-Bridge 550:141
· Alkynyl-Carbene 549:311
· Allyl 560:265
· Alpha-Hydrogen 569:125
· Amino-Metalladiene 556:119
· Aryl-Imine 549:311
· Azo-Phosphine 568:279
· Butyl-Cyclopentanienyl 564:189
· C-H-Bond-Activation 553:511
· Carbene 552:45, 553:241, 556:119
· Carbonyl 555:25, 555:57, 560:1, 565:81, 565:179, 565:225
· Carbyne 553:241, 563:191
· Catalysis 553:241, 566:259
· Cationic-Complex 563:191
· Chirality 558:213
· Chromium 548:177, 549:311, 556:119, 558:213, 560:55, 568:279
· Cluster 555:25, 569:109
· Cluster-Complex 558:71, 568:157
· Copper 558:213, 569:109
· Crown-Ether 565:179
· Cycloaddition 566:271
· Cycloheptatrienyl 560:265
· Cyclopentadienyl 555:25, 555:57, 564:277, 565:81, 568:157, 569:125
· Cyclopropanation 567:119
· Cyclopropene 564:85
· Diamino-Carbene 561:153
· Diazo-Alkane 566:271
· Dihydropyridine 549:311, 567:119
· Dimerization 553:511
· Disilane 552:213
· Dithio-Ligand 560:1
· Electrochemistry 555:57
· Enamine 556:119
· Ferrocene 552:45
· Fluorene 548:177
· Fluxionality 565:81
· German 564:143
· Gold 569:109
· Group-6 568:279
· Hapticity 560:265
· Heterobimetallics 557:259
· Heterometallic-Cluster 565:3
· Hexahydrotriazine-Ligand 558:213
· Imidazoline-Ylidene 552:45
· Imido-Complex 564:85, 564:277
· Iminium-Carbonylmetalate 549:311
· Indanyl 553:511
· Iodoalkyl 557:259
· Iridium 555:25, 565:81
· Iron 552:45
· Isocyanide 560:265, 561:153
· Kinetics 560:55
· Laser-Flash-Photolysis 560:55
· Mechanism 548:191
· Mer-Cis-to-Fac-Isomerization 549:105
· Mercury 552:45
· Metal-Complex 552:45
· Metal-Vapor-Synthesis 548:177
· Metallo-Silane 566:259
· Metallo-Silanol 566:259
· Metallo-Siloxane 566:259
· Metathetic-Polymerization 553:241
· Migration 569:125
· Mixed-Metal-Cluster 565:81
· Molybdenum 548:177, 553:317, 558:213, 560:265, 563:191, 564:85, 565:179, 565:225, 566:245, 566:271, 568:157, 568:279
· Nitrogen 563:191
· Optically-Active 558:213
· Osmium 558:71
· Oxidative-Addition 549:105, 557:259
· Oxo-Complex 553:241, 564:85
· Oxofunctionalization 566:259
· Palladium 552:45, 569:109
· Pentacarbonyl-Fragment 560:55
· Phospha-Alkyne 564:189
· Phosphametallacycle 566:271
· Phosphenium 566:271
· Phosphenium-Ion 564:13
· Phosphine 565:81, 565:225
· Phosphinidene 553:511
· Phosphite 555:25, 566:245
· Phosphorus 563:191, 564:13
· Photochemistry 549:105
· Photoluminescence 563:191
· Platinum 557:259
· Polymerization 564:143
· Polymethylene-Bridge 557:259
· Pyrazolylborate 560:1
· Pyridinium-Ylide-Complex 567:119
· Reactivity 553:317, 564:85, 564:143, 564:277, 566:259, 568:157
· Reversible 565:3
· Ring-Opening 553:241
· Ruthenium 565:3, 568:157
· Sandwich-Complex 548:177
· Second-Sphere-Coordination 565:179
· Silver 569:109
· Silyl 553:317
· Single-Source-Precursor 553:317
· Spectroscopy 548:191
· Stereochemistry 556:119
· Substitution 548:191, 555:25
· Sulfido-Complex 569:109
· Sulfido-Ligand 558:71
· Sulfur 563:191
· Supermesitylphosphaalkyne 553:511
· Thio-Ligand 564:189
· Thiophene-Acetonitrile-Complex 560:191
· Titanium 548:177
· Total-Orbital-Energy 550:141
· Transition-Metal 549:311, 556:119, 557:259, 558:213, 564:189, 566:259
· Transition-Metal-Carbonyl 568:157
· Transition-Metal-Silicon-Compound 552:213
· Triazacyclohexane 565:225
· Trimethyl-Phosphine 548:191
· Tripodal-Ligand 553:241, 563:191
· Trisulfide 564:189
· X-Ray 552:45, 553:317, 555:25, 558:71, 558:213, 560:265, 564:85, 564:143, 565:81, 566:245
**Tungsten-Pentacarbonyl-Complex** 553:135
**Ullmann-Reaction** 555:141
**Unsaturated-Amide** 566:211
**Unsaturated-Ester** 566:211
**Uracil** 552:127
**Uranium** 548:9
**Ureylene** 557:231
**UV-Absorption-Spectra** 559:73
**UV-Visible-Spectra** 554:75
**Valinol** 566:117
**Vanadium**
· Ethylene 554:195
· Ethylene-Propylene-Copolymerization 562:53
· Mononuclear-Complex 554:195
· Olefin 562:53
· Phenoxide 554:195
· Polymerization 554:195, 562:53
· Procatalyst 554:195
**Vibrational-Frequency** 553:59
**Vibrational-Spectroscopy**
· Cyanide 568:1
· Iron 568:1
· Lead 568:1
· Magic-Angle-Spinning 568:1
· MAS-NMR 550:89
· Mercury 550:89
· Polymer 568:1
· Ruthenium 568:1
· Solid-State 550:89
· Solid-State-NMR 568:1
**Vinyl**
· Alkyne 549:263
· C-C-Coupling 569:85
· C-H-Bond-Activation 564:241, 569:85
· Cluster 549:263
· Cyclopentadienyl 558:163
· Cyclopropanation 558:163
· Diazo-Ester 558:163
· Grignard-Reagent 569:85
· Homologation 558:163

· Hydride-Complex 564:241
· Insertion 558:163
· Iridium 564:241, 569:85
· Methyl-Vinyl-Ketone 564:241
· Methylene 569:85
· Olefin-Chelate 558:163
· Pentamethyl-Cyclopentadienyl 569:85
· Ruthenium 549:263
· Ruthenium-Carbene 558:163
· Styrene 558:163
**Vinyl-Triflate** 567:173
**Vinyldiketone** 549:49
**Vinyldisilane** 561:19
**Vinylidene**
· Addition 565:153
· Alkyne 565:75, 565:271
· Alkynol 549:221
· Alkynyl 565:75
· Allenylidene 549:221, 565:75
· Butadienyl 565:75
· Carbene 565:75
· Catalysis 562:203
· Cluster 565:271
· Cumulene 565:75
· Density-Functional 565:271
· DFT 565:271
· Hydride 565:153
· Hydridotris-Pyrazolyl-Borate 562:203
· Iron 565:75, 565:271
· Manganese 565:271
· Metathesis 562:203
· Mössbauer-Spectroscopy 565:75
· Naphthyl 565:153
· Norbornene 562:203
· Osmium 565:153
· Phosphine 549:221
· Polymerization 562:203
· Ring-Opening 562:203
· Ruthenium 549:221, 562:203
**Vinylidene| Acyl-» 565:63**
**Vinylidene| Alkenyl-» 565:63**
**Vinylidine** 553:427
**Vinylketene** 549:49
**Vinylpyrrole** 548:279
**Vitamin-B-12** 560:155
**Voltammetry**
· Anisotropic-ESR-Spectrum 565:19
· Carbonyl 565:193
· Cluster 565:193
· Electrochemistry 565:193
· Interstitial-Phosphido 565:193
· P-31-Solid-State-NMR 565:193
· Phosphite 565:19
· Redox 565:19
· Ruthenium 565:193
· Square-Antiprism 565:193
· X-Ray 565:193
**Wades-Rule** 550:315
**Water-Soluble-Phosphine** 553:469
**Wittig-Reaction** 567:75
**X-Ray**
· 12-Nuclear-Cluster 566:15
· 3-Membered-Ring-Opening 566:175
· 7-Coordinate-Complex 566:245
· 9-Vertex 550:441
· Ab-Initio 550:233, 550:355, 550:409, 552:285
· Absolute-Configuration 556:129
· Acetamidinate 564:209
· Acetylide 549:127
· Acyl-Pyrazolone 560:95
· Acyl-Vinylidene 565:63
· Acylacetylide 565:63
· Al-27-NMR 561:203
· Alkene 565:231
· Alkenyl-Vinylidene 565:63
· Alkoxycarbonyl 566:37
· Alkyl-Titanium 564:93
· Alkylation 566:175
· Alkylidene 558:71, 564:85
· Alkylidene-Bridge 563:161
· Alkylidyne 558:71
· Alkyne 548:247, 563:235, 564:143, 565:63, 565:231
· Alkynyl 549:127, 563:137
· Allyl 550:267, 557:213, 560:265
· Aluminum 550:355, 561:203
· Amide 550:355, 552:285
· Amido-Silyl-Cyclopentadienyl 564:93
· Amido-Titanium 564:93
· Anil 564:233
· Arachno 550:151, 550:441
· Arene 552:159, 556:151
· Arsenic 552:221
· Aryl-Acetylide 549:127, 563:137
· Aryl-Diamine 551:1
· Aryl-Platinum 551:1
· Azavinylidene 564:201
· B-11-Chemical-Shift 550:409
· Backbone 569:159
· Benzamidinate 564:209
· Benzonitrile 553:115
· Benzyne 565:141
· Beta-Elimination 563:15
· Bibracchial 550:7
· BINAP 557:213
· Binuclear-Complex 564:209
· Bisphosphine-Ligand 565:105
· Borane-Cluster 550:441
· Borate 552:247
· Boride-Cluster 565:105
· Boron 553:221
· Boron-Substituted 548:211
· Bridging-Water 553:23
· Butadiene 553:73
· Butatriene 553:73
· Butatrienylidene 565:63
· C-Cl-Bond-Activation 554:207
· C-F-Bond-Activation 552:165
· C-H-Bond-Activation 564:155
· C-N-Li-Cluster 550:213
· Carbazole 558:189
· Carbene 552:45, 566:159
· Carbenoid 566:175
· Carbide 565:259
· Carbocation 566:175
· Carbodiimide 550:213, 562:191
· Carbon-Monoxide 565:141
· Carbonyl 550:131, 551:27, 553:371, 555:25, 556:129, 557:163, 563:227, 565:81, 565:193, 566:15, 568:213
· Carbonyl-Cluster 561:97
· Carbonylation 566:37
· Carborane 550:409, 562:105
· Catalysis 551:159, 552:159, 555:177, 558:111, 566:9, 569:159
· Cation 551:159
· Chelate 564:155
· Chiral-Complex 562:255
· Chiral-Ligand 551:1, 561:199
· Chirality 556:129, 558:213, 559:157, 564:155, 565:115
· Chloromethylchlorophosphine 554:207
· Chromium 558:213, 566:159
· Cleavage 563:161
· Cluster 553:371, 555:25, 564:201, 565:193, 565:267, 566:159
· Cluster-Complex 558:71, 559:157
· Cluster-Compound 550:151
· Cobalt 549:55, 556:129, 563:53, 563:161
· Cocrystallization 557:213
· Conformational-Equilibria 548:211
· Coordinative-N→B-Bond 553:221
· Copper 550:7, 558:213, 560:21, 561:209, 563:235
· Copper-Mediated-Coupling-Reaction 553:135
· Crown-Ether 548:247
· Cubane 553:23
· Cumulene 553:73
· Cyanamide 562:191
· Cyclic-Voltammetry 558:1, 563:161
· Cycloaddition 558:155
· Cycloadduct 566:175
· Cycloalkyne 563:235
· Cycloheptatrienyl 560:265
· Cyclopentadienyl 548:157, 549:127, 550:301, 552:165, 552:221, 553:149, 554:185, 555:25, 555:49, 561:203, 565:81, 565:201
· Cyclopentadienyl-Imido-Complex 564:209
· Cyclopropane 566:175
· Cyclopropene 559:1, 564:85, 566:175
· Delocalization 553:115
· Derivative 555:49
· Dialkyl 563:15
· Diastereoselectivity 565:115
· Diazadiene-Ligand 569:159
· Dicarbido-Cluster 561:97
· Diels-Alder-Reaction 566:85
· Dimer 552:165
· Dimethylallyl 549:283
· Dinuclear-Complex 550:7
· Diphosphabutatriene 553:135
· Disproportionation 563:219
· Electrochemistry 553:73, 553:115, 558:1, 563:161, 565:193
· Elimination 550:355
· Epimerization 556:129
· EPR-Spectra 558:147
· Ethylene 555:177, 558:111, 569:159
· Ferrocene 552:45, 553:73, 555:187, 559:1, 561:199, 561:209, 563:81, 564:233, 564:249, 565:115, 566:175
· Ferrocenediol 556:173
· Ferrocenol 556:173
· Ferrocenophane 555:187, 556:173
· Ferrocenyl 552:293, 558:147
· Fischer-Complex 566:159
· Fluoride 552:165
· Fluorine 553:111
· Fluxionality 565:81
· Formyl-Pentamethyl-Cobaltocene 563:219
· German 564:143
· Germanium 558:155, 560:21, 562:191
· GIAO-Computed-C-13 550:409
· Gold 549:55, 550:131, 552:127, 565:105
· Gold-Transition-Metal-Bond 564:249
· Grignard-Reagent 550:445
· Group-1 550:409
· Group-6 548:157
· H-1-NMR 549:283
· Hafnium 555:49, 558:111
· Half-Sandwich-Complex 564:209
· Halogenopentacarbonyl-Metal-Moiety 549:295
· Halogenotrimethyl-Metal-Moiety 549:295
· Hapticity 560:265
· Hetero-Trimethylenemethane-Ligand 550:213
· Heterobimetallic-Cluster 550:131
· Heterobimetallics 550:355
· Heteropolymetallic-Complex 564:101
· Hexafluoroacetyl 563:235
· Hexafluorophosphate 549:283
· Hexahydrotriazine-Ligand 558:213
· High-Pressure 566:85
· Holmium 562:255
· Homogeneous-Catalysis 557:169
· Hydride 557:163, 558:189
· Hydride-Method 560:21
· Hydroboration 552:247
· Hydrogenation 552:159, 564:201
· Hydrogermylation 558:155
· Hydroquinone 553:483
· Hydroxylamine 550:233
· Hyperpolarizability 549:127, 563:137
· Imidazoline-Ylidene 552:45
· Imido-Complex 563:15, 564:85
· Iminoacyl 563:15
· Iminophosphorane 550:445, 550:449
· Indenyl 549:95, 569:99
· Indenyl-Phosphine-Complex 564:101
· Indenylidene-Cyclopentadienylidene 558:111
· Indium 550:301, 562:123
· Insertion 550:355, 550:457, 551:159, 556:189, 563:15, 563:53, 565:267
· Interstitial-Phosphido 565:193
· Intramolecular-Coordination 562:123
· Iridium 553:483, 555:25, 564:249, 565:81

· Iron 549:55, 552:45, 553:73, 553:149, 557:163, 557:169, 559:1, 563:53, 563:227, 565:115, 566:159
· Iron-Dinitrosyl-Complex 558:1
· Isocyanide 560:265
· Isomerism 550:441
· Isopropylphosphine 565:141
· Isoxazoline 558:155
· Lanthanide 549:1, 549:95
· Lanthanidocene 562:255
· Lanthanocene 566:9
· Lanthanoid 552:165, 565:201
· Lanthanum 549:95
· Lithiation 550:457
· Lithium 550:213, 550:233, 550:355, 552:285
· Lithium-Amide 549:39
· Lutetium 562:255
· Macrocycle 550:7, 562:141
· Magnesium 552:285
· Manganese 564:101, 568:213
· Mechanism 550:457
· Melamine 553:307
· Mercury 552:31, 552:45, 564:233
· Metal-Carbonyl 553:149
· Metal-Complex 552:45, 563:227
· Metalla-Carbaborane 562:105
· Metalla-Carborane 550:409, 551:27
· Metalla-Dithiolene 563:161
· Metalla-Heteroborane 550:151
· Metalla-Siloxane 553:23
· Metallation 550:445
· Metallo-Alkyne 565:259
· Metallocene 549:13, 551:159, 558:111
· Mixed-Metal-Cluster 565:81
· Mixed-Valence 549:13
· MO-Calculation 552:247
· Model 552:127
· Moiety 563:161
· Molybdenum 548:157, 550:267, 553:317, 558:213, 560:265, 564:85, 566:245
· Mononuclear-Complex 563:227
· Multi-Cluster 553:307
· Multidentate-Ligand 563:227
· Multinuclear-NMR 568:213
· Naphthalene 566:175
· Neodymium 562:255, 565:201
· Neutron-Diffraction 550:449
· Nickel-Alkyl-Complex 569:159
· Nitrile 550:457
· Nitrile-Orbital 553:115
· Nitrogen 564:93
· Nitrosyl 548:157, 556:129, 558:1
· NMR 548:131, 549:295, 550:315, 550:409, 550:441, 553:111, 555:187, 556:173, 557:169, 558:1, 563:227
· Nonaborane 550:441
· Nonlinear-Optics 549:127, 553:115, 563:137
· Nucleobase 552:127
· Octahedral-Environment 556:105
· Octasilsesquioxane 565:159
· Olefin 551:159, 552:159, 563:227
· Oligophenyl-Metalla-Siloxane 562:141
· Opened-THF 563:53
· Optically-Active 558:213
· Optically-Active-Cluster 549:55
· Organocobaloxime 548:211
· Organometallic-Nickel 553:115
· Organorhodoxime 548:211
· Organosiloxane 562:141
· Osmium 550:131, 558:71, 563:235, 565:231
· Oxidation 552:165
· Oxidative-Addition 548:57
· Oxo-Complex 564:85
· P-31-Solid-State-NMR 565:193
· P-Cl-Bond-Activation 554:207
· P-Ligand 564:155
· Palladium 549:55, 549:283, 552:45, 552:293, 554:207, 562:105, 566:15, 566:37
· Pentamethyl-Cyclopentadienyl 553:483, 563:15
· Pentanuclear-Cluster 565:259
· Pentanuclear-Heterotrimetallic-Cluster 549:55
· Phenanthroline 566:37
· Phosphane 563:227
· Phosphide 550:481
· Phosphido-Bridged 553:371
· Phosphine 549:127, 550:131, 565:81, 566:15
· Phosphine-Oxide 565:201
· Phosphino-Oxazoline 549:283
· Phosphinomethyl-Bridge 554:207
· Phosphite 555:25, 566:245
· Phosphonium 550:481
· Phosphorus 550:449, 555:187
· Piperazine-Alcohol 553:221
· Piperidine-Alcohol 553:221
· Platinum 548:57, 548:247, 549:295, 550:151, 552:293, 556:189, 558:189, 562:105, 564:155
· Platinum-Diphosphine-Complex 557:169
· Polyethyleneimine 549:39
· Polyhedral-Rearrangement 562:105
· Polymerization 551:159, 555:177, 558:111, 564:143, 566:9, 569:159
· Praseodymium 549:95
· Pyrazolylborate 552:31
· Pyridyl-Acetylide 563:137
· Pyrrole 552:247
· Quantum-Chemical-Calculation 561:203
· Quinone 553:483
· Racemic-Ligand 564:155
· Radical-Chain-Mechanism 557:163
· Radical-Coupling 563:219
· Reactivity 548:157, 550:267, 553:317, 564:85, 564:93, 564:143, 564:201
· Rearrangement 550:131
· Redox 561:209, 563:161, 563:219
· Reductive-Carbonylation 569:159
· Regioselectivity 565:115, 566:175
· Rhenium 549:295, 568:213
· Rhodathiaborane 550:315
· Rhodium 549:55, 550:151, 552:159, 563:161
· Ring-Opening 559:1
· Ruthenium 549:127, 551:27, 553:307, 553:371, 557:213, 559:157, 561:97, 563:137, 563:227, 564:201, 565:63, 565:105, 565:141, 565:193, 565:231, 565:259, 565:267, 569:99
· Ruthenium-Diphosphine-Complex 556:151
· Ruthenocene 549:13
· Samarium 549:1, 562:255
· Scandium 562:255
· Schiff-Base 550:7, 561:209
· Selenium 566:159
· Semiconductor 558:147
· Semiquinone 553:483
· Sila-Bridged-Complex 553:149
· Silacyclopentene 563:53
· Silanorbornene 566:85
· Silicon 553:111
· Silsesquioxane 565:159
· Silver 561:209, 563:235
· Silyl 548:57, 553:317
· Silylamido 552:285
· Silylation 548:131
· Single-Crystal 557:169, 559:157, 562:141, 564:249, 566:15
· Single-Source-Precursor 553:317
· Slip-Distortion 562:105
· Sodium 553:23
· Solid-State-Conductivity 558:147
· Square-Antiprism 565:193
· Stereochemistry 561:199, 566:85
· Stereoregular 562:141
· Stereoselectivity 548:157
· Steric-Protection 553:135
· Stibine 565:231, 568:213
· Substitution 555:25, 561:97
· Sulfido-Ligand 558:71
· Sulfonamido-Cyclopentadiene 553:387
· Sulfonylcarbamate 563:81
· Sulfonylurea 563:81
· Susceptibility 549:127
· Tantalum 554:185, 563:15
· Tautomerism 548:131
· TCNE 558:1
· Tertiary-Silane 564:201
· Tertiary-Stannane 564:201
· Tetraaza-Macrocycle 550:301
· Tetrahedral-Coordination 552:31
· Tetrahydrofuran 549:1
· Tetraimine 550:7
· Thermal-Decomposition 549:39
· Thermolysis 566:159
· Thioalkenyl 556:189
· Thioalkyne 556:189
· Thioether 551:159
· Thiolato-Ligand 569:99
· Thiophene 550:7, 562:105
· Thiourea 561:199
· Through-Space-Coupling 553:111
· Tin 548:57, 556:105, 564:233
· Titanium 553:387, 555:49, 564:209
· TMS-Shift 549:39
· Transition-Metal 548:57, 556:129, 558:213, 559:157, 561:199
· Transmetallation 564:233
· Triclinic-Crystal 557:169
· Trifluormethane-Sulfonic-Acid 548:131
· Trimethyl-Silyl-Aza-Allyl 549:1
· Trimethyl-Silylation 562:141
· Trinuclear-Cluster 569:99
· Triphenyl-Antimony 560:95
· Triphenyl-Arsine 565:267
· Trypanocide 556:105
· Tungsten 552:45, 553:317, 555:25, 558:71, 558:213, 560:265, 564:85, 564:143, 565:81, 566:245
· Tungsten-Pentacarbonyl-Complex 553:135
· Uracil 552:127
· Voltammetry 565:193
· Wades-Rule 550:315
· Wing-Tip-Butterfly-Structure 549:55
· Ylide 550:481
· Ytterbium 549:1, 552:165, 565:201
· Zeise's-Salt 548:247
· Zirconium 551:159, 555:49, 558:111
· Zirconocene 555:177
· Zwitterion 559:1

**Xylylene**
· Anthracene 557:3, 566:111
· Catalysis 566:111
· Cyclooctatetraene 557:3
· Ethylene 566:111
· Half-Metallocene 566:111
· Half-Sandwich-Complex 557:3
· Niobium 557:3, 566:111
· Polymerization 566:111
· Tantalum 557:3, 566:111
· Zirconium 566:111

**Ylide**
· Alkaloid 567:101
· Alkyne-Insertion 567:101
· Aminocarbene 567:101
· Chromium 567:101
· Indole-System 557:37
· Ketenyl 557:37
· Nitrogen 567:101
· Phosphide 550:481
· Phosphonium 550:481
· X-Ray 550:481

**Ytterbium**
· Allyl 568:113
· Aluminum 568:113
· Ansa-Metallocene 564:5
· Ate-Complex 564:5
· Binuclear-Complex 568:113
· Borohydride 564:5
· Butyl-Cyclopentadienyl 568:113
· C-2-Symmetry 553:179
· C-F-Bond-Activation 552:165
· Cyclooctatetraenyl 549:101

· Cyclopentadienyl 552:165, 565:201
· Cyclopentadienyl-Lanthanide 553:179
· Diazadiene-Ligand 549:101
· Dimer 552:165
· Dynamics 553:503
· Dysprosium 563:101
· Erbium 563:101
· Ethene-Polymerization 559:97
· Fluoride 552:165
· Fulvalene 553:503
· Gadolinium 563:101
· Hydride 568:113
· Lanthanide 549:1, 549:101, 553:503, 563:101
· Lanthanoid 552:165, 565:201
· Metallocene 559:97, 568:113
· Methyl-Cyclopentadienyl 563:101
· Neodymium 565:201
· Oxidation 552:165
· Phosphine-Oxide 565:201
· Pi-Complex 553:503
· Polymer 564:5
· Samarium 549:1, 549:101, 553:503
· Schiff-Base 553:179
· Substituted-Cyclopentadienyl 559:97
· Tetradentate-Ligand 553:179
· Tetrahydrofuran 549:1
· Tetrazolate-Ligand 563:101
· Transition-Metal 549:101
· Trimethyl-Silyl-Aza-Allyl 549:1
· X-Ray 549:1, 552:165, 565:201

**Ytterbocene**| Bivalent-» 568:33

**Yttrium**
· Butylphenoxide 569:89
· Chiral-Complex 566:21
· Cyclopentadienyl-Free 569:89
· Dibutylphenoxide 569:89
· Indenyl 566:21
· Lanthanocene 566:21
· Metallation 569:89
· Polymerization 569:89
· Reactivity 569:89
· Trimethyl-Silylmethyl 569:89

**Yttrium-Dimethylphenoxide** 553:141

**Zeise's-Salt** 548:247

**Zigzag-Chain** 556:169

**Zinc**
· Boron 562:133
· Copper 559:55
· Lewis-Acid 559:55
· Mössbauer-Spectroscopy 559:55
· Nickel 559:55
· Salicylaldimine 559:55
· Schiff-Base 559:55
· Tin 559:55
· Transition-Metal 559:55
· Transmetallation 562:133

**Zinc**| Dicyclopentadienyl-» 553:59

**Zinc**| Propargylic-Organo-» 548:269

**ZINDO-Calculation** 559:165

**Zirconium**
· Ab-Initio 561:29
· Acenaphthyl 549:177
· Alkenyl 562:153, 562:229, 568:87
· Alkyl-Substituent 558:11
· Alkylindene 558:11
· Alkyne 552:83
· Allyl 561:29
· Amino-Silyl-Cyclopentadienyl 564:109
· Ansa-Bridged 551:133
· Ansa-Metallocene 558:181, 559:65, 562:229, 564:109, 568:41, 568:127
· Anthracene 566:111
· Bimetallic-Complex 552:83, 552:91
· C-2-Symmetry 568:41
· C-C-Bond-Activation 560:69
· C-H-Bond-Activation 560:69
· Carboxylate 550:1
· Catalysis 549:177, 551:159, 553:173, 558:111, 558:171, 562:153, 562:229, 566:111, 568:87, 568:127
· Cation 551:159
· Chiral-Complex 549:251
· Chromium 561:29
· Cyclopentadienyl 549:177, 551:133, 555:49
· Cyclopentadienylidene 568:87
· Derivative 555:49
· DFT 561:29
· Diacetylide 553:15
· Donor-Ligand 549:251
· Dynamics 552:83
· Ethene 549:177, 553:173
· Ethylene 558:111, 562:153, 562:229, 564:115, 566:111, 568:87
· Ethylene-Bridge 558:181
· Ethylene-Polymerization 564:109
· Fluorenyl 564:115
· Fluorenylidene 568:87
· Fluorenylidene-Indenylidene-Complex 562:153
· Functionalized-Cyclopentadienyl 549:251
· Group-4 550:1, 564:109
· Hafnium 553:173, 555:49, 558:111, 558:139, 564:109, 568:127
· Half-Metallocene 566:111
· Half-Sandwich-Complex 564:115
· Heterobimetallic-Complex 566:1
· Heterogeneous-Catalysis 553:205
· Hydride 552:91
· Imido-Complex 551:133
· Immobilization 562:153
· Indenyl 553:173, 558:171, 558:181, 559:65, 564:109, 564:115, 568:41
· Indenylidene-Cyclopentadienylidene 558:111
· Insertion 551:159, 552:83, 566:1
· Iron 566:1
· Isomerism 558:171
· Linked-Amido-Cyclopentadienyl 558:139
· Living-Intermediate 557:69
· Metal-Metal-Bond 552:91
· Metallocene 549:177, 551:159, 553:173, 553:205, 558:111, 558:171, 560:69, 562:153, 568:87
· Molybdenum 551:133, 552:83
· N-Donor-Ligand 564:115
· Niobium 566:111
· NMR 557:69
· Nucleophilic-Addition 558:11
· Olefin 551:159, 553:205, 557:69, 558:11, 558:171, 559:65
· Olefin-Polymerization 568:127
· Palladium-Coupling 568:41
· Phosphinate 550:1
· Polyethylene 568:87
· Polymerization 549:177, 551:159, 553:173, 553:205, 558:111, 558:171, 559:65, 562:153, 562:229, 564:109, 564:115, 566:111, 568:87
· Polypropylene 568:87
· PPh-Bridge 568:127
· Propene 549:177
· Reduction 560:69
· Rhenium 552:91
· Self-Immobilization 562:229
· Siloxy 558:171, 558:181, 559:65
· Silyl 568:87
· Structural-Chemistry 561:29
· Sulfonates 550:1
· Tantalum 566:111
· Thioether 551:159
· Titanium 549:251, 550:1, 551:133, 555:49, 564:109, 568:41
· Transition-Metal 550:1
· X-Ray 551:159, 555:49, 558:111
· Xylylene 566:111

**Zirconocene**
· Addition 569:217
· Ansa-Metallocene 566:287
· Butadiene-Metal-Complex 569:217
· C-C-Coupling 567:151
· Catalysis 555:177, 564:81, 568:253
· Cationic-Complex 569:217
· Chiral 555:5
· Cycloaddition 567:151
· Cyclometallation 564:61
· Cyclopentadienyl 555:5
· Dehydrocoupling 564:81
· Dehydropolymerisation 568:253
· Diene 564:61
· Dinuclear-Complex 569:217
· Diphosphine 564:61
· Diyne 564:61
· Ethylene 552:313, 555:177
· Group-4 569:217
· Hetero(Si,Ge,P)Cyclopentane 564:61
· Luminescence 548:289
· Metal-Amide 566:287
· Metallocene 552:313, 568:253, 569:217
· Phosphine 564:61
· Phosphinine 567:151
· Phosphorus-Heterocycle 567:151
· Polyethylene 552:313
· Polygermane 564:81
· Polymerization 552:313, 555:177
· Polysilane 568:253
· Ring-Loss 555:1
· Stereoselectivity 564:61
· Tetrahydroindenyl 566:287
· Thiolate 548:289
· Titanocene 555:5, 567:151, 568:253
· X-Ray 555:177

**Zirconocene**| Ansa-»
· Catalysis 558:219, 559:149, 560:47
· di-tert-Butyl-Cyclopentadienyl 560:47
· Diastereomerization 559:149
· Epimerization 558:219
· Ethylene-Bridge 561:37
· Hexene 560:47
· High-Pressure 560:47
· Indenyl 555:127
· Isotactic 558:219, 558:223
· Metallocene 558:219
· Olefin-Polymerization 560:47
· Polymerization 558:219, 561:37
· Polypropylene 558:219
· Propylene-Polymerization 559:149
· Pseudo-C-S-Symmetry 561:37
· Tolyl-Indene 559:149
· Triisopropyl-Siloxy 555:127

**Zwitterion** 559:1

**Zwitterionic-Hydride** 566:117

ELSEVIER

Journal of Organometallic Chemistry, Supplement (1999) 59–97

Journal of Organometallic Chemistry

# Cumulative Indexes of Volumes 548-569: Volume Contents

Vol. 548 No. 1 (1997) vii–vii
CRABTREE, R.H., New directions in organometallic chemistry *[Yale Univ., New Haven, CT, USA]*

Vol. 548 No. 1 (1997) 1–7
SPERRY, C.K., RODRIGUEZ, G., BAZAN, G.C., Synthesis of two tantalum complexes bearing cyclopentadienyl analogs *[Univ. Rochester, Dept. Chem., Rochester, NY, USA]*

Vol. 548 No. 1 (1997) 9–16
BOISSON, C., BERTHET, J.C., LANCE, M., NIERLICH, M., EPHRITIKHINE, M., Reactivity of the cationic uranium amide compound $[U(\eta\text{-}C_5Me_5)_2(NMe_2)(OC_4H_8)][BPh_4]$ *[CNRS, CEA Saclay, Serv. Chim. Mol., Gif sur Yvette, France]*

Vol. 548 No. 1 (1997) 17–22
DESCHAMPS, B., RICARD, L., MATHEY, F., 2-(2'-Pyridyl)phosphaferrocenes and analogues: a new-type of chelating ligands with planar chirality and π-acceptor phosphorus centres *[Ecole Polytech, CNRS, DCPH, Lab. Heteroelements & Coordinat., Palaiseau, France]*

Vol. 548 No. 1 (1997) 23–28
SAßMANNSHAUSEN, J., BOCHMANN, M.E., RÖSCH, J., LILGE, D., Titanium-catalyzed formation of high molecular weight elastomeric polypropene: evidence for living propene polymerisation *[Univ. Leeds, Sch. Chem., Leeds, West Yorkshire, England; BASF AG, Res. Ctr., Ludwigshafen, Germany]*

Vol. 548 No. 1 (1997) 29–32
DE KEIJZER, A.H.J.F., DE KANTER, F.J.J., SCHAKEL, M., OSINGA, V.P., KLUMPP, G.W., In search of stable lithium pentaorganylsilicates: special role of five phenyl ligands and of ligands containing the 1,4-(1,3-butadienediyl) unit *[Vrije Univ. Amsterdam, Scheikundig Lab., Amsterdam, Netherlands]*

Vol. 548 No. 1 (1997) 33–43
BRAGA, D., GREPIONI, F., DESIRAJU, G.R., Hydrogen bonding in organometallic crystals - a survey *[Univ. Bologna, Dipartimento Chim. G. Ciamician, Bologna, Italy; Univ. Hyderabad, Sch. Chem., Hyderabad, Andhra-Pradesh, India]*

Vol. 548 No. 1 (1997) 45–48
CARINA, R.F., WILLIAMS, A.F., BERNARDINELLI, G., Cyclometallated fragments as building blocks for self-assembly reactions *[Univ. Geneva, Dept. Inorgan. Analyt. & Appl. Chem., Geneva, Switzerland; Univ. Geneva, Lab. X-ray Crystallogr., Geneva, Switzerland]*

Vol. 548 No. 1 (1997) 49–56
LIU, X.-H., BRUCE, D.W., MANNERS, I., Functionalization of poly(metallocenes) via hydrosilylation: synthesis and properties of thermotropic liquid crystalline poly(ferrocenylsilanes) *[Univ. Toronto, Dept. Chem., Toronto, ON, Canada; Univ. Exeter, Dept. Chem., Exeter, Devon, England]*

Vol. 548 No. 1 (1997) 57–63
GILGES, H., KICKELBICK, G., SCHUBERT, U., Transition metal silyl complexes. 55. Intramolecular Si–E (E=Si, Sn) oxidative addition of $Ph_2P(CH_2)_nSiR'_2ER_3$ ligands ($n$=1, 2) to Pt(0) *[Vienna Tech. Univ., Inst. Anorgan. Chem., Vienna, Austria]*

Vol. 548 No. 1 (1997) 65–72
SUN, Y.K., WANG, J., LE BLOND, C., REAMER, R.A., LAQUIDARA, J., SOWA, J.R. (JR.), BLACKMOND, D.G., Kinetic influences on enantioselectivity in asymmetric catalytic hydrogenation *[Merck & Co Inc., Rahway, NJ, USA; Seton Hall Univ., Dept. Chem., South-Orange, NJ, USA; Max Planck Inst. Coal Res., Mülheim, Germany]*

Vol. 548 No. 1 (1997) 73–82
FISCHER, R.A., SUSSEK, H., MIEHR, A., PRITZKOW, H., HERDTWECK, E., Organoindium azides: new precursors to indium nitride *[Univ. Heidelberg, Inst. Anorgan. Chem., Heidelberg, Germany; Tech. Univ. Munich, Inst. Anorgan. Chem., Garching, Germany]*

Vol. 548 No. 1 (1997) 83–89
MAGNERA, T.F., PESLHERBE, L.M., KÖRBLOVÁ, E., MICHL, J., The organometallic 'Molecular Tinkertoy' approach to planar grid polymers *[Univ. Colorado, Dept. Chem. & Biochem., Boulder, CO, USA]*

Vol. 548 No. 1 (1997) 91–98
DÖTZ, K.H., EHLENZ, R., STRAUB, W., WEBER, J.C., AIROLA, K., NIEGER, M., Organotransition metal modified sugars. 4. Carbene complex functionalized acyclic carbohydrates *[Univ. Bonn, Inst. Organ. Chem. & Biochem., Bonn, Germany; Univ. Bonn, Inst. Anorgan. Chem., Bonn, Germany]*

Vol. 548 No. 1 (1997) 99–103
CERVEAU, G., CORRIU, R.J.P., LEPEYTRE, C., Organic–inorganic hybrid silica. Influence of the nature of the organic precursor on the texture and structure of the solid *[Univ. Montpellier II, Lab. Chim. Mol. & Org. Solide, Montpellier, France]*

Vol. 548 No. 1 (1997) 105–107
RYU, I., NAGAHARA, K., KURIHARA, A., KOMATSU, M., SONODA, N., Silylcarbonylation of 1,5-dienes accompanied by acyl radical cyclization *[Osaka Univ., Fac. Engn., Dept. Appl. Chem., Suita, Osaka, Japan]*

Vol. 548 No. 1 (1997) 109–112
HUGHES, R.P., LE HUSEBO, T., HOLLIDAY, B.J., RHEINGOLD, A.L., LIABLE-SANDS, L.M., Fluoroalkylation of cobalt complexes: selective reactions at the metal or the cyclopentadienyl ring *[Dartmouth Coll., Dept. Chem., Burke Lab., Hanover, NH, USA; Univ. Delaware, Dept. Chem., Newark, DE, USA]*

Vol. 548 No. 2 (1997) 115–120
BOCK, H., ARAD, C., NÄTHER, C., HAVLAS, Z., Carbazole deprotonation by sodium metal mirror in various ethers, structures

with $Na^+$-coordination numbers 3 and 4 to 7 *[Univ. Frankfurt, Inst. Inorgan. Chem., Frankfurt, Germany; Acad. Sci. Czech Rep., Inst. Organ. Chem. & Biochem., Prague, Czech Rep.]*

Vol. 548 No. 2 (1997) 121–122
KLAHN, A.H., OELCKERS, B., TORO, A., GODOY, F., Direct and high yield syntheses of $Re_2(CO)_{10}$ and $Re(CO)_5Cl$ by sodium reduction of $K_2ReCl_6$ under CO *[Valparaiso Univ., Inst. Quim., Valparaiso, Chile]*

Vol. 548 No. 2 (1997) 123–129
EL-BAZ, F., RIVIERE-BAUDET, M., AHRA, M., Dimesitylgermylidene *p*-toluene sulfonamide: a new stable germanium–nitrogen doubly bonded species *[Univ. Ibnou Zohr, Fac. Sci., Agadir, Morocco; Univ. Toulouse III, CNRS, Lab. Heterochim. Fond. Appl., Toulouse, France]*

Vol. 548 No. 2 (1997) 131–137
JONAS, S., WESTERHAUSEN, M., SIMCHEN, G., Synthesis and structure of *N,N*-bis(trimethylsilyl)trifluoromethanesulfonic acid amide (in German) *[Univ. Stuttgart, Inst. Organ. Chem. & Isotopenforsch., Stuttgart, Germany; Hoechst AG, F&EPMI, Frankfurt, Germany; Univ. Munich, Inst. Anorgan. Chem., Munich, Germany]*

Vol. 548 No. 2 (1997) 139–142
LIU, Q.C., DING, M.X., LIN, Y.H., XING, Y., Generation of chiral bis(cyclopentadienyl)neodymium Schiff base complex bearing internal C–C bond formation and hydrogen transfer *[Chinese Acad. Sci., Changchun Inst. Appl. Chem., Changchun, P.R. China]*

Vol. 548 No. 2 (1997) 143–147
QIAN, C.T., HUANG, T.S., Regioselective addition reaction of organolanthanide reagents to $\alpha,\beta$-unsaturated imines *[Chinese Acad. Sci., Shanghai Inst. Organ. Chem., Shanghai, P.R. China]*

Vol. 548 No. 2 (1997) 149–155
GEVORGYAN, V., BORISOVA, L., VYATER, A., RYABOVA, V., LUKEVICS, E., A novel route to pentacoordinated organylsilanes and -germanes *[Latvian Inst. Organ. Synth., Riga, Latvia]*

Vol. 548 No. 2 (1997) 157–175
CALVO, M., GALAKHOV, M.V., GÓMEZ-GARCIA, R., GÓMEZ-SAL, P., MARTÍN, A., ROYO, P., VÁZQUEZ DE MIGUEL, A., Stereoselective synthesis and reactivity of *cis-* and *trans-* dimolybdenum nitrosyl derivatives with the bridging bis(dimethylsilanediyl)di($\eta^5$-cyclopentadienyl) ligand. X-ray molecular-structures of *cis*-[{$Mo(CO)_2(NO)$}$_2$($\mu$-($\eta^5$-$C_5H_3)_2(SiMe_2)_2$}], *trans*-[{$Mo(CO)(NO)((CN^tBu)_2$($\mu$-($\eta^5$-$C_5H_3)_2(SiMe_2)_2$}], *cis*-[{$Mo_2(CO)_3(NO)_2(PMe_3)$}{$\mu$-($\eta^5$-$C_5H_3)_2(SiMe_2)_2$}] and *trans*-(($Mo(NO)((CN^tBu)_2$}$_2${$\mu$-($\eta^5$-$C_5H_3)_2(SiMe_2)_2$}] *[Univ. Alcalá de Henares, Dept. Quim. Inorgan., Alcalá de Henares, Spain]*

Vol. 548 No. 2 (1997) 177–183
CLOKE, F.G.N., DIAS, A.R., GALVAO, A.M., FERREIRA DA SILVA, J.L., Synthesis and characterization of Ti, Cr, Mo and W bis(fluorene) complexes *[Inst. Super. Tecn., Ctr. Quim. Estrutural, Lisbon, Portugal; Univ. Sussex, Sch. Chem. & Mol. Sci., Brighton, East Sussex, England]*

Vol. 548 No. 2 (1997) 185–189
BARLUENGA, J., GONZÁLEZ, J.M., LLORENTE, I., CAMPOS, P.J., RODRÍGUEZ, M.A., THIEL, W., Theoretical evidence for stereoselective lithiations of 2-alkoxy-1,1-diiodo-1-alkenes. An ab initio study *[Univ. Oviedo, CSIC, Inst. Quim. Organomet. Enrique Moles, Oviedo, Spain; Univ. Rioja, Dept. Quim, Logrono, Spain; Univ. Zürich, Inst. Organ. Chem., Zürich, Switzerland]*

Vol. 548 No. 2 (1997) 191–194
YEH, W.-Y., CHIEN, S.M., Mechanistic information of substitution reaction of $W(PhC{\equiv}CPh)_3(CO)$ with trimethylphosphine *[Natl. Sun Yat-Sen Univ., Dept. Chem., Kaohsiung, Taiwan]*

Vol. 548 No. 2 (1997) 195–203
JEFFERY, J.C., WELLER, A.S., Synthesis, characterization and reactivity of group six alkylidynes bearing the tridentate phosphine $PPh(C_2H_4PPh_2)_2$-'triphos'. Crystal structure of *mer*-[$W(NCMe)({\equiv}CC_6H_4Me_4)${$PPh(C_2H_4PPh_2)_2$}$(CO)$][$BF_4$] *[Univ. Bristol, Sch. Chem., Bristol, Avon, England]*

Vol. 548 No. 2 (1997) 205–210
BECKE, F., HEINEMANN, F.W., RÜFFER, T., WIEGELEBEN, P., BOESE, R., BLÄSER, D., STEINBORN, D., Synthesis and characterization of substituted (aminomethyl)lithium compounds. The structures of [$Li_2(CH_2NPh_2)_2(THF)_3$] and [$Li_4(CH_2NC_5H_{10})_4(THF)_2$] *[Univ. Halle Wittenberg, Inst. Anorgan. Chem., Halle, Germany; Univ. Gesamthsch. Essen, Inst. Anorgan. Chem., Essen, Germany]*

Vol. 548 No. 2 (1997) 211–221
ASARO, F., DREOS, R., GEREMIA, S., NARDIN, G., PELLIZER, G., RANDACCIO, L., TAUZHER, G., VUANO, S., Diphenylborylated derivatives of organocobaloximes and organorhodoximes: synthesis, spectroscopic and structural characterization *[Univ. Trieste, Dipartimento Sci. Chim., Trieste, Italy]*

Vol. 548 No. 2 (1997) 223–227
WADA, M., NATSUME, S., SUZUKI, S., UO, A., NAKAMURA, M., HAYASE, S., ERABI, T., Two-step synthesis of triarylmetals (As, Sb, Bi) starting from the metal oxides and 2,6-dimethoxybenzenethiol *[Tottori Univ., Fac. Engn., Dept Mat. Sci., Tottori, Japan]*

Vol. 548 No. 2 (1997) 229–236
TAUBE, R., WINDISCH, H., WEIßENBORN, H., HEMLING, H., SCHUMANN, H., Catalysis with complexes. LI. Complexes of tris(allyl)lanthanum with different donor ligands La-($\eta^3$-$C_3H_5)_3$·L (L=DME, TMED, 2HMPT) and their catalytic properties in stereospecific butadiene polymerization (in German) *[Tech. Univ. Munich, Inst. Anorgan. Chem., Garching, Germany; Bayer AG, Res. Ctr., Leverkusen, Germany; Martin Luther Univ. Halle Wittenberg, Inst. Anorgan. Chem., Merseburg, Germany; Tech. Univ. Berlin, Inst. Anorgan. & Analyt. Chem., Berlin, Germany]*

Vol. 548 No. 2 (1997) 237–245
CHO, E.J., LEE, V., YOO, B.R., JUNG, I.N., Friedel-Crafts polyalkylation of alkylbenzenes with dichloromethylvinylsilane *[Korea Adv. Inst. Sci. & Technol., Organomet. Chem. Lab., Seoul, South-Korea]*

Vol. 548 No. 2 (1997) 247–253
GERISCH, M., HEINEMANN, F.W., BOGEL, H., STEINBORN, D., Synthesis and characterization of platinum(II) complexes with terminal alkynes analogous to Zeise's salt - structure of [K(18-crown-6)][$PtCl_3(PhC{\equiv}CD)$]·$CH_2Cl_2$ *[Univ. Halle Wittenberg, Inst. Anorgan. Chem., Halle, Germany; Univ. Halle Wittenberg, Inst. Phys. Chem., Halle, Germany]*

Vol. 548 No. 2 (1997) 255–261
CABEZA, J.A., DEL RÍO, I., RIERA, V., Neutral and cationic diphenylphosphine and diphenylphosphido derivatives of a trinuclear ruthenium carbonyl cluster containing a bridging 1-azavinylidene ligand *[Univ. Oviedo, CSIC, Inst. Quim. Organomet. Enrique Moles, Oviedo, Spain]*

Vol. 548 No. 2 (1997) 263–268
RÄSÄNEN, T.M., JÄÄSKELÄINEN, S., PAKKANEN, T.A., New tricapped thioether derivatives of $Co_3(CO)_9$($\mu$-CPh) *[Univ. Joensuu, Dept. Chem., Joensuu, Finland]*

Vol. 548 No. 2 (1997) 269–278
COURTOIS, G., MIGINIAC, L., Single-stage synthesis of α,α'-disubstituted primary benzyldiamines using organometals (in French) *[Univ. Poitiers, Organ. Synth. Lab., Poitiers, France]*

Vol. 548 No. 2 (1997) 279–284
CAIAZZO, A., SETTAMBOLO, R., UCCELLO-BARRETTA, G., LAZZARONI, R., Influence of the reaction temperature on the regioselectivity in the rhodium-catalyzed hydroformylation of vinylpyrroles *[Univ. Pisa, Dipartimento Chim. & Chim. Ind., Pisa, Italy; Univ. Pisa, CNR, Ist. Chim. Quantist. & Energet. Mol., Pisa, Italy]*

Vol. 548 No. 2 (1997) 285–288
DANKS, T.N., HOWELLS, M.E., ACKLAND, M.J., Reduction of (1,3-diene)tricarbonyliron(0) complexes: application to (ergosterol acetate)tricarbonyliron(0) *[Univ. Surrey, Dept. Chem., Guildford, Surrey, England; Pharmacia & Upjohn Inc., Crawley, West Sussex, England]*

Vol. 548 No. 2 (1997) 289–294
YAM, V.W.W., QI, G.Z., CHEUNG, K.-K., Synthesis of luminescent zirconium thiolate complexes. Crystal structures of $(\eta^5\text{-}C_5H_5)_2Zr(SC_6H_4Cl\text{-}p)_2$ and $((\eta^5\text{-}C_5H_5)_2Zr(SC_6H_4OMe\text{-}p))_2O$ *[Univ. Hong-Kong, Dept. Chem., Hong-Kong, Hong-Kong]*

Vol. 548 No. 2 (1997) 295–299
RUDLER, H., GREGORIO, J.R., DENISE, B., VAISSERMANN, J., On the formation of $(CH_3)_4Re_2O_4$ from methyl trioxorhenium complex $CH_3ReO_3$ under non-alkylating conditions *[Univ. Paris 06, CNRS, Lab. Chim. Organ., Paris, France; Univ. Paris 06, CNRS, Chim. Met. Transit. Lab., Paris, France]*

Vol. 548 No. 2 (1997) 301–304
GRELLIER, M., PFEFFER, M., Allyl versus aryl C–H activation mediated by palladium acetate *[Univ. Strasbourg 1, CNRS, Lab. Synth. Metalloinduites, Strasbourg, France]*

Vol. 548 No. 2 (1997) 305–307
LE BRAS, J., AMOURI, H., VAISSERMANN, J., Unexpected formation of $Cp^*IrCl_2PPh_3$ from the reaction of $[Cp^*Ir(\eta^5\text{-}C_6H_5O)][BF_4]$ with $PPh_3$ in dichloroethane involving C–Cl bond activation *[Ecole Natl. Super. Chim. Paris, CNRS, Paris, France; Univ. Paris 06, CNRS, Chim. Met. Transit. Lab., Paris, France]*

Vol. 548 No. 2 (1997) 309–313
TEHRANI, Z.M., LUCAS, D., MUGNIER, Y., ANTIÑOLO, A., OTERO, A., FAJARDO, M., GARCES, A., LOPEZ-MARDOMINGO, C., Electrocatalytic process in the reduction of $\{Nb[\eta^5\text{-}C_5H_4(SiMe_3)]_2(Cl)(NHPh)\}BF_4$ *[Univ. Bourgogne, CNRS, Lab. Synth. & Electrosynth. Organomet., Dijon, France; Univ. Castilla La Mancha, Dept. Quim. Inorgan., Ciudad Real, Spain; Univ. Alcalá de Henares, Dept. Quim. Inorgan., Alcalá de Henares, Spain]*

Vol. 549 No. 1-2 (1997) 1–12
HITCHCOCK, P.B., LAPPERT, M.F., TIAN, S., Synthesis, characterization and reactions of 1,3-bis(trimethylsilyl)-1-aza-allyl-lanthanide complexes; X-ray structures of $[Sm(LL')_2I(thf)]$, $[Yb(LL')_2]$ and $[RN{=}C(Bu^t)CH(R)]_2$ (thf = tetrahydrofuran, LL' = $\eta^3$-N(R)C(Bu$^t$)CHR, R = $SiMe_3$) *[Univ. Sussex, Chem. Lab., Brighton, East Sussex, England]*

Vol. 549 No. 1-2 (1997) 13–23
WATANABE, M., MOTOYAMA, I., TAKAYAMA, T., SATO, M., A molecular structure of mixed valence biruthenocenium ($Ru^{II}Ru^{IV}$) salts $[Ru^{II}Cp(C_5H_4C_5H_4)(CpRu^{IV}L]^{2+}(BF_4^-)_2$ (L = $NCCH_3$, $N(CH)_4N$) *[Kanagawa Univ., Fac. Engn., Yokohama, Kanagawa, Japan; Saitama Univ., Ctr. Chem. Anal., Urawa, Saitama, Japan]*

Vol. 549 No. 1-2 (1997) 25–29
WANG, J.T., HE, H.Y., XU, Y.M., SUN, J., KONG, X.F., The synthesis of novel bridging cyclopentadienyl W-$Sn^{IV}$ bonded bimetallic complexes. Crystal structure of $Cl_3SnMo(CO)_3C_5H_4(CH_3)C{=}N\text{-}NHC_6H_3(NO_2)_2$ and $\mu$-$[C_5H_4(CH_3)C{=}N\text{-}N(CO)Ph]W(CO)_3SnCl_2\cdot(EtOH)_2$ *[Nankai Univ., Dept. Chem., Tianjin, P.R. China; Chinese Acad. Sci., Shanghai Inst. Organ. Chem., Shanghai, P.R. China]*

Vol. 549 No. 1-2 (1997) 31–37
SCHAUER, S.J., LAKE, C.H., WATKINS, C.L., KRANNICH, L.K., POWELL, D.H., Synthesis and characterization of a series of aminogallanes, $[Me_2GaR]_2$. The crystal structures of $[Me_2GaN(CH_2Ph)_2]_2$ and $[Me_2GaN(CH_2CH_2)_2NMe]_2$ *[Univ. Alabama, Dept. Chem., Birmingham, AL, USA; Univ. Florida, Dept. Chem., Gainesville, FL, USA]*

Vol. 549 No. 1-2 (1997) 39–43
MACK, H., FRENZEN, G., BENDIKOV, M., EISEN, M.S., Thermal decomposition of $[Me_3SiNCH_2CH_2NSiMe_3]\cdot Li_2(THF)_2$ to $[LiN(SiMe_3)_2\cdot THF]_2$ via a 1,4-trimethylsilyl shift *[Technion Israel Inst. Technol., Dept. Chem., Haifa, Israel; Univ. Gesamthsch. Kassel, Dept. Crystallogr., Kassel, Germany]*

Vol. 549 No. 1-2 (1997) 45–48
KOCHINA, T.A., VRAZHNOV, D.V., IGNATYEV, I.S., Radiochemical study of the reactions between the methyl cation and hexamethyldisilazane *[Russian Acad. Sci., Inst. Silicate Chem., St.Petersburg, Russia]*

Vol. 549 No. 1-2 (1997) 49–54
ALVAREZ TOLEDANO, C., HERNÁNDEZ-ORTEGA, S., BERNES, S., GUTIÉRREZ-PÉREZ, R., GARCÍA-MELLADO, O., Synthesis of a new iron tricarbonyl ($\eta^4$)-α-pyrone complex by reaction of iron vinyldiketone complexes with methyllithium under a CO atmosphere *[Univ. Nacl. Autonoma Mexico, Inst. Quim., Mexico City, Mexico; Univ. Autonoma Puebla, Fac. Ciencias Quim., Puebla, Mexico; UNAM, Fac. Estudios Super, Edo de Mexico, Mexico]*

Vol. 549 No. 1-2 (1997) 55–72
GUBIN, S.P., GALUZINA, T.V., GOLOVANEVA, I.F., KLYAGINA, A.P., POLYAKOVA, L.A., BELYAKOVA, O.A., ZUBAVICHUS, Y.V., SLOVOKHOTOV, YU.L., Optically active pentanuclear wing-tip butterfly heterotrimetallic clusters *[Russian Acad. Sci., N.S. Kurnakov Gen. & Inorgan. Chem. Inst., Moscow, Russia; Russian Acad. Sci., A.N. Nesmeyanov Inst. Organoelement Compounds, Moscow, Russia]*

Vol. 549 No. 1-2 (1997) 73–80
NARAYAN, S., JAIN, V.K., BUTCHER, R.J., Synthesis and characterization of cyclometallated palladium(II) dithiolate complexes of the type [Pd(E-C)(S-S)] *[Bhabha Atom. Res. Ctr., Div. Chem., Trombay, Mumbai, India; Howard Univ., Dept. Chem., Washington, DC, USA]*

Vol. 549 No. 1-2 (1997) 81–88
FRESSIGNÉ, C., CORRUBLE, A., VALNOT, J.Y., MADDALUNO, J., GIESSNER-PRETTRE, C., Ab initio theoretical study of 3-aminopyrrolidines lithium amides as chiral ligands for butyllithium *[Univ. Rouen, IRCOF, Lab. Fonct. Azotees & Oxygenees Complexes, Mont St. Aignan, France; Univ. Paris 06, CNRS, Chim. Theor. Lab., Paris, France]*

Vol. 549 No. 1-2 (1997) 89–94
LI, G.Q., BURNS, R.M., MANDAL, S.K., BAUER, J.K., ORCHIN, M., Conversion of a manganese–carbon-bonded complex to a manganese–oxygen-bonded complex, some reactions of manganese carbonato complexes *[Univ. Cincinnati, Dept. Chem., Cincinnati, OH, USA; Claflin Coll., Orangeburg, SC, USA]*

Vol. 549 No. 1-2 (1997) 95–100
SHEN, Q., QI, M.H., SONG, S.P., ZHANG, L.L., LIN, Y.H., Syntheses of indenyl lanthanide derivatives and the molecular structures of $[(C_9H_7)_2PrCl(THF)]_2$ and $[(C_9H_7)_3La(THF)]$ *[Suzhou Univ., Sch. Chem. & Chem. Engn., Suzhou, P.R. China; Acad. Sinica, Changchun Inst. Appl. Chem., Changchun, P.R. China]*

Vol. 549 No. 1-2 (1997) 101–104
POREMBA, P., EDELMANN, F.T., Cyclooctatetraenyl complexes of the early transition metals and lanthanides. IX. (Cyclooctatetraenyl) lanthanide diazadiene complexes *[Univ. Magdeburg, Inst. Chem., Magdeburg, Germany]*

Vol. 549 No. 1-2 (1997) 105–115
MALE, J.L., EINSTEIN, F.W.B., LEONG, W.K., POMEROY, R.K., TYLER, D.R., Products from the photoreaction of $(Me_3P)(Oc)_4OsW(CO)_5$ with $CCl_4$; synthesis and isomerization of $Os(CO)_3(PMe_3)Cl_2$ *[Simon Fraser Univ., Dept. Chem., Burnaby, BC, Canada; Univ Oregon, Dept. Chem., Eugene, OR, USA]*

Vol. 549 No. 1-2 (1997) 117–125
XI, R.M., ABE, M., SUZUKI, T., NISHIOKA, T., ISOBE, K., Synthesis and characterization of pentamethylcyclopentadienylrhodium(III) and iridium(III) complexes with 1,2-benzenedithiolate: $[(Cp^*Rh)_2(\mu(S)\text{-}1,2\text{-}C_6H_4S_2\text{-}S,S')_2]$, $[(Cp^*Rh)_2(\mu(S)\text{-}1,2\text{-}C_6H_4S_2\text{-}S,S')(\mu(S)\text{-}1,2\text{-}C_6H_4S(SO_2)\text{-}S,S')]$ and $[(Cp^*Ir)(1,2\text{-}C_6H_4S_2\text{-}S,S')]$ ($Cp^* = \eta^5\text{-}C_5(CH_3)_5$) *[Grad. Univ. Adv. Studies, Dept. Struct. Mol Sci., Okazaki, Aichi, Japan; Australian Natl. Univ., Res. Sch. Phys. Sci. & Engn., Canberra, ACT, Australia; Osaka City Univ., Fac. Sci., Osaka, Japan]*

Vol. 549 No. 1-2 (1997) 127–137
WHITTALL, I.R., CIFUENTES, M.P., HUMPHREY, M.G., LUTHER-DAVIES, B., SAMOC, M., HOUBRECHTS, S., PERSOONS, A., HEATH, G.A., HOCKLESS, D.C.R., Organometallic complexes for nonlinear optics. X. Molecular quadratic and cubic hyperpolarizabilities of systematically varied (cyclopentadienyl) bis(phosphine)ruthenium σ-arylacetylides: X-ray crystal structure of $Ru((E)\text{-}4,4'\text{-}C{\equiv}CC_6H_4CH{=}CHC_6H_4NO_2)(PPh_3)_2(\eta\text{-}C_5H_5)$ *[Australian Natl. Univ., Res. Sch. Phys. Sci. & Engn., Canberra, ACT, Australia; Katholieke Univ. Leuven, Lab. Chem. & Biol. Dynam., Louvain, Belgium; Australian Natl. Univ., Res. Sch. Chem., Canberra, ACT, Australia]*

Vol. 549 No. 1-2 (1997) 139–148
ANTELMANN, B., HUTTNER, G., VOGELGESANG, J., WALTER, O., WINTERHALTER, U., Tripod-ligand with cyclopentadienyl donor group – synthesis and reactivity of complexes of the type $CH_3C(CH_2\text{-}\eta^5\text{-}C_5H_4)(CH_2Pr_2)(CH_2Pr'_2)FeCl$ (in German) *[Univ. Heidelberg, Inst. Anorgan. Chem., Heidelberg, Germany]*

Vol. 549 No. 1-2 (1997) 149–154
MODELLI, A., SCAGNOLARI, F., DISTEFANO, G., DAL COLLE, M., Vertical electron affinities in substituted trimethylsilanes *[Univ. Bologna, Dipartimento Chim. G. Ciamician, Bologna, Italy; Univ. Ferrara, Dipartmento Chim., Ferrara, Italy]*

Vol. 549 No. 1-2 (1997) 155–161
KUMARESAN, S., LU, K.-L., HUNG, J.-T., LEE, F.-Y., WEN, Y.-S., HWU, J.R., Different coordination modes of 3-hydroxy-1,2,3-benzotriazin-4(3*H*)-one: Molecular structures of $(\mu\text{-}H)Os_3(CO)_{10}(\mu_2\text{-}(2,3\text{-}\eta^2)\text{-}(O)NNNC_7H_4O)$ and $(\mu\text{-}H)Ru_3(CO)_{10}(\mu_2\text{-}(1,2\text{-}\eta^2)\text{-}NNN(O)C_7H_4O)$ *[Natl. Tsing Hua Univ., Dept. Chem., Hsin-Chu, Taiwan; Acad. Sinica, Inst. Chem., Taipei, Taiwan]*

Vol. 549 No. 1-2 (1997) 163–165
LUKEVICS, E., BELYAKOV, S., ARSENYAN, P., POPELIS, J., 1-fluorogermatrane – germatrane with the shortest intramolecular N→Ge bond *[Latvian Inst. Organ. Synth., Riga, Latvia]*

Vol. 549 No. 1-2 (1997) 167–176
GUTIÉRREZ, E., NICASIO, M.C., PANEQUE, M., RUIZ, C., SALAZAR, V., Synthesis and reactivity of new palladium alkyl complexes containing $PMe_3$ ligands: Insertion reactions and formation of bis(pyrazolyl) borate derivatives *[CSIC, Inst. Ciencia Mat, Madrid, Spain; Univ. Sevilla, CSIC, Seville, Spain]*

Vol. 549 No. 1-2 (1997) 177–186
REPO, T., JANY, G., HAKALA, K., KLINGA, M., POLAMO, M., LESKELÄ, M., RIEGER, B., Metallocene dichlorides bearing acenaphthyl substituted cyclopentadienyl rings: preparation and polymerization behavior *[Univ. Helsinki, Dept. Chem., Helsinki, Finland; Helsinki Univ. Technol., Ctr. Polymer Sci., Espoo, Finland; Univ. Ulm, Abt. Anorgan. Chem., Ulm, Germany]*

Vol. 549 No. 1-2 (1997) 187–192
SILAGHI-DUMITRESCU, L., PASCU, S., SILAGHI-DUMITRESCU, I., HAIDUC, I., GIBBONS, M.N., SOWERBY, D.B., The first oxygen-bridged diorganoarsenic(V) compound: the crystal-structure of $AsMe_2(S)OAs(S)Me_2$ *[Univ. Nottingham, Dept. Chem., Nottingham, England; Univ. Babes Bolyai, Dept. Chem., Cluj-Napoca, Romania]*

Vol. 549 No. 1-2 (1997) 193–197
BAKER, P.K., CLARK, A.I., DREW, M.G.B., DURRANT, M.C., RICHARDS, R.L., Synthesis and crystal structures of the distorted pentagonal bipyramidal seven-coordinate acetylacetonate complexes $(MI(AcAc)(CO)_2(PEt_3)_2)$ (M=Mo or W) *[Univ. Coll. North-Wales, Dept. Chem., Bangor, Gwynedd, Wales; John Innes Ctr. Plant Sci. Res., Nitrogen Fixat. Lab., Norwich, Norfolk, England; Univ. Reading, Dept. Chem., Reading, Berks, England]*

Vol. 549 No. 1-2 (1997) 199–202
PAUSON, P.L., SPICER, M.D., The action of lithium perchlorate in ether on (allyl propargyl ether) hexacarbonyldicobalt complexes *[Univ. Strathclyde, Dept. Pure & Appl. Chem., Lanark, Scotland]*

Vol. 549 No. 1-2 (1997) 203–212
GUAN, J.W., SHEN, Q., FISCHER, R.D., Crystal structure, conformational diversity and solution NMR spectroscopy of four tris(indenyl)lanthanoid(III) tetrahydrofuran adducts: $[Ln(C_9H_7)_3{\cdot}THF]$ (Ln=La, Pr, Nd, Sm) *[Univ. Hamburg, Inst. Anorgan. & Angew. Chem., Hamburg, Germany; Suzhou Univ., Fac. Chem. & Chem. Engn., Suzhou, P.R. China]*

Vol. 549 No. 1-2 (1997) 213–220
IGLESIAS, M., SANTOS, A., Synthesis of polydiphenylphosphite derivatives of [60]fullerene and their reactions with metal complexes *[CSIC, Inst. Ciencia Mat, Madrid, Spain]*

Vol. 549 No. 1-2 (1997) 221–232
DE LOS RÍOS, I., JIMÉNEZ TENORIO, M., PUERTA, M.C., VALERGA, P., The interaction of [Cp*RuCl(dippe)] and [CpRuCl(dippe)] with alkynols: hydroxyvinylidene, allenylidene and related derivatives (dippe = 1,2-bis(diisopropylphosphino)ethane) *[Univ. Cadiz, Fac. Ciencias, Cadiz, Spain]*

Vol. 549 No. 1-2 (1997) 233–237
MCQUILLAN, F.S., HAMOR, T.A., TANNA, R., ASHTON, P.R., TOLLEY, M.S., JONES, C.J., Proton sponge as a carbon nucleophile, addition to a putative carbocation linked to a dicarbacobaltaborane cage *[Univ. Birmingham, Sch. Chem., Birmingham, West Midlands, England]*

Vol. 549 No. 1-2 (1997) 239–244
XIE, Z.W., CHUI, K.L., LIU, Z.X., XUE, F., ZHANG, Z.-Y., MAK, T.C.W., SUN, J., Systematic studies on the reactions of lanthanide trichlorides with Na[1,3-bis(trimethylsilyl)cyclopentadienyl]. Crystal structures of [1,3-$(Me_3Si)_2C_5H_3]_3Ln$ (Ln=La, Nd, Gd, Dy) *[Chinese Univ. Hong-Kong, Dept. Chem., Hong-Kong, Hong-Kong; Chinese Acad. Sci., Shanghai Inst. Organ. Chem., Shanghai, P.R. China]*

Vol. 549 No. 1-2 (1997) 245–250
BENTELE, H.-J., SÜNKEL, K., BECK, W., Hydrocarbon bridged metal complexes. XLII. Addition of aniline tricarbonyl chromium complexes to the dienyl ligands of $[(\eta^5\text{-}H_3CC_5H_5CH_3)Fe(CO)_3]^+$ and $[(\eta^5\text{-}C_5H_6CH_3)Fe(CO)_3]^+$ *[Univ. Munich, Inst. Anorgan. Chem., Munich, Germany]*

Vol. 549 No. 1-2 (1997) 251–256
ENDERS, M., RUDOLPH, R., PRITZKOW, H., Chiral titanium and zirconium complexes with the 1-(8-quinolyl)-2,3-dimethylcyclopentadienyl-ligand *[Univ. Heidelberg, Inst. Anorgan. Chem., Heidelberg, Germany]*

Vol. 549 No. 1-2 (1997) 257–262
MAJEED, Z., MCWHINNIE, W.R., HAMOR, T.A., Observations on the synthesis and chemistry of a complete series of phenylazophenyl(C,*N'*)tellurium(II) halides (fluoride, chloride, bromide and iodide) *[Aston Univ., Dept. Chem. Engn.& Appl. Chem., Birmingham, West Midlands, England; Univ. Birmingham, Sch. Chem., Birmingham, West Midlands, England]*

Vol. 549 No. 1-2 (1997) 263–274
FERRAND, V., MERZWEILER, K., RHEINWALD, G., STOECKLI-EVANS, H., SÜSS-FINK, G., Triruthenium clusters containing vinyl ligands: synthesis and structure of $Ru_3(\mu_2\text{-}CO)_2(CO)_6[\mu_3\text{-}NS(O)MePh](\mu_2\text{-}\eta^1,\eta^2\text{-}PhCH_2C{=}CH_2)$, $Ru_3(\mu_2\text{-}CO)(CO)_7[\mu_3\text{-}NS(O)MePh](\mu_3\text{-}\eta^1,\eta^2\text{-}Pr^nC{=}CHPr^n)$, $Ru_3(\mu_2\text{-}CO)(CO)_7[\mu_3\text{-}NS(O)MePh](\mu_3\text{-}\eta^1,\eta^2\text{-}PhC{=}CHBu^n)$, and $(\mu_2\text{-}H)Ru_3(CO)_6(\mu_2\text{-}\eta^1,\eta^2\text{-}PhC{=}CHPh)(\mu_3\text{-}\eta^1,\eta^2\text{-}PhC{\equiv}CPh)[\mu_3\text{-}\eta^1,\eta^2\text{-}NS(O)Me(C_6H_4)]$ *[Univ. Neuchatel, Inst. Chim., Neuchatel, Switzerland; Univ. Halle Wittenberg, Inst. Anorgan. Chem., Halle, Germany]*

Vol. 549 No. 1-2 (1997) 275–282
FERRAND, V., GAMBS, C., DERRIEN, N., BOLM, C., STOECKLI-EVANS, H., SÜSS-FINK, G., Carbon–carbon coupling reactions on triruthenium clusters: synthesis and structure of $Ru_3(CO)_9[\mu_3\text{-}\eta^3\text{-}PhCCCC(H)Ph][\mu_2\text{-}NS(O)MePh]$ and $Ru_3(\mu_2\text{-}CO)(CO)_7(\mu_3\text{-}\eta^3\text{-}PhCCCC(H)Ph][\mu_3\text{-}NS(O)MePh]$ *[Univ. Neuchatel, Inst. Chim., Neuchatel, Switzerland; Rhein Westfal TH Aachen, Inst. Organ. Chem., Aachen, Germany]*

Vol. 549 No. 1-2 (1997) 283–293
LIU, S.Y., MÜLLER, J.F.K., NEUBURGER, M., SCHAFFNER, S., ZEHNDER, M., Crystallographic studies of $\{\eta^3\text{-}1,3\text{-}$dimethylallyl$\}\{2\text{-}[2'\text{-}$(diphenylphosphino)phenyl]oxazoline-P,N$\}$palladium(II) hexafluorophosphates complexes complemented by $^1H$ NMR investigations *[Univ. Basel, Inst. Inorgan. Chem., Basel, Switzerland]*

Vol. 549 No. 1-2 (1997) 295–304
HEARD, P.J., TOCHER, D.A., Synthesis and detailed NMR study of tricarbonylrhenium(I) and trimethylplatinum(IV) halide complexes of 2-methylthiomethyl-4-(S)-methyl-1,3-oxazoline (L). X-ray crystal structure of *fac*-$[ReBr(CO)_3L]$ *[Univ. London Birkbeck Coll., Dept. Chem., London, England; Univ. Coll. London, Dept. Chem., London, England]*

Vol. 549 No. 1-2 (1997) 305–309
HIRASHITA, T., INOUE, S., YAMAMURA, H., KAWAI, M., ARAKI, S., High $\gamma$-selectivity in the coupling of penta-2,4-dienyl and pent-2-en-4-ynylindium reagents with aldehydes *[Nagoya Inst. Technol., Dept. Appl. Chem., Nagoya, Aichi, Japan]*

Vol. 549 No. 1-2 (1997) 311–318
AUMANN, R., YU, Z.K., FRÖHLICH, R., Organic syntheses via transition metal complexes. XCI. Dihydropyridinyl carbene complexes by [4+2]annulation of alkenyl- or aryl-imine to (1-alkynyl)carbene complexes of chromium and tungsten *[Univ. Münster, Inst. Organ. Chem., Münster, Germany]*

Vol. 549 No. 1-2 (1997) 319–322
HERRMANN, W.A., DING, H., KRATZER, R.M., KÜHN, F.E., HAIDER, J.J., FISCHER, R.W., Multiple bonds between transition metals and main-group elements. Part 168. Methyltrioxorhenium/Lewis-base catalysts in olefin epoxidation *[Tech. Univ. Munich, Inst. Anorgan. Chem., Garching, Germany; Hoechst AG, Corp. Res. & Technol., Frankfurt, Germany]*

Vol. 550 No. 1-2 (1998) 1–6
SHAH, S.A.A., DORN, H., GINDL, J., NOLTEMEYER, M., SCHMIDT, H.-G., ROESKY, H.W., Synthesis and structural characterization of sulfonates, phosphinates and carboxylates of organometallic Group 4 metal fluorides *[Univ. Göttingen, Inst. Anorgan. Chem., Göttingen, Germany]*

Vol. 550 No. 1-2 (1998) 7–20
ADAMS, H., BAILEY, N.A., COLLINSON, S.R., FENTON, D.E., HAWLEY, J.C., KITCHEN, S.J., Dinuclear copper(I) complexes of 24-membered bibracchial tetraimine Schiff base macrocycles derived from 2,5-diformylthiophene *[Univ. Sheffield, Dept. Chem., Sheffield, South Yorkshire, England; BP Chem. Ltd., Kingston upon Hull, North Humberside, England]*

Vol. 550 No. 1-2 (1998) 21–27
FEHLNER, T.P., A molecular orbital analysis of four chromaboranes. On the curious behavior of $(\eta^5\text{-}C_5R_5)Cr$ fragments in a borane cluster environment *[Univ. Notre Dame, Dept. Chem. & Biochem., Notre Dame, IN, USA]*

Vol. 550 No. 1-2 (1998) 29–57
DAVIES, S.R., MITCHELL, M.C., CAIN, C.P., DEVITT, P.G., TAYLOR, R.J., KEE, T.P., Phospho-transfer catalysis. On the asymmetric hydrophosphonylation of aldehydes *[Univ. Leeds, Sch. Chem., Leeds, West Yorkshire, England; Ciba-Geigy Plc, Ciba Cent. Res., Macclesfield, Cheshire, England]*

Vol. 550 No. 1-2 (1998) 59–61
BATSANOV, A.S., CRABTREE, S.P., HOWARD, J.A.K., LEHMANN, C.W., KILNER, M., $\eta^1$- and $\eta^2$-benzene coordination in $[Ag(C_6D_6)_3BF_4]$ *[Univ. Durham, Dept. Chem., Durham, England]*

Vol. 550 No. 1-2 (1998) 63–70
MEHNERT, C.P., HAGGITT, J., GREEN, M.L.H., Synthesis and reactions of [Mo(2,6-lutidine)(phosphine)] derivatives *[Univ. Oxford, Inorgan. Chem. Lab., Oxford, Oxon, England]*

Vol. 550 No. 1-2 (1998) 71–76
ALLAN, R.E., BESWICK, M.A., DAVIES, M.K., RAITHBY, P.R., STEINER, A., WRIGHT, D.S., Reactions of Group 14 metallocenes with lithiated primary amines; alternative pathways in the formation of the primary tris(amido)stannate $[(MaNH)Sn(NHMa)_2Li{\cdot}2THF]$ **1** and the cubanes $[E(NCy)]_4$ (E=Sn **2**, Pb **3** Ma=(2-MeO)$C_6H_4$, Cy=$C_6H_{11}$) *[Univ. Cambridge, Dept. Chem., Cambridge, England]*

Vol. 550 No. 1-2 (1998) 77–88
DONAGHY, K.J., CARROLL, P.J., SNEDDON, L.G., Synthesis and structural characterizations of new 12- and 13-vertex metallacarboranes based on supraicosahedral frameworks *[Univ. Penn, Dept. Chem., Philadelphia, PA, USA]*

Vol. 550 No. 1-2 (1998) 89–99
BOWMAKER, G.A., CHURAKOV, A.V., HARRIS, R.K., OH, S.-W., Vibrational spectroscopy and solid-state MAS NMR studies of mercury(II) acetate complexes [Hg(X)OAc]. Crystal structure of [Hg(CN)OAc] *[Univ. Durham, Dept. Chem., Durham, England; Univ. Auckland, Dept. Chem., Auckland, New Zealand; Russian Acad. Sci., N.S. Kurnakov Gen. & Inorgan. Chem. Inst., Moscow, Russia]*

Vol. 550 No. 1-2 (1998) 101–109
JABALLAS, J., ONAK, T., Stability and NMR correlations, experimental vs. calculational, among isoelectronic *closo*-hexaborane/carborane compounds *[California State Univ. Los Angeles, Dept. Chem., Los Angeles, CA, USA]*

Vol. 550 No. 1-2 (1998) 111–118
PASYNKIEWICZ, S., PIETRZYKOWSKI, A., TROJANOWSKA, L., SOBOTA, P., JERZYKIEWICZ, L.B., Reactions of nickelocene with lithium and magnesium alkyls containing $\beta$-hydrogen atoms *[Tech. Univ. Warsaw, Fac. Chem., Warsaw, Poland; Univ. Wroclaw, Fac. Chem., Wroclaw, Poland]*

Vol. 550 No. 1-2 (1998) 119–123
PRAKASH, G.K.S., WANG, Q.J., RASUL, G., OLAH, G.A., Preparation, $^{29}Si$ and $^{13}C$ NMR and DFT/IGLO studies of silylcarboxonium ions *[Univ. Southern California, Loker Hydrocarbon Res. Inst., Los Angeles, CA, USA; Univ. Southern California, Dept. Chem., Los Angeles, CA, USA]*

Vol. 550 No. 1-2 (1998) 125–130
STÍBR, B., TEIXIDOR, F., VIÑAS, C., FUSEK, J., A convenient route to carbon-substituted derivatives of *nido*-5,6-$C_2B_8H_{12}$ *[Inst. Sci. Mat., Bellaterra, Spain; Acad. Sci. Czech Rep., Inst. Inorgan. Chem., Prague, Czech Rep.]*

Vol. 550 No. 1-2 (1998) 131–139
AKHTER, Z., INGHAM, S.L., LEWIS, J., RAITHBY, P.R., Metal core rearrangements in heterobimetallic nona-osmium carbonyl clusters; the crystal and molecular-structures of $[Os_9(CO)_{24}\{Au(PCy_3)\}_2]$ and $[Os_9(CO)_{23}(Au_2DPPE)]$ *[Univ. Cambridge, Dept. Chem., Cambridge, England]*

Vol. 550 No. 1-2 (1998) 141–150
CHISHOLM, M.H., LYNN, M.A., The non-perpendicular and nonparallel alkyne bridge in $W_2(\mu\text{-}C_2H_2)(\mu\text{-}OCH_2{}^tBu)_2(OCH_2{}^tBu)_6$ *[Indiana Univ., Dept. Chem., Bloomington, IN, USA]*

Vol. 550 No. 1-2 (1998) 151–164
MURPHY, M.P., SPALDING, T.R., COWEY, C., KENNEDY, J.D., THORNTON-PETT, M., HOLUB, J., Metallaheteroborane chemistry. Part 14. Synthesis of the $\{MS_2B_7\}$-cluster compounds [9,9-$(PX_3)_2$-9,6,8-$PtS_2B_7H_7$] (where X = Ph or OMe), [9,9-$(PPh_3)_2$-9,6,8-$RhS_2B_7H_8$] and [5,5-$(PPh_3)_2$-5,6,10-$RhS_2B_7H_8$], and the $\{M_2S_2B_7\}$-cluster compound $[(PPh_3)_2HRh(PPh_3)ClRhS_2B_7H_7]$ *[Natl. Univ. Ireland, Univ. Coll. Cork, Dept. Chem., Cork, Ireland; Univ. Leeds, Sch. Chem., Leeds, West Yorkshire, England; Acad. Sci. Czech Rep., Inst. Inorgan. Chem., Prague, Czech Rep.]*

Vol. 550 No. 1-2 (1998) 165–172
BROWN, M.A., MCGARVEY, B.R., OZAROWSKI, A., TUCK, D.G., Studies of organotin(IV)-orthoquinone systems *[Univ. Windsor, Dept. Chem. & Biochem., Windsor, ON, Canada]*

Vol. 550 No. 1-2 (1998) 173–182
FLEISCHER, R., STALKE, D., Synthesis and structure of alkaline earth metal diazasulphinates and triazasulphites *[Univ. Würzburg, Inst. Anorgan. Chem., Würzburg, Germany]*

Vol. 550 No. 1-2 (1998) 183–192
CLEGG, W., LAWLOR, F.J., LESLEY, G., MARDER, T.B., NORMAN, N.C., ORPEN, A.G., QUAYLE, M.J., RICE, C.R., SCOTT, A.J., SOUZA, F.E.S., Oxidative addition of boron–boron, boron–chlorine and boron–bromine bonds to platinum(0) *[Univ. Bristol, Sch. Chem., Bristol, Avon, England; Univ. Newcastle upon Tyne, Dept. Chem., Newcastle upon Tyne, Tyne & Wear, England; Univ. Waterloo, Dept. Chem., Waterloo, ON, Canada]*

Vol. 550 No. 1-2 (1998) 193–206
ARMSPACH, D., CONSTABLE, E.C., HOUSECROFT, C.E., NEUBURGER, M., ZEHNDER, M., Carbaborane-functionalized 2,2':6',2''-terpyridine ligands for metallosupramolecular chemistry: Syntheses, complex-formation, and the crystal and molecular structures of 4'-(*ortho*-carboranyl)-2,2':6',2''-terpyridine and 4'-(*ortho*-carboranylpropoxy)-2,2':6',2''-terpyridine *[Univ. Basel, Inst. Inorgan. Chem., Basel, Switzerland]*

Vol. 550 No. 1-2 (1998) 207–212
CRANSON, S.J., FOX, M.A., GREATREX, R., GREENWOOD, N.N., Studies on tetraborane(8) carbonyl, $B_4H_8{\cdot}CO$: its isomeric composition in the gas phase and in solution, and its reactions with alkenes *[Univ. Leeds, Sch. Chem., Leeds, West Yorkshire, England]*

Vol. 550 No. 1-2 (1998) 213–220
CHIVERS, T., PARVEZ, M., SCHATTE, G., Preparation and structures of $\{Li[C(N^tBu)_2(HN^tBu)]\}_2{\cdot}(THF)$ and $\{Li_2[C(N^tBu)_3]\}_2$, containing the novel anions $[C(N^tBu)_2(HN^tBu)]^-$ and $[C(N^tBu)_3]^{2-}$ *[Univ. Calgary, Dept. Chem., Calgary, AB, Canada]*

Vol. 550 No. 1-2 (1998) 221–231
TUNIK, S.P., PODKORYTOV, I.S., HEATON, B.T., IGGO, J.A., SAMPANTHAR, J., Multinuclear NMR-studies on substituted derivatives of $Rh_6(CO)_{16}$ in solution *[Univ. Liverpool, Dept. Chem., Liverpool, Merseyside, England; St. Petersburg State Univ., Dept. Chem., St.Petersburg, Russia; S.V. Lebedev Ctr. Synthet. Rubber Res. Inst., St.Petersburg, Russia]*

Vol. 550 No. 1-2 (1998) 233–240
ARMSTRONG, D.R., CLEGG, W., HODGSON, S.M., SNAITH, R., WHEATLEY, A.E.H., A structural and theoretical study of the monolithiation of hydroxylamines *[Univ. Strathclyde, Dept. Pure & Appl. Chem., Lanark, Scotland; Univ. Newcastle upon Tyne, Dept. Chem., Newcastle upon Tyne, Tyne & Wear, England; Univ. Cambridge, Dept. Chem., Cambridge, England]*

Vol. 550 No. 1-2 (1998) 241–253
BANISTER, A.J., MAY, I., RAWSON, J.M., SMITH, J.N.B., Dithiadiazolyls as heterocyclic chelators: a radical approach to coordination chemistry? *[Univ. Cambridge, Dept. Chem., Cambridge, England; Univ. Durham, Dept. Chem., Durham, England]*

Vol. 550 No. 1-2 (1998) 255–266
ORPEN, A.G., PRINGLE, P.G., SMITH, M.B., WORBOYS, K., Synthesis and properties of new tris(cyanoethyl)phosphine complexes of platinum(0,II), palladium(0,II), iridium(I) and rhodium(I). Conformational analysis of tris(cyanoethyl)phosphine ligands *[Univ. Bristol, Sch. Chem., Bristol, Avon, England]*

Vol. 550 No. 1-2 (1998) 267–282
BEDDOWS, C.J., BOX, M.R., BUTTERS, C., CARR, N., GREEN, M., KURSAWE, M., MAHON, M.F., The synthesis, structure and reactivity of aldehyde substituted $\eta^3$-allylic complexes of molybdenum *[Univ. Bath, Sch. Chem., Bath, Avon, England]*

Vol. 550 No. 1-2 (1998) 283–300
VAN DEN ANCKER, T.R., RASTON, C.L., Polymer and metal oxide supported alkali metal naphthalenides: application in the generation of lithium and sodium reagents *[Monash Univ., Dept. Chem., Clayton, VIC, Australia; Griffith Univ., Fac. Sci. & Technol., Brisbane, QLD, Australia]*

Vol. 550 No. 1-2 (1998) 301–308
PHILLIPS, P.R., WALLBRIDGE, M.G.H., BARKER, J., Preparation and structures of some tetraazamacrocyclic complexes of In(III) *[Univ. Warwick, Dept. Chem., Coventry, West Midlands, England; Assoc. Octel Co., Wirral, England]*

Vol. 550 No. 1-2 (1998) 309–314
MCCARTHY, D.A., KRAUSE BAUER, J., HONG, F.-E., OH, J.R., DENG, H.B., LIU, J.P., SHORE, S.G., Formation of $H_2Ru_6(CO)_{17}$ from $H_2Ru_6(CO)_{18}$ an improved synthesis of $HRu_6(CO)_{17}B$ *[Ohio State Univ., Dept. Chem., Columbus, OH, USA]*

Vol. 550 No. 1-2 (1998) 315–329
ADAMS, K.J., MCGRATH, T.D., ROSAIR, G.M., WELLER, A.S., WELCH, A.J., Rhodathiaboranes with 'anomalous' electron counts: synthesis, structure and reactivity *[Univ. Edinburgh, Dept. Chem., Edinburgh, Midlothian, Scotland; Heriot Watt Univ., Dept. Chem., Edinburgh, Midlothian, Scotland]*

Vol. 550 No. 1-2 (1998) 331–340
HOFMANN, M., FOX, M.A., GREATREX, R., WILLIAMS, R.E., SCHLEYER, P. VON RAGUÉ, Six-vertex *nido*-carborane structures with unusual CHB bridges or *endo*-CH hydrogens *[Friedrich Alexander Univ. Erlangen Nürnberg, Inst. Organ. Chem., Erlangen, Germany; Univ. Leeds, Sch. Chem., Leeds, West Yorkshire, England; Univ. Southern California, Loker Hydrocarbon Res. Inst., Los Angeles, CA, USA]*

Vol. 550 No. 1-2 (1998) 341–345
KIM, Y.-H., COOKE, P.A., GREATREX, R., KENNEDY, J.D., THORNTON-PETT, M., B-frame supported bimetallics. $[(PMe_2Ph)_2PtB_9H_{11}Ru(\eta^{6}\text{-}^{iso}PrC_6H_4Me)]$ and $[(PMe_2Ph)_2PtB_9H_9Ru(\eta^{6}\text{-}^{iso}PrC_6H_4Me)]$; an interesting pair of electron-deficient *nido* and *closo* geometries *[Univ. Leeds, Sch. Chem., Leeds, West Yorkshire, England]*

Vol. 550 No. 1-2 (1998) 347–353
DAM, M.A., DE KANTER, F.J.J., BICKELHAUPT, F., SMEETS, W.J.J., SPEK, A.L., FORNIÉS-CÁMER, J., CARDIN, C., 9,10-dimetallatriptycenes of group 14: a structural study *[Vrije Univ. Amsterdam, Scheikundig Lab., Amsterdam, Netherlands; Univ. Utrecht, Bijvoet Ctr. Biomol. Res., Utrecht, Netherlands; Univ. Reading, Dept. Chem., Reading, Berks, England]*

Vol. 550 No. 1-2 (1998) 355–358
ARMSTRONG, D.R., CRAIG, F.J., KENNEDY, A.R., MULVEY, R.E., Formation of the lithium alkylaluminum secondary amide $[Me_2Al\{(PhCH_2)_2N\}_2Li\cdot THF]$ by a methane elimination/amide insertion process *[Univ. Strathclyde, Dept. Pure & Appl. Chem., Lanark, Scotland]*

Vol. 550 No. 1-2 (1998) 359–379
SCHADE, S., BOCHE, G., The effect of (poly)amine ligands on the solution structure of ($^6$Li)-α-(phenylthio)benzyllithium in tetrahydrofuran: A $^1$H,$^6$Li-HOESY NMR-study *[Univ. Marburg, Fachbereich Chem., Marburg, Germany]*

Vol. 550 No. 1-2 (1998) 381–395
SCHADE, S., BOCHE, G., The effect of polyether ligands on the solution structure of ($^6$Li)-α-(phenylthio)benzyllithium in tetrahydrofuran: A $^1$H,$^6$Li-HOESY NMR-study *[Univ. Marburg, Fachbereich Chem., Marburg, Germany]*

Vol. 550 No. 1-2 (1998) 397–408
EDELMAN, M.A., HITCHCOCK, P.B., LAPPERT, M.F., LIU, D.-S., TIAN, S., Synthesis and characterization of trimethylsilylmethyl-, bis(trimethylsilyl)methyl- and silyl-substituted cyclopentadienes and their alkali metal complexes *[Univ. Sussex, Chem. Lab., Brighton, East Sussex, England]*

Vol. 550 No. 1-2 (1998) 409–422
EZHOVA, M.B., ZHANG, H.M., MAGUIRE, J.A., HOSMANE, N.S., Experimental and theoretical studies on group 1 metallacarboranes: Synthesis, structure and ab initio calculations of the NMR chemical shifts of the 1-(THF)-1-(TMEDA)-1-Na-2,4-$(SiMe_3)_3$-2,4-$C_2B_4H_5$ and related carboranes *[Southern Methodist Univ., Dept. Chem., Dallas, TX, USA]*

Vol. 550 No. 1-2 (1998) 423–429
NABAKKA, J.M., HARWELL, D.E., KNOBLER, C.B., HAWTHORNE, M.F., Synthesis and structural characterization of a thioether-bridged *commo*-metallabis(dicarbollide) species: a model system for Venus flytrap cluster reagents *[Univ. California Los Angeles, Dept. Chem. & Biochem., Los Angeles, CA, USA]*

Vol. 550 No. 1-2 (1998) 431–440
DAVIES, J.E., JOHNSON, B.F.G., MARTIN, C.M., PEARSON, R.H.H., DYSON, P.J., The synthesis and characterization of some closed polyhedral metallocarbon clusters *[Univ. Cambridge, Dept. Chem., Cambridge, England; Univ. London, Imperial Coll. Sci. Technol. & Med., Dept. Chem., London, England]*

Vol. 550 No. 1-2 (1998) 441–444
CALLAGHAN, K.L.F., DÖRFLER, U., MCGRATH, T.D., THORNTON-PETT, M., KENNEDY, J.D., Polyhedral nonaborane chemistry: an unsuspected new isomeric type in the nine-vertex *arachno*-$B_9H_{13}L$ system *[Univ. Leeds, Sch. Chem., Leeds, West Yorkshire, England]*

Vol. 550 No. 1-2 (1998) 445–448
BATSANOV, A.S., BOLTON, P.D., COPLEY, R.C.B., DAVIDSON, M.G., HOWARD, J.A.K., LUSTIG, C., PRICE, R.D., The metallation of imino(triphenyl)phosphorane by ethylmagnesium chloride: The synthesis, isolation and X-ray structure of $[Ph_3P{=}NMgCl\cdot O{=}P(NMe_2)_3]_2$ *[Univ. Durham, Dept. Chem., Durham, England]*

Vol. 550 No. 1-2 (1998) 449–452
DAVIDSON, M.G., GOETA, A.E., HOWARD, J.A.K., LEHMANN, C.W., MCINTYRE, G.M., PRICE, R.D., Low temperature neutron and X-ray-diffraction study of imino(triphenyl)phosphorane *[Univ. Durham, Dept. Chem., Durham, England; Inst. Max von Laue - Paul Langevin, Grenoble, France]*

Vol. 550 No. 1-2 (1998) 453–456
GIBSON, V.C., REDSHAW, C., WHITE, A.J.P., WILLIAMS, D.J., Synthesis and structural characterization of aluminum imino-amide and pyridyl-amide complexes: bulky monoanionic N,N chelate ligands via methyl group transfer *[Univ. London, Imperial Coll. Sci. Technol. & Med., Dept. Chem., London, England]*

Vol. 550 No. 1-2 (1998) 457–461
BALL, S.C., DAVIES, R.P., RAITHBY, P.R., SHIELDS, G.P., SNAITH, R., The mechanism of lithiation and nitrile insertion reactions of β-methylazines: evidence from the structure of 3-$C_5H_4NCH{=}C(Ph)N(H)C(Ph){=}NLi\cdot PMDETA$ *[Univ. Cambridge, Dept. Chem., Cambridge, England]*

Vol. 550 No. 1-2 (1998) 463–467
DONKERVOORT, J.G., VICARIO, J.L., RIJNBERG, E., JASTRZEBSKI, J.T.B.H., KOOIJMAN, H., SPEK, A.L., VAN KOTEN, G., Formation of mixed aryl-, alkyl-lithium aggregates in the heteroatom assisted lithiation of α,α'-dialkyl substituted 1,3-bis[(dimethylamino)methyl]benzene *[Univ. Utrecht, Debye Inst., Utrecht, Netherlands; Univ. Utrecht, Bijvoet Ctr. Biomol. Res., Utrecht, Netherlands]*

Vol. 550 No. 1-2 (1998) 469–472
CURTIS, M.A., FINN, M.G., GRIMES, R.N., A hydridotantalum(V)-carborane analog of Schwartz's reagent:

synthesis and reactivity *[Univ. Virginia, Dept. Chem., Charlottesville, VA, USA]*

Vol. 550 No. 1-2 (1998) 473–476
ERRINGTON, R.J., RIDLAND, J., WILLETT, K.J., CLEGG, W., COXALL, R.A., HEATH, S.L., Organophosphonate derivatives of titanium and niobium alkoxoanions *[Univ. Newcastle upon Tyne, Dept. Chem., Newcastle upon Tyne, Tyne & Wear, England]*

Vol. 550 No. 1-2 (1998) 477–480
FERGUSON, G., GALLAGHER, J.F., SHEEHAN, J.P., SPALDING, T.R., Synthesis and structural characterization of the carbene-containing metallaheteroborane compound [2-I-2-($^t$BuNC)-3-($^t$BuNHCH)-*closo*-2,1-$PdTeB_{10}H_9$] *[Univ. Guelph, Dept. Chem., Guelph, ON, Canada; Natl. Univ. Ireland, Univ. Coll. Cork, Dept. Chem., Cork, Ireland]*

Vol. 550 No. 1-2 (1998) 481–484
DAVIDSON, M.G., DILLON, K.B., HOWARD, J.A.K., LAMB, S., RODEN, M.D., The first synthesis, isolation and X-ray structure of a phosphonium phosphide, $(Ph_3PMe)^+\{[C_6H_2(CF_3)_3\text{-}2,4,6]_2P\}^-$ *[Univ. Durham, Dept. Chem., Durham, England]*

Vol. 551 No. 1-2 (1998) 1–7
DONKERVOORT, J.G., VICARIO, J.L., JASTRZEBSKI, J.T.B.H., SMEETS, W.J.J., SPEK, A.L., VAN KOTEN, G., Synthesis of arylplatinum(II) complexes with chiral monoanionic aryldiamine-ligands. The X-ray crystal structure of (–)-[(1*R*,1'*R*)-2,6-bis{1-(dimethylamino)propyl}-phenyl]chloroplatinum(II) *[Univ. Utrecht, Dept. Met. Mediated Synth., Utrecht, Netherlands; Univ. Utrecht, Dept. Crystal & Struct. Chem., Utrecht, Netherlands]*

Vol. 551 No. 1-2 (1998) 9–20
ESPINET, P., MARTÍNEZ-ILARDUYA, J.M., PÉREZ-BRISO, C., CASADO, A.L., ALONSO, M.A., 3,5-dichlorotrifluorophenyl complexes, aryl derivatives with simple $^{19}$F NMR structural probes. The synthesis of general precursors for Pd- and Pt-complexes *[Univ. Valladolid, Fac. Ciencias, Dept. Quim. Inorgan., Valladolid, Spain]*

Vol. 551 No. 1-2 (1998) 21–26
MANN, B.E., SUN, G.A., The reaction between [($\eta^5$-$C_7H_9$)RuCl(H)($PPh_3$)$_2$] and dihydrogen *[Univ. Sheffield, Dept. Chem., Sheffield, South Yorkshire, England]*

Vol. 551 No. 1-2 (1998) 27–36
JEFFERY, J.C., JELLISS, P.A., LIAO, Y.-H., STONE, F.G.A., Carborane complexes of ruthenium: studies on the chemistry of the $Ru(CO)_2(\eta^5\text{-}7,8\text{-}Me_2\text{-}7,8\text{-}C_2B_9H_9)$ fragment and the X-ray crystal structure of $[NEt_4][Ru_2(\mu\text{-}Tl)(CO)_4(\eta^5\text{-}7,8\text{-}Me_2\text{-}7,8\text{-}C_2B_9H_9)_2]$ *[Baylor Univ., Dept. Chem., Waco, TX, USA; Univ. Bristol, Sch. Chem., Bristol, Avon, England]*

Vol. 551 No. 1-2 (1998) 37–47
PERTICI, P., VERRAZZANI, A., VITULLI, G., BALDWIN, R., BENNETT, M.A., Stoichiometric alkyne cyclotrimerization at a ruthenium centre: A new synthetic route to Ru($\eta^6$-arene)($\eta^4$-cycloocta-1,5-diene) complexes *[Univ. Pisa, Dipartimento Chim. & Chim. Ind., Pisa, Italy; Australian Natl. Univ., Res. Sch. Chem., Canberra, ACT, Australia]*

Vol. 551 No. 1-2 (1998) 49–53
ESTERUELAS, M.A., GONZÁLEZ, I., HERRERO, J., ORO, L.A., Kinetic studies on the selective hydrogenation of phenylacetylene catalyzed by $[Rh(NBD)(PPh_3)_2]BF_4$ (NBD=2,5-norbornadiene) *[Univ. Cantabria, Dept. Quim., Santander, Spain; Univ. Zaragoza, CSIC, Inst. Ciencia Mat. Aragon, Dept. Quim. Inorgan., Zaragoza, Spain]*

Vol. 551 No. 1-2 (1998) 55–65
GARCÍA, J.J., BARÓN, G., ARÉVALO, A., TORRENS, H., CARMONA, D., ESTEBAN, M., LAHOZ, F.J., LÓPEZ, J.A., ORO, L.A., Binuclear pentamethylcyclopentadienyl rhodium(III) compounds with pyrazolate and thiolate bridging ligands *[Univ. Nacl. Autonoma Mexico, Inst. Quim., Mexico City, Mexico; Univ. Zaragoza, CSIC, Inst. Ciencia Mat. Aragon, Dept. Quim. Inorgan., Zaragoza, Spain]*

Vol. 551 No. 1-2 (1998) 67–79
GROEN, J.H., VLAAR, M.J.M., VAN LEEUWEN, P.W.N.M., VRIEZE, K., KOOIJMAN, H., SPEK, A.L., Insertion reactions into palladium–carbon bonds of complexes containing new rigid bidentate nitrogen ligands *[Univ. Amsterdam, J.H. van't Hoff Res. Inst., Amsterdam, Netherlands; Univ. Utrecht, Dept. Crystal & Struct. Chem., Utrecht, Netherlands]*

Vol. 551 No. 1-2 (1998) 81–92
AIZENBERG, M., OTT, J., ELSEVIER, C.J., MILSTEIN, D., Rh(I) and Rh(III) silyl $PMe_3$ complexes. Syntheses, reactions and $^{103}$Rh NMR spectroscopy *[Univ. Amsterdam, J.H. van't Hoff Res. Inst., Amsterdam, Netherlands; Weizmann Inst. Sci., Dept. Organ. Chem., Rehovot, Israel]*

Vol. 551 No. 1-2 (1998) 93–100
GUSEV, O.V., IEVLEV, M.A., PEGANOVA, T.A., PETERLEITNER, M.G., PETROVSKII, P.V., OPRUNENKO, Y.F., USTYNYUK, N.A., Synthesis and reduction of trifluoromethyl-substituted arenecyclopentadienylruthenium sandwiches [Ru($\eta^5$-$C_5Me_4CF_3$)($\eta^6$-$C_6R_6$)]$^+$ (R=H, Me) and [Ru($\eta^5$-$C_5Me_5$)($\eta^6$-$C_6H_5CF_3$)]$^+$ *[Russian Acad. Sci., A.N. Nesmeyanov Inst. Organoelement Compounds, Moscow, Russia; Moscow M.V. Lomonosov State Univ., Dept. Chem., Moscow, Russia]*

Vol. 551 No. 1-2 (1998) 101–105
MARUYA, K.-I., KAWAMURA, M., AIKAWA, M., HARA, M., ARAI, T., Reaction path of methoxy species to isobutene and its dependence on oxide catalysts in CO hydrogenation *[Tokyo Inst. Technol., Resources Utilizat. Res. Lab, Yokohama, Kanagawa, Japan]*

Vol. 551 No. 1-2 (1998) 107–115
VILASECA, F., PAGES, L., VILLAR, J.M., LLEBARIA, A., DELGADO, A., MORETÓ, J.M., Preference for $\beta$-H elimination in the termination of the Ni-promoted carbonylative cycloaddition of 2-haloethylidene-cycloalkanes and alkynes *[CSIC, CID, Barcelona, Spain; Univ. Barcelona, Fac. Farm., Barcelona, Spain]*

Vol. 551 No. 1-2 (1998) 117–123
OKEYA, S., KUSUYAMA, Y., ISOBE, K., NAKAMURA, Y., KAWAGUCHI, S., Dinuclear platinum(II) complex bridged by an acetylacetonate(3–) anion *[Wakayama Univ., Fac. Syst. Engn., Wakayama, Japan; Wakayama Univ., Fac. Educ., Wakayama, Japan; Osaka City Univ., Fac. Sci., Osaka, Japan]*

Vol. 551 No. 1-2 (1998) 125–131
BRAUNSTEIN, P., GALSWORTHY, J.R., HENDAN, B.J., MARSMANN, H.C., Reactions of thiol-functionalized silsesquioxanes with metal carbonyl clusters: syntheses and characterization of $[Si_8O_{12}(Pr^n)_7\{(\mu_2\text{-}SC_3H_6)M_3(\mu\text{-}H)(CO)_{10}\}]$(M=Ru, Os; $Pr^n$=$C_5H_7$), $[Si_8O_{12}(Pr^n)_6\{(\mu_2\text{-}SC_3H_6)Ru_3(\mu\text{-}H)(CO)_{10}\}_2]$ and $[Si_8O_{12}(C_3H_6SH)_X\{(\mu_2\text{-}SC_3H_6)Ru_3(\mu\text{-}H)(CO)_{10}\}_{8\text{-}X}]$ (X=6, 0) *[Univ. Strasbourg 1, CNRS, Chim. Coordinat. Lab., Strasbourg, France; Univ. Gesamthsch Paderborn, Paderborn, Germany]*

Vol. 551 No. 1-2 (1998) 133–138
GOMES, P.T., GREEN, M.L.H., MARTINS, A.M., *Ansa*-bridged $\eta$-cyclopentadienyl imido and amido derivatives of titanium, zirconium and molybdenum *[Univ. Oxford, Inorgan. Chem. Lab., Oxford, Oxon, England]*

Vol. 551 No. 1-2 (1998) 139–149
MANNING, A.R., O'DWYER, L., MCARDLE, P.A., CUNNINGHAM, D., The cleavage of coordinated heterocumulenes. The reactions of $[Fe(CO)_2(PPh_3)_2(\eta\text{-}SCY)]$ and their analogs with $[Co(\eta\text{-}C_5H_5)(PPh_3)_2]$ to give heteronuclear $[\{Co(\eta\text{-}C_5H_5)\}_2\{Fe(CO)_2(PPh_3)\}(\mu_3\text{-}S)(\mu_3\text{-}CY)]$ (Y=S or $SR^+$) and related clusters *[Natl. Univ. Ireland, Univ. Coll. Dublin, Dept. Chem., Dublin, Ireland; Natl. Univ. Ireland, Univ. Coll. Galway, Dept. Chem., Galway, Ireland]*

Vol. 551 No. 1-2 (1998) 151–157
DOUCET, H., DERRIEN, N., KABOUCHE, Z., BRUNEAU, C., DIXNEUF, P.H., Powerful control by organoruthenium catalysts of the regioselective addition to C(1) or C(2) of the prop-2-ynyl ethers C≡C triple bond *[Univ. Rennes 1, CNRS, Lab. Electrochim. & Organomet., Rennes, France; Univ. Constantine, Inst. Chem., Constantine, Algeria]*

Vol. 551 No. 1-2 (1998) 159–164
BIJPOST, E.A., ZUIDEVELD, M.A., MEETSMA, A., TEUBEN, J.H., Reaction of ether and thioether functionalized 1-alkenes with the cationic permethylzirconocene olefin polymerisation catalyst $[(\eta^5\text{-}C_5Me_5)_2ZrMe]^+$. Molecular structure of the insertion product $[(\eta^5\text{-}C_5Me_5)_2ZrCH_2CH(Me)CH_2OEt]^+$ *[Univ. Groningen, Dept. Chem., Groningen, Netherlands]*

Vol. 551 No. 1-2 (1998) 165–170
MEESSEN, P., VOGT, D., KEIM, W., Highly regioselective hydroformylation of internal, functionalized olefins applying Pt/Sn complexes with large bite angle diphosphines *[Rhein Westfal TH Aachen, Inst. Tech. Chem. & Petrolchem., Aachen, Germany]*

Vol. 551 No. 1-2 (1998) 171–194
EREMENKO, I.L., NEFEDOV, S.E., SIDOROV, A.A., PONINA, M.O., DANILOV, P.V., STROMNOVA, T.A., STOLAROV, I.P., KATSER, S.B., ORLOVA, S.T., VARGAFTIK, M.N., MOISEEV, I.I., USTYNYUK, Y.A., Imido/nitrene ligands in the complexes of platinum metals *[Russian Acad. Sci., N.S. Kurnakov Gen. & Inorgan. Chem. Inst., Moscow, Russia; Moscow M.V. Lomonosov State Univ., Dept. Chem., Moscow, Russia]*

Vol. 551 No. 1-2 (1998) 195–206
DEVERY, M.P., DICKSON, R.S., FALLON, G.D., SKELTON, B.W., WHITE, A.H., The coordination and rearrangement of some organic chalcogenides on a rhodium–rhodium bond; the reactions with dialkylsulfanes and alkanethiols *[Monash Univ., Dept. Chem., Clayton, VIC, Australia; Univ. Western Australia, Dept. Chem., Nedlands, WA, Australia]*

Vol. 551 No. 1-2 (1998) 207–213
GYEPES, R., WITTE, P.T., HORÁCEK, M., CÍSAROVÁ, I., MACH, K., Crystal structures of titanocene 2,2'-bipyridyl complexes. Singlet versus triplet state-dependence on methyl substituents at the cyclopentadienyl ligands *[Acad. Sci. Czech Rep., J. Heyrovsky Inst. Phys. Chem. & Electrochem., Prague, Czech Rep.; Charles Univ., Dept. Inorgan. Chem., Prague, Czech Rep.; Univ. Groningen, Dept. Inorgan. Chem., Groningen, Netherlands]*

Vol. 551 No. 1-2 (1998) 215–227
GUTIÉRREZ, E., HUDSON, S.A., MONGE, A., NICASIO, M.C., PANEQUE, M., RUIZ, C., Organometallic derivatives of Ni(II) with poly(pyrazolyl)borate ligands *[Univ. Sevilla, CSIC, Seville, Spain; CSIC, Inst. Ciencia Mat, Madrid, Spain]*

Vol. 551 No. 1-2 (1998) 229–234
DE BLASIO, N., WRIGHT, M.R., TEMPESTI, E., MAZZOCCHIA, C., COLE-HAMILTON, D.J., The relative importance of heterogeneous and homogeneous methanol carbonylation using supported rhodium catalysts in the liquid phase *[Univ. St. Andrews, Sch. Chem., St. Andrews, Fife, Scotland; Univ. Brescia, Dipartimento Chim. & Fis. & Mat., Brescia, Italy; Politecn. Milan, Dipartimento Chim. Ind. & Ingn. Chim., Milan, Italy]*

Vol. 551 No. 1-2 (1998) 235–246
ADAMS, C.J., BRUCE, M.I., SKELTON, B.W., WHITE, A.H., Construction of unusual cluster geometries about a dicarbon ligand: reactions of $Ru_5(\mu_5\text{-}C_2)(\mu\text{-}SMe)_2(\mu\text{-}PPh_2)_2(CO)_{11}$ with iron or ruthenium carbonyls *[Univ. Adelaide, Dept. Chem., Adelaide, SA, Australia; Univ. Western Australia, Dept. Chem., Nedlands, WA, Australia]*

Vol. 551 No. 1-2 (1998) 247–259
BAKER, L.-J., CLARK, G.R., RICKARD, C.E.F., ROPER, W.R., WOODGATE, S.D., WRIGHT, L.J., Syntheses and reactions of the carbyne complexes, $M(\equiv CR)Cl(CO)(PPh_3)_2$ (M=Ru, Os; R=1-naphthyl, 2-naphthyl). The crystal structures of $[Os(\equiv C\text{-}1\text{-}naphthyl)(CO)_2(PPh_3)_2)ClO_4$, $Os(=CH\text{-}2\text{-}naphthyl)Cl_2(CO)(PPh_3)_2$, and $Os(2\text{-}naphthyl)Cl(CO)_2(PPh_3)_2$ *[Univ. Auckland, Dept. Chem., Auckland, New Zealand]*

Vol. 551 No. 1-2 (1998) 261–270
BLAKE, P.C., EDELMAN, M.A., HITCHCOCK, P.B., HU, J., LAPPERT, M.F., TIAN, S., MÜLLER, G., ATWOOD, J.L., ZHANG, H.M., Organometallic chemistry of the actinides. Part 4. The chemistry of some tris(cyclopentadienyl)actinide complexes *[Univ. Sussex, Chem. Lab., Brighton, East Sussex, England; Univ. Konstanz, Fac. Chem., Constance, Germany; Univ. Alabama, Dept. Chem., University, AL, USA]*

Vol. 551 No. 1-2 (1998) 271–280
LIU, X.-H., ABSER, M.N., BRUCE, D.W., Synthesis and characterisation of rod-like metallomesogens of Mn(I) based on Schiff base ligands *[Univ. Exeter, Dept. Chem., Exeter, Devon, England]*

Vol. 551 No. 1-2 (1998) 281–291
DEPREE, G.J., MAIN, L., NICHOLSON, B.K., Some insertion reactions of the Mn–C bond of cyclomanganated triphenylphosphine chalcogenides *[Univ. Waikato, Sch. Sci. & Technol., Hamilton, New Zealand]*

Vol. 551 No. 1-2 (1998) 293–297
ROYO, B., ROYO, P., CADENAS, L.M., Dichloro(methyl)silyl-substituted cyclopentadienyl titanium complexes *[Univ. Alcalá de Henares, Dept. Quim. Inorgan., Alcalá de Henares, Spain]*

Vol. 551 No. 1-2 (1998) 299–311
SAEZ, I.M., MEHL, G.H., SINN, E., STYRING, P., The effect of low molecular-weight organosiloxane substituents on mesophase formation and structure in non-symmetric nickel(II) complexes *[Univ. Hull, Dept. Chem., Kingston upon Hull, North Humberside, England]*

Vol. 551 No. 1-2 (1998) 313–330
MÜLLER, T.E., GREEN, J.C., MINGOS, D.M.P., MCPARTLIN, C.M., WHITTINGHAM, C., WILLIAMS, D.J., WOODROFFE, T.M., Complexes of gold(I) and platinum(II) with polyaromatic phosphine-ligands *[Univ. London, Imperial Coll. Sci. Technol. & Med., Dept. Chem., London, England; Univ. Oxford, Inorgan. Chem. Lab., Oxford, Oxon, England; Univ. North-London, Sch. Appl. Chem., London, England]*

Vol. 551 No. 1-2 (1998) 331–338
BERDINI, V., BASSETTI, M., MANCINI, G., MANDOLINI, L., MONTI, D., Metal ion complexation in organometallic crown ethers. Structural and rate effects on the migratory insertion of carbon monoxide in indenyl and cyclopentadienyl iron(II) complexes *[Univ. Roma La Sapienza, Dipartimento Chim., Rome, Italy]*

Vol. 551 No. 1-2 (1998) 339–347
HAYNES, A., MCNISH, J., PEARSON, J.M., *Cis-trans* isomerism in $[M(CO)_2I_4]^-$ (M=Rh, Ir): Kinetic, mechanistic and spectroscopic studies *[Univ. Sheffield, Dept. Chem., Sheffield, South Yorkshire, England]*

Vol. 551 No. 1-2 (1998) 349–354
ALDEA, R., ALPER, H., Ruthenium clay catalyzed chemoselective hydrogenation of unsaturated esters, epoxides, sulfones and phosphonates *[Univ. Ottawa, Dept. Chem., Ottawa, ON, Canada]*

Vol. 551 No. 1-2 (1998) 355–366
RAMSDEN, J.A., MILNER, D.J., ADAMS, H., BAILEY, N.A., HEMPSTEAD, P.D., WHITE, C., Chiral annulated cyclopentadienyl ligands: Synthesis and crystal-structure of both *exo* and *endo* Rh{$\eta^5$-Cp'(Cod)} [Cp'=(4*S*,7*R*)-1,2,3-triphenyl-4,8,8-trimethyl-1*H*,4,5,6,7-tetrahydro-4,7-methanoindenyl] *[Univ. Sheffield, Dept. Chem., Sheffield, South Yorkshire, England]*

Vol. 551 No. 1-2 (1998) 367–373
WERNER, H., HÖRLIN, G., MAHR, N., Carbodiimide metal complexes and four-membered metallacycles from isocyanide metal precursors and aryl azides *[Univ. Würzburg, Inst. Anorgan. Chem., Würzburg, Germany]*

Vol. 551 No. 1-2 (1998) 375–381
CASTELLANOS-PÁEZ, A., THAYAPARAN, J., CASTILLÓN, S., CLAVER, C., Reactivity of tetracarbonyl dithiolate-bridged rhodium(I) complexes with diphosphines *[Univ. Rovira & Virgili, Fac. Quim., Tarragona, Spain]*

Vol. 551 No. 1-2 (1998) 383–386
SPIVAK, G.J., PUDDEPHATT, R.J., Coordination, fluxionality and fragmentation in reactions of platinum cluster complexes with alkynes *[Univ. Western Ontario, Dept. Chem., London, ON, Canada]*

Vol. 551 No. 1-2 (1998) 387–389
HOSOKAWA, T., NOMURA, T., MURAHASHI, S.-I., Palladium–copper–DMF complexes involved in the oxidation of alkenes *[Kochi Univ. Technol., Fac. Engn., Kochi, Japan; Osaka Univ., Fac. Engn. Sci., Dept. Chem., Toyonaka, Osaka, Japan]*

Vol. 552 No. 1-2 (1998) 1–8
PERJÉSSY, A., HRNCIAR, P., SUSTEKOVÁ, Z., BOWDEN, K., RANSON, R.J., HRITZOVÁ, O., PRÓNAYOVÁ, N., Spectral properties and kinetics of the alkaline hydrolysis of chromium, tricarbonyl[3-[($\eta^6$-aryl)methylene]-*Z*-1(3H)-isobenzofuranones] *[Comenius Univ., Fac. Nat. Sci., Bratislava, Slovakia; Univ. Essex, Dept. Chem. & Biol. Sci., Colchester, Essex, England; Safarik Univ., Fac. Nat. Sci., Kosice, Slovakia; Slovak Tech. Univ., Fac. Chem. Technol., Bratislava, Slovakia]*

Vol. 552 No. 1-2 (1998) 9–16
RÄSÄNEN, T.M., JÄÄSKELÄINEN, S., PAKKANEN, T.A., The control of the ligand substitution of $HRuRh_3(CO)_{12}$ with sulfur ligands *[Univ. Joensuu, Dept. Chem., Joensuu, Finland]*

Vol. 552 No. 1-2 (1998) 17–21
TONG, Y.-Y., DA SILVA, J.J.R.F., POMBEIRO, A.J.L., WAGNER, G., HERRMANN, R., Reactivity of ferrocenylalkyl isocyanides. Formation of potential antibiotics and of gold(I) complexes *[Inst. Super. Tecn., Ctr. Quim. Estrutural, Lisbon, Portugal; Tech. Univ. Munich, Inst. Organ. Chem. & Biochem., Garching, Germany]*

Vol. 552 No. 1-2 (1998) 23–29
CANTY, A.J., HOARE, J.L., SKELTON, B.W., WHITE, A.H., VAN KOTEN, G., Synthesis and reactivity of poly(pyrazol-1-yl)borate derivatives of cyclopalladation systems, including structural studies of Pd{2-$CH_2C_6H_4P(o\text{-tolyl})_2$-*C*,*P*}{$(pz)_3BH$-*N*,*N'*} and Pd($C_6H_4C_5H_4N$-$C^2$,*N'*){$(pz)_3BH$-*N*,*N'*} *[Univ. Tasmania, Dept. Chem., Hobart, TAS, Australia; Univ. Western Australia, Dept. Chem., Nedlands, WA, Australia; Univ. Utrecht, Dept. Met. Mediated Synth., Utrecht, Netherlands]*

Vol. 552 No. 1-2 (1998) 31–38
GIOIA LOBBIA, G., SANTINI, C., GIORDANO, F., CECCHI, P., COACCI, K., Metal polypyrazolylborates. XIV. Organomercury(II) complexes with hydridotris(3,5-diphenyl-1*H*-pyrazolyl)borate and hydridotris(4-bromo-1*H*-pyrazolyl)borate. The X-ray crystal structure of $[HB(3,5\text{-}Ph_2pz)_3]HgC_2H_5$ *[Univ. Camerino, Dipartimento Sci. Chim., Camerino, Italy; Univ. Naples, Dipartimento Chim., Naples, Italy; Univ. Tuscia, Dipartimento Agrobiol. & Agrochim., Viterbo, Italy]*

Vol. 552 No. 1-2 (1998) 39–43
KAMIGATA, N., UDODAIRA, K., YOSHIKAWA, M., SHIMIZU, T., Reactions of trichloromethanesulfonyl chloride and carbon tetrachloride with silyl enol ethers catalyzed by a ruthenium(II) phosphine complex *[Tokyo Metropolitan Univ., Dept. Chem., Tokyo, Japan]*

Vol. 552 No. 1-2 (1998) 45–61
BILDSTEIN, B., MALAUN, M., KOPACKA, H., ONGANIA, K.-H., WURST, K., Imidazoline-2-ylidene metal complexes with pendant ferrocenyl substituents *[Innsbruck Univ., Inst. Allgemeine Anorgan. & Theoret. Chem., Innsbruck, Austria; Innsbruck Univ., Inst. Organ. Chem., Innsbruck, Austria]*

Vol. 552 No. 1-2 (1998) 63–68
BUTLER, I.R., QUAYLE, S.C., The synthesis and characterisation of heterosubstituted aminoferrocenes *[Univ. Wales, Dept. Chem., Bangor, Gwynedd, Wales]*

Vol. 552 No. 1-2 (1998) 69–74
KÜHLKAMP, P., RAUBENHEIMER, H.G., FIELD, J.S., DESMET, M., Cyclic voltammetry of heterocyclic Au(I) and Au(III) carbene complexes *[Rand Afrikaans Univ., Dept. Biochem. & Chem., Auckland Park, South-Africa; Univ. Natal, Dept. Chem., Pietermaritzburg, South-Africa]*

Vol. 552 No. 1-2 (1998) 75–82
HORÁCEK, M., KUPFER, V., MÜLLER, B., THEWALT, U., Reactions of (trimethylsilyl)tetramethylcyclopentadiene with (benzene)titanium(II) bis(tetrachloroaluminate). Crystal structures of $[C_5Me_4(SiMe_3)]Ti(AlCl_4)_2$ and $\{[C_5Me_4(SiMe_3)]Ti(AlCl_4)(\mu\text{-}Cl)\}_2$ *[Acad. Sci. Czech Rep., J. Heyrovsky Inst. Phys. Chem. & Electrochem., Prague, Czech Rep.; Univ. Ulm, Dept. X-ray & Electron Diffract., Ulm, Germany]*

Vol. 552 No. 1-2 (1998) 83–89
SCHENK, W.A., GUTMANN, T., Bimetallic complexes. IV. Synthesis, dynamic behavior and reactions of $C_5H_4PPh_2$-bridged Zr(II)-Mo(0) complexes *[Univ. Würzburg, Inst. Anorgan. Chem., Würzburg, Germany]*

Vol. 552 No. 1-2 (1998) 91–98
GUTMANN, T., DOMBROWSKI, E., BURZLAFF, N., SCHENK, W.A., Bimetallic complexes. V. Synthesis and reactions of $C_5H_4PPh_2$-bridged zirconium–rhenium complexes *[Univ. Würzburg, Inst. Anorgan. Chem., Würzburg, Germany]*

Vol. 552 No. 1-2 (1998) 99–108
HERZOG, U., TROMMER, K., ROEWER, G., Preparation and NMR spectroscopical investigations of (diethylamino)(methoxy)-methylchloro-di- and -trisilanes *[Tech. Univ. Bergakad. Freiberg, Fac. Chem. & Phys., Freiberg, Germany]*

Vol. 552 No. 1-2 (1998) 109–125
BRUCE, M.I., HINCHLIFFE, J.R., HUMPHREY, P.A., SURYNT, R.J., SKELTON, B.W., WHITE, A.H., Further observations on the dimerisation of alkynes on triruthenium clusters *[Univ. Adelaide,*

*Dept. Chem., Adelaide, SA, Australia; Univ. Western Australia, Dept. Chem., Nedlands, WA, Australia]*

Vol. 552 No. 1-2 (1998) 127–134
ZAMORA, F., ZANGRANDO, E., FURLAN, M., RANDACCIO, L., LIPPERT, B., $Au^{III}$ binding to C5 of the model nucleobase 1,3-dimethyluracil (1,3-DimeU): Preparation and X-ray crystal structures of *trans*-K[$Au(CN)_2Cl$(1,3-$DimeU^-$)] and of two derivatives *[Univ. Trieste, Dipartimento Sci. Chim., Trieste, Italy; Univ. Dortmund, Fachbereich Chem., Dortmund, Germany]*

Vol. 552 No. 1-2 (1998) 135–143
HSU, M.-A., YEH, W.-Y., CHIANG, M.Y., Syntheses, characterization and structures of $CpFe(CO)\mu_{-1}(\mu$-dppm)$M(CO)_4$ (M=Cr, Mo, W) *[Natl. Sun Yat-Sen Univ., Dept. Chem., Kaohsiung, Taiwan]*

Vol. 552 No. 1-2 (1998) 145–157
SCHIESSER, C.H., SKIDMORE, M.A., Reversibility in free-radical reactions of aryltellurides with tributylstannyl, tributylgermyl and tris(trimethylsilyl)silyl radicals *[Univ. Melbourne, Sch. Chem., Parkville, VIC, Australia]*

Vol. 552 No. 1-2 (1998) 159–164
TRZECIAK, A.M., GLOWIAK, T., ZIÓŁKOWSKI, J.J., Rhodium complexes $HRh[P(NC_4H_4)_3]_4$ and $HRh(CO)[P(NC_4H_4)_3]_3$ as active catalysts of olefins and arenes hydrogenation. X-ray structure of $HRh(CO)[P(NC_4H_4)_3]_3$ *[Univ. Wroclaw, Fac. Chem., Wroclaw, Poland]*

Vol. 552 No. 1-2 (1998) 165–170
DEACON, G.B., HARRIS, S.C., MEYER, G., STELLFELDT, D., WILKINSON, D.L., ZELESNY, G., Organolanthanoids. XXII. The synthesis and X-ray structure of dimeric $[YbCp_2F(THF)]_2$ (Cp=cyclopentadienyl, THF=tetrahydrofuran) *[Monash Univ., Dept. Chem., Clayton, VIC, Australia; Univ. Köln, Inst. Anorgan. Chem., Cologne, Germany]*

Vol. 552 No. 1-2 (1998) 171–176
SCHULTE, J.L., LASCHAT, S., SCHULTE-LADBECK, R., VON ARNIM, V., SCHNEIDER, A., FINKELMANN, H., Preparation of ($\eta^6$-alkoxytriphenylene)tricarbonyl chromium(0) complexes. Mesomorphic properties of a disk-shaped chromium–arene complex *[Tech Univ. Carolo Wilhelmina Braunschweig, Inst. Organ. Chem., Braunschweig, Germany; Univ. Münster, Inst. Organ. Chem., Münster, Germany; Univ. Freiburg, Inst. Macromol. Chem., Freiburg, Germany]*

Vol. 552 No. 1-2 (1998) 177–186
RIBOT, F., SANCHEZ, C., MEDDOUR, A., GIELEN, M., TIEKINK, E.R.T., BIESEMANS, M., WILLEM, R., On the assignment of $^{119}Sn$ resonances of bis[dicarboxylatotetraorganodistannoxanes] in solution and solid state $^{119}Sn$ NMR spectra *[Free Univ. Brussels, High Resolut. NMR Ctr., Brussels, Belgium; Free Univ. Brussels, Fac. Sci. Appl. Aosc., Brussels, Belgium; Univ. Adelaide, Dept. Chem., Adelaide, SA, Australia; Univ. Paris 06, CNRS, Lab. Chim. Mat. Condensee, Paris, France]*

Vol. 552 No. 1-2 (1998) 187–194
BAYERSDÖRFER, R., GANTER, B., ENGLERT, U., KEIM, W., VOGT, D., Asymmetric hydrovinylation of styrene applying cationic allyl palladium complexes of a P-chiral ligand *[Rhein Westfal TH Aachen, Inst. Chem. Tech., Aachen, Germany; Rhein Westfal TH Aachen, Inst. Anorgan. Chem., Aachen, Germany]*

Vol. 552 No. 1-2 (1998) 195–204
MAIWALD, S., TAUBE, R., HEMLING, H., SCHUMANN, H., LII. Synthesis and characterization of bis-($\eta^3$-allyl)neodymium(III) and mono-($\eta^3$-allyl)neodymium(III) chloride, $Nd(\eta^3\text{-}C_3H_5)_2Cl\cdot 1.5THF$ and $Nd(\eta^3\text{-}C_3H_5)Cl_2\cdot 2THF$, for preparation of highly-active and selective complex catalysts for 1,4-*cis*-polymerization of butadiene (in German) *[Tech. Univ. Munich, Inst. Anorgan. Chem., Garching, Germany; Martin Luther Univ. Halle Wittenberg, Inst. Anorgan. Chem., Merseburg, Germany; Tech. Univ. Berlin, Inst. Anorgan. & Analyt. Chem., Berlin, Germany]*

Vol. 552 No. 1-2 (1998) 205–211
HOMANEN, P., HAUKKA, M., AHLGRÉN, M., PAKKANEN, T.A., BAXTER, P.N.W., BENFIELD, R.E., CONNOR, J.A., Ruthenium bipyridine complexes: synthesis and characterisation of $Ru(Tmbpy)(CO)_2Cl_2$, $Ru(Dmbpy)(CO)_2Cl_2$ and $[Ru(Dmbpy)(CO)_2Cl]_2$ *[Univ. Joensuu, Dept. Chem., Joensuu, Finland; Univ. Kent, Dept. Chem., Canterbury, Kent, England]*

Vol. 552 No. 1-2 (1998) 213–219
PALITZSCH, W., BÖHME, U., ROEWER, G., Synthesis and characterization of new disilane derivatives of tungsten *[Tech. Univ. Bergakad. Freiberg, Inst. Anorgan. Chem., Freiberg, Germany]*

Vol. 552 No. 1-2 (1998) 221–228
JUTZI, P., PILOTEK, S., NEUMANN, B., STAMMLER, H.-G., Synthesis and characterization of new cyclopentadienylarsenic compounds (in German) *[Univ. Bielefeld, Fac. Chem., Bielefeld, Germany]*

Vol. 552 No. 1-2 (1998) 229–236
STÖßEL, P., HEINS, W., MAYER, H.A., HÖRNER, W., ERTEL, T.S., BERTAGNOLLI, H., Control of the basicity of the Ir(tdppcymome)(CO)Cl complex with methoxymethyl functional groups at the ligand backbone (tdppcymome=*cis*,*cis*-1,3,5-$(PPh_2)_3$-1,3,5-$(CH_2OCH_3)_3$-$C_6H_6$) *[Univ. Tübingen, Inst. Anorgan. Chem., Tübingen, Germany; Univ. Stuttgart, Inst. Phys. Chem., Stuttgart, Germany]*

Vol. 552 No. 1-2 (1998) 237–246
BÖHM, A., SÜNKEL, K., POLBORN, K., BECK, W., Metal-complexes of biologically important ligands. XCVII. Synthesis and characterisation of cyclometallated compounds of Schiff-bases from $\alpha$-amino-acid esters with manganese(I) and rhenium(I) carbonyls *[Univ. Munich, Inst. Anorgan. Chem., Munich, Germany]*

Vol. 552 No. 1-2 (1998) 247–254
WRACKMEYER, B., SCHWARZE, B., MILIUS, W., BOESE, R., PARCHMENT, O.G., WEBB, G.A., A tricyclic *n*-pyrrolylborane with an exceptionally stable B–N bond *[Univ. Bayreuth, Anorgan. Chem. Lab., Bayreuth, Germany; Univ. Gesamthsch. Essen, Inst. Anorgan. Chem., Essen, Germany; Univ. Surrey, Dept. Chem., Guildford, Surrey, England]*

Vol. 552 No. 1-2 (1998) 255–263
LEE, F.-W., CHAN, M.C.-W., CHEUNG, K.-K., CHE, C.-M., Carbyne complexes of the group 6 metals containing 1,4,7-triazacyclononane and its 1,4,7-trimethyl derivative *[Univ. Hong-Kong, Dept. Chem., Hong-Kong, Hong-Kong]*

Vol. 552 No. 1-2 (1998) 265–276
JACOB, K., VOIGT, F., MERZWEILER, K., WAGNER, C., ZANELLO, P., FONTANI, M., PIETZSCH, C., Heterobimetallic 2-(dimethylaminomethyl)ferrocenyl derivatives of monovalent gold (in German) *[Univ. Halle Wittenberg, Inst. Anorgan. Chem., Halle, Germany; Univ. Siena, Dipartimento Chim., Siena, Italy; Tech. Univ. Bergakad. Freiberg, Inst. Angew. Phys., Freiberg, Germany]*

Vol. 552 No. 1-2 (1998) 277–283
BASATO, M., BERTANI, C., SESTO, B., ZECCA, M., GRASSI, A., VALLE, G., The coordination ability of the organometallic sulfur ligand $[Pd_3(\mu\text{-}OAc)_3(\mu\text{-}MeSCHCO_2Et\text{-}C,S)_3]$ and the XRD structure of its palladium(II) complex $[Pd_4(\mu\text{-}OAc)_3(\mu\text{-}MeSCHCO_2Et\text{-}C,S)(\mu_3\text{-}MeSCHCO_2Et\text{-}C,\kappa^2S)_2(\eta^2\text{-}MeSCHCO_2Et\text{-}C,S)]BF_4$ *[Univ. Padua, Dipartimento Chim. Inorgan. Met.*

*Organ. & Analit., Padua, Italy; Univ. Salerno, Dipartimento Chim., Salerno, Italy; CNR, Ctr. Studio Biopolimeri, Padua, Italy]*

Vol. 552 No. 1-2 (1998) 285-292
GOLDFUSS, B., SCHLEYER, P. VON RAGUÉ, HANDSCHUH, S., HAMPEL, F., New chelating silylamido ligands: syntheses and X-ray crystal structures of lithium and magnesium derivatives of [t-Bu-HN-$SiMe_2$-*o*-$C_6H_4$-X] (X=OMe, $NMe_2$, $CH_2NMe_2$, $CF_3$) *[Friedrich Alexander Univ. Erlangen Nürnberg, Inst. Organ. Chem., Erlangen, Germany]*

Vol. 552 No. 1-2 (1998) 293-301
STEPNICKA, P., PODLAHA, J., GYEPES, R., POLÁCEK, M., Synthesis and structural characterization of Pd(II) and Pt(II) complexes with *P*-bonded 1'-(diphenylphosphino)ferrocenecarboxylic acid *[Charles Univ., Dept. Inorgan. Chem., Prague, Czech Rep.; Acad. Sci. Czech Rep., J. Heyrovsky Inst. Phys. Chem. & Electrochem., Prague, Czech Rep.]*

Vol. 552 No. 1-2 (1998) 303-311
ISHIKAWA, J.-I., INOUE, K., ITOH, M., Dehydrogenative cross-coupling reactions between phenylsilane and ethynylbenzene in the presence of metal hydrides *[Mitsui Toatsu Chem., Cent. Res. Lab, Kamakura, Kanagawa, Japan]*

Vol. 552 No. 1-2 (1998) 313-317
LEE, B.Y., OH, J.S., Ethylene polymerization by zirconocene compounds having ether bonds *[LG Chem., Taejon, South-Korea]*

Vol. 553 No. 1-2 (1998) 1-13
OKAZAKI, M., TOBITA, H., KAWANO, Y., INOMATA, S., OGINO, H., Thermal reactions of alkyl(hydrido)(hydrosilyl)iridium(III) complexes: generation of a hydrido(silylene)iridium(I) species via the reductive elimination of alkane and 1,2-H-shift from the silicon atom to the Ir(I) metal center *[Tohoku Univ., Grad. Sch. Sci., Sendai, Miyagi, Japan]*

Vol. 553 No. 1-2 (1998) 15-22
VARGA, V., HILLER, J., THEWALT, U., POLÁCEK, M., MACH, K., Synthesis and crystal structure of a zirconium(III) diacetylide tweezer complex: $[(\eta^5\text{-}C_5HMe_4)_2Zr(\eta^1\text{-}C{\equiv}CSiMe_3)_2]^-K^+$ *[Acad. Sci. Czech Rep., J. Heyrovsky Inst. Phys. Chem. & Electrochem., Prague, Czech Rep.; Univ. Ulm, Dept. X-ray & Electron Diffract., Ulm, Germany]*

Vol. 553 No. 1-2 (1998) 23-29
ABRAHAMS, I., LAZELL, M., MOTEVALLI, H., SHAH, S.A.A., SULLIVAN, A.C., Formation and X-ray structure of $[\{O(Ph_2SiONa)_2\}_4{\cdot}(NaOH){\cdot}(H_2O){\cdot}(7\ pyridine)]{\cdot}(toluene){\cdot}{\cdot}(pyridine)$ incorporating a unique assembly of three fused $Na_4O_4$ cubane units and a $\mu_3$-water molecule *[Univ. London Queen Mary & Westfield Coll., Dept. Chem., London, England]*

Vol. 553 No. 1-2 (1998) 31-38
KÖHLER, K., PRITZKOW, H., LANG, H., Synthesis and reactivity of monomeric bis-($\eta^2$-alkyne)copper(I) fluoride and copper(I) hydride complexes (in German) *[Tech Univ. Chemnitz, Inst. Chem., Chemnitz, Germany; Univ. Heidelberg, Inst. Anorgan. Chem., Heidelberg, Germany]*

Vol. 553 No. 1-2 (1998) 39-52
HEßLER, A., KUCKEN, S., STELZER, O., SHELDRICK, W.S., Water-soluble phosphanes. VII. Synthesis, coordination chemistry and template reactions of PH-functional bis(phosphinoethyl)amines (in German) *[Univ. Gesamthsch. Wuppertal, Wuppertal, Germany; Ruhr Univ. Bochum, Fac. Chem., Dept. Analyt. Chem., Bochum, Germany]*

Vol. 553 No. 1-2 (1998) 53-57
BISHOP, L.A., TURNER, M.A., KOOL, L.B., Synthesis of bipyridine and biquinoline complexes of group 4 metallocenes *[Boston Coll., Eugene F. Merkert Chem. Ctr., Chestnut Hill, MA, USA; Gen. Elect. Superabras, Worthington, OH, USA]*

Vol. 553 No. 1-2 (1998) 59-65
GARKUSHA, O.G., LOKSHIN, B.V., BORISOV, G.K., Vibrational spectra and structure of dicyclopentadienylzinc *[Russian Acad. Sci., A.N. Nesmeyanov Inst. Organoelement Compounds, Moscow, Russia; Nizhnii Novgorod State Univ., Inst. Chem., Nizhnii Novgorod, Russia]*

Vol. 553 No. 1-2 (1998) 67-72
DANG, H.-S., DAVIES, A.G., Lewis acid catalyzed M-ene, H-ene, and cycloaddition reactions of allylic stannanes and silanes with methyl propiolate *[Univ. Coll. London, Dept. Chem., London, England]*

Vol. 553 No. 1-2 (1998) 73-81
BILDSTEIN, B., SCHWEIGER, M., KOPACKA, H., WURST, K., Tetraferrocenyl-[3]-cumulene *[Innsbruck Univ., Inst. Allgemeine Anorgan. & Theoret. Chem., Innsbruck, Austria]*

Vol. 553 No. 1-2 (1998) 83-90
MEYER, W.H., BRÜLL, R., RAUBENHEIMER, H.G., THOMPSON, C., KRUGER, G.J., Thioethercarboxylates in palladium chemistry: First proof of hemilabile properties of S-O ligands *[Rand Afrikaans Univ., Dept. Chem. & Biochem., Johannesburg, South-Africa]*

Vol. 553 No. 1-2 (1998) 91-97
RAO, M.L.N., PERIASAMY, M., The $CoCl_2/Ph(Et)_2N{:}BH_3/CO$ system: Reactions of the borane and cobalt carbonyl species *[Univ. Hyderabad, Sch. Chem., Hyderabad, Andhra-Pradesh, India]*

Vol. 553 No. 1-2 (1998) 99-102
KLESS, A., HOLZ, J., REINKE, H., BÖRNER, A., Studies on the formation of uniform $\eta^3$-coordinated triphos-Mo(0)-complexes *[Univ. Rostock, Inst. Organ. Katalyseforsch., Rostock, Germany; Univ. Rostock, Fachbereich Chem., Rostock, Germany]*

Vol. 553 No. 1-2 (1998) 103-109
LEHOTKAY, T., WURST, K., JAITNER, P., KREIßL, F.R., Conversion of $\eta^2$-phosphinocarbene complexes into tungstaphosphabicyclo[1.1.0]butanone units *[Tech. Univ. Munich, Inst. Anorgan. Chem., Garching, Germany; Innsbruck Univ., Inst. Allgemeine Anorgan. & Theoret. Chem., Innsbruck, Austria]*

Vol. 553 No. 1-2 (1998) 111-114
PLACK, V., SAKHAII, P., FISCHER, A., JONES, P.G., SCHMUTZLER, R., TAMAO, K., SUM, G.-R., X-ray analysis and NMR-studies of *E*- and *Z*-1,2-bis(fluorodimethylsilyl)-1,2-diphenylethene *[Tech Univ. Carolo Wilhelmina Braunschweig, Inst. Anorgan. & Analyt. Chem., Braunschweig, Germany; Kyoto Univ., Inst. Chem. Res., Kyoto, Japan]*

Vol. 553 No. 1-2 (1998) 115-128
DIAS, A.R., GARCIA, M.H., MENDES, P., PIEDADE, M.F.M., DUARTE, M.T., CALHORDA, M.J., MEALLI, C., WENSELEERS, W., GERBRANDU, A.W., GOOVAERTS, E., Organometallic nickel(II) complexes with substituted benzonitrile ligands. Synthesis, electrochemical studies and non-linear optical properties. The X-ray crystal structure of $[Ni(\eta^5\text{-}C_5H_5)\{P(C_6H_5)_3\}(NCC_6H_4NH_2)][PF_6]$ *[Inst. Super. Tecn., Ctr. Quim. Estrutural, Lisbon, Portugal; Univ. Lisboa, Fac. Ciencias, Lisbon, Portugal; Univ. Nova Lisboa, Inst. Tecnol. Quim. & Biol., Oeiras, Portugal; CNR, Ist. Studio Stereochim. & Energet. Composti Coord., Florence, Italy; Univ. Antwerp, Dept. Phys., Antwerp, Belgium]*

Vol. 553 No. 1-2 (1998) 129–133
DEMINA, M., VELIKANOV, A., MEDVEDEVA, A.S., LARINA, L., VORONKOV, M., Universal method for trimethylsilylation of acetylenic alcohols and glycols *[Russian Acad. Sci., Inst. Organ. Chem., Irkutsk, Russia]*

Vol. 553 No. 1-2 (1998) 135–140
ITO, S., TOYOTA, K., YOSHIFUJI, M., A convenient synthesis of a sterically protected 1,4-diphosphabutatriene and its pentacarbonyltungsten complexes *[Tohoku Univ., Grad. Sch. Sci., Sendai, Miyagi, Japan]*

Vol. 553 No. 1-2 (1998) 141–148
EVANS, W.J., ANSARI, M.A., ZILLER, J.W., KHAN, S.I., Synthesis and structure of alkali metal 'ate' complexes in the yttrium/2,6-dimethylphenoxide system *[Univ. Calif. Irvine, Dept. Chem., Irvine, CA, USA; Univ. California Los Angeles, Dept. Chem. & Biochem., Los Angeles, CA, USA]*

Vol. 553 No. 1-2 (1998) 149–155
ZHANG, Y.Q., XU, S.S., TIAN, G.L., ZHOU, X.Z., SUN, J., Synthesis and characterization of a series of sila-bridged diiron complexes (E)[($\eta^5$-*t*-Bu$C_5H_3$)Fe(CO)]$_2$($\mu$-CO)$_2$ (E=$Me_2Si$, $Me_2SiSiMe_2$, $Me_2SiOSiMe_2$). The molecular-structures of *cis*- and *trans*-($Me_2Si$)[$\eta^5$-*t*-Bu$C_5H_3$)Fe(CO)]$_2$($\mu$-CO)$_2$ *[Nankai Univ., Dept. Chem., Tianjin, P.R. China; Chinese Acad. Sci., Shanghai Inst. Organ. Chem., Shanghai, P.R. China]*

Vol. 553 No. 1-2 (1998) 157–161
YI, C.S., LIU, N.H., Ruthenium-mediated selective head-to-tail dimerization of acrylic and $\alpha,\beta$-unsaturated carbonyl-compounds: generation of an acrylate-hydride complex $C_5Me_5Ru(PCy_3)(CH_2{=}CHCO_2Et)H$ *[Marquette Univ., Dept. Chem., Milwaukee, WI, USA]*

Vol. 553 No. 1-2 (1998) 163–171
MOCHIDA, K., GINYAMA, H., TAKAHASHI, M., KIRA, M., Photochemical reactions of digermanyl-substituted naphthalenes: The germyl migration to the aromatic ring *[Gakushuin Univ., Fac. Sci., Tokyo, Japan; Inst. Phys. & Chem. Res. Riken, Photodynam. Res. Ctr., Sendai, Miyagi, Japan; Tohoku Univ., Grad. Sch. Sci., Sendai, Miyagi, Japan]*

Vol. 553 No. 1-2 (1998) 173–178
JANY, G., GUSTAFSSON, M., REPO, T., AITOLA, E., DOBADO, J.A., KLINGA, M., LESKELÄ, M., *para*-Fluoro benzyl substituted bis(indenyl) metallocenes as catalyst precursors in ethene polymerization *[Univ. Helsinki, Dept. Chem., Helsinki, Finland]*

Vol. 553 No. 1-2 (1998) 179–181
LIU, Q.C., DING, M.X., Synthesis of the first mono(cyclopentadienyl)lanthanide schiff base complex bearing $C_2$-symmetric tetradentate ligand: crystal structure of [($\eta^5$-$C_5H_5$)Yb($\mu$-$OC_{20}H_{20}N_2O$)]$_2$($\mu$-THF)(THF) *[Chinese Acad. Sci., Changchun Inst. Appl. Chem., Changchun, P.R. China]*

Vol. 553 No. 1-2 (1998) 183–191
MERLIC, C.A., WU, F., Synthesis of $\beta$-keto Fischer carbene complexes *[Univ. California Los Angeles, Dept. Chem. & Biochem., Los Angeles, CA, USA]*

Vol. 553 No. 1-2 (1998) 193–197
IGLESIAS, M., SANTOS, A., Reactions of fullerenols $C_{60}(OH)X$ ($X$=12, 18) with trialkoxysilanes ($RO)_3Si(CH_2)_3X$ (R=Me, X=Cl; R=Et, X=$NH_2$) *[CSIC, Inst. Ciencia Mat, Madrid, Spain]*

Vol. 553 No. 1-2 (1998) 199–204
GONSALVES, A.M. D'A. ROCHA, BAYÓN, J.C., PEREIRA, M.M., SERRA, M.E.S., PEREIRA, J.P.R., Asymmetric transfer hydrogenation of acrylic acids catalyzed by rhodium(I) complexes of diphosphine ligands *[Univ. Coimbra, Dept. Quim., Coimbra, Portugal; Autonomous Univ. Barcelona, Dept. Quim., Barcelona, Spain]*

Vol. 553 No. 1-2 (1998) 205–220
PEIFER, B., MILIUS, W., ALT, H.G., Self-immobilizing metallocene catalysts (in German) *[Univ. Bayreuth, Anorgan. Chem. Lab., Bayreuth, Germany]*

Vol. 553 No. 1-2 (1998) 221–239
HÖPFL, H., FARFÁN, N., CASTILLO, D., SANTILLAN, R., GUTIERREZ, A., DARAN, J.-C., Study of cyclic borinates obtained from piperidine- and piperazine alcohols by spectroscopic methods and X-ray crystallography *[Univ. Autonoma Estado Morelos, Ctr. Invest. Quim., Morelos, Mexico; Inst. Politecn. Nacl., Ctr. Invest. & Estudios. Avanzados, Mexico City, Mexico; Univ. Autonoma Metropolitana Ixtapalapa, Ixtapalapa, Mexico; Univ. Toulouse III, CNRS, Chim. Coordinat. Lab., Toulouse, France]*

Vol. 553 No. 1-2 (1998) 241–251
KLÄUI, W., HARDT, T., New tungsten(VI) carbyne complexes and carbene complexes from the reaction of chlorocarbyne complexes with nucleophilic substances. New catalysts for ring-opening metathetic polymerization of cycloolefins (in German) *[Univ. Düsseldorf, Inst. Anorgan. Chem. & Strukturchem., Düsseldorf, Germany]*

Vol. 553 No. 1-2 (1998) 253–267
PIERRE, F., STRICKER, A., MOINET, C., SINBANDHIT, S., TOUPET, L., Electrochemical reduction of some [($\eta^5$-Cyclopentadienyl)($\eta^6$-arene)iron(II)][$PF_6$] complexes bearing an imine or a nitrone function in benzylic position of the arene ligand *[Univ. Rennes 1, CNRS, Lab. Electrochim. & Organomet., Rennes, France; Univ. Rennes 1, Ctr. Mesures Phys. Ouest, Rennes, France; Univ. Rennes 1, Lab. Phys. Cristalline, Rennes, France]*

Vol. 553 No. 1-2 (1998) 269–275
LIU, Z.H., GIPSON, S.L., A thermodynamic study of the electron transfer chain catalyzed substitution of triphenylphosphine for iodide on $CpFe(CO)_2I$ *[Baylor Univ., Dept. Chem., Waco, TX, USA]*

Vol. 553 No. 1-2 (1998) 277–284
VOS, D., ARIF, A.M., ERNST, R.D., Synthesis and characterization of Ti($C_5H_5$)(2,4-$C_7H_{11}$)($POCH_2CH(O)C_2H_4O$) and Ti(2,4-$C_7H_{11})_2$($POCH_2CH(O)C_2H_4O$) chiral phosphite adducts of an open and a half open titanocene *[Univ. Utah, Dept. Chem., Salt Lake City, UT, USA]*

Vol. 553 No. 1-2 (1998) 285–306
BRUNNER, H., WINTER, A., BREU, J., Enantioselective catalysis. Part 114. Chirostructural analysis of bis(diphenylphosphanyl)ethane transition metal chelates *[Univ. Regensburg, Inst. Anorgan. Chem., Regensburg, Germany]*

Vol. 553 No. 1-2 (1998) 307–315
DORTA, R., STOECKLI-EVANS, H., BODENSIECK, U., SÜSS-FINK, G., Fixation of triruthenium clusters on melamine: synthesis and structure of [$Ru_3(\mu_2$-H)$(CO)_9\{\mu_3,\eta^2$-$NHC_3N_3(NH_2)_2\}$], *cis*-[{$Ru_3(\mu_2$-H)$(CO)_9)_2$-($\mu_3,\eta^2$:$\mu_3,\eta^2$-$NHC_3N_3(NH_2)$}] and *trans*-[{$Ru_3(\mu_2$-H)$(CO)_9)_2(\mu_3,\eta^2$:$\mu_3,\eta^2$-$NHC_3N_3(NH_2)$}] *[Univ. Neuchatel, Inst. Chim., Neuchatel, Switzerland]*

Vol. 553 No. 1-2 (1998) 317–329
PETRI, S.H.A., NEUMANN, B., STAMMLER, H.-G., JUTZI, P., Silyl complexes of molybdenum and tungsten. Synthesis, reactivity and structure (in German) *[Univ. Bielefeld, Fac. Chem., Bielefeld, Germany]*

Vol. 553 No. 1-2 (1998) 331–343
DAMRAU, H.-R.H., GEYER, A., PROSENC, M.-H., WEEBER, A., SCHAPER, F., BRINTZINGER, H.-H., *ansa*-Metallocene derivatives. XLI. Chiral *ansa*-magnesocene complexes–syntheses, crystal structures and structural dynamics in solution *[Univ. Konstanz, Fac. Chem., Constance, Germany]*

Vol. 553 No. 1-2 (1998) 345–369
PETTINARI, C., PELLEI, M., MILIANI, M., CINGOLANI, A., CASSETTA, A., BARBA, L., PIFFERI, A., RIVAROLA, E., Tin(IV) and organotin(IV) complexes containing mono or bidentate N-donor ligands. III. 1-Methylimidazole derivatives: synthesis, spectroscopic and structural characterization *[Univ. Camerino, Dipartimento Sci. Chim., Camerino, Italy; CNR, Ist. Strutturist. Chim. G. Giacomello, Trieste, Italy; Univ. Palermo, Dipartimento Chim. Inorgan., Palermo, Italy]*

Vol. 553 No. 1-2 (1998) 371–378
GRAF, M., MERZWEILER, K., BRUHN, C., BÖTTCHER, H.-C., Synthesis of triruthenium clusters containing mixed bridging phosphido ligands: X-ray crystal structures of $[Ru_3(CO)_7(\mu\text{-}H)(\mu\text{-}PBu^t_2)(\mu\text{-}PCy_2)_2]$ and the electron-deficient complex $[Ru_3(\mu\text{-}CO)(CO)_5(\mu\text{-}H)_2(\mu\text{-}PBu^t_2)_2(Bu^t_2PH)]$ *[Univ. Halle Wittenberg, Inst. Anorgan. Chem., Halle, Germany]*

Vol. 553 No. 1-2 (1998) 379–385
SOBOTA, P., UTKO, J., BRUSILOVETS, A.I., JERZYKIEWICZ, L.B., Syntheses, properties and crystal structures of ionic $[Al_2(\mu,\eta^2\text{-}thffo)_2(EtOH)_4Cl_2]Cl_2$, $[Al_3(\mu,\eta^2\text{-}thffo)_4Cl_4][AlEtCl_3]$ and tetranuclear $[Al_4(\mu,\eta^2\text{-}thffo)_4(\mu\text{-}OEt)_2Cl_6]$ (thffo = $OCH_2CH(CH_2)_3O$) compounds *[Univ. Wroclaw, Fac. Chem., Wroclaw, Poland]*

Vol. 553 No. 1-2 (1998) 387–392
LENSINK, C., Synthesis and structure of sulfonamido cyclopentadiene titanium complexes: X-ray structure of $Ti(\eta^5\text{:}\sigma\text{-}C_5H_4CH_2CH_2NSO_2C_6H_4CH_3)Cl_2$ *[New Zealand Inst. Ind. Res. & Dev., Lower Hutt, New Zealand]*

Vol. 553 No. 1-2 (1998) 393–395
POREMBA, P., EDELMANN, F.T., Cyclooctatetraenyl complexes of the early transition metals and lanthanides. X. The first organometallic triple decker sandwich complexes of the lanthanides *[Univ. Magdeburg, Inst. Chem., Magdeburg, Germany]*

Vol. 553 No. 1-2 (1998) 397–403
LEE, T.-Y., MESSERLE, L., Utility of hydridotributyltin as both reductant and hydride transfer reagent in organotransition metal chemistry. I. A convenient synthesis of the organoditantalum(IV) hydrides $(\eta\text{-}C_5Me_4R)_2Ta_2(\mu\text{-}H)_2Cl_4$ (R = Me, Et) from $(\eta\text{-}C_5Me_4R)TaCl_4$, and probes of the possible reaction pathways *[Univ. Iowa, Dept. Chem., Iowa City, IA, USA]*

Vol. 553 No. 1-2 (1998) 405–415
MINGHETTI, G., ZUCCA, A., CINELLU, M.A., STOCCORO, S., MANASSERO, M., SANSONI, M., C(3) aurated 1,4-benzodiazepin-2-ones. Synthesis and characterization. Crystal structure of $(L)Au[P(C_6H_4CH_3\text{-}4)_3]$ (HL = 7-chloro-1,3-dihydro-1-methyl-5-phenyl-2H-1,4-benzodiazepin-2-one, DIAZEPAM) *[Univ. Sassari, Dipartimento Chim., Sassari, Italy; Univ. Milan, Dipartmento Chim. Strutturale & Stereochim. Inorgan., Milan, Italy]*

Vol. 553 No. 1-2 (1998) 417–425
CHANG, C.-W., TING, P.-C., LIN, Y.-C., LEE, G.-H., WANG, Y., Synthesis of ruthenium vinylidene complexes with dppe ligand and their cyclopropenation reaction *[Natl. Taiwan Univ., Dept. Chem., Taipei, Taiwan]*

Vol. 553 No. 1-2 (1998) 427–432
BECKHAUS, R., OSTER, J., Intermolecular coupling reactions of inversely polarized carbene ligands starting from the $Cp^*_2Ti{=}C{=}CH_2$ intermediate and chromium carbene complexes *[Rhein Westfal TH Aachen, Inst. Anorgan. Chem., Aachen, Germany]*

Vol. 553 No. 1-2 (1998) 433–441
ANTELMANN, B., HUTTNER, G., WINTERHALTER, U., Functionalized cyclopentadienyl ligands for structure of tripod complexes: synthesis and complex chemistry (in German) *[Univ. Heidelberg, Inst. Anorgan. Chem., Heidelberg, Germany]*

Vol. 553 No. 1-2 (1998) 443–452
HERRMANN, W.A., WACHTER, W.M., KÜHN, F.E., FISCHER, R.W., Multiple bonds between main-group elements and transition-metals. CLXVI. Molecular organorhenium precursors for CVD processes (in German) *[Tech. Univ. Munich, Inst. Anorgan. Chem., Garching, Germany]*

Vol. 553 No. 1-2 (1998) 453–461
RÄSÄNEN, T.M., JÄÄSKELÄINEN, S., PAKKANEN, T.A., Heteroligand substitution in clusters of ruthenium and cobalt *[Univ. Joensuu, Dept. Chem., Joensuu, Finland]*

Vol. 553 No. 1-2 (1998) 463–468
ALONSO, F., DAVIES, S.G., SMETHURST, C.A.P., Synthesis and reactivity of a range of 2-ferrocenyl-3-pivaloyl-1,3-oxazolidin-5-ones *[Univ. Oxford, Dyson Perrins Lab., Oxford, Oxon, England]*

Vol. 553 No. 1-2 (1998) 469–471
BRICOUT, H., MORTREUX, A., MONFLIER, E., Isomerization of olefins in a two-phase system by homogeneous water-soluble nickel complexes *[CNRS, ENSCL, Villeneuve-Dascq, France; Univ. Artois, Fac. Sci. Jean Perrin, Lab. Physicochim. Interfaces & Applicat., Lens, France]*

Vol. 553 No. 1-2 (1998) 473–476
WESTON, W.S., LIGHTFOOT, P., COLE-HAMILTON, D.J., Modelling intermediates in the catalytic carbonylation of $CH_2I_2$ to malonate esters; Evidence for a ketene pathway *[Univ. St. Andrews, Sch. Chem., St. Andrews, Fife, Scotland]*

Vol. 553 No. 1-2 (1998) 477–479
HEINEMANN, O., JOLLY, P.W., KRÜGER, C., VERHOVNIK, G.P.J., A facile access to CpCr(acac)Cl and related systems *[Max Planck Inst. Coal Res., Mülheim, Germany]*

Vol. 553 No. 1-2 (1998) 481–482
MEDVEDEVA, A.S., NOVOKSHONOV, V.V., DEMINA, M.M., VORONKOV, M.G., An unusual rearrangement of 1-trimethylsiloxy-3-bromomagnesium-2-propyne *[Russian Acad. Sci., Inst. Organ. Chem., Irkutsk, Russia]*

Vol. 553 No. 1-2 (1998) 483–485
LE BRAS, J., AMOURI, H., VAISSERMANN, J., $\eta^4$-Quinone, $\eta^5$-semiquinone and $\eta^6$-hydroquinone complexes of pentamethylcyclopentadienyl iridium. X-ray molecular structure of $[Cp^*Ir(\eta^4\text{-}1,4\ benzoquinone)]$ *[Ecole Natl. Super. Chim. Paris, CNRS, Paris, France; Univ. Paris 06, CNRS, Chim. Met. Transit. Lab., Paris, France]*

Vol. 553 No. 1-2 (1998) 487–491
OHSHITA, J., NODONO, M., WATANABE, T., UENO, Y., KUNAI, A., HARIMA, Y., YAMASHITA, K., ISHIKAWA, M., Synthesis and properties of dithienosiloles *[Hiroshima Univ., Fac. Engn., Higashihiroshima, Japan; Hiroshima Univ., Fac. Integrated Arts & Sci., Higashihiroshima, Japan; Kurashiki Univ. Sci. & Arts, Dept. Chem. Technol., Kurashiki, Okayama, Japan]*

Vol. 553 No. 1-2 (1998) 493–496
NAKANO, T., ENOKIDO, T., NODA, S., A-IHARA, N.-A., KOSUGI, M., MIGITA, T., Palladium-catalyzed metathesis of phenylalkyl- or chloroalkyldigermane with allylic chlorides at room temperature *[Tokai Univ., Sch. High Technol. Human Welf., Nishino, Shizuoka, Japan; Gunma Univ., Fac. Engn., Kiryu, Gumma, Japan]*

Vol. 553 No. 1-2 (1998) 497–501
HAUPT, H.-J., PETTERS, D., FLÖRKE, U., First examples of acylgold(I) complexes $RCOAuPPh_3$ (R=Me, *n*-Bu,*t*-Bu, Ph) trapped as oxygen coordinated ligands L at one of rhenium atoms in $Re_2(\mu\text{-}PPh_2)_2(CO)_7$(ax-L) *[Univ. Gesamthsch Paderborn, Paderborn, Germany]*

Vol. 553 No. 1-2 (1998) 503–506
NIEF, F., RICARD, L., Synthesis, structural characterisation and dynamic behaviour of pentafulvalenyldilanthanide(II) complexes *[Ecole Polytech, CNRS, DCPH, Lab. Heteroelements & Coordinat., Palaiseau, France]*

Vol. 553 No. 1-2 (1998) 507–509
HART, S.L., MCCAMLEY, A., MCCORMACK, P.J., TAYLOR, P.C., Synthesis of racemic chiral-at-metal complexes of the group 4 metals by a lithium chloride catalysed ligand redistribution reaction *[Univ. Warwick, Dept. Chem., Coventry, West Midlands, England]*

Vol. 553 No. 1-2 (1998) 511–516
KRAMKOWSKI, P., SCHEER, M., BAUM, G., Different reaction modes of supermesitylphosphaalkyne with $[W(CO)_5thf]$-unusual C-H-activation forming an indanyl substituent *[Univ. Karlsruhe, Inst. Anorgan. Chem., Karlsruhe, Germany]*

Vol. 553 No. 1-2 (1998) 517–519
KUNKELY, H., VOGLER, A., Electronic spectrum and photoreactivity of dimethyl(1,5-cyclooctadiene)-platinum(II) *[Univ. Regensburg, Inst. Anorgan. Chem., Regensburg, Germany]*

Vol. 554 No. 1 (1998) 1–11
LEES, A.J., Photochemical features of intermolecular C–H bond activation *[SUNY Binghamton, Dept. Chem., Binghamton, NY, USA]*

Vol. 554 No. 1 (1998) 13–18
TORRACA, K.E., STORHOFF, D.A., MCELWEE-WHITE, L., Formation of $\alpha,\omega$-dienes upon photooxidation of alkenyl carbyne complexes *[Univ. Florida, Dept. Chem., Gainesville, FL, USA]*

Vol. 554 No. 1 (1998) 19–28
NIECKARZ, G.F., LITTY, J.J., TYLER, D.R., Photochemically reactive polymers; the synthesis and photochemistry of amide polymers and model compounds containing metal–metal bonds and internal radical traps *[Univ Oregon, Dept. Chem., Eugene, OR, USA]*

Vol. 554 No. 1 (1998) 29–40
JONES, S.W., VRANA, L.M., BREWER, K.J., Using spectroelectrochemistry to probe the light absorbing properties of polymetallic complexes containing the tridentate bridging ligand 2,3,5,6-tetrakis(2-pyridyl)pyrazine *[Virginia Polytech. Inst. & State Univ., Dept. Chem., Blacksburg, VA, USA]*

Vol. 554 No. 1 (1998) 41–47
ROSINI, G.P., SOUBRA, S., VIXAMAR, M., WANG, S.Y., GOLDMAN, A.S., Kinetics of photochemical alkane dehydrogenation catalyzed by $Rh(PMe_3)_2(CO)Cl$: implications concerning the C–H bond activation step *[Rutgers State Univ., Dept. Chem., Piscataway, NJ, USA]*

Vol. 554 No. 1 (1998) 49–61
MCFARLANE, K., LEE, B., BRIDGEWATER, J., FORD, P.C., Time resolved infrared spectroscopy as a technique to study reactive organometallic intermediates *[Univ. California Santa Barbara, Dept. Chem., Santa Barbara, CA, USA]*

Vol. 554 No. 1 (1998) 63–73
BLAIR, S.L., HILL, R.H., Photochemistry of thin amorphous films of $Fe(CO)_4PPh_3$ on Si(111) surfaces *[Simon Fraser Univ., Dept. Chem., Burnaby, BC, Canada]*

Vol. 554 No. 1 (1998) 75–85
BAYS, J.T., BITTERWOLF, T.E., LOTT, K.A., OLLINO, M.A., REST, A.J., SMITH, L.M., Photochemistry of bis-{chloro(dicarbonyl)rhodium} in low temperature frozen gas matrices at 12 K and in Nujol mulls at 77 K: infrared and electronic spectroscopic evidence for retention of the bis-{(chloro)rhodium} bridging unit but photoejection of terminal carbonyl ligands *[Univ. Idaho, Dept. Chem., Moscow, ID, USA; Univ. Southampton, Dept. Chem., Southampton, Hants, England]*

Vol. 554 No. 1 (1998) 87–103
ACOSTA, A., ZINK, J.I., Excited states and emission spectroscopy of organometallic compounds interpreted by time-dependent theory *[Univ. California Los Angeles, Dept. Chem. & Biochem., Los Angeles, CA, USA]*

Vol. 554 No. 2 (1998) 105–112
BADIA, A., NAVARRO, R., URRIOLABEITIA, E.P., Synthesis and structure of $Pd^{II}$ and $Pt^{II}$ complexes containing chiral diphosphazane ligands *[Univ. Zaragoza, CSIC, Inst. Ciencia Mat. Aragon, Dept. Quim. Inorgan., Zaragoza, Spain]*

Vol. 554 No. 2 (1998) 113–116
LAMBERT, J.B., BASSO, E., QING, N., LIM, S.H., PFLUG, J.L., Two-dimensional silicon-29 inadequate as a structural tool for branched and dendritic polysilanes *[Northwestern Univ., Dept. Chem., Evanston, IL, USA]*

Vol. 554 No. 2 (1998) 117–121
CABEZA, J.A., DEL RIO, I., RIERA, V., ARDURA, D., Protonation of triruthenium carbonyl cluster complexes containing a bridging 1-azavinylidene ligand. Experimental results and EHMO calculations *[Univ. Oviedo, CSIC, Oviedo, Spain; Univ. Oviedo, Fac. Quim., Oviedo, Spain]*

Vol. 554 No. 2 (1998) 123–127
ADDISON, S.J., CONNOR, J.A., KINKAID, J.A., High temperature microcalorimetric studies of the thermal decomposition and halogenation of nonacarbonylcobaltmanganese, nonacarbonylcobaltrhenium and decacarbonylmanganeserhenium *[Univ. Kent, Dept. Chem., Canterbury, Kent, England]*

Vol. 554 No. 2 (1998) 129–134
RÄSÄNEN, T.M., JÄÄSKELÄINEN, S., PAKKANEN, T.A., Trinuclear carbonyl clusters with capping sulphur ligands. Crystal structures of $Ru_3(CO)_8(\mu_3\text{-}S)(\eta^1\text{-}L)$ and $RuCo_2(CO)_8(\mu_3\text{-}S)(\eta^1\text{-}L)$ *[Univ. Joensuu, Dept. Chem., Joensuu, Finland]*

Vol. 554 No. 2 (1998) 135–137
FERRERI, C., COSTANTINO, C., CHATGILIALOGLU, C., BOUKHERROUB, R., MANUEL, G., The versatile behavior of the $PdCl_2/Et_3SiH$ system. Conversion of alcohols to the corresponding halides and alkanes *[CNR, I CO CEA, Bologna, Italy; Univ. Toulouse III, CNRS, Lab. Heterochim. Fond. & Appl., Toulouse, France]*

Vol. 554 No. 2 (1998) 139–146
PALITZSCH, W., PIETZSCH, C., JACOB, K., EDELMANN, F.T., GELBRICH, T., LORENZ, V., PUTTNAT, M., ROEWER, G., 1,2-*N*,*N*-dimethylaminomethylferrocenyl as a ligand towards silicon *[Tech. Univ. Bergakad. Freiberg, Inst. Anorgan. Chem., Freiberg,*

*Germany; Tech. Univ. Bergakad. Freiberg, Inst. Angew. Phys., Freiberg, Germany; Martin Luther Univ. Halle Wittenberg, Inst. Anorgan. Chem., Merseburg, Germany; Univ. Magdeburg, Inst. Chem., Magdeburg, Germany; Univ. Leipzig, Inst. Anorgan. Chem., Leipzig, Germany]*

Vol. 554 No. 2 (1998) 147–154
GORDON, C.M., KISZKA, M., DUNKIN, I.R., KERR, W.J., SCOTT, J.S., GEBICKI, J., Elucidating the mechanism of the photochemical Pauson-Khand reaction: matrix photochemistry of phenylacetylenehexacarbonyldicobalt *[Univ. Strathclyde, Dept. Pure & Appl. Chem., Lanark, Scotland; Tech. Univ. Lodz, Inst. Appl. Radiat. Res., Lodz, Poland]*

Vol. 554 No. 2 (1998) 155–161
KANEKO, Y., SUZUKI, T., ISOBE, K., MAITLIS, P.M., Isolation and characterization of $[(RhCp^*)_2\{\eta^1{:}\eta^4{:}\eta^2\text{-}\mu\text{-}CHC(Ph)CHC(Ph)CHCH_2\}]^+$ ($Cp^* = \eta^5\text{-}C_5Me_5$). Reinvestigation of the carbon–carbon bond formation between $\mu\text{-}CH_2$ group and alkynes in $[(RhCp^*)_2(\mu\text{-}CH_2)_2(CH_3CN)_2]^{2+}$ *[Kochi Univ., Fac. Sci., Kochi, Japan; Osaka Univ., Grad. Sch. Sci., Osaka, Japan; Osaka City Univ., Fac. Sci., Osaka, Japan; Univ. Sheffield, Dept. Chem., Sheffield, South Yorkshire, England]*

Vol. 554 No. 2 (1998) 163–166
SUGIHARA, T., BAN, H., YAMAGUCHI, M., Novel decomplexation method for alkyne-$Co_2(CO)_6$ complexes *[Tohoku Univ., Fac. Pharmaceut. Sci., Sendai, Miyagi, Japan]*

Vol. 554 No. 2 (1998) 167–170
YAMAGUCHI, H., NAKANISHI, S., TAKATA, T., Synthesis of planar chiral $\eta^3$-allyldicarbonylnitrosyliron complexes and stereochemistry of the complex forming reaction *[Univ. Osaka Prefecture, Coll. Engn., Osaka, Japan]*

Vol. 554 No. 2 (1998) 171–173
LINN, D.E. (JR.), GIBBINS, S.G., Highly soluble complexes of $[FeH_6]^{4-}$ and ion pairing interactions *[Indiana Univ. Purdue Univ., Dept. Chem., Fort Wayne, IN, USA; Univ. Victoria, Dept. Chem., Victoria, BC, Canada]*

Vol. 554 No. 2 (1998) 175–179
GREEN, M.J., CAVELL, K.J., SKELTON, B.W., WHITE, A.H., A route to new methylpalladium(II) carbene complexes *[Univ. Tasmania, Dept. Chem., Hobart, TAS, Australia; Univ. Western Australia, Dept. Chem., Nedlands, WA, Australia]*

Vol. 554 No. 2 (1998) 181–184
BOWEN, R.J., GARNER, A.C., BERNERS-PRICE, S.J., JENKINS, I.D., SUE, R.E., Convenient synthetic routes to bidentate and monodentate 2-, 3- and 4-pyridyl phosphines: potentially useful ligands for water-soluble complex catalysts *[Griffith Univ., Fac. Sci. & Technol., Brisbane, QLD, Australia]*

Vol. 554 No. 2 (1998) 185–194
CASTRO, A., GALAKHOV, M.V., GÓMEZ, M., GÓMEZ-SAL, P., MARTÍN, A., ROYO, P., Alkyl chloro, dialkyl and mixed alkyl derivatives of imido(pentamethylcyclopentadienyl) tantalum(V). X-ray crystal structure of $[TaCp^*Cp'Cl\{N(2,6\text{-}Me_2C_6H_3)\}]$, ($Cp' = \eta^5\text{-}C_5H_4SiMe_3$) *[Univ. Alcalá de Henares, Dept. Quim. Inorgan., Alcalá de Henares, Spain]*

Vol. 554 No. 2 (1998) 195–201
HENDERSON, R.A., HUGHES, D.L., JANAS, Z., RICHARDS, R.L., SOBOTA, P., SZAFERT, S., Preparation and crystal structures of the mononuclear vanadium phenoxide complexes $[VCl(OC_6H_3Pr^i_2\text{-}2,6)_2(C_4H_8O)_2]$ and $[VO(OC_6H_3Pr^i_2\text{-}2,6)_3]$: procatalysts for ethylene polymerization *[John Innes Ctr. Plant Sci. Res., Nitrogen Fixat. Lab., Norwich, Norfolk, England; Univ. Wroclaw, Fac. Chem., Wroclaw, Poland]*

Vol. 554 No. 2 (1998) 203–205
GUILLAUME, V., MAHIAS, V., LAPINTE, C., Synthesis of $\eta^1$-butadienyl iron complex upon coupling of two organometallic $\eta^1$-vinyl units and selective decomplexation at one end *[Univ. Rennes 1, CNRS, Lab. Electrochim. & Organomet., Rennes, France]*

Vol. 554 No. 2 (1998) 207–210
MACHNITZKI, P., STELZER, O., SHELDRICK, W.S., LANDGRAFE, C., Selective C–Cl versus P–Cl-activation syntheses of complexes with P–Cl functional phosphinomethyl bridges $\eta^2,\mu_2$-$\{P(R)Cl\text{-}CH_2\}$ *[Univ. Gesamthsch. Wuppertal, Wuppertal, Germany; Ruhr Univ. Bochum, Fac. Chem., Dept. Analyt. Chem., Bochum, Germany]*

Vol. 555 No. 1 (1998) 1–4
SHAFIQ, F.A., RICHARDSON, D.E., BONCELLA, J.M., Synthesis of new mixed ring zirconocenes and evidence of ring loss *[Univ. Florida, Dept. Chem., Gainesville, FL, USA; Univ. Florida, Ctr. Catalysis, Gainesville, FL, USA]*

Vol. 555 No. 1 (1998) 5–15
VAN DER ZEIJDEN, A.A.H., MATTHEIS, C., Titanocenes and zirconocenes with (chiral) O-functionalized side chains on the Cp ring *[Martin Luther Univ. Halle Wittenberg, Inst. Anorgan. Chem., Merseburg, Germany]*

Vol. 555 No. 1 (1998) 17–23
VIÑAS, C., MAR ABAD, M., TEIXIDOR, F., SILLANPÄÄ, R., KIVEKÄS, R., Reactions of Pd(II) with *closo*-1,2-dicarbadodecaborane-1,2-diphosphines *[CSIC, Inst. Ciencia Mat. Barcelona, Bellaterra, Spain; Univ. Turku, Dept. Chem., Turku, Finland; Univ. Helsinki, Dept. Chem., Helsinki, Finland]*

Vol. 555 No. 1 (1998) 25–33
WATERMAN, S.M., HUMPHREY, M.G., HOCKLESS, D.C.R., Mixed-metal cluster chemistry. VIII. Phosphite substitution at $[CpWIr_3(CO)_{11}]$; X-ray crystal structure of $[CpWIr_3(\mu\text{-}CO)_3(CO)_6\{P(OPh)_3\}_2]$ *[Australian Natl. Univ., Dept. Chem., Canberra, ACT, Australia; Australian Natl. Univ., Res. Sch. Chem., Canberra, ACT, Australia]*

Vol. 555 No. 1 (1998) 35–47
ORRELL, K.G., OSBORNE, A.G., SIK, V., DA SILVA, M.W., HURSTHOUSE, M.B., HIBBS, D.E., ABDUL MALIK, K.M., VASSILEV, N.G., Stereochemically non-rigid transition metal complexes of 2,6-bis(1-(phenylimino)ethyl)pyridine (BIP). Part 3. Dynamic NMR-studies of fac-$[PtXMe_3(BIP)]$ (X=Cl, Br, or I). Crystal structure of fac-$[PtIMe_3(BIP)]$ *[Univ. Exeter, Dept. Chem., Exeter, Devon, England; Univ. Wales, Coll. Cardiff, Dept. Chem., Cardiff, South-Glam, Wales; Bulgarian Acad. Sci., Inst. Parasitol., Sofia, Bulgaria]*

Vol. 555 No. 1 (1998) 49–56
CALDERAZZO, F., ENGLERT, U., PAMPALONI, G., TRIPEPI, G., The tetracyclopentadienyls of titanium, zirconium and hafnium: new synthetic procedures and reactivity *[Univ. Pisa, Dipartimento Chim. & Chim. Ind., Pisa, Italy; Rhein Westfal TH Aachen, Inst. Anorgan. Chem., Aachen, Germany]*

Vol. 555 No. 1 (1998) 57–66
MARCOS, M.-L., MORENO, C., MACAZAGA, M.-J., MEDINA, R.M., MADERUELO, R., DELGADO, S., GONZÁLEZ-VELASCO, J., Stabilization of 17-electron metal-centered species. Electrochemical study of $[WX(CO)_3(\eta^5\text{-}C_5H_5)]$ (X=Cl, Br, I) and $[WI(CO)_2(PCy3)(\eta^5\text{-}C_5H_5)]$ *[Univ. Autonoma Madrid, Fac. Ciencias, Dept. Quim. Inorgan., Madrid, Spain; Univ. Autonoma Madrid, Dept. Quim., Madrid, Spain]*

Vol. 555 No. 1 (1998) 67–79
ATHERTON, M.J., FAWCETT, J., HOLLOWAY, J.H., HOPE, E.G., MARTIN, S.M., RUSSELL, D.R., SAUNDERS, G.C., Activation of

C–F and C–H bonds by polyalkylcyclopentadienylrhodium complexes: crystal structure of $[(\eta^5\text{-}C_5Me_4Et)RhCl\{(C_6F_5)_2PCH_2CH_2P(C_6F_5)_2\}]^+ \cdot BF_4^-$ *[F2 Chem. Ltd., Preston, Lancs, England; Univ. Leicester, Dept. Chem., Leicester, Leics, England]*

Vol. 555 No. 1 (1998) 81–88
CAVE, G.W.V., LYDON, D.P., ROURKE, J.P., Cyclopalladated Schiff's base liquid crystals: the effect of the acac group on the thermal behavior *[Univ. Warwick, Dept. Chem., Coventry, West Midlands, England]*

Vol. 555 No. 1 (1998) 89–100
RUMIN, R., ABIVEN, P., PÉTILLON, F.Y., MUIR, K.W., Reactions of dinuclear and polynuclear complexes. XIX. Rearrangements of terminal or disubstituted alkyne ligands present in homo- and heterodinuclear complexes of cobalt and molybdenum during reactions with molybdenum and cobalt carbonyl compounds: formation of trinuclear and tetranuclear clusters *[Univ. Bretagne Occidentale, CNRS, Lab. Chim. & Electrochim. Mol., Brest, France; Univ. Glasgow, Dept. Chem., Lanark, Scotland]*

Vol. 555 No. 1 (1998) 101–111
POPELIER, P.L.A., LOGOTHETIS, G., Characterization of an agostic bond on the basis of the electron density *[Univ. Manchester, Dept. Chem., Manchester, Lancs, England]*

Vol. 555 No. 1 (1998) 113–118
CALDERÓN, R., VAHRENKAMP, H., Reactivity of $Fe_3(CO)_9(\mu_3\text{-}C_2Et_2)$. Synthesis and structures of $Fe_2(CO)_6\{C_2Et_2C[CH_2N(Me)CH_2Ph]CH\}$ and $Fe_3(CO)_8\{C_2Et_2C(H)C[CH_2N(Me)CH_2Ph]\}$ *[Albert Ludwigs Univ., Inst. Anorgan. & Analyt. Chem., Freiburg, Germany; Univ. Los Andes, Dept. Quim., Merida, Venezuela]*

Vol. 555 No. 1 (1998) 119–125
ANTELMANN, B., HUTTNER, G., WINTERHALTER, U., Tripodal ligands with cyclopentadienyl donor group. Structure and reactions of the tripod molybdenum template $CH_3C(CH_2\text{-}\eta^5\text{-}C_5H_4)(CH_2PPh_2)_2Mo$ (in German) *[Univ. Heidelberg, Inst. Anorgan. Chem., Heidelberg, Germany]*

Vol. 555 No. 1 (1998) 127–134
LUTTIKHEDDE, H.J.G., LEINO, R., LEHTONEN, A., NÄSMAN, J.H., Bis(triisopropylsiloxyindenyl)zirconocenes *[Abo Akad. Univ., Dept. Polymer Technol., Turku, Finland; Univ. Turku, Dept. Chem., Turku, Finland]*

Vol. 555 No. 1 (1998) 135–139
DIVERSI, P., ERMINI, V., INGROSSO, G., LUCHERINI, A., PINZINO, C., SIMONCINI, F., Oxidatively induced metal–carbon bond cleavage reactions in iridium dimethyl complexes: formation of cationic pyridine and nitrosyl iridium(III) alkyl derivatives *[Univ. Pisa, Dipartimento Chim. & Chim. Ind., Pisa, Italy; Univ. Pisa, CNR, Ist. Chim. Quantist. & Energet. Mol., Pisa, Italy]*

Vol. 555 No. 1 (1998) 141–144
DYKER, G., KELLNER, A., A survey of reaction conditions for palladium-catalyzed processes *[Univ. Duisburg Gesamthsch., Inst. Synth. Chem., Duisburg, Germany; Tech Univ. Carolo Wilhelmina Braunschweig, Inst. Organ. Chem., Braunschweig, Germany]*

Vol. 555 No. 2 (1998) 151–159
MANDOLESI, S.D., KOLL, L.C., CHOPA, A.B., PODESTÁ, J.C., 1,2-Asymmetric induction in the radical addition of organotin hydrides to (–)-menthyl(E)-2,3-disubstituted propenoates *[Univ. Nacl. Sur, Dept. Quim. & Ing. Quim., Buenos Aires, Argentina]*

Vol. 555 No. 2 (1998) 161–166
TACHIKAWA, H., Photoreaction dynamics of permethylcyclohexasilane $(Me_2Si)_6$ via triplet state surface: A direct MO dynamics study *[Hokkaido Univ., Grad. Sch. Engn., Sapporo, Hokkaido, Japan]*

Vol. 555 No. 2 (1998) 167–175
SATO, M., ANANO, H., The transition-metal complexes of the thiamacrocycle containing two ferrocene nuclei in the main chain. Synthesis, properties, and molecular structure of Ag(I), Cu(I), Pd(II), and Pt(II) complexes of 1,5,16,21-tetrathia[5.5]ferrocenophane *[Saitama Univ., Ctr. Chem. Anal., Urawa, Saitama, Japan]*

Vol. 555 No. 2 (1998) 177–185
BENETOLLO, F., CAVINATO, G., CROSARA, L., MILANI, F., ROSSETTO, G., SCELZA, C., ZANELLA, P., New O- and N-bonded zirconocene complexes and their catalytic properties in ethylene polymerization. X-ray crystal structure of $(C_5H_5)_2Zr\{2,6\text{-}OC_6H_3(CH_3)_2\}_2$, $(C_5H_5)_2Zr\{2,4,6\text{-}OC_6H_2(CH_3)_3\}_2$ and $(C_5H_5)_2Zr(CH_3)\{CH(NC_6H_5)_2\}$ *[CNR, ICTIMA, Padua, Italy; Univ. Padua, Dipartimento Chim. Inorgan. Met. Organ. & Analit., Padua, Italy; Polimeri Europa, Ferrara, Italy]*

Vol. 555 No. 2 (1998) 187–200
HERBERHOLD, M., HOFMANN, A., MILIUS, W., Phosphorus(III) and phosphorus(V) compounds with ferrocenolato and 1,1'-ferrocendiolato substituents (in German) *[Univ. Bayreuth, Anorgan. Chem. Lab., Bayreuth, Germany]*

Vol. 555 No. 2 (1998) 201–210
TAUBE, R., WINDISCH, H., HEMLING, H., SCHUMANN, H., Catalysis with complexes. LIII. Synthesis and characterization of the bis-$(\eta^3$-allyl)lathanum halide-complexes $La(\eta^3\text{-}C_3H_5)_2X\cdot 2THF$ (X=Cl, Br, I) precatalysts for stereospecific butadiene polymerization. Further clarification of the catalytic structure–activity relationship (in German) *[Tech. Univ. Munich, Inst. Anorgan. Chem., Garching, Germany; Bayer AG, Res. Ctr., Leverkusen, Germany; Tech. Univ. Berlin, Inst. Anorgan. & Analyt. Chem., Berlin, Germany]*

Vol. 555 No. 2 (1998) 211–225
LÓPEZ, C., GRANELL, J., Influences of the electronic and steric effects of the substituents in cyclopalladation of ferrocenylhydrazones *[Univ. Barcelona, Dept. Quim. Inorgan., Barcelona, Spain]*

Vol. 555 No. 2 (1998) 227–236
CHOU, S.-S.P., LIU, S.-H., Nucleophilic additions of phenylsulfonyl-substituted tricarbonyl(1,3-cyclohexadiene)iron complexes *[Fu Jen Catholic Univ., Dept. Chem., Taipei, Taiwan]*

Vol. 555 No. 2 (1998) 237–245
CERNY, Z., KRIZ, O., FUSEK, J., CÁSENSKY, B., BERNAT, P., BROZEK, J., RODA, J., Synthesis, characterization and properties of magnesium di(ϵ-caprolactamate) *[Acad. Sci. Czech Rep., Inst. Inorgan. Chem., Prague, Czech Rep.; Inst. Chem. Technol, Dept. Polymers, Prague, Czech Rep.]*

Vol. 555 No. 2 (1998) 247–253
LINDNER, E., PAUTZ, S., FAWZI, R., STEIMANN, M., Different reactivity of the Ru–O bond in the chelated [(methoxyethyl)diphenylphosphine]ruthenium(II) complexes $[(\eta^6\text{-}C_6Me_6)Ru(P\hat{}O)X][Br_4]$ in dependence on X=Cl and $CH_3$ *[Univ. Tübingen, Inst. Anorgan. Chem., Tübingen, Germany]*

Vol. 555 No. 2 (1998) 255–262
BARBARO, P., GHILARDI, C.A., MIDOLLINI, S., ORLANDINI, A., RAMIREZ, J.A., SCAPACCI, G., Interaction of methylmercury(II) with the bifunctional ligand *o*-diphenylphosphinobenzoate, dpb. Synthesis and characterization of [(dpb)HgMe] and [(dpbo)HgMe], dpbo=*o*-diphenylphosphinoxidebenzoate *[CNR, Ist. Studio Stereochim. & Energet. Composti Coord., Florence, Italy; Univ. Valencia, Dept. Quim. Inorgan., Valencia, Spain]*

Vol. 555 No. 2 (1998) 263–269
UHL, W., JANTSCHAK, A., A facile high-yield synthesis of the tetrahedral gallium(I) compounds $Ga_4[C(SiMe_2R)_3]_4$ – crystal structure of $Ga_4[C(SiMe_2Et)_3]_4$ *[Univ. Oldenburg, Fachbereich Chem., Oldenburg, Germany]*

Vol. 555 No. 2 (1998) 271–278
GIBBONS, M.N., SOWERBY, D.B., Reactions of $[SbR_3X_2)_2O$ with carboxylates and the crystal structures of $[SbPh_3(O_2CCF_3)_2]_2O$ and $[SbMe_3(O_2CCH_3)_2]_2O$ *[Univ. Nottingham, Dept. Chem., Nottingham, England]*

Vol. 555 No. 2 (1998) 279–284
BADYAL, K., MCWHINNIE, W.R., HOMER, J., PERRY, M.C., The synthesis and NMR spectroscopic examination of coordination complexes of 2-telluraindane with rhodium *[Aston Univ., Dept. Chem. Engn.& Appl. Chem., Birmingham, West Midlands, England]*

Vol. 555 No. 2 (1998) 285–292
AZAM, K.A., HOSSAIN, M.A., HURSTHOUSE, M.B., KABIR, S.E., ABDUL MALIK, K.M., VAHRENKAMP, H., Photochemical reaction of $Re_2(CO)_{10}$ with tetramethylthiourea; structural characterization of two novel pentarhenium carbonyl complexes containing sulfido and tetramethyldiaminocarbene ligands, $[Re_5(CO)_{17}(\mu\text{-R})(\mu_4\text{-S})_2\{C(NMe_2)_2\}_2]$ (R=SH or OH) *[Univ. Wales, Coll. Cardiff, Dept. Chem., Cardiff, South-Glam, Wales; Jahangirnagar Univ., Dept. Chem., Dhaka, Bangladesh; Albert Ludwigs Univ., Inst. Anorgan. & Analyt. Chem., Freiburg, Germany]*

Vol. 555 No. 2 (1998) 293–295
HERRMANN, W.A., KRATZER, R.M., DING, H., THIEL, W.R., GLAS, H., Methyltrioxorhenium/pyrazole – A highly efficient catalyst for the epoxidation of olefins *[Tech. Univ. Munich, Inst. Anorgan. Chem., Garching, Germany]*

Vol. 556 No. 1-2 (1998) 1–9
IBRAHIM, A.M.A., Construction of supramolecular copper architecture via tetrahedral $Cu(CN)_4$ building blocks and trigonal bipyramidal $[R_3Sn]$ connecting units *[Ain Shams Univ., Fac. Sci., Dept. Chem., Cairo, Egypt]*

Vol. 556 No. 1-2 (1998) 11–20
LIN, L., BERCES, A., KRAATZ, H.-B., Ferrocenic acid derivatives: towards rationalizing changes in the electronic and geometric structures *[Natl. Res. Council Canada, Steacie Inst. Mol. Sci., Ottawa, ON, Canada]*

Vol. 556 No. 1-2 (1998) 21–30
VILA, J.M., PEREIRA, T., ORTIGUEIRA, J.M., LÓPEZ TORRES, M.L., CASTIÑEIRAS, A., LATA, D., FERNÁNDEZ, J.J., FERNÁNDEZ, A., Cylometallated semicarbazone complexes of palladium(II). Crystal and molecular structure of $[\{Pd[C_6H_4C(Et)=NN(H)C(=O)NH_2]\}_2(\mu\text{-}Ph_2P(CH_2)_3PPh_2)][ClO_4]_2$ *[Univ. Santiago de Compostela, Dept. Quim. Inorgan., Santiago de Compostela, Spain; Univ. La Coruna, Dept. Quim. Fundamental & Ind., La Coruna, Spain]*

Vol. 556 No. 1-2 (1998) 31–39
VILA, J.M., PEREIRA, M.T., ORTIGUEIRA, J.M., LÓPEZ TORRES, M.L., CASTIÑEIRAS, A., LATA, D., FERNÁNDEZ, J.J., FERNÁNDEZ, A., Reactivity of functionalized cyclometalated complexes of palladium(II). Crystal and molecular structure of $[Pd\{3\text{-}(CHO)C_6H_3C(H)=NCy\}(Br)(PEtPh_2)]$ *[Univ. Santiago de Compostela, Dept. Quim. Inorgan., Santiago de Compostela, Spain; Univ. La Coruna, Dept. Quim. Fundamental & Ind., La Coruna, Spain]*

Vol. 556 No. 1-2 (1998) 41–54
SUCIU, E.N., KUHLMANN, B., KNUDSEN, G.A., MICHAELSON, R.C., Investigation of dialkyltin compounds as catalysts for the synthesis of dialkyl carbonates from alkyl carbamates *[Exxon Chem. Co., Annandale, NJ, USA]*

Vol. 556 No. 1-2 (1998) 55–66
BECKERING, C.L., ROSAIR, G.M., WELLER, A.S., Ferrocenyl substituted carboranes – synthesis and characterization *[Heriot Watt Univ., Dept. Chem., Edinburgh, Midlothian, Scotland]*

Vol. 556 No. 1-2 (1998) 67–74
RIETZ, I., POPOWSKI, E., REINKE, H., MICHALIK, M., Reactions of bis(trimethylsilyl)amino-substituted chlorosilanes $[(Me_3Si)_2N]Me_{2-n}Ph_nSiCl$ ($n$=0, 1, 2) with lithium – synthesis of bis(trimethylsilyl)amino-substituted silyl lithium compounds and disilanes (in German) *[Univ. Rostock, Fachbereich Chem., Rostock, Germany; Univ. Rostock, Inst. Organ. Katalyseforsch., Rostock, Germany]*

Vol. 556 No. 1-2 (1998) 75–88
DINGER, M.B., HENDERSON, W., NICHOLSON, B.K., Organometallic complexes of platinum-group metals incorporating substituted guanidine dianion (triazatrimethylenemethane) ligands *[Univ. Waikato, Dept. Chem., Hamilton, New Zealand]*

Vol. 556 No. 1-2 (1998) 89–95
KUBO, H., HIRANO, M., KOMIYA, S., Synthesis, structure and reactivity of an ($\eta^6$-naphthalene)iron(0) complex having a 1,2-bis(dicyclohexylphosphino)ethane ligand *[Tokyo Univ. Agr. & Technol, Fac. Technol., Tokyo, Japan]*

Vol. 556 No. 1-2 (1998) 97–104
JUTZI, P., SÖTE, M., NEUMANN, B., STAMMLER, H.-G., Synthesis, structure and properties of new cyclopentadienyloxalato compounds of rhodium (in German) *[Univ. Bielefeld, Fac. Chem., Bielefeld, Germany]*

Vol. 556 No. 1-2 (1998) 105–110
SUSPERREGUI, J., BAYLE, M., LÉGER, J.M., DÉLÉRIS, G., Synthesis, structure and trypanocidal activity of dibutyltin derivatives of 2-mercaptobenzoxazole and 5-chloro-2-mercaptobenzothiazole *[Univ. Bordeaux 2, Chim. Bioorgan. Lab., Bordeaux, France; Univ. Bordeaux 2, Chim. Analyt. Lab., Bordeaux, France]*

Vol. 556 No. 1-2 (1998) 111–118
CHENG, L., COVILLE, N.J., Synthesis and solid-state isomerization reactions of *diag-* and *lat-*($\eta^5$-$C_5H_4R$)Re(CO)(L)$X_2$ *[Univ. Witwatersrand, Dept. Chem., Johannesburg, South-Africa]*

Vol. 556 No. 1-2 (1998) 119–127
AUMANN, R., ROTHS, K.B., KÖßMEIER, M., FRÖHLICH, R., Stereochemistry of 4-(NH-*amino*)-1-metalla-1,3-dienes $(CO)_5M=C(OEt)\text{-}CH=C(NHR)Ph$ (M=Cr, W) *[Univ. Münster, Inst. Organ. Chem., Münster, Germany]*

Vol. 556 No. 1-2 (1998) 129–140
BRUNNER, H., FAUSTMANN, P., NUBER, B., Optically active transition metal compounds. 113. Synthesis of chiral carbonylnitrosylcobalt complexes with four different unidentate ligands *[Univ. Regensburg, Inst. Anorgan. Chem., Regensburg, Germany; Univ. Heidelberg, Inst. Anorgan. Chem., Heidelberg, Germany]*

Vol. 556 No. 1-2 (1998) 141–144
SAZONOV, P.K., SHTERN, M.M., ARTAMKINA, G.A., BELETSKAYA, I.P., Unexpected formation of [Z-$PhCF=CFRe_2(CO)_9$]Na in the reaction of $[Re(CO)_5]Na$ with $\alpha,\beta,\beta$-trifluorostyrene *[Moscow M.V. Lomonosov State Univ., Dept. Chem., Moscow, Russia]*

Vol. 556 No. 1-2 (1998) 145–149
KISSOUNKO, D.A., KISSOUNKO, N.S., KRUT'KO, D.P., BRUSOVA, G.P., LEMENOVSKII, D.A., BOAG, N.M., Synthesis of new elementsubstituted derivatives of 3H-pyrrolizines *[Moscow*

*M.V. Lomonosov State Univ., Dept. Chem., Moscow, Russia; Univ. Salford, Dept. Chem. & Appl. Chem., Salford, Lancs, England]*

Vol. 556 No. 1-2 (1998) 151–158
JENSEN, S.B., RODGER, S.J., SPICER, M.D., Facile preparation of $\eta^6$-p-cymene ruthenium diphosphine complexes. Crystal structure of $[(\eta^6\text{-p-cymene})Ru(Dppf)Cl]PF_6$ *[Univ. Strathclyde, Dept. Pure & Appl. Chem., Lanark, Scotland]*

Vol. 556 No. 1-2 (1998) 159–163
ZHAO, Q., SUN, H.-S., CHEN, W.-Z., LIU, Y.-J., YOU, X.-Z., Synthesis and crystal structure of a novel $\mu_4$-oxygen-bridged tetranuclear organoindium complex $(InEt_2)_4$(di-2-pyridyl-amido)$_2(\mu_4\text{-O})$ *[Nanjing Univ., Inst. Coordinat Chem., Nanjing, P.R. China]*

Vol. 556 No. 1-2 (1998) 165–167
KAYSER, C., KLASSEN, R., SCHÜRMANN, M., UHLIG, F., New cyclic stannyloligosilanes *[Univ. Dortmund, Fachbereich Chem., Dortmund, Germany]*

Vol. 556 No. 1-2 (1998) 169–172
CHAN, W.-H., ZHANG, Z.-Z., MAK, T.C.W., CHE, C.-M., A highly luminescent tetranuclear copper(I) cluster: structure and photophysical properties *[Univ. Hong-Kong, Dept. Chem., Hong-Kong, Hong-Kong; Chinese Univ. Hong-Kong, Dept. Chem., Shatin, Hong-Kong]*

Vol. 556 No. 1-2 (1998) 173–187
HERBERHOLD, M., BRENDEL, H.-D., HOFMANN, A., HOFMANN, B., MILIUS, W., New derivatives of ferrocenol and 1,1'-ferrocenediol (in German) *[Univ. Bayreuth, Anorgan. Chem. Lab., Bayreuth, Germany]*

Vol. 556 No. 1-2 (1998) 189–196
STEINBORN, D., BECKE, S., BRUHN, C., HEINEMANN, F.W., Platinum (II) complexes with sulfer-functionalized alkenyl ligands *[Univ. Halle Wittenberg, Inst. Anorgan. Chem., Halle, Germany]*

Vol. 556 No. 1-2 (1998) 197–205
AINSCOUGH, E.W., BRODIE, A.M., COLL, R.K., COOMBRIDGE, B.A., WATERS, J.M., The reaction of $[Os_3(CO)_{10}(CH_3CN)_2]$ with carboxylic acids: the crystal and molecular structures of $[Os_3H(CO)_{10}(C_6H_4(OH)CO_2)]$ and $[Os_3H(CO)_{10}(C_6H_5COS)]$ *[Massey Univ., Dept. Chem. & Biochem., Palmerston North, New Zealand]*

Vol. 556 No. 1-2 (1998) 207–217
LIPPMANN, E., KERSCHER, T., AECHTER, B., ROBL, C., BECK, W., PRICE, D.W., METZ, M., HOFMANN, P., Organometal Lewis acids. LVI. From the bis(alkyne) complex $[(OC)_4Re(\eta^2\text{-MeCMe})_2]^+BF_4^-$ to $[(OC)_4Re(\eta^4\text{-}C_4Me_4)]^+BF_4^-$ with rectangular cyclobutadiene ligands. The first observable *cis*-bis(alkyne)cyclobutadiene rearrangement (in German) *[Univ. Munich, Inst. Anorgan. Chem., Munich, Germany; Friedrich Schiller Univ., Inst. Anorgan. Chem., Jena, Germany; Univ. Reading, Dept. Chem., Reading, Berks, England; Univ. Heidelberg, Inst. Organ. Chem., Heidelberg, Germany]*

Vol. 556 No. 1-2 (1998) 219–228
LEWIS, J., RAITHBY, P.R., WONG, W.-Y., Synthesis of new bis(acetylide)-substituted fluorene derivatives and their bimetallic and polymeric complexes *[Univ. Cambridge, Dept. Chem., Cambridge, England]*

Vol. 556 No. 1-2 (1998) 229–238
STEUDEL, A., SIEBEL, E., FISCHER, R.D., PAOLUCCI, G., LUCCHINI, V., Bis(cyclopentadienyl)lanthanoid(III) alkoxides derived from chiral alcohols with a nitrogen donor functionality: Solution NMR studies of paramagnetic complexes *[Univ. Hamburg, Inst. Anorgan. & Angew. Chem., Hamburg, Germany; Univ. Venice, Dipartimento Chim., Venice, Italy; Univ. Venice, Dipartimento Sci. Ambientali, Venice, Italy]*

Vol. 556 No. 1-2 (1998) 239–242
ZHOU, H.Y., CHENG, J., LU, S.J., FU, H.X., WANG, H.Q., Catalytic carbonylation of α-(6-methoxyl-2-naphthyl)ethanol to methyl esters of naproxen using $PdCl_2$-$CuCl_2$-$PPh_3$-acid catalyst system *[Chinese Acad. Sci., Lanzhou Inst. Chem. Phys., Lanzhou, P.R. China]*

Vol. 557 No. 1 (1998) 3–12
MASHIMA, K., NAKAYAMA, Y., KAIDZU, M., IKUSHIMA, N., NAKAMURA, A., Half-sandwich complexes of niobium and tantalum bearing *o*-xylylene, anthracene, or cyclooctatetraene: crystal structures of $(\eta^5\text{-}C_5Me_5)Nb\{o\text{-}(CH_2)_2C_6H_4\}Cl_2$, $(\eta^5\text{-}C_5Me_5)Ta(\eta^4\text{-anthracene})(CH_2Ph)_2$, and $(\eta^5\text{-}C_5Me_5)Nb(\eta^4\text{-butadiene})(\eta^3)$-cyclooctatetraene) *[Osaka Univ., Grad. Sch. Engn. Sci., Osaka, Japan; Osaka Univ., Grad. Sch. Sci., Osaka, Japan]*

Vol. 557 No. 1 (1998) 13–28
SKOOG, S.J., JORGENSON, A.L., CAMPBELL, J.P., DOUSKEY, M.L., MUNSON, E., GLADFELTER, W.L., Structure and reactivity of the zero-valent ruthenium complex Ru(1,2-bis(diphenylphosphino)ethane)$(CO)_3$ and the dicationic ruthenium dimer $[Ru_2(1,2\text{-bis(diphenylphosphino)ethane})_2(CO)_6]^{2+}$ *[Univ. Minnesota, Dept. Chem., Minneapolis, MN, USA]*

Vol. 557 No. 1 (1998) 29–35
KING, R.B., The chemical reactivity of phosphorus-bridging carbonyl compounds: a novel approach to homogeneous catalysis? *[Univ. Georgia, Dept. Chem., Athens, GA, USA]*

Vol. 557 No. 1 (1998) 37–68
BELLUCO, U., MICHELIN, R.A., MOZZON, M., BERTANI, R., FACCHIN, G., ZANOTTO, L., PANDOLFO, L., Functionalized ylides: new trends in organometallic chemistry *[Univ. Padua, Dipartimento Proc. Chim. Ingn., Padua, Italy; CNR, Ctr. Chim. & Tecnol. Composti Met. Organ. Elementi Tra., Padua, Italy; Univ. Padua, Dipartimento Chim. Inorgan. Met. Organ. & Analit., Padua, Italy]*

Vol. 557 No. 1 (1998) 69–75
BAUMANN, R., SCHROCK, R.R., NMR detection of living intermediates prepared from activated $[NON]ZrMe_2$ ($[NON]^{2-}=[(t\text{-Bu-}d_6\text{-N-}o\text{-}C_6H_4)_2O]^{2-}$) and olefins *[MIT, Dept. Chem., Cambridge, MA, USA]*

Vol. 557 No. 1 (1998) 77–92
BITTERWOLF, T.E., GALLAGHER, S., BAYS, J.T., SCALLORN, B., RHEINGOLD, A.L., GUZEI, I.A., LIABLE-SANDS, L., LINEHAN, J.C., Improved synthesis of $(\eta^5\text{-CpR})M(CO)_4$ compounds and the Nujol matrix photochemistry of $(\eta^5\text{-}C_5H_5)M(CO)_4$ and $(\eta^5\text{-}C_9H_7)M(CO)_4$, where M=Nb and Ta *[Univ. Idaho, Dept. Chem., Moscow, ID, USA; Univ. Delaware, Dept. Chem., Newark, DE, USA; Battelle Mem. Inst., Pacific Northwestern Labs, Richland, WA, USA]*

Vol. 557 No. 1 (1998) 93–96
HERRMANN, W.A., REISINGER, C.-P., SPIEGLER, M., Chelating *N*-heterocyclic carbene ligands in palladium-catalyzed Heck-type reactions *[Tech. Univ. Munich, Inst. Anorgan. Chem., Garching, Germany]*

Vol. 557 No. 1 (1998) 97–109
BONIFACI, C., CECCON, A., GAMBARO, A., MANOLI, F., MANTOVANI, L., GANIS, P., SANTI, S., VENZO, A., Indenyl and indacenyl ligands in homo and heterobimetallic complexes *[Univ. Padua, Dipartimento Chim. Fis., Padua, Italy; Univ. Naples, Dipartimento Chim., Naples, Italy; CNR, Ctr Studio Stati Mol. Radicalici & Eccitati, Padua, Italy]*

Vol. 557 No. 1 (1998) 111–115
CRABTREE, R.H., Recent advances in hydrogen bonding studies involving metal hydrides *[Yale Univ., Chem. Lab., New Haven, CT, USA]*

Vol. 557 No. 1 (1998) 117–120
MATHEY, F., MERCIER, F., ROBIN, F., RICARD, L., From 2*H*-phospholes to BIPNOR, a new efficient biphosphine for asymmetric catalysis *[Ecole Polytech, CNRS, DCPH, Lab. Heteroelements & Coordinat., Palaiseau, France]*

Vol. 557 No. 1 (1998) 121–130
CARPENTER, J.P., LUKEHART, C.M., MILNE, S.B., STOCK, S.R., WITTIG, J.E., JONES, B.D., GLOSSER, R., ZHU, J.G., Organometallic compounds as single-source precursors to nanocomposite materials: an overview *[Vanderbilt Univ., Dept. Chem., Nashville, TN, USA; Georgia Inst. Technol., Sch. Mat. Sci. & Engn., Atlanta, GA, USA; Vanderbilt Univ., Dept. Appl. & Engn. Sci., Nashville, TN, USA; Univ. Texas, Dept. Phys., Richardson, TX, USA; Oak Ridge Natl. Lab., Div. Solid State, Oak Ridge, TN, USA]*

Vol. 557 No. 1 (1998) 131–142
MINGOS, D.M.P., VILAR, R., Synthesis and reactivity of palladium cluster compounds *[Univ. London, Imperial Coll. Sci. Technol. & Med., Dept. Chem., London, England]*

Vol. 557 No. 1 (1998) 143–155
VORONKOV, M.G., The third route to the formation of the Si–O–Si-group and siloxane structures. To siloxanes through silanones *[Russian Acad. Sci., Siberian Div., Irkutsk, Russia]*

Vol. 557 No. 2 (1998) 157–161
WAN, W., GUANG, W.-J., ZHAO, K.-Q., ZHENG, W.-Z., ZHANG, L.-F., Calamitic organometallic liquid crystals with terminal metal. Syntheses and liquid crystal properties of dicarbonylrhodium(I) $\beta$-diketonate complexes *[Acad. Sinica, Chengdu Inst. Organ Chem., Chengdu, P.R. China]*

Vol. 557 No. 2 (1998) 163–167
VAN HAL, J.W., STARK, J.L., WHITMIRE, K.H., Hydride abstraction from $[PPN]_2[HSb\{Fe(CO)_4\}_3]$ by alkyl iodides: Synthesis and characterization of $[PPN][Sb(Me)I\{Fe(CO)_4\}_2]$ *[Rice Univ., Dept. Chem., Houston, TX, USA]*

Vol. 557 No. 2 (1998) 169–179
COLACOT, T.J., TEICHMAN, R.A., CEA-OLIVARES, R., ALVARADO-RODRIGUEZ, J.-G., TOSCANO, R.A., BOYKO, W.J., Synthesis, single-crystal X-ray structure determination and NMR studies of $Cp_2Fe(PPh_2)_2PtPh_2$ and $Cp_2Fe(PPh_2)_2PtI_2$ *[Johnson Matthey, Precious Met. Div., West-Deptford, NJ, USA; Univ. Nacl. Autonoma Mexico, Inst. Quim., Mexico City, Mexico; Villanova Univ., Dept. Chem., Villanova, PA, USA]*

Vol. 557 No. 2 (1998) 181–185
KAUR, P., BROWNLESS, A., PERERA, S.D., COOKE, P.A., JELÍNEK, T., KENNEDY, J.D., STÍBR, B., THORNTON-PETT, M., Macropolyhedral boron-containing cluster chemistry. $[PtMe_2(PMe_2Ph)_2]$ as a cluster metallating agent. Isolation and characterization of nineteen-vertex $[(PMe_2Ph)HPt\text{-}\eta^4\text{-}syn\text{-}B_{18}H_{19}(PMe_2Ph)]$ and eighteen-vertex $[(PMe_2Ph)_2PtS_2B_{15}H_{14}(NHCOMe]$ *[Univ. Leeds, Sch. Chem., Leeds, West Yorkshire, England; Acad. Sci. Czech Rep., Inst. Inorgan. Chem., Prague, Czech Rep.]*

Vol. 557 No. 2 (1998) 187–205
PETTINARI, C., MARCHETTI, F., CINGOLANI, A., LEONESI, D., MUNDORFF, E., ROSSI, M., CARUSO, F., Tin(IV) and organotin(IV) derivatives of novel $\beta$-diketones. III. Diorgano- and dihalotin(IV) complexes of 1,3-dimethyl-4-R(C=O)-pyrazol-5-one ($R=CH_3$, $C_6H_5$) and the crystal structure of *trans*-dicyclohexylbis(1,3-dimethyl-4-acetylpyrazolon-5-ato)tin(IV) *[Univ. Camerino, Dipartimento Sci. Chim., Camerino, Italy; Vassar Coll., Dept. Chem., Poughkeepsie, NY, USA; CNR, Ist. Strutturist. Chim. G. Giacomello, Roma, Italy]*

Vol. 557 No. 2 (1998) 207–212
LI, R.-X., TIN, K.-C., WONG, N.-B., MAK, T.C.W., ZHANG, Z.-Y., LI, X.-J., Synthesis of novel ruthenium complexes of 2,2'-bis(diphenylphosphinomethyl)-1,1'-biphenyl and their catalytic hydrogenation reactions to $\alpha$-$\beta$-unsaturated aldehydes *[City Univ. Hong-Kong, Dept. Biol. & Chem., Kowloon, Hong-Kong; Chinese Univ. Hong-Kong, Dept. Chem., Shatin, Hong-Kong; Sichuan Univ., Dept. Chem., Chengdu, P.R. China]*

Vol. 557 No. 2 (1998) 213–219
MACFARLANE, K.S., RETTIG, S.J., LIU, Z.Q., JAMES, B.R., The co-crystallization of Ru((R)-binap)($\eta^3$-Me-allyl)$_2$ and binap dioxide, and synthesis of $Ru(Ph_2P(CH_2)_4PPh_2)(\eta^3\text{-Me-allyl})_2$ *[Univ. British Columbia, Dept. Chem., Vancouver, BC, Canada]*

Vol. 557 No. 2 (1998) 221–225
MATHUR, P., GHOSE, S., HOSSAIN, M. MUNKIR, SATYANARAYANA, C.V., DRAKE, J.E., Synthesis and structural characterization of a mixed Mo/Fe, mixed chalcogen, PhS-bridged cluster *[Indian Inst. Technol., Dept. Chem., Bombay, Maharashtra, India; Indian Inst. Technol., Reg. Sophisticated Instrumentat. Ctr., Bombay, Maharashtra, India; Univ. Windsor, Dept. Chem. & Biochem., Windsor, ON, Canada]*

Vol. 557 No. 2 (1998) 227–230
LUTTIKHEDDE, H.J.G., LEINO, R., AHLGRÉN, M.J., PAKKANEN, T.A., NÄSMAN, J.H., Synthesis and molecular structure of *meso*-(ethylenebis-(2-(dimethylamino))-1-indenyl)zirconium dichloride *[Abo Akad. Univ., Dept. Polymer Technol., Turku, Finland; Univ. Joensuu, Dept. Chem., Joensuu, Finland]*

Vol. 557 No. 2 (1998) 231–241
DINGER, M.B., HENDERSON, W., Organogold(III) metallacyclic chemistry. Part 2. Synthesis and characterization of the first gold(III) ureylene complexes. Crystal-structures of $[(C_6H_3(CH_2NMe_2)\text{-}2\text{-}(OMe)\text{-}5\}Au\{RNC(O)NR\}]$ (R=Ph and C(O)Me) *[Univ. Waikato, Dept. Chem., Hamilton, New Zealand]*

Vol. 557 No. 2 (1998) 243–249
GUPTA, B.D., QANUNGO, K., Pyrazine bridged organodicobaloximes: a convenient one pot synthesis and *cis* influence studies *[Indian Inst. Technol., Dept. Chem., Kanpur, Uttar-Pradesh, India]*

Vol. 557 No. 2 (1998) 251–258
GRÖGER, G., OLBRICH, F., SCHULTE, P., BEHRENS, U., Organometal compounds of copper. XIV. Cleavage of halogen bridges in the dinuclear alkyne copper(I) complexes $CuX\text{-}(\eta^2\text{-tmtch})_2$ (X=Cl, Br, I; tmtch=3,3,6,6-tetramethyl-1-thia-4-cycloheptyne) using the nitrogen-containing Lewis bases ammonia, aniline, pyridine and diethylamine (in German) *[Univ. Hamburg, Inst. Anorgan. & Angew. Chem., Hamburg, Germany; Univ. Magdeburg, Inst. Chem., Magdeburg, Germany]*

Vol. 557 No. 2 (1998) 259–261
YIN, X.L., MOSS, J.R., Syntheses of polymethylene bridged early-late transition-metal complexes *[Univ. Cape Town, Dept. Chem., Rondebosch, South-Africa]*

Vol. 558 No. 1-2 (1998) 1–9
HÖRSKEN, A., ZHENG, G., STRADIOTTO, M., MCCRORY, C.T.C., LI, L.J., Iron dinitrosyl complexes of TCNE: a synthetic, X-ray crystallographic, high field NMR and electrochemical study *[McMaster Univ., Dept. Chem., Hamilton, ON, Canada]*

Vol. 558 No. 1-2 (1998) 11–18
LEE, G.Y., XUE, M., KANG, M.S., KWON, O.C., YOON, J.-S., LEE, Y.-S., KIM, H.S., LEE, H., LEE, I.-M., Synthesis and characterization of new bis(2-R-indenyl) zirconium dichloride complexes for the olefin polymerization *[Inha Univ., Dept. Chem., Inchon, South-Korea; Inha Univ., Sch. Chem. Sci. & Engn., Inchon, South-Korea; Korea Inst. Sci. & Engn., CFC Alternat. Technol. Ctr., Seoul, South-Korea]*

Vol. 558 No. 1-2 (1998) 19–33
PRIMEL, O., LLAURO, M.-F., PÉTIAUD, R., MICHEL, A., Existence of an intradimeric rearrangement in monofunctional tetrabutyldistannoxanes $[Bu_4Sn_2X_2O)_2$ probed by multinuclear NMR-spectroscopy in solution and in solid state *[CNRS, Lab. Mat. Organ. Proprietes Specifiques, Vernaison, France]*

Vol. 558 No. 1-2 (1998) 35–39
IRIE, S., SHONO, Y., IRIE, M., SUZUKI, M., OKUTANI, T., Electronic absorption spectra of radical ions of alkyl silicon network polymers *[Univ. Osaka Prefecture, Adv. Sci. & Technol. Res. Inst., Osaka, Japan; Kyushu Univ., Grad. Sch. Engn., Higashi Ku, Fukuoka, Japan; Hokkaido Natl. Ind. Res. Inst., Sapporo, Hokkaido, Japan]*

Vol. 558 No. 1-2 (1998) 41–49
KIM, Y.-J., LEE, J.-Y., OSAKADA, K., Synthesis and structure of methylpalladium(II) and -platinum(II) complexes with 2-allylphenoxido ligands, *trans*-$PdMe(O_6H_4CH_2CH{=}CH_2\text{-}o)(PR_3)_2$ (R=Me, Ph) and $PtMe(\eta^1\text{-}O,\eta^2\text{-}C,C\text{-}OC_6H_4CH_2CH{=}CH_2\text{-}o)(PMe_3)$. Simple *o*-coordination and chelating coordination depending on the metal center and auxiliary phosphine ligand *[Kangnung Natl Univ., Dept. Chem., Kangnung, South-Korea; Tokyo Inst. Technol., Resources Utilizat. Res. Lab, Yokohama, Kanagawa, Japan]*

Vol. 558 No. 1-2 (1998) 51–60
GIBSON, J.K., Gas-phase reactions of $Tc^+$, $Re^+$, $Mo^+$ and $Cu^+$ with alkenes *[Oak Ridge Natl. Lab., Div. Chem. & Analyt. Sci., Oak Ridge, TN, USA]*

Vol. 558 No. 1-2 (1998) 61–69
DONKERVOORT, J.G., VICARIO, J.L., JASTRZEBSKI, J.T.B.H., GOSSAGE, R.A., CAHIEZ, G., VAN KOTEN, G., Novel tridentate diamino organomanganese(II) complexes as homogeneous catalysts in manganese(II)/copper(I) catalyzed carbon–carbon bond forming reactions *[Univ. Utrecht, Debye Inst., Utrecht, Netherlands; Ecole Super. Chim. Organ. & Minerale, Dept. Chim., Cergy, France]*

Vol. 558 No. 1-2 (1998) 71–80
CHUNG, J.-H., SONG, H., PARK, J.T., LEE, J.-H., SUH, I.-H., Reaction of $CpWOs_3(CO)_{11}(\mu_3\text{-CTol})$ with $H_2S$ - $\mu$-alkylidene and $\mu_3$-alkylidyne $WOs_3$ cluster complexes containing a sulfido ligand *[Korea Adv. Inst. Sci. & Technol., Dept. Chem., Taejon, South-Korea; Chungnam Natl. Univ., Dept. Phys., Taejon, South-Korea]*

Vol. 558 No. 1-2 (1998) 81–89
HAUPT, H.-J., PETTERS, D., FLÖRKE, U., Comparison on the selectivity of the first and second attack of selected lithium organyls as nucleophiles on the carbonyls in the bioctahedron complexes $M_2(\mu\text{-}PPh_2)_2(CO)_8$ (M=Mn, Re). Is there a neighbor group effect for the second attack? *[Univ. Gesamthsch Paderborn, Paderborn, Germany]*

Vol. 558 No. 1-2 (1998) 91–101
DÜRR, U., HEINEMANN, F.W., KISCH, H., Transition metal complexes of diazenes. XLI. Cobalt catalyzed addition of internal alkynes to 1,2-diaryldiazenes: formation of 2,3-dihydrocinnolines, mono- and distilbenylazobenzene *[Friedrich Alexander Univ. Erlangen Nürnberg, Inst. Anorgan. Chem., Erlangen, Germany]*

Vol. 558 No. 1-2 (1998) 103–110
NAVARRO-RANNINGER, C., MONTERO, E.I., LÓPEZ-SOLERA, I., MASAGUER, J.R., LIPPERT, B., A cyclometalated Pd(II) complex containing a cytosine model nucleobase *[Univ. Autonoma Madrid, Fac. Ciencias, Dept. Quim. Inorgan., Madrid, Spain; Univ. Dortmund, Fachbereich Chem., Dortmund, Germany]*

Vol. 558 No. 1-2 (1998) 111–121
ALT, H.G., JUNG, M., MILIUS, W., Bridged indenylidene-cyclopentadienylidene complexes of type $(C_9H_5CH_2Ph\text{-}X\text{-}C_5H_4)MCl_2$ (X=$CMe_2$, $SiMe_2$; M=Zr, Hf) as metallocene catalysts for ethylene polymerization. Molecular structure of $(C_9H_5CH_2Ph\text{-}CMe_2\text{-}C_5H_4)MCl_2$ (M=Zr, Hf) (in German) *[Univ. Bayreuth, Anorgan. Chem. Lab., Bayreuth, Germany]*

Vol. 558 No. 1-2 (1998) 123–130
ÖHRSTRÖM, L., STRÖMBERG, S., GLASER, J., ZETTERBERG, K., Protonation of $\pi$-alkene-rhodium(I) complexes leads to $\sigma$-alkyl-rhodium(III) - an NMR study *[Chalmers Univ. Technol., Dept. Inorgan. Chem., Gothenburg, Sweden; Royal Inst. Technol., Dept. Chem., Stockholm, Sweden]*

Vol. 558 No. 1-2 (1998) 131–138
KUANG, S.-M., ZHANG, Z.-Z., WANG, Q.-G., MAK, T.C.W., Reaction of $[Cu_2(\mu\text{-}Ph_2Ppypz)_2(MeCN)_2](ClO_4)_2$ ($Ph_2Ppypz$=(2-diphenylphosphino-6-pyrazol-1-yl)pyridine) with $Fe(CO)_4^{2-}$ and $X^-$ (X=Cl, I, $MeCO_2$ and pyrazolate) *[Chinese Univ. Hong-Kong, Dept. Chem., New Territories, Hong-Kong; Nankai Univ., Elementoorgan. Chem. Lab., Tianjin, P.R. China]*

Vol. 558 No. 1-2 (1998) 139–146
AMOR, F., DU PLOOY, K.E., SPANIOL, T.P., OKUDA, J., Zirconium and hafnium mono(alkyl) complexes containing a tridentate linked amido-tetramethylcyclopentadienyl ligand. Molecular structure of $Hf(\eta^5{:}\eta^1{:}\eta^1\text{-}C_5Me_4SiMe_2NCH_2CH_2OCH_3)Cl_2$ *[Univ. Mainz, Inst. Anorgan. Chem. & Analyt. Chem., Mainz, Germany]*

Vol. 558 No. 1-2 (1998) 147–153
MCKINNEY, J.D., ANDERSON, P.A., HAMOR, T.A., JONES, C.J., PAXTON, K., PORCH, A., The synthesis, solid state conductivity and X-ray crystal structure of $[Fe\{\eta^5\text{-}C_5H_5)(E\text{-}\eta^5\text{-}C_5H_4\text{-}CH{=}CH\text{-}9\text{-}C_{16}H_9)][1,4\text{-}\{(CN)_2C{=}\}_2C_6H_4]$ *[Univ. Birmingham, Sch. Chem., Birmingham, West Midlands, England; Univ. Birmingham, Sch. Elect. & Elect. Engn., Birmingham, West Midlands, England]*

Vol. 558 No. 1-2 (1998) 155–161
LUKEVICS, E., ARSENYAN, P., BELYAKOV, S., POPELIS, J., Addition of nitrile oxides to germyl-substituted ethylenes *[Latvian Inst. Organ. Synth., Riga, Latvia]*

Vol. 558 No. 1-2 (1998) 163–170
SIMAL, F., DEMONCEAU, A., NOELS, A.F., KNOWLES, D.R.T., O'LEARY, S., MAITLIS, P.M., GUSEV, O., Cp*Ru(II) and Cp*Ru(IV)-catalyzed reactions of CHX with vinyl C–H bonds: competition between double bond homologation and olefin cyclopropanation by alkyl diazoacetate *[Univ. Liege, Inst. Chim., Sart Tilman par Liege, Belgium; Univ. Sheffield, Dept. Chem., Sheffield, South Yorkshire, England; Russian Acad. Sci., A.N. Nesmeyanov Inst. Organoelement Compounds, Moscow, Russia]*

Vol. 558 No. 1-2 (1998) 171–179
LEINO, R., LUTTIKHEDDE, H.J.G., LEHTONEN, A., SILLANPÄÄ, R., PENNINKANGAS, A., STRANDÉN, J., MATTINEN, J., NÄSMAN, J.H., Bis[2-(*tert*-butyldimethylsiloxy)-4,7-dimethylindenyl)zirconium dichloride: synthesis, torsional isomerism and olefin polymerization catalysis *[Abo Akad. Univ., Dept. Polymer Technol., Turku, Finland; Univ. Turku, Dept. Chem., Turku, Finland; Abo Akad. Univ., Dept. Organ. Chem., Turku, Finland]*

Vol. 558 No. 1-2 (1998) 181–188
LEINO, R., LUTTIKHEDDE, H.J.G., LEHTONEN, A., EKHOLM, P., NÄSMAN, J.H., Synthesis and characterization of ethylene-bridged 1-*tert*-butyldimethylsiloxy-substituted bis(indenyl) and bis(tetrahydroindenyl)zirconium dichlorides *[Abo Akad. Univ., Dept. Polymer Technol., Turku, Finland; Univ. Turku, Dept. Chem., Turku, Finland]*

Vol. 558 No. 1-2 (1998) 189–192
GARCÍA, J.J., CASADO, A.L., IRETSKII, A., ADAMS, H., MAITLIS, P.M., Reactions of platinum(0) complexes with carbazole *[Univ. Sheffield, Dept. Chem., Sheffield, South Yorkshire, England; Univ. Nacl. Autonoma Mexico, Inst. Quim., Mexico City, Mexico; Univ. Valladolid, Fac. Ciencias, Dept. Quim. Inorgan., Valladolid, Spain]*

Vol. 558 No. 1-2 (1998) 193–196
CLEGG, W., KLEDITZSCH, S., MULVEY, R.E., O'SHAUGHNESSY, P., Crystal structure of a heavier alkali metal diisopropylamide complex: a discrete $(KN)_2$ ring dimer with TMEDA chelation and short intramolecular K···H(C)contacts *[Univ. Newcastle upon Tyne, Dept. Chem., Newcastle upon Tyne, Tyne & Wear, England; Univ. Strathclyde, Dept. Pure & Appl. Chem., Lanark, Scotland]*

Vol. 558 No. 1-2 (1998) 197–207
BRUCE, M.I., SKELTON, B.W., WHITE, A.H., ZAITSEVA, N.N., Coupling of 1,3-diynes on a triruthenium cluster: reactions of $Ru_3(\mu_3\text{-}PhC_2C{\equiv}CPh)(\mu\text{-}dppm)(CO)_8$ with $SiMe_3C{\equiv}CC{\equiv}CSiMe_3$ *[Univ. Adelaide, Dept. Chem., Adelaide, SA, Australia; Univ. Western Australia, Dept. Chem., Nedlands, WA, Australia]*

Vol. 558 No. 1-2 (1998) 209–212
ATHERTON, M.J., HOLLOWAY, J.H., HOPE, E.G., SAUNDERS, G.C., Remarkable regioselectivity in the reaction between $[(\eta^5\text{-}C_5Me_4H)RhCl(\mu\text{-}Cl)]_2$ and $(C_6F_5)_2PCH_2CH_2P(C_6F_5)_2$: synthesis of a chiral-at-metal rhodium complex cation via carbon–fluorine and –hydrogen bond activation and carbon–carbon bond formation *[F2 Chem. Ltd., Preston, Lancs, England; Univ. Leicester, Dept. Chem., Leicester, Leics, England]*

Vol. 558 No. 1-2 (1998) 213–218
BRUNNER, H., WINTER, A., NUBER, B., Optically active transition metal compounds. 114. The complexes $(\eta^3\text{-}C_{27}H_{33}N_3)CuCl_2$ and $(\eta^3\text{-}C_{27}H_{33}N_3)M(CO)_3$ (M=Cr, Mo, W) containing the ligand $C_{27}H_{33}N_3$=*N,N',N''*-tris[(S)-1'-phenylethyl]hexahydro-1,3,5-triazine *[Univ. Regensburg, Inst. Anorgan. Chem., Regensburg, Germany; Univ. Heidelberg, Inst. Anorgan. Chem., Heidelberg, Germany]*

Vol. 558 No. 1-2 (1998) 219–222
BUSICO, V., CIPULLO, R., Comments on the paper titled: "Error formation in *ansa*-zirconocene catalyzed isotactic propylene polymerization": (J. Organomet. Chem. 512 (1996) 131) *[Univ. Naples, Dipartimento Chim., Naples, Italy]*

Vol. 558 No. 1-2 (1998) 223–226
SONG, W., YU, Z.T., CHIEN, J.C.W., Response to comments by V. Busico and R. Cipullo on the paper titled "Error formation in *ansa*-zirconocene-catalyzed isotactic propylene polymerization" *[Univ. Massachusetts, Dept. Chem., Amherst, MA, USA]*

Vol. 558 No. 1-2 (1998) 227–230
ACHMATOWICZ, B., JANKOWSKI, P., WICHA, J., ZARECKI, A., Migration of aryl groups from silicon to carbon in $\alpha,\beta$-epoxysilanes. A new model for hypervalent silicon study *[Polish Acad. Sci., Inst. Organ. Chem., Warsaw, Poland]*

Vol. 558 No. 1-2 (1998) 231–233
TIAN, G.L., XU, S.S., ZHANG, Y.Q., WANG, B.Q., ZHOU, X.Z., Siloxy-substituted tetramethylcyclopentadienyl and indenyl trichlorotitanium complexes for syndiospecific polymerization of styrene *[Nankai Univ., Dept. Chem., Tianjin, P.R. China]*

Vol. 558 No. 1-2 (1998) 235–237
LINDNER, E., ENDERLE, A., BAUMANN, A., Supported organometallic complexes. XVI. A T-silyl functionalized dppp palladium complex as a precursor for catalysis in interphases *[Univ. Tübingen, Inst. Anorgan. Chem., Tübingen, Germany]*

Vol. 559 No. 1-2 (1998) 1–10
KLIMOVA, E.I., RUÍZ RAMÍREZ, L., MORENO ESPARZA, R., KLIMOVA BERESTNEVA, T., GARCÍA, M.M., MELESHONKOVA, N.N., CHURAKOV, A.V., Formation of acetylenic compounds and ring transformations of 3-alkyl-3-ferrocenylcyclopropenes in the reaction with 1,3-diphenylisobenzofuran *[Univ. Nacl. Autonoma Mexico, Inst. Quim., Mexico City, Mexico; Moscow M.V. Lomonosov State Univ., Dept. Chem., Moscow, Russia]*

Vol. 559 No. 1-2 (1998) 11–22
KUSUKAWA, T., ANDO, W., Photochemical functionalizations of $C_{60}$ with phenylpolysilanes *[Univ. Tsukuba, Dept. Chem., Tsukuba, Ibaraki, Japan]*

Vol. 559 No. 1-2 (1998) 23–29
OREJÓN, A., MASDEU-BULTÓ, A.M., ECHARRI, R., DIÉGUEZ, M., FORNIÉS-CÁMER, J., CLAVER, C., CARDIN, C.J., Rhodium cationic complexes using dithioethers as chiral ligands. Application in styrene hydroformylation *[Univ. Rovira & Virgili, Dept. Quim Fis & Inorgan, Tarragona, Spain; Univ. Abdelmalek Essaadi, Dept. Chim., Tetouan, Mexico; Univ. Reading, Dept. Chem., Reading, Berks, England]*

Vol. 559 No. 1-2 (1998) 31–36
KUANG, S.-M., XUE, F., ZHANG, Z.-Y., MAK, T.C.W., ZHANG, Z.-Z., Metal–metal bond cleavage in the trinuclear clusters $M_3(CO)_{12-n}(Ph_2Ppy)_n$ (M=Ru, $n$=3; Os, $n$=1; $Ph_2Ppy$=2-(diphenylphosphino)pyridine) by Lewis acids *[Chinese Univ. Hong-Kong, New Territories, Hong-Kong; Nankai Univ., Elementoorgan. Chem. Lab., Tianjin, P.R. China]*

Vol. 559 No. 1-2 (1998) 37–42
DE SOUZA, R.M., MARTINS, F., STEIN, E., Reaction of $[Os_3(CO)_{10}(MeCN)_2]$ with 2,3-bis(2-pyridyl)pyrazine and pyrazyne. Synthesis, characterization and electrochemical behavior of 1:1 and 1:2 ligand:cluster complexes *[Univ. Estadual Campinas, Inst. Quim., Campinas, Brazil]*

Vol. 559 No. 1-2 (1998) 43–53
KLIMOVA, E.I., RUÍZ RAMÍREZ, L., KLIMOVA, T., GARCÍA, M.M., Mutual *Z*-/*E*-isomerization of ferrocenylmethylene- and arylidene-substituted carbo- and heterocycles *[Univ. Nacl. Autonoma Mexico, Inst. Quim., Mexico City, Mexico; Moscow M.V. Lomonosov State Univ., Dept. Chem., Moscow, Russia]*

Vol. 559 No. 1-2 (1998) 55–64
CLARKE, B., CLARKE, N., CUNNINGHAM, D., HIGGINS, T., MCARDLE, P., CHOLCHÚIN, M.NI., O'GARA, M., Transition-metal Schiff-base complexes as ligands in tin chemistry. Part 7. Reactions of organotin(IV) Lewis acids with $[M(L))_2$ (M=Ni, Cu and Zn; $H_2L$=*N,N'*-bis(3-methoxysalicylidene)benzene-1,3-diamine and its -1,4-diamine analog) *[Natl. Univ. Ireland, Univ. Coll. Galway, Dept. Chem., Galway, Ireland]*

Vol. 559 No. 1-2 (1998) 65–72
LEINO, R., LUTTIKHEDDE, H.J.G., LEHMUS, P., WILÉN, C.-E., SJÖHOLM, R., LEHTONEN, A., SEPPÄLÄ, J.V., NÄSMAN, J.H., *rac*-[Ethylenebis(2-(thexyldimethylsiloxy)indenyl)]zirconium dichloride: synthesis, molecular structure and olefin polymerization catalysis *[Abo Akad. Univ., Dept. Polymer Technol., Turku, Finland; Helsinki Univ. Technol., Dept. Chem.*

*Engn., Espoo, Finland; Abo Akad. Univ., Dept. Organ. Chem., Turku, Finland; Univ. Turku, Dept. Chem., Turku, Finland]*

Vol. 559 No. 1-2 (1998) 73–80
YAMAGUCHI, S., JIN, R.-Z., TAMAO, K., Modification of the electronic structure of silole by the substituents on the ring silicon *[Kyoto Univ., Inst. Chem. Res., Kyoto, Japan]*

Vol. 559 No. 1-2 (1998) 81–89
AZAM, K.A., HURSTHOUSE, M.B., HUSSAIN, S.A., KABIR, S.E., ABDUL MALIK, K.M., MUKHLESUR RAHMAN, M., ROSENBERG, E., Triosmium clusters containing thiazolide ligand: crystal structures of $[(\mu\text{-H})Os_3(CO)_{10}(\mu\text{-3,4-}\eta^2\text{-HC=NC=CHS})]$ and $[(\mu\text{-H})Os_3(CO)_9(\mu\text{-3,4-}\eta^2\text{-HC=NC=CHS})(PPh_3)]$ *[Univ. Wales, Coll. Cardiff, Dept. Chem., Cardiff, South-Glam, Wales; Jahangirnagar Univ., Dept. Chem., Dhaka, Bangladesh; Univ. Montana, Dept. Chem., Missoula, MT, USA]*

Vol. 559 No. 1-2 (1998) 91–96
TAKEI, F., TUNG, S.P., YANAI, K., ONITSUKA, K., TAKAHASHI, S., Polymerization of aryl isocyanides by cyclopentadienylnickel-alkynyl complexes *[Osaka Univ., Inst. Sci. & Ind. Res., Osaka, Japan]*

Vol. 559 No. 1-2 (1998) 97–105
KHVOSTOV, A.V., SIZOV, A.I., BULYCHEV, B.M., KNJAZHANSKI, S.YA., BELSKY, V.K., Synthesis, structure and properties of divalent bis(di-*tert*-butylcyclopentadienyl)ytterbium complexes with diethyl ether and 1,2-dimethoxyethane *[Moscow M.V. Lomonosov State Univ., Dept. Chem., Moscow, Russia; Res. Ctr Appl. Chem., Coahuila, Mexico; Russian Acad. Sci., L.V. Karpov Phys. Chem. Res. Inst., Moscow, Russia]*

Vol. 559 No. 1-2 (1998) 107–121
ESCARPA GAEDE, P., MORAN, P.H., RICHARZ, A.-N., Transition-metal complexes of 2-cyclopentadienyl-2-indenyl-propane *[Tech. Univ. Berlin, Inst. Anorgan. & Analyt. Chem., Berlin, Germany]*

Vol. 559 No. 1-2 (1998) 123–130
IOVEL, I., POPELIS, J., GAUKHMAN, A., LUKEVICS, E., Hydrosilylation of unsaturated (hetero)aromatic aldehydes and related compounds catalyzed by transition metal complexes *[Latvian Inst. Organ. Synth., Riga, Latvia]*

Vol. 559 No. 1-2 (1998) 131–140
PIGGE, F.C., FANG, S.Y., RATH, N.P., Reduction of tricarbonyl($\eta^6$-indole)chromium(0) complexes *[Univ. Missouri, Dept. Chem., St. Louis, MO, USA]*

Vol. 559 No. 1-2 (1998) 141–147
SMITH, P.D., WRIGHT, A.H., Synthesis and structure of a chelating arene–ruthenium complex $[RuCl_2(PPh_2(CH_2)_3\text{-}\eta^6\text{-}C_6H_5)]$ *[Massey Univ., Dept. Chem. & Biochem., Palmerston North, New Zealand; Univ. Otago, Dept. Chem., Dunedin, New Zealand]*

Vol. 559 No. 1-2 (1998) 149–156
YOON, S.C., PARK, J.-W., JUNG, H.S., SONG, H.J., PARK, J.T., WOO, S.I., Synthesis, structure, and catalytic properties of *ansa*-zirconocenes, Me-2-,Si(RInd)$_2$ZrCl$_2$ (R=2-*p*- or 3-*p*-tolyl) *[Korea Adv. Inst. Sci. & Technol., Dept. Chem., Taejon, South-Korea]*

Vol. 559 No. 1-2 (1998) 157–164
DING, E.-R., YIN, Y.-Q., SUN, J., Synthesis, characterization and reaction of the cluster complexes containing tetrahedral core MRuCoSe. The single crystal X-ray structures of the clusters $RuCoMo(CO)_8(\mu_3\text{-Se})C_5H_4C(O)R$ [R=$CH_3$, $C_6H_4C(O)OCH_3$] *[Chinese Acad. Sci., Lanzhou Inst. Chem. Phys., State Key Lab. Oxo Synth. & Selec, Lanzhou, P.R. China; Chinese Acad. Sci., Shanghai Inst. Organ. Chem., Shanghai, P.R. China]*

Vol. 559 No. 1-2 (1998) 165–171
SEOK, W.K., YIM, S.B., KLAPÖTKE, T.M., WHITE, P.S., Synthesis, structural characterization and semiempirical calculations of the ruthenium azide complex $[Ru(tpy)(PPh_3)_2(N_3)][ClO_4]$ *[Univ. Munich, Inst. Anorgan. Chem., Munich, Germany; Dongguk Univ., Dept. Chem., Seoul, South-Korea; Univ. North Carolina, Dept. Chem., Chapel Hill, NC, USA]*

Vol. 559 No. 1-2 (1998) 173–179
ALLAN, J.F., CLEGG, W., HENDERSON, K.W., HORSBURGH, L., KENNEDY, A.R., Solvent effects and molecular rearrangements during the reaction of Hauser bases with enolisable ketones: structural characterization of $[\{Bu^tC)(=CH_2)OMgBr\cdot HMPA\}_2]$ and $[MgBr_2\cdot(HMPA)_2]$ *[Univ. Strathclyde, Dept. Pure & Appl. Chem., Lanark, Scotland; Univ. Newcastle upon Tyne, Dept. Chem., Newcastle upon Tyne, Tyne & Wear, England]*

Vol. 559 No. 1-2 (1998) 181–190
SCHUMANN, H., KEITSCH, M.R., WINTERFELD, J., MÜHLE, S., MOLANDER, G.A., Organometallic compounds of the lanthanides. CXXIII. Lanthanide bent-sandwich complexes with the bulky tetramethyl-*iso*-propylcyclopentadienyl ligand – synthesis, structures and catalytic activity for the hydrosilylation of alkenes/alkynes *[Tech. Univ. Berlin, Inst. Anorgan. & Analyt. Chem., Berlin, Germany; Univ. Colorado, Dept. Chem. & Biochem., Boulder, CO, USA]*

Vol. 559 No. 1-2 (1998) 191–196
DONATH, H., AVTOMONOV, E.V., SARRAJE, I., VON DAHLEN, K.-H., EL-ESSAWI, M., LORBERTH, J., SEO, B.-S., Organoplatinum compounds. VII. Trimethylplatinum fluoride $[(CH_3)_3PtF]_4$, the missing link in organoplatinum cluster chemistry: its synthesis, crystal structure and a comparison to the crystal structure of $[(CH_3)_3PtOH]_4$ *[Univ. Marburg, Fachbereich Chem., Marburg, Germany; Catholic Univ. Korea, Coll. Med., Seoul, South-Korea]*

Vol. 559 No. 1-2 (1998) 197–201
MASHIMA, K., SHIBAHARA, T., NAKAYAMA, Y., NAKAMURA, A., Mononuclear $\eta^8$-cyclooctatetraenyl(thiolato)samarium(III) complexes $(\eta^8\text{-}C_8H_8)Sm(SR)(HMPA)_2$ (R=2,4,6-triisopropylphenyl and 2-pyridyl; HMPA=hexamethylphosphoric triamide) derived from metallic samarium, diaryl disulfide, and 1,3,5,7-cyclooctatetraene in the presence of HMPA *[Osaka Univ., Grad. Sch. Engn. Sci., Osaka, Japan; Osaka Univ., Grad. Sch. Sci., Osaka, Japan]*

Vol. 559 No. 1-2 (1998) 203–207
EBERT, K.H., MASSA, W., DONATH, H., LORBERTH, J., SEO, B.-S., HERDTWECK, E., Organoplatinum compounds. VI. Trimethylplatinum thiomethylate and trimethylplatinum iodide. The crystal structures of $[(CH_3)_3PtS(CH_3)]_4$ and $[(CH_3)_3PtI]_4\cdot 0.5CH_3I$ *[Univ. Marburg, Fachbereich Chem., Marburg, Germany; Catholic Univ. Korea, Coll. Med., Seoul, South-Korea; Tech. Univ. Munich, Inst. Anorgan. Chem., Garching, Germany]*

Vol. 559 No. 1-2 (1998) 209–213
AMBERGER, H.-D., JANK, S., EDELMANN, F.T., Electron structure of organometal complexes of f-elements. XLVI. $(COT)Ln^{III}(I)(THF)_3$ complexes, model compounds for experimental elucidation of the electron structure of half-sandwich complexes of stoichiometry $(COT)An^{IV}(I)_2(THF)_2$ *[Univ. Hamburg, Inst. Anorgan. & Angew. Chem., Hamburg, Germany; Univ. Magdeburg, Inst. Chem., Magdeburg, Germany]*

Vol. 559 No. 1-2 (1998) 215–217
KUNKELY, H., VOGLER, A., Photo-oxidation of bis[1,2-bis(diphenylphosphino)ferrocene]-palladium(0) in $CCl_4$ induced

by ferrocene to solvent charge transfer excitation *[Univ. Regensburg, Inst. Anorgan. Chem., Regensburg, Germany]*

Vol. 559 No. 1-2 (1998) 219–222
HOFMANN, C., SCHERER, O.J., WOLMERSHÄUSER, G., [Cp*$FeP_6MoCp^*$]: A dinuclear complex with a $P_4$ and a $P_2$ ligand *[Univ. Kaiserslautern, Dept. Chem., Kaiserslautern, Germany]*

Vol. 559 No. 1-2 (1998) 223–225
KUNKELY, H., VOGLER, A., Electronic spectrum and photoreactivity of dichloro(1,5-cyclooctadiene)-palladium(II) *[Univ. Regensburg, Inst. Anorgan. Chem., Regensburg, Germany]*

Vol. 560 No. 1-2 (1998) 1–6
THOMAS, S., TIEKINK, E.R.T., YOUNG, C.G., Dicarbonyl dithio ligand complexes of tungsten(II) *[Univ. Melbourne, Sch. Chem., Parkville, VIC, Australia; Univ. Adelaide, Dept. Chem., Adelaide, SA, Australia]*

Vol. 560 No. 1-2 (1998) 7–13
VASS, G., SZTÁRAY, B., SZEPES, L., Photoelectron spectroscopy of mono and binuclear iron and chromium cyclooctatetraene complexes *[Loránd Eötvös Univ., Dept. Gen.& Inorgan. Chem., Budapest, Hungary]*

Vol. 560 No. 1-2 (1998) 15–19
OVERBY, J.S., SCHOELL, N.J., HANUSA, T.P., Synthesis and characterization of chromocenes containing bulky cyclopentadienyl ligands *[Vanderbilt Univ., Dept. Chem., Nashville, TN, USA]*

Vol. 560 No. 1-2 (1998) 21–25
ORLOV, N.A., BOCHKAREV, L.N., NIKITINSKY, A.V., KROPOTOVA, V.YU., ZAKHAROV, L.N., FUKIN, G.K., KHORSHEV, S.YA., Synthesis of germylcopper compounds by hydride method. Crystal structure of $(C_6F_5)_3GeCu(PPh_3)_2$ *[Nizhnii Novgorod State Pedag. Univ., Dept. Chem., Nizhnii Novgorod, Russia; Russian Acad. Sci., A.N. Nesmeyanov Inst. Organoelement Compounds, Moscow, Russia]*

Vol. 560 No. 1-2 (1998) 27–33
DELGADO, E., GARCÍA, M.A., HERNÁNDEZ, E., MANSILLA, N., MARTÍNEZ-CRUZ, L.A., TORNERO, J., TORRES, R., Synthesis and characterization of oxo- and thiophosphorylcyclopentadienyl Ti(IV) thiolate complexes. Crystal structures of $[(\eta^5\text{-}C_5H_4P(S)Ph_2)(\eta^5\text{-}C_5H_4SiMe_3)TiCl_2]$ and $[(\eta^5\text{-}C_5H_4P(S)Ph_2)_2Ti(SPh)_2]\cdot C_4H_{10}O$ *[Univ. Autonoma Madrid, Fac. Ciencias, Dept. Quim. Inorgan., Madrid, Spain; CSIC, Inst. Quim. Fis. Rocasolano, Madrid, Spain; Univ. Autonoma Madrid, Serv. Interdept. Invest. Rayos X, Madrid, Spain]*

Vol. 560 No. 1-2 (1998) 35–40
SINGH SISODIA, O., SAHAY, A.N., PANDEY, D.S., AGARWALA, U.C., JHA, N.K., SHARMA, P., TOSCANO, A., CABRERA, A., Synthesis and characterization of some arene hydrido-complexes $[Ru(\eta^6\text{-arene})(EPh_3)_2H)^+$ ($\eta^6$-arene=benzene, p-cymene or hexamethylbenzene; E=P, As or Sb). Crystal structure of $[(Ru(\eta^6\text{-}C_6H_6)(PPh_3)_2H]BF_4$ *[APS Univ., Dept. Chem., Rewa, India; Indian Inst. Technol., Dept. Chem., New Delhi, India; Univ. Nacl. Autonoma Mexico, Inst. Quim., Mexico City, Mexico]*

Vol. 560 No. 1-2 (1998) 41–46
EABORN, C., KOWALEWSKA, A., STANCZYK, W., 1,3-migration of a phenyl group in the conversion of $(Me_3Si)_2(PhMe_2Si)CSiMePhX$ into $(Me_3Si)_2(Ph_2MeSi)CSiMe_2Y$ species *[Polish Acad. Sci., Ctr. Mol. & Macromol. Studies, Lodz, Poland; Univ. Sussex, Sch. Chem. Phys. & Environm. Sci., Brighton, East Sussex, England]*

Vol. 560 No. 1-2 (1998) 47–54
SUZUKI, N., MISE, T., YAMAGUCHI, Y., CHIHARA, T., IKEGAMI, Y., OHMORI, H., MATSUMOTO, A., WAKATSUKI, Y., Structural characterization of *ansa*-zirconocene dichloride bearing a vicinal di-*tert*-butylcyclopentadienyl ligand and high pressure polymerization of 1-hexene catalyzed by sterically hindered zirconocene complexes *[Inst. Phys. & Chem. Res., Wako, Saitama, Japan]*

Vol. 560 No. 1-2 (1998) 55–61
COLE, S., DULANEY, K.E., BENGALI, A.A., A kinetic and spectroscopic study of the interaction between a $M(CO)_5$ (M=Cr, W) fragment and ethyl diazoacetate *[Dickinson Coll., Dept. Chem., Carlisle, PA, USA]*

Vol. 560 No. 1-2 (1998) 63–68
DEGRACE, S.A., BERRY, S.W., MACKIE, S.C., The conformational dynamics of dicarbonylcyclopentadienyl(2-oxopropyl)iron(II): An infrared and molecular mechanics study *[Univ. Prince Edward Isl., Dept. Chem., Charlottetown, PE, Canada]*

Vol. 560 No. 1-2 (1998) 69–75
LICHT, E.H., ALT, H.G., MILIUS, W., ABU-ORABI, S., Reduction reactions of the metallocene complex $(\eta^5\text{-}C_5H_4CMe_2C_9H_7)_2ZrCl_2$ *[Univ. Bayreuth, Anorgan. Chem. Lab., Bayreuth, Germany]*

Vol. 560 No. 1-2 (1998) 77–88
MOLONEY, M.G., PAUL, D.R., THOMPSON, R.M., WRIGHT, E., Ligand exchange and catalysis in phenylation reactions mediated by lead tetracarboxylates *[Univ. Oxford, Dyson Perrins Lab., Oxford, Oxon, England; Assoc. Octel Co., Wirral, England]*

Vol. 560 No. 1-2 (1998) 89–94
LEWINSKI, J., ZACHARA, J., Structure characterization of the organoaluminum intermediate resulting from the alkylation of a chelated carbonyl group. Molecular structure of the trinuclear $[MeAl][C_{12}H_{20}O_4][AlMe_2]_2$ compound *[Warsaw Univ. Technol., Dept. Chem., Warsaw, Poland]*

Vol. 560 No. 1-2 (1998) 95–101
MAHON, M.F., MOLLOY, K.C., OMOTOWA, B.A., MESUBI, M.A., Triphenylantimony(V) derivatives of acylpyrazol-5-ones *[Univ. Bath, Sch. Chem., Bath, Avon, England; Univ. Ilorin, Dept. Chem., Ilorin, Nigeria]*

Vol. 560 No. 1-2 (1998) 103–107
OÇAFRAIN, M., DEVAUD, M., NÉDELEC, J.Y., TROUPEL, M., Electrochemical generation of a nickel–carbonyl complex, catalyst for the electroreductive coupling of organic halides and carbon-monoxide into ketones *[Univ. Paris 12, CNRS, Lab. Electrochim. Catalyse & Synth. Organ., Thiais, France]*

Vol. 560 No. 1-2 (1998) 109–115
MINGOTAUD, A.-F., HÉROGUEZ, V., SOUM, A., Synthesis of difunctional borasiloxanes and their behavior in metathesis reactions *[CNRS, ENSCPB, Talence, France]*

Vol. 560 No. 1-2 (1998) 117–124
GONÇALVES, I.S., KÜHN, F.E., LOPES, A.D., PAROLA, A.J., PINA, F., SOTOMAYOR, J., ROMAO, C.C., Synthesis and characterization of binuclear transition metal-rhenium(VII) complexes with bridging cyanide ligands *[Univ. Nova Lisboa, Inst. Tecnol. Quim. & Biol., Oeiras, Portugal; Univ. Aveiro, Dept. Quim., Aveiro, Portugal; Tech. Univ. Munich, Inst. Anorgan. Chem., Garching, Germany; Univ. Nova Lisboa, Dept. Quim., Monte de Caparica, Portugal]*

Vol. 560 No. 1-2 (1998) 125–129
WEIDENBRUCH, M., STILTER, A., SAAK, W., PETERS, K., VON SCHNERING, H.G., An octahedral stannylmanganese stannylene complex *[Univ. Oldenburg, Fachbereich Chem.,*

*Oldenburg, Germany; Max Planck Inst. Festkörperforsch., Stuttgart, Germany]*

Vol. 560 No. 1-2 (1998) 131–136
BALAKRISHNA, M.S., RAMASWAMY, K., ABHYANKAR, R.M., Transition metal chemistry of phosphorus based ligands. Ruthenium(II) chemistry of bis(phosphino)amines, $X_2PN(R)PX_2$ (R=H or Ph, X=Ph, R=Ph, $X_2=O_2C_6H_4$) *[Indian Inst. Technol., Dept. Chem., Powai, Mumbai, India]*

Vol. 560 No. 1-2 (1998) 137–146
ANTONAROLI, S., CROCIANI, B., Preparation and reactions of palladium(0)-olefin complexes with iminophosphine ligands *[Univ. Roma Tor Vergata, Dipartimento Sci. & Tecnol. Chim., Rome, Italy]*

Vol. 560 No. 1-2 (1998) 147–153
FERRER, M., JULIA, A., REINA, R., ROSSELL, O., SECO, M., DE MONTAUZON, D., Synthesis, characterization and electrochemical studies of the heterometallic diclusters [$\{Fe_2(\mu$-$CO)(CO)_6(\mu$-$PPh_2)Au\}_2$(diphosphine)] (diphosphine=dppm, dppip, dppe, dppp) *[Univ. Barcelona, Dept. Quim. Inorgan., Barcelona, Spain; Univ. Toulouse III, CNRS, Chim. Coordinat. Lab., Toulouse, France]*

Vol. 560 No. 1-2 (1998) 155–161
GUPTA, B.D., QANUNGO, K., BARCLAY, T., CORDES, W., Steric *cis* influence and lateral compression of the metallabicycle in bis(dioxime) vitamin $B_{12}$ models *[Indian Inst. Technol., Dept. Chem., Kanpur, Uttar-Pradesh, India; Univ. Arkansas, Dept. Chem. & Biochem., Fayetteville, AR, USA]*

Vol. 560 No. 1-2 (1998) 163–167
ROSHCHIN, A.I., KEL'CHEVSKI, S.M., BUMAGIN, N.A., Synthesis of benzofurans via $Pd^{2+}$-catalyzed oxidative cyclization of 2-allylphenols *[Moscow M.V. Lomonosov State Univ., Dept. Chem., Moscow, Russia]*

Vol. 560 No. 1-2 (1998) 169–181
DINGER, M.B., HENDERSON, W., NICHOLSON, B.K., ROBINSON, W.T., Organogold(III) metallacyclic chemistry. Part 3. Self-assembly of the nonametallic gold(III)-silver(I)-sulfido aggregates $[\{LAu(\mu\text{-}S)_2AuL\}_3Ag_3X_2]^+$ (L=cycloaurated *N,N*-dimethylbenzylamine ligand; X=Cl, Br), by thiourea desulfurization *[Univ. Waikato, Dept. Chem., Hamilton, New Zealand; Univ. Canterbury, Dept. Chem., Christchurch, New Zealand]*

Vol. 560 No. 1-2 (1998) 183–190
PORTALONE, G., RAMONDO, F., DOMENICANO, A., HARGITTAI, I., Molecular structure of phenylsilane: a study by gas-phase electron diffraction and ab initio molecular orbital calculations *[Tech. Univ. Budapest, Inst. Gen. & Analyt. Chem., Budapest, Hungary; Univ. Roma La Sapienza, Dipartimento Chim., Rome, Italy; Univ. Aquila, Dept. Chem. Chem. Engn. & Mat., Laquila, Italy; Loránd Eötvös Univ., Hungarian Acad. Sci., Struct. Chem. Res. Grp., Budapest, Hungary]*

Vol. 560 No. 1-2 (1998) 191–196
BAKER, P.K., DREW, M.G.B., MEEHAN, M.M., PARKER, E.E., UNDERHILL, A.E., Seven-coordinate thiophene-3-acetonitrile complexes of tungsten(II). Crystal structures of $[WI_2(CO)_3\{NCCH_2(3\text{-}C_4H_3S)\}_2]$ and $[WI_2(CO)_3\{NCCH_2(3\text{-}C_4H_3S)\}(AsPh_3)]$ *[Univ. Wales, Dept. Chem., Bangor, Gwynedd, Wales; Univ. Reading, Dept. Chem., Reading, Berks, England]*

Vol. 560 No. 1-2 (1998) 197–209
WOODGATE, P.D., SINGH, Y., RICKARD, C.E.F., Synthesis and diastereoselective functionalization of tricarbonyl[(3a,7a)-octahydro-3-substituted-2-($\eta^6$-phenyl)benzoxazole]chromium(0) complexes *[Univ. Auckland, Dept. Chem., Auckland, New Zealand]*

Vol. 560 No. 1-2 (1998) 211–215
LI, X.-W., LORBERTH, J., EBERT, K.H., MASSA, W., WOCADLO, S., Synthesis and crystal structure of tetrakis(2,4,6-trimethylphenyl)dibismuthoxide *[Univ. Marburg, Fachbereich Chem., Marburg, Germany; Univ. Georgia, Dept. Chem., Athens, GA, USA]*

Vol. 560 No. 1-2 (1998) 217–222
KOKUBO, K., MATSUMASA, K., MIURA, M., NOMURA, M., Rhodium-catalyzed reaction of aroyl chlorides with alkynes or alkenes in the presence of disilanes *[Osaka Univ., Fac. Engn., Dept. Appl. Chem., Suita, Osaka, Japan]*

Vol. 560 No. 1-2 (1998) 223–232
MAI, J.-F., YAMAMOTO, Y., Preparations and structures of ($\eta^6$-arene)ruthenium(II) complexes bearing 1,1'-bis(diphenylphosphinomethyl)ferrocene or 1,1'-bis(diphenylphosphino)ferrocene *[Toho Univ., Fac. Sci., Dept. Chem., Funabashi, Chiba, Japan]*

Vol. 560 No. 1-2 (1998) 233–243
DINGER, M.B., HENDERSON, W., Organogold(III) metallacyclic chemistry. Part 4. Synthesis, characterization, and biological activity of gold(III)-thiosalicylate and -salicylate complexes *[Univ. Waikato, Dept. Chem., Hamilton, New Zealand]*

Vol. 560 No. 1-2 (1998) 245–251
SCHOLLHAMMER, P., PÉTILLON, F.Y., TALARMIN, J., MUIR, K.W., A dimolybdenum(III) azido compound: its decomposition into amido and nitrido derivatives. Crystal structure of $[Mo_3(O)(N)Cp_3(SMe)_4]$ *[Univ. Bretagne Occidentale, CNRS, Lab. Chim. & Electrochim. Mol., Brest, France; Univ. Glasgow, Dept. Chem., Lanark, Scotland]*

Vol. 560 No. 1-2 (1998) 253–255
TANI, K., UEDA, K., ARIMITSU, K., YAMAGATA, T., KATAOKA, Y., Reductive dimerization of dialkyl acetylenedicarboxylate catalyzed by $[Rh(binap)(MeOH)_2]ClO_4$, in methanol *[Osaka Univ., Grad. Sch. Engn. Sci., Osaka, Japan]*

Vol. 560 No. 1-2 (1998) 257–263
SCHENK, W.A., STUBBE, M., HAGEL, M., Enantioselective organic syntheses using chiral transition metal complexes. V. (2*S*,3*S*)-Bis(dibenzophospholyl)butane, a rigid (*S,S*)-CHIRAPHOS analog *[Univ. Würzburg, Inst. Anorgan. Chem., Würzburg, Germany]*

Vol. 560 No. 1-2 (1998) 265–272
BEDDOES, R.L., HINCHLIFFE, J.R., MOORCROFT, D., WHITELEY, M.W., Reactions of the cycloheptatrienyl complexes $[MX(CO)_2(\eta\text{-}C_7H_7)]$ (M=Mo, X=Br, M=W, X=I) with $CNBu^t$: X-ray crystal structure of $[WI(CO)_2(CNBu^t)_2(\eta^3\text{-}C_7H_7)]$ *[Univ. Manchester, Dept. Chem., Manchester, Lancs, England]*

Vol. 561 No. 1-2 (1998) 1–6
ARTIGAS, M.M., CRESPO, O., GIMENO, M.C., JONES, P.G., LAGUNA, A., VILLACAMPA, M.D., Gold(I) complexes with the ligand 1-thiolate-1,2-dicarba-*closo*-dodecaborate. Crystal structure of $[Au_2(1\text{-}S\text{-}1,2\text{-}C_2B_{10}H_{11})_2(\mu\text{-dppe})]$ *[Univ. Zaragoza, CSIC, Inst. Ciencia Mat. Aragon, Dept. Quim. Inorgan., Zaragoza, Spain; Tech Univ. Carolo Wilhelmina Braunschweig, Inst. Anorgan. & Analyt. Chem., Braunschweig, Germany]*

Vol. 561 No. 1-2 (1998) 7–11
ÇETINKAYA, B., ÖZDEMIR, I., NAWAZ TAHIR, M., ÜLKÜ, D., Synthesis of *cis*- and *trans*-dichloro(dimethylphenylphosphine)-(1-methyl-1,4,5,6-tetrahydropyrimidine)platinum(II) and their spectral and structural characterization *[Inonu Univ., Dept. Chem., Malatya, Turkey; Hacettepe Univ., Dept. Engn. Phys., Ankara, Turkey]*

Vol. 561 No. 1-2 (1998) 13–18
CRESPO, O., GIMENO, M.C., LAGUNA, A., Synthesis and reactivity of the ligand 1,2-bis(pyridine-2-ylthio)-1,2-dicarba-*closo*-dodecaborane. Crystal structure of [Ag{1,2-$(C_5H_4NS)_2$-1,2-$C_2B_{10}H_{10}$}$(PPh_3)$]OTf *[Univ. Zaragoza, CSIC, Inst. Ciencia Mat. Aragon, Dept. Quim. Inorgan., Zaragoza, Spain]*

Vol. 561 No. 1-2 (1998) 19–27
LEIGH, W.J., BRADARIC, C.J., SLUGGETT, G.W., VENNERI, P., CONLIN, R.T., DHURJATI, M.S.K., EZHOVA, M.B., A transient spectroscopic study of the photochemistry of vinyldisilanes *[McMaster Univ., Dept. Chem., Hamilton, ON, Canada; Univ. North Texas, Dept. Chem., Ctr. Organomet. Res. & Educ., Denton, TX, USA]*

Vol. 561 No. 1-2 (1998) 29–35
SWANG, O., BLOM, R., Allyl complexes of chromium and zirconium: molecular structures from DFT and ab initio calculations *[Sintef Appl. Chem., Dept. Hydrocarbon Proc. Chem., Oslo, Norway]*

Vol. 561 No. 1-2 (1998) 37–47
LEE, M.H., PARK, J.-W., HONG, C.S., WOO, S.I., DO, Y.K., Ethylene-bridged pseudo-$C_S$ symmetric *ansa*-zirconocene complexes: synthesis, structures and propylene polymerization behavior *[Korea Adv. Inst. Sci. & Technol., Ctr. Mol. Sci., Taejon, South-Korea; Korea Adv. Inst. Sci. & Technol., Dept. Chem., Taejon, South-Korea]*

Vol. 561 No. 1-2 (1998) 49–56
BITTERWOLF, T.E., BAYS, J.T., Photolysis of ($\eta^5$-$C_5H_4C_4H_9)_2Mo_2(CO)_4(\mu$-$\eta^{2:2}$-RC≡CR') in frozen Nujol matrices *[Univ. Idaho, Dept. Chem., Moscow, ID, USA]*

Vol. 561 No. 1-2 (1998) 57–65
KLEVERLAAN, C.J., HARTL, F., STUFKENS, D.J., Mechanistic aspects of the thermal *mer*-to-*fac* isomerization of *mer*-[Mn(X)$(CO)_3(\alpha$-diimine)] (X=Cl, Br, I) *[Univ. Amsterdam, Inst. Mol. Chem., Amsterdam, Netherlands]*

Vol. 561 No. 1-2 (1998) 67–76
FERNÁNDEZ, S., GARCÍA, M.M., NAVARRO, R., URRIOLABEITIA, E.P., Synthesis, structure and reactivity of $Pt^{II}$ complexes containing the [*o*-(di-*o*-tolylphosphino)benzyl] cyclometalated ligand towards $\alpha$-stabilized phosphorus ylides *[Univ. Zaragoza, CSIC, Inst. Ciencia Mat. Aragon, Dept. Quim. Inorgan., Zaragoza, Spain]*

Vol. 561 No. 1-2 (1998) 77–84
BRUZAUD, S., MINGOTAUD, A.-F., SOUM, A., Multinucleus NMR characterization of new silylamines and their corresponding lithium silylamides *[CNRS, ENSCPB, Talence, France]*

Vol. 561 No. 1-2 (1998) 85–96
BROUSSIER, R., NINOREILLE, S., BOURDON, C., BLACQUE, O., NINOREILLE, C., KUBICKI, M.M., GAUTHERON, B., Ferrocenic polyphosphines and polythioethers: synthesis, reactivity and structure *[Univ. Bourgogne, CNRS, Lab. Synth. & Electrosynth. Organomet., Dijon, France]*

Vol. 561 No. 1-2 (1998) 97–107
ADAMS, C.J., BRUCE, M.I., SKELTON, B.W., WHITE, A.H., Carbonyl substitution reactions of ruthenium cluster complexes containing dicarbon ($C_2$) ligands: X-ray structures of $Ru_5(\mu_5$-$C_2)(\mu$-$SMe)_2(\mu$-$PPh_2)_2(CO)_{10}$(L) [L=$CNBu^t$, $P(OMe)_3$] *[Univ. Adelaide, Dept. Chem., Adelaide, SA, Australia; Univ. Western Australia, Dept. Chem., Nedlands, WA, Australia]*

Vol. 561 No. 1-2 (1998) 109–120
KUSUKAWA, T., ANDO, W., Substituents effects on the addition of silyllithium and germyllithium to $C_{60}$ *[Univ. Tsukuba, Dept. Chem., Tsukuba, Ibaraki, Japan]*

Vol. 561 No. 1-2 (1998) 121–129
HEINICKE, J., MEINEL, S., Synthesis of silicon heterocycles via gas phase cycloaddition of aminomethylsilylenes *[Univ. Greifswald, Inst. Anorgan. Chem., Greifswald, Germany]*

Vol. 561 No. 1-2 (1998) 131–141
WEINMANN, M., WALTER, O., HUTTNER, G., LANG, H., Reaction studies on hypervalent silicon hydride compounds *[Tech Univ. Chemnitz, Inst. Chem., Chemnitz, Germany; Univ. Heidelberg, Inst. Anorgan. Chem., Heidelberg, Germany; Max Planck Inst. Materialforsch., Stuttgart, Germany]*

Vol. 561 No. 1-2 (1998) 143–152
OUYANG, J., XU, Y., KHOO, L.E., Reactions of 8-methoxyquinoline [$C_{10}H_9ON$] and diorganotin dichlorides. Crystal structures of $[C_{10}H_9ON{\cdot}H]_2Ph_2SnCl_4$ and $[C_{10}H_9ON{\cdot}H{\cdot}NOH_9C_{10}]Ph_2SnCl_3$ *[Nanyang Technol. Univ., Sch. Sci., Singapore, Singapore]*

Vol. 561 No. 1-2 (1998) 153–155
CHO, J.-Y., CHEN, C.-L., HSIEH, T.-Y., KIANG, F.-M., LEE, G.-H., PENG, S.-M., LIU, S.-T., Formation of isocyanide complexes via acylation of diaminocarbene complexes *[Natl. Taiwan Univ., Dept. Chem., Taipei, Taiwan; China Med. Coll., Dept. Pharm., Taichung, Taiwan]*

Vol. 561 No. 1-2 (1998) 157–165
HAN, X.-H., YAMAMOTO, Y., ($\eta^5$-Pentamethylcyclopentadienyl) rhodium(III) complexes bearing $\eta^1$-P and $\eta^2$-phosphino-phenoxide coordinations derived from (2,6-dimethoxyphenyl)diphenyl-phosphine: their preparation and reactions with Lewis bases *[Toho Univ., Fac. Sci., Dept. Chem., Funabashi, Chiba, Japan]*

Vol. 561 No. 1-2 (1998) 167–174
BARRAU, J., RIMA, G., EL-AMRAOUI, T., Stable divalent heteroleptic species ArO(X)M (Ar=2,4,6-tris(dimethylaminomethyl)phenyl-, M=Ge, Sn, Pb) *[Univ. Toulouse III, CNRS, Toulouse, France]*

Vol. 561 No. 1-2 (1998) 175–179
STREHBLOW, C., SUSTMANN, R., AMATORE, C., Cyclovoltammetric studies on the reaction of dihydridotetrakis(triphenylphosphane)ruthenium(II) with methyl acrylate. C–H-activation of methyl acrylate in the presence of $Ru(0)(MA)_2(PPh_3)_2$ *[Univ. Gesamthsch. Essen, Inst. Organ. Chem., Essen, Germany; Ecole Normale Super., Dept. Chim., CNRS, Paris, France]*

Vol. 561 No. 1-2 (1998) 181–189
STREHBLOW, C., SCHUPP, T., SUSTMANN, R., Cyclovoltammetric studies on the dimerization of methyl acrylate by ruthenium complexes *[Univ. Gesamthsch. Essen, Inst. Organ. Chem., Essen, Germany]*

Vol. 561 No. 1-2 (1998) 191–197
STEINBORN, D., RAUSCH, M.D., BRUHN, C., An unusual selective reduction of an oxime into an imine group in halogenomethyl rhodoximes *[Univ. Halle Wittenberg, Inst. Anorgan. Chem., Halle, Germany]*

Vol. 561 No. 1-2 (1998) 199–201
BEYER, L., RICHTER, R., SEIDELMANN, O., Synthesis and X-ray crystal structure of the chiral ligand (S,R)-*N,N*-diethyl-*N'*-(2-(*N''*,*N''*-dimethyl-1-aminoethyl))ferrocenoyl thiourea *[Univ. Leipzig, Inst. Anorgan. Chem., Leipzig, Germany]*

Vol. 561 No. 1-2 (1998) 203–208
SITZMANN, H., LAPPERT, M.F., DOHMEIER, C., ÜFFING, C., SCHNÖCKEL, H., Cyclopentadienyl derivatives of aluminum (I) (in German) *[Univ. Karlsruhe, Inst. Anorgan. Chem., Karlsruhe, Germany; Univ. Sussex, Sch. Chem. Phys. & Environm. Sci.,*

*Brighton, East Sussex, England; Univ. Kaiserslautern, Fac. Chem., Kaiserslautern, Germany]*

Vol. 561 No. 1-2 (1998) 209-219
HALL, C.D., SACHSINGER, N., NYBURG, S.C., STEED, J.W., Redox-active Schiff base ligands *[Univ. London, Kings Coll., Dept. Chem., London, England]*

Vol. 561 No. 1-2 (1998) 221-225
FÄSSLER, T.F., VÖGL, T., FABRITCHNYI, P.B., AFANASOV, M.I., Synthesis and structure of $Fe_4(CO)_{10}(\mu_2\text{-}CO)(\mu_4\text{-}Te)_2$ and $^{57}Fe$ Mössbauer spectra of $Fe_3(CO)_9(\mu_3\text{-}Te)_2$ and $Fe_4(CO)_{10}(\mu_2\text{-}CO)(\mu_4\text{-}Te)_2$ *[ETH Zürich, Anorgan. Chem. Lab., Zurich, Switzerland; Moscow M.V. Lomonosov State Univ., Dept. Chem., Moscow, Russia]*

Vol. 561 No. 1-2 (1998) 227-235
JAHNCKE, M., NEELS, A., STOECKLI-EVANS, H., SÜSS-FINK, G., Reactions of the cationic complex $[(\eta^6\text{-}C_6Me_6)_2Ru_2(\mu_2\text{-}H)_3]^+$ with nitrogen-containing heterocycles in aqueous solution *[Univ. Neuchatel, Inst. Chim., Neuchatel, Switzerland]*

Vol. 562 No. 1 (1998) 3-10
ZIEMKOWSKA, W., PASYNKIEWICZ, S., GLOWIAK, T., Reactions of trialkylaluminum with sterically hindered diols *[Tech. Univ. Warsaw, Fac. Chem., Warsaw, Poland; Univ. Wroclaw, Fac. Chem., Wroclaw, Poland]*

Vol. 562 No. 1 (1998) 11-15
FLORES, J.C., READY, T.E., CHIEN, J.C.W., RAUSCH, M.D., Binuclear monoindenyl-titanium(IV) complexes. Synthesis and styrene polymerization catalysis *[Univ. Massachusetts, Dept. Chem., Amherst, MA, USA]*

Vol. 562 No. 1 (1998) 17-27
JEFFERY, J.C., JELLISS, P.A., PSILLAKIS, E., RUDD, G.E.A., STONE, F.G.A., Synthesis, crystal structure and some reactions of the ruthenacarborane complex $[Ru(CO)_2(MeC{\equiv}CPh)(\eta^5\text{-}7,8\text{-}C_2B_9H_{11}]$ *[Baylor Univ., Dept. Chem., Waco, TX, USA; Univ. Bristol, Sch. Chem., Bristol, Avon, England]*

Vol. 562 No. 1 (1998) 29-33
CERVANTES-LEE, F., PÁRKÁNYI, L., KAPOOR, R.N., MAYR, A.J., PANNELL, K.H., PANG, Y., BARTON, T.J., Decamethylpentasilacycloheptyne·$Mo_2(CO)_4(\eta^5\text{-}C_5H_5)_2$ and cycloheptyne·$Mo_2(CO)_4(\eta^5\text{-}C_5H_5)_2$ *[Univ. Texas, Dept. Chem., El Paso, TX, USA; Iowa State Univ. Sci. & Technol., Dept. Chem., Ames, IA, USA]*

Vol. 562 No. 1 (1998) 35-43
BACCHI, A., CHIUSOLI, G.P., COSTA, M., SANI, C., GABRIELE, B., SALERNO, G., Nitrogen heterocycles by palladium-catalysed oxidative cyclization-alkoxycarbonylation of acetylenic ureas *[Univ. Parma, Dipartimento Chim. Organ. & Ind., Parma, Italy; Univ. Parma, Dipartimento Chim. Gen. Inorgan. Analit. & Chim. Fis., Parma, Italy; Univ. Calabria, Dipartimento Chim., Cosenza, Italy]*

Vol. 562 No. 1 (1998) 45-51
WERNER, H., HÖRLIN, G., JONES, W.D., Facile C-N bond-cleavage mediated by electron-rich cyclopentadienyl cobalt(I) complexes *[Univ. Würzburg, Inst. Anorgan. Chem., Würzburg, Germany; Univ. Rochester, Dept. Chem., Rochester, NY, USA]*

Vol. 562 No. 1 (1998) 53-60
DESMANGLES, N., GAMBAROTTA, S., BENSIMON, C., DAVIS, S., ZAHALKA, H., Preparation and characterization of $(R_2N)_2VCl_2$ [R=Cy,i-Pr] and its activity as olefin polymerization catalyst *[Univ. Ottawa, Dept. Chem., Ottawa, ON, Canada; Bayer Inc., Dept. Res. & Dev., Sarnia, ON, Canada]*

Vol. 562 No. 1 (1998) 61-69
BERNIERI, P., CALDERAZZO, F., ENGLERT, U., PAMPALONI, G., Niobium(I) and tantalum(I) tetracarbonyl derivatives containing nitrogen ligands *[Univ. Pisa, Dipartimento Chim. & Chim. Ind., Pisa, Italy; Rhein Westfal TH Aachen, Inst. Anorgan. Chem., Aachen, Germany]*

Vol. 562 No. 1 (1998) 71-78
DJAKOVITCH, L., HERRMANN, W.A., Half-sandwich and *ansa*-niobiocenes: synthesis and reactivity *[Tech. Univ. Munich, Inst. Anorgan. Chem., Garching, Germany]*

Vol. 562 No. 1 (1998) 79-88
CORRIU, R.J.P., GRANIER, M., LANNEAU, G.F., Synthesis and reactivity of bis(triethoxysilyl)methane, tris(triethoxysilyl)methane and some derivatives *[Univ. Montpellier II, Lab. Chim. Mol. & Org. Solide, Montpellier, France]*

Vol. 562 No. 1 (1998) 89-96
BITTERWOLF, T.E., SAYGH, A., SHADE, J.E., RHEINGOLD, A.L., YAP, G.P.A., LIABLE-SANDS, L., Photochemistry of ring-coupled group VI bimetallic compounds. I. Phosphine substitution without disproportionation. The molecular-structures of $Mo_2(CO)_5[P(C_6H_5)_3](\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4\text{-}CR_2\text{-}C_5H_4)$ and $Mo_2(CO)_4[P(CH_3)_3]_2(\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4\text{-}CR_2\text{-}C_5H_4)$ *[Univ. Idaho, Dept. Chem., Moscow, ID, USA; USN Acad., Dept. Chem., Annapolis, MD, USA; Univ. Delaware, Dept. Chem., Newark, DE, USA]*

Vol. 562 No. 1 (1998) 97-104
LAVALLEE, R.J., KUTAL, C., Substitutional photochemistry of sandwich and half-sandwich complexes of ruthenium(II) *[Univ. Georgia, Dept. Chem., Athens, GA, USA]*

Vol. 562 No. 1 (1998) 105-114
MICHAELIDOU, D.M., MINGOS, D.M.P., WILLIAMS, D.J., WHITE, A.W.J., New thiophene metallacarbaborane compounds of palladium and platinum: X-ray structures of 1-$C_4H_3S$-3-(cod)-3,1,2-M-$C_2B_9H_{10}$, 1-$C_4H_3S$-3,3-$(PMe_2Ph)_2$-3,1,2-Pt-$C_2B_9H_{10}$ and 1-$C_4H_3S$-3,3-$(PPh_2CH_2CH_2Ph_2)$-3,1,2-Pd-$C_2B_9H_{10}$ (M=Pt or Pd) *[Univ. London, Imperial Coll. Sci. Technol. & Med., Dept. Chem., London, England]*

Vol. 562 No. 1 (1998) 115-122
BIDELL, W., COMPTON, R.G., EKLUND, J.C., GREEN, M.L.H., REBBITT, T.O., STEPHENS, A.H.H., Synthesis and characterisation of $C_{60}$ derivatives containing functionalized anthraquinone groups and an unusual fullerene-stabilised cation *[Univ. Oxford, Inorgan. Chem. Lab., Oxford, Oxon, England; Univ. Oxford, Phys. & Theoret. Chem. Lab., Oxford, Oxon, England]*

Vol. 562 No. 1 (1998) 123-125
LOMELÍ, V., MCBURNETT, B.G., COWLEY, A.H., An indium(II)-indium(II) compound with intramolecular donor-acceptor bonds *[Univ. Texas, Dept. Chem. & Biochem., Austin, TX, USA]*

Vol. 562 No. 2 (1998) 127-131
STEFANI, H.A., PETRAGNANI, N., ZUKERMAN-SCHPECTOR, J., DORNELLES, L., SILVA, D.O., BRAGA, A.L., Addition of tellurium tetrabromides and alkyl and aryl tellurium tribromides to terminal acetylenes *[Univ. Sao Paulo, Fac. Ciencias Farmaceut., Sao Paulo, Brazil; Univ. Sao Paulo, Inst. Quim., Sao Paulo, Brazil; Univ. Fed. Sao Carlos, Dept. Quim., Sao Carlos, Brazil; Univ. Fed. Santa Maria, Dept. Quim., Santa Maria, Brazil]*

Vol. 562 No. 2 (1998) 133-139
BHANU PRASAD, A.S., EICK, H., KNOCHEL, P., The preparation of 1,3-dizincapropanes via a boron-zinc transmetalation *[Univ. Marburg, Fachbereich Chem., Marburg, Germany]*

Vol. 562 No. 2 (1998) 141–151
SHCHEGOLIKHINA, O.I., IGONIN, V.A., MOLODTSOVA, YU.A., POZDNIAKOVA, YU.A., ZHDANOV, A.A., STRELKOVA, T.V., LINDEMAN, S.V., Synthesis and characterization of large stereoregular organosiloxane cycles *[Russian Acad. Sci., A.N. Nesmeyanov Inst. Organoelement Compounds, Moscow, Russia]*

Vol. 562 No. 2 (1998) 153–181
ALT, H.G., JUNG, M., KEHR, G., $C_1$-bridged fluorenylidene-indenylidene complexes of the type $(C_{13}H_8\text{-}CR_2\text{-}C_9H_{6-n}R'_n)ZrCl_2$ ($n$=0, 1; R=Me, Ph, butenyl; R'=alkyl, alkenyl) as metallocene catalyst precursors for ethylene polymerization (in German) *[Univ. Bayreuth, Anorgan. Chem. Lab., Bayreuth, Germany]*

Vol. 562 No. 2 (1998) 183–189
SELLIN, M., LUART, D., SALAÜN, J.-Y., LAURENT, P., DES ABBAYES, H., Effect of the ligand L on the transesterification processes of bismethoxycarbonyl iron complexes: *cis* $Fe(CO_2Me)_2(CO)_3L$, L=CO, $PMe_3$, $PPh_3$, $P(OEt)_3$ *[Univ. Bretagne Occidentale, CNRS, Lab. Chim. & Electrochim. Mol., Brest, France]*

Vol. 562 No. 2 (1998) 191–195
DAHROUCH, M., RIVIERE-BAUDET, M., GORNITZKA, H., BERTRAND, G., Synthesis and X-ray crystal structure of bis(germyl)carbodiimides. Spectroscopic characterization of (hydrogeno)(germyl)cyanamides *[Univ. Toulouse III, CNRS, Lab. Heterochim. Fond. & Appl., Toulouse, France; Univ. Toulouse III, CNRS, Chim. Coordinat. Lab., Toulouse, France]*

Vol. 562 No. 2 (1998) 197–202
MATA, J., URIEL, S., PERIS, E., LLUSAR, R., HOUBRECHTS, S., PERSOONS, A., Synthesis and characterization of new ferrocenyl heterobimetallic compounds with high NLO responses *[Univ. Jaume I, Dept. Quim. Inorgan. & Organ., Castello de la Plana, Spain; Univ. Jaume I, Dipartimento Ciencies. Expt., Castello de la Plana, Spain; Catholic Univ. Louvain, Ctr. Res. Mol. Elect. & Photon, Louvain, Belgium]*

Vol. 562 No. 2 (1998) 203–206
KATAYAMA, H., YOSHIDA, T., OZAWA, F., Ring-opening metathesis polymerization of norbornene catalyzed by a [hydridotris(pyrazolyl)borato]vinylideneruthenium complex *[Osaka City Univ., Fac. Engn., Osaka, Japan]*

Vol. 562 No. 2 (1998) 207–215
WRACKMEYER, B., KEHR, G., SÜSS, J., MOLLA, E., 1,6-Dihydro-1,6-disilapentalene derivatives by 1,1-organoboration of triynes *[Univ. Bayreuth, Anorgan. Chem. Lab., Bayreuth, Germany]*

Vol. 562 No. 2 (1998) 217–227
KIRCHER, P., HUTTNER, G., HEINZE, K., $\pi$-Bonding in the star-type compound $[\{(CO)_5Cr\}_3Sn]^{2-}$. How to rationalize its electronic absorption spectrum and its out-of-range $^{119}Sn$-NMR shift of $\delta$=3924 *[Univ. Heidelberg, Inst. Anorgan. Chem., Heidelberg, Germany]*

Vol. 562 No. 2 (1998) 229–253
ALT, H.G., JUNG, M., *ansa*-Metallocene complexes of type $(C_{13}H_8\text{-}SiR_2\text{-}C_9H_{6-n}R'_n)ZrCl_2$ ($n$=0, 1; R=Me, Ph, alkenyl; R'=alkyl, alkenyl): self-immobilizing catalysts precursors for ethylene polymerization *[Univ. Bayreuth, Anorgan. Chem. Lab., Bayreuth, Germany]*

Vol. 562 No. 2 (1998) 255–262
SCHUMANN, H., ERBSTEIN, F., HERRMANN, K., DEMTSCHUK, J., WEIMANN, R., Organometallic compounds of the lanthanides. CXXI. Donor-substituted lanthanidocenes. Synthesis of mixed unbridged lanthanidocene chloride and alkyl derivatives *[Tech. Univ. Berlin, Inst. Anorgan. & Analyt. Chem., Berlin, Germany]*

Vol. 563 No. 1-2 (1998) 1–6
JORGENSON, A.L., NADEAU, R.A., YOUNG, V.G. (JR.), GLADFELTER, W.L., Oxidation of $Ru(dppe)(CO)_3$ with *o*- and *p*-quinones. Crystal structure of $Ru[C(O)OC_6H_2(C_4H_9)_2O](dppe)(CO)_2$ *[Univ. Minnesota, Dept. Chem., Minneapolis, MN, USA]*

Vol. 563 No. 1-2 (1998) 7–14
DORADO, I., FLORES, J.C., GALAKHOV, M., GÓMEZ-SAL, P., MARTÍN, A., ROYO, P., Regioselective formation of [2-($\eta^5$-cyclopentadienyl)-2-fluorenylpropane]-titanium complexes: precursors, synthesis, structure and reactivity *[Univ. Alcalá de Henares, Dept. Quim. Inorgan., Alcalá de Henares, Spain]*

Vol. 563 No. 1-2 (1998) 15–21
ROYO, P., SÁNCHEZ-NIEVES, J., PELLINGHELLI, M.A., TIRIPICCHIO, A., $\beta$-Elimination and insertion of CNR in transient pentamethylcyclopentadienyl-imido-tantalum dialkyl complexes. X-ray structure of $[TaCp^*\{N(2,6\text{-}Me_2C_6H_3)\}(CH_2{=}CH_2)(PMe_3)]$ *[Univ. Alcalá de Henares, Dept. Quim. Inorgan., Alcalá de Henares, Spain; Univ. Parma, Dipartimento Chim. Gen. Inorgan. Analit. & Chim. Fis., Parma, Italy]*

Vol. 563 No. 1-2 (1998) 23–29
CHUN, S.-H., MEYERS, E.A., LIU, F.-C., LIM, S., SHORE, S.G., Systemic syntheses of $[Hg\{M(CO)_4\}_2]^{2-}$, $[Hg\{M(CO)_4\}]_x$ (M=Fe, Ru, Os), and structures of $[Hg\{M(CO)_4\}_2]^{2-}$ (M=Ru, Os) *[Ohio State Univ., Dept. Chem., Columbus, OH, USA]*

Vol. 563 No. 1-2 (1998) 31–36
NUDELMAN, N.S., CARRO, C., The effect of CO on the reaction of (tributyltin)lithium with alkyl and aryl bromides *[Univ. Buenos Aires, Fac. Ciencias Exactas & Nat., Buenos Aires, Argentina]*

Vol. 563 No. 1-2 (1998) 37–41
JEDLICKA, B., WEISSENSTEINER, W., KÉGL, T., KOLLÁR, L., Carbonylation (hydroformylation and hydroalkoxycarbonylation) of styrene in the presence of transition metal–ferrocene-based aminophosphine systems *[Univ. Veszprém, Dept. Organ. Chem., Veszprém, Hungary; Univ. Vienna, Inst. Organ. Chem., Vienna, Austria; Janus Pannonius Univ., Dept. Inorgan. Chem., Pecs, Hungary]*

Vol. 563 No. 1-2 (1998) 43–51
KIM, C., KIM, M., Synthesis of carbosilane dendrimers based on tetrakis(phenylethynyl)silane *[Dong A Univ., Dept. Chem., Pusan, South-Korea]*

Vol. 563 No. 1-2 (1998) 53–60
DUFOUR, P., DARTIGUENAVE, M., DARTIGUENAVE, Y., SIMARD, M., BEAUCHAMP, A.L., Reactions of 1,1-dichloro-, 1-chloro-1-phenyl- and 1-chloro-1-methylsilacyclopent-3-ene with $Na[Cp(CO)_2Fe]$. X-ray-diffraction study of the 1-(dicarbonylcyclopentadienylferrio)-1-[4-(dicarbonylcyclopentadienylferrio)but-1-oxy]silacyclopent-3-ene resulting from insertion of an opened THF molecule into a Si–Fe bond *[Univ. Paul Sabatier, Chim. Inorgan. Lab., Toulouse, France; Univ. Montreal, Dept. Chem., Montreal, PQ, Canada]*

Vol. 563 No. 1-2 (1998) 61–72
WEINMANN, M., GEHRIG, A., SCHIEMENZ, B., HUTTNER, G., NUBER, B., RHEINWALD, G., LANG, H., Penta-coordinated chlorosilanes: reaction chemistry, structure and bonding *[Tech Univ. Chemnitz, Lehrstuhl Anorgan. Chem., Chemnitz, Germany; Max Planck Inst. Materialforsch., Stuttgart, Germany; Univ. Heidelberg, Inst. Anorgan. Chem., Heidelberg, Germany]*

Vol. 563 No. 1-2 (1998) 73–79
BACK, S., RHEINWALD, G., ZSOLNAI, L., HUTTNER, G., LANG, H., Synthesis, reaction chemistry and electrochemical behaviour of $(\eta^5\text{-}C_5H_4SiMe_3)_2Hf(C{\equiv}CFc)_2$ *[Tech Univ. Chemnitz, Inst.*

*Chem., Chemnitz, Germany; Univ. Heidelberg, Inst. Anorgan. Chem., Heidelberg, Germany]*

Vol. 563 No. 1-2 (1998) 81–86
BESENYEI, G., PÁRKÁNYI, L., NÉMETH, S., SIMÁNDI, L.I., Synthesis and characterization of novel derivatives of *N*-(ferrocenesulfonyl)carbamic acid. X-ray structure determination of ferrocenesulfonamide and *N*-(ferrocenesulfonyl)-*N'*-butylurea *[Hungarian Acad. Sci., Cent. Res. Inst. Chem., Budapest, Hungary]*

Vol. 563 No. 1-2 (1998) 87–93
WEI, P.R., ATWOOD, D.A., Syntheses and reactions of Saltren–Group 13 complexes *[North-Dakota State Univ., Dept. Chem., Fargo, ND, USA]*

Vol. 563 No. 1-2 (1998) 95–99
CHIU, C.-F., HWANG, C.-L., PAN, D.-S., CHEN, Y.J., KWAN, K.S., Formation of a strained [3]ferrocenophane via base-catalyzed intramolecular cyclization *[Fu Jen Catholic Univ., Dept. Chem., Taipei, Taiwan]*

Vol. 563 No. 1-2 (1998) 101–112
ZHOU, X.-G., HUANG, Z.-E., CAI, R.-F., ZHANG, L.-X., HOU, X.-F., FENG, X.-J., HUANG, X.-Y., A novel bonding mode of tetrazolate ligand to a metal: synthesis and structural characterization of 5-phenyltetrazolate organolanthanide complexes: $[\{(C_5H_4Me)(C_5H_5)LnTz\}_2][\{(C_5H_4Me)_2LnTz\}_2]$ (Ln=Dy, Gd) and $[(C_5H_4Me)_2LnTz)]_2$ (Ln=Yb, Er) *[Fudan Univ., Dept. Chem., Shanghai, P.R. China; State Key Lab. Struct. Chem., Fuzhou, P.R. China]*

Vol. 563 No. 1-2 (1998) 113–136
SHEPHARD, D.S., JOHNSON, B.F.G., HARRISON, A., PARSONS, S., SMIDT, S.P., YELLOWLEES, L.J., REED, D., Novel behaviour and reactivity in 1,1'-bis(diphenylphosphino)ferrocene and 1,1'-bis(diphenylphosphino)cobaltocene cluster derivatives *[Univ. Cambridge, Dept. Chem., Cambridge, England; Univ. Edinburgh, Dept. Chem., Edinburgh, Midlothian, Scotland]*

Vol. 563 No. 1-2 (1998) 137–146
NAULTY, R.H., MCDONAGH, A.M., WHITTALL, I.R., CIFUENTES, M.P., HUMPHREY, M.G., HOUBRECHTS, S., MAES, J., PERSOONS, A., HEATH, G.A., HOCKLESS, D.C.R., Organometallic complexes for nonlinear optics. 15. Molecular quadratic hyperpolarizabilities of *trans*-bis{bis(diphenylphosphino)methane}ruthenium $\sigma$-aryl- and $\sigma$-pyridyl-acetylides. X-ray crystal structure of *trans*-$[Ru(2\text{-}C{\equiv}CC_5H_3N\text{-}5\text{-}NO_2)Cl(dppm)_2]$ *[Australian Natl. Univ., Dept. Chem., Canberra, ACT, Australia; Catholic Univ. Louvain, Ctr. Res. Mol. Elect. & Photon, Louvain, Belgium; Australian Natl. Univ., Res. Sch. Chem., Canberra, ACT, Australia]*

Vol. 563 No. 1-2 (1998) 147–152
FRIGYES, D., SZEPES, L., Gas-phase photoelectron spectroscopic study of $(\sigma\text{-allyl})Mn(CO)_5$ and $(\sigma\text{-allyl})Re(CO)_5$ *[Loránd Eötvös Univ., Dept. Gen.& Inorgan. Chem., Budapest, Hungary]*

Vol. 563 No. 1-2 (1998) 153–159
ALBANO, V.G., BUSETTO, L., CAMILETTI, C., MONARI, M., ZANOTTI, V., Further investigations on C–C bond formation at the diruthenium aminocarbyne complexes $[Ru_2\{\mu\text{-}CN(Me)R\}(\mu\text{-}CO)(CO)_2(Cp)_2]SO_3CF_3$ (R=Me, $CH_2Ph$) and molecular-structure of $[Ru_2(\mu\text{-}CNMe_2)(\mu\text{-}CO)(COPh)(CO)(Cp)_2]$ *[Univ. Bologna, Dipartimento Chim. G. Ciamician, Bologna, Italy; Univ. Bologna, Dept. Phys. & Inorg. Chem., Bologna, Italy]*

Vol. 563 No. 1-2 (1998) 161–171
TAKAYAMA, C., KAJITANI, M., SUGIYAMA, T., SUGIMORI, A., Structure and electrochemical behavior of alkylidene-bridged metalladithiolene complexes (metals: cobalt and rhodium): bond cleavage of alkylidene moieties by electrochemical redox reactions *[Sophia Univ., Fac. Sci. & Technol., Tokyo, Japan]*

Vol. 563 No. 1-2 (1998) 173–178
BRUNNER, H., NEUHIERL, T., NUBER, B., Optically active transition-metal complexes. Part 115. Synthesis, crystal structure and properties of chiral $(\eta^5\text{-}C_5H_5)Ru$ complexes with pyrrolecarbaldiminato and salicylaldiminato ligands *[Univ. Regensburg, Inst. Anorgan. Chem., Regensburg, Germany; Univ. Heidelberg, Inst. Anorgan. Chem., Heidelberg, Germany]*

Vol. 563 No. 1-2 (1998) 179–190
CRESPO, M., GRANDE, C., KLEIN, A., FONT-BARDIA, M., SOLANS, X., Effects of chlorine substituents upon the formation, reactivity and electrochemical properties of platinum(II) and platinum(IV) metallacycles *[Univ. Barcelona, Dept. Quim. Inorgan., Barcelona, Spain; Univ. Stuttgart, Inst. Anorgan. Chem., Stuttgart, Germany; Univ. Barcelona, Dept. Cristallog. Mineral & Diposits Minerals, Barcelona, Spain]*

Vol. 563 No. 1-2 (1998) 191–200
LEE, F.-W., CHAN, M.C.-W., CHEUNG, K.-K., CHE, C.-M., Synthesis, crystal structures and spectroscopic properties of cationic carbyne complexes of molybdenum and tungsten supported by tripodal nitrogen, phosphorus and sulfur donor ligands *[Univ. Hong-Kong, Dept. Chem., Hong-Kong, Hong-Kong]*

Vol. 563 No. 1-2 (1998) 201–207
BARROW, M., CROMHOUT, N.L., CUNNINGHAM, D., MANNING, A.R., MCARDLE, P., RENZE, J., Reaction of $Fe(CO)_2(\eta^2\text{-}CS_2)\{P(OR)_3\}_2$ with phosphines: desulphurization versus substitution. Crystal structures of $Fe(CO)_2(CS)\{P(OPh)_3\}_2$ and $Fe(CO)_3\{P(OPh)_3\}_2$ *[Natl. Univ. Ireland, Univ. Coll. Dublin, Dept. Chem., Dublin, Ireland; Natl. Univ. Ireland, Univ. Coll. Galway, Dept. Chem., Galway, Ireland; Univ. Würzburg, Dept. Chem., Würzburg, Germany]*

Vol. 563 No. 1-2 (1998) 209–217
KETKOV, S.YU., ERNST, R.D., STAHL, L., TRAKARNPRUK, W., Vapor-phase and solution-phase UV spectroscopic studies of $\eta^5$-pentadienyl derivatives of iron and ruthenium *[Russian Acad. Sci., G.A. Razuvaev Inst. Organometall. Chem., Nizhnii Novgorod, Russia; Univ. Utah, Dept. Chem., Salt Lake City, UT, USA]*

Vol. 563 No. 1-2 (1998) 219–225
BILDSTEIN, B., HRADSKY, A., ONGANIA, K.-H., WURST, K., Redox disproportionation and radical coupling products of formyl(pentamethyl)cobaltocene *[Innsbruck Univ., Inst. Allgemeine Anorgan. & Theoret. Chem., Innsbruck, Austria; Innsbruck Univ., Inst. Organ. Chem., Innsbruck, Austria]*

Vol. 563 No. 1-2 (1998) 227–233
HERBERHOLD, M., BAUER, K., MILIUS, W., Mononuclear carbonyl metal-complexes of iron and ruthenium $M(CO)_n[P(C_7H_7)_3]$ (M=Fe, Ru; $n$=4,3,2), with the multidentate ligand tri-(1-cyclohepta-2,4,6-trienyl)phosphane (in German) *[Univ. Bayreuth, Anorgan. Chem. Lab., Bayreuth, Germany]*

Vol. 563 No. 1-2 (1998) 235–249
SCHULTE, P., BEHRENS, U., Organometallic compounds of copper and silver. XV. Synthesis and structure of alkynesilver(I) complexes of the $[AgX(\eta^2\text{-cycloalkyne})]$ type (X=$NO_3$, $NO_2$, CN, $BF_4$, $OSO_2CF_3$, $CH_3COO$, $CF_3COO$, hexafluoroacetyl acetonate; cycloalkyne=3,3,6,6-tetramethyl-1-thia-4-cycloheptyne and 3,3,6,6-tetramethyl-1-thia-4-cycloheptyne-1,1-dioxide) (in German) *[No address]*

Vol. 564 No. 1-2 (1998) 1–4
OGAWA, A., KUNIYASU, H., TAKEBA, M., IKEDA, T., SONODA, N., HIRAO, T., Palladium(0)-catalyzed regio- and stereoselective

addition of heteroatom compounds bearing Si–Se, Ge–Se, and Si–Ge bonds to phenylacetylene *[Osaka Univ., Fac. Engn., Dept. Appl. Chem., Suita, Osaka, Japan; Kansai Univ., Fac. Engn., Osaka, Japan]*

Vol. 564 No. 1-2 (1998) 5–12
KHVOSTOV, A.V., BELSKY, V.K., SIZOV, A.I., BULYCHEV, B.M., IVCHENKO, N.B., Synthesis and structural study of the ate-complex *rac*-$(CH_3)_2C(C_5H_3\text{-}3\text{-}Si(CH_3)_3)_2Yb(\mu_2\text{-}Cl)_2Li(OEt_2)_2$ and the polymeric compound $\{rac\text{-}(CH_3)_2C(C_5H_3\text{-}3\text{-}Si(CH_3)_3)_2Yb[(\mu_2\text{-}H)_2B(\mu_2\text{-}H)_2]_2Li(THF)_2)_\infty$ *[Moscow M.V. Lomonosov State Univ., Dept. Chem., Moscow, Russia; Russian Acad. Sci., L.V. Karpov Phys. Chem. Res. Inst., Moscow, Russia]*

Vol. 564 No. 1-2 (1998) 13–20
REISACHER, H.-U., DUESLER, E.N., PAINE, R.T., Reactions of protic reagents with a tungsten phosphenium ion complex *[Univ. New Mexico, Dept. Chem., Albuquerque, NM, USA]*

Vol. 564 No. 1-2 (1998) 21–28
JIMÉNEZ TENORIO, M., PUERTA, M.C., SALCEDO, I., VALERGA, P., New osmium hydrides containing the bulky phosphine 1,2-bis(diisopropylphosphino)ethane (dippe) *[Univ. Cadiz, Fac. Ciencias, Cadiz, Spain]*

Vol. 564 No. 1-2 (1998) 29–35
DELIS, J.G.P., REP, M., KRANENBURG, M., VRIEZE, K., VAN LEEUWEN, P.W.N.M., VELDMAN, N., SPEK, A.L., *Trans*-4,5-bis(2-pyridyl)norbornane: a bidentate nitrogen ligand with a potentially large bite angle *[Univ. Amsterdam, Inst. Mol. Chem., Amsterdam, Netherlands; Univ. Utrecht, Bijvoet Ctr. Biomol. Res., Utrecht, Netherlands]*

Vol. 564 No. 1-2 (1998) 37–45
DARKWA, J., MOUTLOALI, R.M., NYOKONG, T., Reversible sulfur dioxide reactions with cyclopentadienylnickel(II) organochalcogenide complexes *[Univ. Western Cape, Dept. Chem., Bellville, South-Africa; Univ. North, Dept. Chem., Sovenga, South-Africa; Rhodes Univ., Dept. Chem., Grahamstown, South-Africa]*

Vol. 564 No. 1-2 (1998) 47–56
OHSHITA, J., SUGIMOTO, K., WATANABE, T., KUNAI, A., ISHIKAWA, M., AOYAMA, S., Polymeric organosilicon systems. XXIX. Thermal properties of poly[(disilanylene)oligophenylenes] *[Hiroshima Univ., Fac. Engn., Higashihiroshima, Japan; Kurashiki Univ. Sci. & Arts, Dept. Chem. Technol., Okayama, Japan; Eastern Hiroshima Prefecture Ind. Res. Inst, Fukuyama, Hiroshima, Japan]*

Vol. 564 No. 1-2 (1998) 57–59
CAPORUSSO, A.M., BARONTINI, S., PERTICI, P., VITULLI, G., SALVADORI, P., Unusual Pt-catalyzed stereo and regioselective intramolecular hydrosilylation of propargyl alcohols to (*E,E*)-1,6-dioxa-2,7-disila-3,8-ecidienes *[Univ. Pisa, Dipartimento Chim. & Chim. Ind., Pisa, Italy]*

Vol. 564 No. 1-2 (1998) 61–70
MIRZA-AGHAYAN, M., BOUKHERROUB, R., OBA, G., MANUEL, G., KOENIG, M., Stereoselective synthesis of new hetero(P,Si,Ge,Sn)cyclic derivatives from zirconium diyne and diene complexes *[Univ. Toulouse III, CNRS, Lab. Heterochim. Fond. & Appl., Toulouse, France]*

Vol. 564 No. 1-2 (1998) 71–79
BLACQUE, O., BRUNNER, H., KUBICKI, M.M., LUCAS, D., MEIER, W., MUGNIER, Y., NUBER, B., STUBENHOFER, B., WACHTER, J., Syntheses and properties of tetrathio- and tetraseleno metalates $[(C_5Me_4R)_2NbE_2]_2M$ (E=S, Se; M=Cr, Mo; R=Me, Et) with peripheric niobocene ligands *[Univ. Regensburg, Inst. Anorgan. Chem., Regensburg, Germany; Univ. Bourgogne, CNRS, Lab. Synth. & Electrosynth. Organomet., Dijon, France; Univ. Heidelberg, Inst. Anorgan. Chem., Heidelberg, Germany]*

Vol. 564 No. 1-2 (1998) 81–84
CHOI, N., TANAKA, M., Zirconocene-catalyzed dehydrogenative coupling of phenylgermane and properties of the resulting partially network polyphenylgermanes *[Natl. Inst. Mat. & Chem. Res., Tsukuba, Ibaraki, Japan]*

Vol. 564 No. 1-2 (1998) 85–92
DE LA MATA, F.J., ZILLER, J.W., Synthesis, structure and reactivity of molybdenum imido and oxo complexes. X-ray structure of $MoCl_3(NAr)L_2$ (Ar=2,6-diisopropyl phenyl; L=N-2',6'-diisopropyl phenyl-2,5-dimethyl benzamide) *[Univ. Alcalá de Henares, Dept. Quim. Inorgan., Alcalá de Henares, Spain; Univ. Calif. Irvine, Dept. Chem., Irvine, CA, USA]*

Vol. 564 No. 1-2 (1998) 93–100
GÓMEZ, R., GÓMEZ-SAL, P., MARTÍN, A., NÚÑEZ, A., DEL REAL, P.A., ROYO, P., Reactivity of chlorodimethylsilyl-$\eta^5$-cyclopentadienyltrichlorotitanium with nitrogen based donors. X-ray molecular structure of $[Ti\{\eta^5\text{-}C_5H_4SiMe_2[\eta^1\text{-}N(2,6\text{-}Me_2C_6H_3)]\}Cl_2]$ *[Univ. Alcalá de Henares, Dept. Quim. Inorgan., Alcalá de Henares, Spain]*

Vol. 564 No. 1-2 (1998) 101–108
STRADIOTTO, M., KOZAK, C.M., MCGLINCHEY, M.J., A synthetic and X-ray crystallographic study of the indenyl-phosphine complexes 1,3-$(Ph_2P{=}X)_2(C_9H_6)$, (X=O, S) and $(\eta^5\text{-}C_9H_5(Ph_2P{=}S)_2)[Mn(CO)_3]$: versatile ligands for the preparation of heteropolymetallic complexes *[McMaster Univ., Dept. Chem., Hamilton, ON, Canada]*

Vol. 564 No. 1-2 (1998) 109–114
ALT, H.G., FÖTTINGER, K., MILIUS, W., Synthesis, characterization and polymerization potential of *ansa*-metallocene dichloride complexes of titanium, zirconium and hafnium containing a Si–N–Si bridging unit *[Univ. Bayreuth, Anorgan. Chem. Lab., Bayreuth, Germany]*

Vol. 564 No. 1-2 (1998) 115–123
ALT, H.G., FÖTTINGER, K., MILIUS, W., Synthesis, characterization and polymerization potential of unbridged and bridged half-sandwich complexes of zirconium containing *N*-donor ligands *[Univ. Bayreuth, Anorgan. Chem. Lab., Bayreuth, Germany]*

Vol. 564 No. 1-2 (1998) 125–131
DUFFY, N.W., HARPER, J., RAMANI, P., RANATUNGE-BANDARAGE, R., ROBINSON, B.H., SIMPSON, J., Relationships between basicity, redox behaviour of ferrocenylamines and their reactivity with Pt[II] compounds *[Univ. Otago, Dept. Chem., Dunedin, New Zealand]*

Vol. 564 No. 1-2 (1998) 133–141
TAREQUE ABEDIN, S.M., AZAM, K.A., HURSTHOUSE, M.B., KABIR, S.E., ABDUL MALIK, K.M., MIAH, R., VAHRENKAMP, H., Synthesis and reactivity of tetramethylthioureatriosmium clusters: crystal structures of $[(\mu\text{-}H)Os_3(CO)_8(\mu_3\text{-}S)(\mu\text{-}OMeCO)\{\eta^1\text{-}SC(NMe_2)_2\}]$ and $[Os_3(CO)_9(\mu\text{-}OH)(\mu\text{-}OMeCO)(PPh_3)]$ *[Univ. Wales, Coll. Cardiff, Dept. Chem., Cardiff, South-Glam, Wales; Jahangirnagar Univ., Dept. Chem., Dhaka, Bangladesh; Albert Ludwigs Univ., Inst. Anorgan. & Analyt. Chem., Freiburg, Germany]*

Vol. 564 No. 1-2 (1998) 143–153
SZYMANSKA-BUZAR, T., GLOWIAK, T., Synthesis, structure and reactivity of novel W–Ge chlorocarbonyl compounds. X-ray crystal structure of $[WCl(GeCl_3)(CO)_3(NCEt)_2]$ *[Univ. Wroclaw, Fac. Chem., Wroclaw, Poland]*

Vol. 564 No. 1-2 (1998) 155–166
DAHLENBURG, L., BECKER, C., HÖCK, J., MERTEL, S., Chiral bisphosphanes. VI. Chelate complexes of platinum(II) with racemic and optically pure *trans*-cyclopentane-1,2-diyl-bis(phosphonous acid diester)- and *trans*-cyclopentane-1,2-diyl-bis(phosphonous acid diamide)-ligands: synthesis, structures and C–H activation reactions (in German) *[Friedrich Alexander Univ. Erlangen Nürnberg, Inst. Anorgan. Chem., Erlangen, Germany]*

Vol. 564 No. 1-2 (1998) 167–177
GUAN, J.W., FISCHER, R.D., Base-free tris(indenyl)lanthanoid(III) complexes (Ln=La, Pr, Nd, Sm): solid-state structure and solution NMR/NIR-vis spectroscopy *[Univ. Hamburg, Inst. Anorgan. & Angew. Chem., Hamburg, Germany]*

Vol. 564 No. 1-2 (1998) 179–187
HOFFMÜLLER, W., POLBORN, K., KROSSING, I., NÖTH, H., BECK, W., Half-sandwich complexes of (*S*)-1-amino-2-(methoxymethyl)pyrrolidine (SAMP) (in German) *[Univ. Munich, Inst. Anorgan. Chem., Munich, Germany]*

Vol. 564 No. 1-2 (1998) 189–191
D'ARBELOFF, S.E., HITCHCOCK, P.B., NIXON, J.F., NAGASAWA, T., KAWAGUCHI, H., TATSUMI, K., [3+2]Cycloaddition reactions of the phospha-alkyne, Bu$^t$CP, with a transition metal trisulphide containing terminal thio ligands: syntheses, crystal- and molecular-structures of $[W(\eta^5\text{-}(C_5Me_5)(S)(S_2PC^tBu)]_2$ and $[W(\eta^5\text{-}(C_5Me_5)(S)(S_2C_2Ph_2)]_2$ *[Univ. Sussex, Sch. Chem. Phys. & Environm. Sci., Brighton, East Sussex, England; Nagoya Univ., Grad. Sch. Sci., Nagoya, Aichi, Japan]*

Vol. 564 No. 1-2 (1998) 193–200
LEUNG, W.-P., LEE, H.-K., ZHOU, Z.-Y., MAK, T.C.W., Synthesis and structural characterisation of nickel(II) alkyl complexes $NiR_2$, $[Ni(Cp)R)_2$ and a 'head-to-tail' coupled alkyl intermediate compound [NiR(Cl)(R–R)] [R=$C(SiMe_3)_2C_5H_4N$-2, $CPh(SiMe_3)C_5H_4N$-2 or $CH(SiMe_3)C_5H_4N$-2; Cp=$\eta^5$-$C_5H_5$) *[Chinese Univ. Hong-Kong, Dept. Chem., New Territories, Hong-Kong]*

Vol. 564 No. 1-2 (1998) 201–207
BOIS, C., CABEZA, J.A., FRANCO, R.J., RIERA, V., SABORIT, E., Reactivity of the 1-azavinylidene cluster $[Ru_3(\mu\text{-}H)(\mu\text{-}N{=}CPh_2)(CO)_{10}]$ with hydrogen, tertiary silanes and tertiary stannanes *[Univ. Paris 06, CNRS, Chim. Met. Transit. Lab., Paris, France; Univ. Oviedo, CSIC, Oviedo, Spain]*

Vol. 564 No. 1-2 (1998) 209–214
STEWART, P.J., BLAKE, A.J., MOUNTFORD, P., New binuclear alkyl and half-sandwich cyclopentadienyl imido titanium complexes containing acetamidinate and benzamidinate supporting ligands *[Univ. Nottingham, Dept. Chem., Nottingham, England]*

Vol. 564 No. 1-2 (1998) 215–226
AL-JUAID, S.S., AL-RAWI, M., EABORN, C., HITCHCOCK, P.B., SMITH, J.D., Organotin compounds containing a bulky $(Me_3Si)_3C$ or related ligand. Crystal structures of $\{(Me_3Si)_3CMe(O_2NO)Sn\}_2O$, $(PhMe_2Si)_3CSnMeCl_2$ and $(PhMe_2Si)_3CSnCl_3$ *[Univ. Sussex, Sch. Chem. Phys. & Environm. Sci., Brighton, East Sussex, England]*

Vol. 564 No. 1-2 (1998) 227–232
DAHLENBURG, L., ECKERT, C., Chiral bisphosphanes. VIII. Enantioselective hydrogenation of α-acetamidocinnamic acid by cationic rhodium(I) complexes with optically pure (1*S*,2*S*)-cyclopentane-1,2-diyl-bis(phosphonous acid diester)- and (1*S*,2*S*)-cyclopentane-1,2-diyl-bis(phosphonous acid diamide) ligands (in German) *[Friedrich Alexander Univ. Erlangen Nürnberg, Inst. Anorgan. Chem., Erlangen, Germany]*

Vol. 564 No. 1-2 (1998) 233–239
WU, Y.J., DING, L., ZHOU, Z.X., DU, C.X., WANG, W.L., Transmetallation reaction of cyclomercurated anils of benzoylferrocene with metallic tin. X-ray crystal structure of $[SnCl_2\{(\eta^5\text{-}C_5H_5)Fe(\eta^5\text{-}C_5H_3CPh{=}NC_6H_4\text{-}4\text{-}CH_3)\}_2]$ *[Zhengzhou Univ., Dept. Chem., Zhengzhou, P.R. China]*

Vol. 564 No. 1-2 (1998) 241–247
CASTARLENAS, R., ESTERUELAS, M.A., MARTÍN, M., ORO, L.A., C–H activation of methyl vinyl ketone in Ir(acac)$\{\eta^2\text{-}CH_2{=}CHC(O)CH_3\}(PCy_3)$ *[Univ. Zaragoza, CSIC, Inst. Ciencia Mat. Aragon, Dept. Quim. Inorgan., Zaragoza, Spain]*

Vol. 564 No. 1-2 (1998) 249–256
ONAKA, S., KATSUKAWA, Y., YAMASHITA, M., The synthesis of $[AuCo(CO)_4]_2(\mu\text{-dppfe})$ (dppfe=1,1'-bis(diphenyl phosphino)ferrocene) and the P-Au-Co-CO(axial) skeletal pair formation between neighboring molecules in the crystal *[Nagoya Inst Technol., Grad. Sch. Engn., Nagoya, Aichi, Japan; Nagoya Univ., Grad. Sch. Human Informat, Nagoya, Aichi, Japan; Nagoya Univ., Nagoya, Aichi, Japan]*

Vol. 564 No. 1-2 (1998) 257–266
LIN, J.T., YANG, M.-F., TSAI, C.T., WEN, Y.-S., Polynuclear metal complexes linked by conjugated pyridines *[Acad. Sinica, Inst. Chem., Taipei, Taiwan; Chinese Culture Univ., Dept. Chem., Taipei, Taiwan]*

Vol. 564 No. 1-2 (1998) 267–276
YIN, X.L., ANDERSEN, J.-A.M., COTTON, A., MOSS, J.R., Synthesis, characterization and chemistry of some long chain alkoxycarbonyl manganese pentacarbonyl complexes $[Mn(CO)_5\{C(O)OR\}]$ (where R=*n*-$C_7H_{15}$ to *n*-$C_{10}H_{21}$, *n*-$C_{12}H_{25}$, *n*-$C_{14}H_{29}$, and *n*-$C_{16}H_{33}$) *[Univ. Cape Town, Dept. Chem., Rondebosch, South-Africa]*

Vol. 564 No. 1-2 (1998) 277–281
DE LA MATA, F.J., GÓMEZ, J., ROYO, P., Synthesis and reactivity of cyclopentadienyl chloro, imido and alkylidene tungsten(VI) complexes *[Univ. Alcalá de Henares, Dept. Quim. Inorgan., Alcalá de Henares, Spain]*

Vol. 565 No. 1-2 (1998) 3–10
CHAO, W.-J., CHI, Y., CHUNG, C., CARTY, A.J., DELGADO, E., PENG, S.-M., LEE, G.-H., Reversible coordination of the high oxidation state dioxo-acetylide fragment $(C_5Me_5)W(O)_2(CCPh)$ to a hexaruthenium cluster frame *[Natl. Tsing Hua Univ., Dept. Chem., Hsin-Chu, Taiwan; Natl. Res. Council Canada, Steacie Inst. Mol. Sci., Ottawa, ON, Canada; Natl. Taiwan Univ., Dept. Chem., Taipei, Taiwan]*

Vol. 565 No. 1-2 (1998) 11–18
COUNTY, G.R., DICKSON, R.S., FALLON, G.D., The unusual attachment of an alkyne across the open edge of a $Rh_2Pd$ complex *[Monash Univ., Dept. Chem., Clayton, VIC, Australia]*

Vol. 565 No. 1-2 (1998) 19–28
DUFFY, N.W., MCADAM, C.J., ROBINSON, B.H., SIMPSON, J., Preparation and redox properties of phosphite derivatives of $R_2C_2Co_2(CO)_{6-n}[P(OMe)_3]_n$ (R=$CF_3$, $MeO_2C$) *[Univ. Otago, Dept. Chem., Dunedin, New Zealand]*

Vol. 565 No. 1-2 (1998) 29–35
MOKDSI, G., HARDING, M.M., Water soluble, hydrolytically stable derivatives of the antitumor drug titanocene dichloride and binding studies with nucleotides *[Univ. Sydney, Sch. Chem., Sydney, NSW, Australia]*

Vol. 565 No. 1-2 (1998) 37–48
JIA, G.C., LAU, C.P., Some acetylene and hydride chemistry of group 8 metal complexes with cyclopentadienyls and their analogous ligands *[Hong-Kong Univ. Sci. & Technol., Dept.*

*Chem., Kowloon, Hong-Kong; Hong-Kong Polytech Univ., Dept. Appl. Biol. & Chem. Technol., Kowloon, Hong-Kong]*

Vol. 565 No. 1-2 (1998) 49–62
AKITA, M., CHUNG, M.-C., TERADA, M., MIYAUTI, M., TANAKA, M., MORO-OKA, Y., Reaction of ethynediyl, butadiynediyl and ethynyl iron complexes, $(\eta^5\text{-}C_5R_5)(CO)_2Fe\text{-}(C\equiv C)_n\text{-}X$ [X=Fe($\eta^5$-$C_5R_5$)$(CO)_2$, H; $R_5$=$Me_5$, $Me_4Et$; $n$=1, 2], with $Fe_2(CO)_9$ leading to polynuclear $C_2$ and $C_4$ complexes *[Tokyo Inst. Technol., Resources Utilizat. Res. Lab, Yokohama, Kanagawa, Japan]*

Vol. 565 No. 1-2 (1998) 63–73
HAQUETTE, P., TOUCHARD, D., TOUPET, L., DIXNEUF, P.H., Buta-1,2,3-trienylidene, acylvinylidene and acylalkynyl ruthenium complexes via activation of alkynes with $RuCl_2(dppe)_2$. X-ray structure of *trans*-[Ru(=C=CHCOCH$_2$Ph)(Cl)$(dppe)_2$]$O_3SCF_3$ *[Univ. Rennes 1, CNRS, Lab. Chim. Coordinat. & Catalyse, Rennes, France; Univ. Rennes 1, Grp. Mat. Condensee, Rennes, France]*

Vol. 565 No. 1-2 (1998) 75–80
GUILLAUME, V., THOMINOT, P., COAT, F., MARI, A., LAPINTE, C., Investigation of the iron–carbon bonding for alkyl, alkynyl, carbene, vinylidene, and allenylidene complexes using $^{57}$Fe Mössbauer spectroscopy *[Univ. Rennes 1, CNRS, Lab. Electrochim. & Organomet., Rennes, France; Univ. Toulouse III, CNRS, Chim. Coordinat. Lab., Toulouse, France]*

Vol. 565 No. 1-2 (1998) 81–95
WATERMAN, S.M., HUMPHREY, M.G., HOCKLESS, D.C.R., Mixed-metal cluster chemistry. IX. Alkylarylphosphine derivatives of $[CpWIr_3(CO)_{11}]$ and X-ray crystal structure of $[CpWIr_3(\mu\text{-}CO)_3(CO)_7(PMe_2Ph)]_2$ *[Australian Natl. Univ., Dept. Chem., Canberra, ACT, Australia; Australian Natl. Univ., Res. Sch. Chem., Canberra, ACT, Australia]*

Vol. 565 No. 1-2 (1998) 97–103
JAHNCKE, M., NEELS, A., STOECKLI-EVANS, H., SÜSS-FINK, G., Parallel coordination of hydrazine to diruthenium units: synthesis and molecular structure of the cationic complexes $[(\eta^6\text{-}C_6Me_6)_2Ru_2(\mu_2\text{-}H)_2(\mu_2\text{-}\eta^1,\eta^1\text{-}H_2NNH_2)]^{2+}$ and $[(\eta^6\text{-}C_6Me_6)_2Ru_2(\mu_2\text{-}H)(\mu_2\text{-}\eta^1,\eta^1\text{-}H_2NNH_2)(\mu_2\text{-}NH_2)]^{2+}$ *[Univ. Neuchatel, Inst. Chim., Neuchatel, Switzerland]*

Vol. 565 No. 1-2 (1998) 105–114
HOUSECROFT, C.E., RHEINGOLD, A.L., WALLER, A., YAP, G.P.A., Towards linked clusters: reactions of $(Ru_6(CO)_{17}B)^-$ with dppm and [ClAu(L-L)AuCl] (L-L=bis(diphenylphosphino)-alkanes, -ethene and -ethyne, and the crystal structure of $[HRu_6(CO)_{15}(P,P'\text{-dppm})B]$ (dppm=bis(diphenylphosphino)methane) *[Univ. Basel, Inst. Inorgan. Chem., Basel, Switzerland; Univ. Delaware, Dept. Chem., Newark, DE, USA; Univ. Cambridge, Dept. Chem., Cambridge, England]*

Vol. 565 No. 1-2 (1998) 115–124
IFTIME, G., DARAN, J.-C., MANOURY, E., BALAVOINE, G.G.A., Mono and difunctionalisation of chiral ferrocenyl bis-acetals. X-ray crystal structure of bis-1,1'-[(2*S*, 4*S*)-(hydroxymethyl)-2-dioxane1,3]-ferrocene *[Univ. Toulouse III, CNRS, Chim. Coordinat. Lab., Toulouse, France]*

Vol. 565 No. 1-2 (1998) 125–134
DINGER, M.B., MAIN, L., NICHOLSON, B.K., Orthomanganation of arylhydrazones and related *N*-donor substrates *[Univ. Waikato, Sch. Sci. & Technol., Hamilton, New Zealand]*

Vol. 565 No. 1-2 (1998) 135–140
CANTY, A.J., JIN, H., $SnBrMe_3$ and dichalcogenides $(ER)_2$ as oxidants: Synthesis of platinum(IV) complexes, and C···C and C···E coupling from pallada(IV)cyclopentane complexes and $PdMe_2(EPh)\{(pz)_3BH\}$ {E=$O_2C$, S, Se; $[(pz)_3BH]^-$= tris(pyrazol-1-yl)borate} *[Univ. Tasmania, Dept. Chem., Hobart, TAS, Australia]*

Vol. 565 No. 1-2 (1998) 141–151
CHARMANT, J.P.H., DICKSON, H.A.A., GRIST, N.J., KNOX, S.A.R., ORPEN, A.G., SAYNOR, K., VIÑAS, J.M., Linking of benzyne and carbon monoxide at a triruthenium centre by migratory insertion *[Univ. Bristol, Sch. Chem., Bristol, Avon, England]*

Vol. 565 No. 1-2 (1998) 153–158
BAKER, L.-J., RICKARD, C.E.F., ROPER, W.R., WOODGATE, S.D., WRIGHT, L.J., Vinylidene complexes of osmium(0) derived from 1-naphthyl- or 2-naphthyl-carbyne complexes by hydride addition to the naphthyl substituents. The crystal structure of $Os(=C=C_{10}H_8)(CO)_2(PPh_3)_2$ *[Univ. Auckland, Dept. Chem., Auckland, New Zealand]*

Vol. 565 No. 1-2 (1998) 159–164
PROVATAS, A., LUFT, M., MU, J.C., WHITE, A.H., MATISONS, J.G., SKELTON, B.W., Silsesquioxanes. Part I. A key intermediate in the building of molecular composite materials *[Univ. Southern Australia, Ian Wark Res. Inst., Polymer Sci. Grp., Pooraka, Australia; Univ. Western Australia, Dept. Chem., Nedlands, WA, Australia]*

Vol. 565 No. 1-2 (1998) 165–178
MCGUINNESS, D.S., GREEN, M.J., CAVELL, K.J., SKELTON, B.W., WHITE, A.H., Synthesis and reaction chemistry of mixed-ligand methylpalladium–carbene complexes *[Univ. Tasmania, Dept. Chem., Hobart, TAS, Australia; Univ. Western Australia, Dept. Chem., Nedlands, WA, Australia]*

Vol. 565 No. 1-2 (1998) 179–186
JUNK, P.C., ATWOOD, J.L., Use of metal carbonyls in the formation of $[H_5O_2^+\cdot$15-crown-5$][MOCl_4(H_2O)^-]$, (M=Mo, W), and a second sphere coordination complex in (*mer*-$CrCl_3(H_2O)_3\cdot$15-crown-5) *[James Cook Univ. North-Queensland, Dept. Chem., Townsville, QLD, Australia; Univ. Missouri, Dept. Chem., Columbia, MO, USA]*

Vol. 565 No. 1-2 (1998) 187–192
ZHU, N.Y., APPELT, R., VAHRENKAMP, H., Attachment of cyanometal units to the $Fe_4S_4$ cluster *[Albert Ludwigs Univ., Inst. Anorgan. & Analyt. Chem., Freiburg, Germany]*

Vol. 565 No. 1-2 (1998) 193–200
CIFUENTES, M.P., WATERMAN, S.M., HUMPHREY, M.G., HEATH, G.A., SKELTON, B.W., WHITE, A.H., SENEKA PERERA, M.P., WILLIAMS, M.L., High nuclearity ruthenium carbonyl cluster chemistry. VII. Synthesis, NMR-studies, electrochemistry and X-ray crystal structure of [PPN]$[Ru_8(\mu_8\text{-}P)(CO)_{22}]$ *[Australian Natl. Univ., Dept. Chem., Canberra, ACT, Australia; Australian Natl. Univ., Res. Sch. Chem., Canberra, ACT, Australia; Univ. Western Australia, Dept. Chem., Nedlands, WA, Australia; Griffith Univ., Fac. Sci. & Technol., Brisbane, QLD, Australia]*

Vol. 565 No. 1-2 (1998) 201–210
DEACON, G.B., FALLON, G.D., FORSYTH, C.M., GATEHOUSE, B.M., JUNK, P.C., PHILOSOF, A., WHITE, P.A., Organolanthanoids. XXIII. Complexes of tris(cyclopentadienyl)lanthanoids with tertiary phosphine oxides and the X-ray crystal structures of $[YbCp_3(OPPh_3)]$ and $[NdCp_3(OPBu_3^n)]_2$ *[Monash Univ., Dept. Chem., Clayton, VIC, Australia]*

Vol. 565 No. 1-2 (1998) 211–216
ABU-SALAH, O.M., Perspectives in syntheses, structures and bonding of acetylide-containing clusters of group 11 metals *[King Saud Univ., Coll. Sci., Riyadh, Saudi-Arabia]*

Vol. 565 No. 1-2 (1998) 217–224
GAUTIER, R., HALET, J.-F., Five-coordinate hydrogen in hydride rhodium cluster compounds: A theoretical analysis *[Univ. Rennes 1, CNRS, Chim. Solide & Inorgan. Mol. Lab., Rennes, France]*

Vol. 565 No. 1-2 (1998) 225–230
BAKER, M.V., NORTH, M.R., 1,3,5-Trimethyl-1,3,5-triazacyclohexane tricarbonyl complexes of Mo and W as sources of the *fac*-$M(CO)_3$ fragment. Mild syntheses of *fac*-$[M(CO)_3(CH_3CN)_3]$ (M=Mo, W), $[W(CO)_3(PR_3)_3]$, $[W(CO)(alkyne)_3]$ and $[W(CO)_3(\pi\text{-arene})]$ complexes *[Univ. Western Australia, Dept. Chem., Nedlands, WA, Australia]*

Vol. 565 No. 1-2 (1998) 231–241
WERNER, H., GRÜNWALD, C., STEINERT, P., GEVERT, O., WOLF, J., A series of triisopropylstibine ruthenium and osmium complexes including the X-ray crystal structure of $[RuCl_2(CO)(SbiPr_3)_3]$ and $[RuCl_2(=C=C=CPh_2)(CO)(SbiPr_3)_2]$ *[Univ. Würzburg, Inst. Anorgan. Chem., Würzburg, Germany]*

Vol. 565 No. 1-2 (1998) 243–258
BUTLER, I.R., GRIESBACH, U., ZANELLO, P., FONTANI, M., HIBBS, D.E., HURSTHOUSE, M.B., ABDUL MALIK, K.M., Diferrocenyltriphosphines. 1. Five-coordinate ruthenium complexes *[Univ. Wales, Dept. Chem., Bangor, Gwynedd, Wales; Univ. Siena, Dipartimento Chim., Siena, Italy; EPSRC Crystallogr. Ctr., Cardiff, South-Glam, Wales]*

Vol. 565 No. 1-2 (1998) 259–265
BYRNE, L.T., GRIFFITH, C.S., HOS, J.P., KOUTSANTONIS, G.A., SKELTON, B.W., WHITE, A.H., Reactions of metalloalkynes 3. Facile synthesis of pentanuclear ruthenium clusters. X-ray structures of $[Ru_5(\mu_5\text{-}C{\equiv}C)(\eta\text{-}C_5H_4R)_2(dppm)(\mu_2\text{-}CO)_2(CO)_7]$ (R=H, $CH_3$) *[Univ. Western Australia, Dept. Chem., Nedlands, WA, Australia]*

Vol. 565 No. 1-2 (1998) 267–270
SHAWKATALY, O., PUVANESVARY, K., FUN, H.K., SIVAKUMAR, K., Synthesis and X-ray structure of $Ru_3(CO)_6(\mu_2\text{-}CO)(\mu_2\text{-}AsPh_2)(\mu\text{-}O{=}C\text{-}C_{12}H_{17})$, a first example of a CO insertion reaction to a cluster-bound hydrocarbon *[Univ. Sains Malaysia, Ctr. Distance Educ., Penang, Malaysia; Univ. Sains Malaysia, Sch. Phys., Penang, Malaysia; Anna Univ., Dept. Phys., Madras, Tamil-Nadu, India]*

Vol. 565 No. 1-2 (1998) 271–277
LIDDELL, M.J., Organometallic clusters: What is an appropriate DFT treatment? *[James Cook Univ. North-Queensland, Dept. Chem., Cairns, QLD, Australia]*

Vol. 565 No. 1-2 (1998) 279–282
LOW, P.J., ENRIGHT, G.D., CARTY, A.J., 1,6-bis(trimethylsilyl)hexa-1,3,5-triyne as a precursor to ruthenium clusters containing highly ethynylated ligands *[Natl. Res. Council Canada, Steacie Inst. Mol. Sci., Ottawa, ON, Canada]*

Vol. 565 No. 1-2 (1998) 283–296
BECK, C.U., FIELD, L.D., HAMBLEY, T.W., HUMPHREY, P.A., MASTERS, A.F., TURNER, P., The preparation of mixed ligand ruthenocenes containing bulky cyclopentadienyl ligands. Crystal structures of pentaphenylruthenocene, $[Ru(\eta^5\text{-}C_5Ph_5)(\eta^5\text{-}C_5H_5)]$, pentaparatolylruthenocene, $[Ru\{\eta^5\text{-}C_5(p\text{-}MeC_6H_4)_5\}(\eta^5\text{-}C_5H_5)]$ and pentaphenylpentamethylruthenocene, $[Ru\{\eta^5\text{-}C_5Ph_5)(\eta^5\text{-}C_5Me_5)]$ *[Univ. Sydney, Sch. Chem., Sydney, NSW, Australia]*

Vol. 566 No. 1-2 (1998) 1–7
PINKES, J.R., TETRICK, S.M., LANDRUM, B.E., CUTLER, A.R., Characterization of the $\mu\text{-}(\eta^1\text{-}C{:}\eta^2\text{-}S,S')$dithiocarboxylate complexes $Cp(CO)_2Fe\text{-}CS_2\text{-}Zr(X)Cp_2$ (X=Cl, $OCMe_3$); $CS_2$ insertion into the FeZr bond of the heterobimetallic complex $Cp(CO)_2Fe\text{-}Zr(OCMe_3)Cp_2$ *[Rensselaer Polytech. Inst., Dept. Chem., Troy, NY, USA]*

Vol. 566 No. 1-2 (1998) 9–14
MAO, L.S., SHEN, Q., SUN, J., Synthesis of bis(methylcyclopentadienyl)(piperidino)lanthanoids and their catalytic behavior for polymerization of methyl methacrylate *[Suzhou Univ., Sch. Chem. & Chem. Engn., Suzhou, P.R. China; Chinese Acad. Sci., Shanghai Inst. Organ. Chem., Shanghai, P.R. China]*

Vol. 566 No. 1-2 (1998) 15–20
MEDNIKOV, E.G., STRUCHKOV, YU.T., SLOVOKHOTOV, YU.L., Synthesis and X-ray structure of a novel 12-nuclear cluster $Pd_{12}(CO)_{12}(PBu_3^n)_6$ *[Russian Acad. Sci., A.N. Nesmeyanov Inst. Organoelement Compounds, Moscow, Russia; Russian Acad. Sci., Siberian Branch, Kemerovo, Russia]*

Vol. 566 No. 1-2 (1998) 21–28
QIAN, C.T., ZOU, G., SUN, J., Chiral lanthanocene complexes with an ether-functionalized indene ligand: synthesis and structure of bis{1-(2-methoxyethyl)indenyl}lanthanocene chlorides *[Chinese Acad. Sci., Shanghai Inst. Organ. Chem., Shanghai, P.R. China]*

Vol. 566 No. 1-2 (1998) 29–35
NYULÁSZI, L., SOÓS, L., KEGLEVICH, G., Study of the planarization of the tricoordinate phosphorus in phospholes; photoelectron spectra and structure of partially planarized phospholes *[Tech. Univ. Budapest, Dept. Inorgan. Chem., Budapest, Hungary; Tech. Univ. Budapest, Dept. Organ. Chem. Technol., Budapest, Hungary]*

Vol. 566 No. 1-2 (1998) 37–43
SANTI, R., ROMANO, A.M., GARRONE, R., MILLINI, R., New palladium (substituted 1,10-phenanthroline) bis(methoxycarbonyl) complexes $[Pd(L\text{-}L)(CO_2CH_3)_2]$ preparation and structural features *[Ist Guido Donegani Enichem, Novara, Italy; Enitricerche SpA, Milan, Italy]*

Vol. 566 No. 1-2 (1998) 45–59
KHABASHESKU, V.N., KERZINA, Z.A., KUDIN, K.N., NEFEDOV, O.M., Matrix isolation infrared and density functional theoretical studies of organic silanones, $(CH_3O)_2Si{=}O$ and $(C_6H_5)_2Si{=}O$ *[Rice Univ., Dept. Chem., Houston, TX, USA; Russian Acad. Sci., N.D. Zelinskii Organ. Chem. Inst., Moscow, Russia]*

Vol. 566 No. 1-2 (1998) 61–71
CANOVESE, L., VISENTIN, F., UGUAGLIATI, P., CHESSA, G., PESCE, A., Palladium(II) allyl complexes with nitrogen–sulfur bidentate ligands. Substituent effects in the mechanism of allyl amination *[Univ. Venice, Dipartimento Chim., Venice, Italy]*

Vol. 566 No. 1-2 (1998) 73–83
TARABAN, M.B., VOLKOVA, O.S., KRUPPA, A.I., PLYUSNIN, V.F., GRIVIN, V.P., IVANOV, YU.V., LESHINA, T.V., EGOROV, M.P., NEFEDOV, O.M., Paramagnetic intermediates in the photolysis of 7-silanorbornadiene studied by means of spin chemistry method *[Russian Acad. Sci., Inst. Chem. Kinetics & Combust., Novosibirsk, Russia; Russian Acad. Sci., N.D. Zelinskii Organ. Chem. Inst., Moscow, Russia]*

Vol. 566 No. 1-2 (1998) 85–91
KIRIN, S.I., VIKIC-TOPIC, D., MESTROVIC, E., KAITNER, B., ECKERT-MAKSIC, M., Diels-Alder reactions of C-phenylated siloles with 1,4-epoxy-1,4-dihydronaphthalene *[Rudjer Boskovic Inst., Div. Organ. Chem. & Biochem., Zagreb, Croatia; Univ. Zagreb, Fac. Nat. Sci. & Math., Zagreb, Croatia]*

Vol. 566 No. 1-2 (1998) 93–101
VILA, J.M., PEREIRA, M.T., ORTIGUEIRA, J.M., LATA, D., LÓPEZ TORRES, M.L., FERNÁNDEZ, J.J., FERNÁNDEZ, A., ADAMS, H., Synthesis of complexes of platinum (II) with *C,N,N'*-terdentate Schiff base donor ligands. Crystal and molecular

structure of [Pt{3-Me-4-MeOC$_6$H$_2$C(H)=NCH$_2$CH$_2$NMe$_2$}(Me)] *[Univ. Santiago, Dept. Inorgan. Chem., Santiago de Compostela, Spain; Univ. La Coruna, Dept. Quim. Fundamental & Ind., La Coruna, Spain; Univ. Sheffield, Dept. Chem., Sheffield, South Yorkshire, England]*

Vol. 566 No. 1-2 (1998) 103–110
SONG, X.Q., YANG, Z.Q., XIE, Q.L., LI, J.S., Synthesis, structures and in vitro antitumor activity of some germanium-substituted di-*n*-butyltin dipropionates *[Nankai Univ., Elementoorgan. Chem. Lab., Tianjin, P.R. China]*

Vol. 566 No. 1-2 (1998) 111–116
MASHIMA, K., NAKAYAMA, Y., IKUSHIMA, N., KAIDZU, M., NAKAMURA, A., Polymerization of ethylene catalyzed by half-metallocene complexes of niobium, tantalum, and zirconium bearing *o*-xylylene or anthracene as an auxiliary ligand: molecular structure of [Mg$_2$Cl$_3$(THF)$_6$][ZrCl$_2$($\eta^5$-C$_5$Me$_5$)($\eta$-1-4-anthracene)] *[Osaka Univ., Grad. Sch. Engn. Sci., Osaka, Japan; Osaka Univ., Grad. Sch. Sci., Osaka, Japan]*

Vol. 566 No. 1-2 (1998) 117–123
BRUNET, J.-J., CHAUVIN, R., CHIFFRE, J., HUGUET, S., LEGLAYE, P., New chiral zwitterionic iron hydride complexes with 'ephosium' and 'valphosium' ligands *[Univ. Toulouse III, CNRS, Chim. Coordinat. Lab., Toulouse, France; Inst. Natl. Polytech. Toulouse, Toulouse, France]*

Vol. 566 No. 1-2 (1998) 125–132
AMBERGER, H.-D., REDDMANN, H., UNRECHT, B., EDELMANN, F.T., EDELSTEIN, N.M., Electron structure of organometal complexes of f-elements. XLVII. On the elucidation of electron structure of $\eta^3$-allyl compounds of lanthanides using the crystal-field parameters of heteroallyl complexes (in German) *[Univ. Hamburg, Inst. Anorgan. & Angew. Chem., Hamburg, Germany; Univ. Magdeburg, Inst. Chem., Magdeburg, Germany; Univ California Berkeley, Lawrence Berkeley Lab., Berkeley, CA, USA]*

Vol. 566 No. 1-2 (1998) 133–142
TERBLANS, Y.M., ROOS, H.M., LOTZ, S., Synthesis, characterization and decomposition patterns for thienylene bridged dinuclear biscarbene complexes of manganese and chromium in refluxing carbon disulfide and acetone *[Univ. Pretoria, Dept. Chem., Pretoria, South-Africa]*

Vol. 566 No. 1-2 (1998) 143–149
MAERCKER, A., BÖS, B., HAJGHOLIPOUR, M.T., Formation and rearrangement of *gem*-dilithiodiphenylethene *[Univ. Siegen, Inst. Organ. Chem., Siegen, Germany]*

Vol. 566 No. 1-2 (1998) 151–158
DISLEY, S.P.M., GRIME, R.W., MCINNES, E.J.L., SPENCER, D.M., SWAINSTON, N., WHITELEY, M.W., Synthesis and redox properties of the cycloheptatrienylmolybdenum complexes [MoX(N–N)($\eta$-C$_7$H$_7$))$^{z+}$, (N–N=2,2'-bipyridine or 1,4-Bu$^t_2$-1,3-diazabutadiene, $z$=0, X=Br or Me; $z$=1, X=NCMe, CNBu$^t$ or CO) *[Univ. Manchester, Dept. Chem., Manchester, Lancs, England]*

Vol. 566 No. 1-2 (1998) 159–164
MATHUR, P., GHOSH, S., SARKAR, A., RHEINGOLD, A.L., GUZEI, I.A., Isolation and characterization of [Fe$_2$(CO)$_6$Se$_2${$\mu$-(CO)$_3$Cr($\eta^5$-C$_5$(H)(CH$_2$Ph)(Ph)(OEt)}], [(CO)$_6$Fe$_2${$\mu$-EC(Ph)=C(E')C(H)(OEt)}]$_2$ and [(CO)$_6$Fe$_2${$\mu$-SC(H)(Ph)C(Te)=C(H)(OEt)}] from the thermolysis of Fischer carbene adducts [(CO)$_6$Fe$_2$EE'{$\mu$-C(Ph)=C–C(OEt)=Cr(CO)$_5$}] (E, E'=Se and E=S, E'=Te) *[Indian Inst. Technol., Dept. Chem., Bombay, Maharashtra, India; Natl. Chem. Lab., Div. Organ. Chem. Synthesis, Bombay, Maharashtra, India; Univ. Delaware, Dept. Chem., Newark, DE, USA]*

Vol. 566 No. 1-2 (1998) 165–174
MOLDES, I., DE LA ENCARNACIÓN, E., ROS, J., ALVAREZ-LARENA, Á., PINIELLA, J.F., Ruthenium(II) complexes containing both arene and functionalized phosphines. Synthesis and catalytic activity for the hydrogenation of styrene and phenylacetylene *[Univ. Autonoma Barcelona, Dept. Quim., Barcelona, Spain; Univ. Autonoma Barcelona, Unitat Cristallogr., Barcelona, Spain]*

Vol. 566 No. 1-2 (1998) 175–185
KLIMOVA, E.I., MARTÍNEZ GARCÍA, M., KLIMOVA, T., ALVAREZ TOLEDANO, C., RUBEN TOSCANO, A., MORENO ESPARZA, R., RUÍZ RAMÍREZ, L., Regioselectivity of alkylation of the naphthalene fragment in the opening of a small ring in 3-ferrocenyl-3-(1-naphthyl)cyclopropene, *Z*-2-bromo-1-ferrocenyl-1-(1-naphthyl)cyclopropane, and 1-ferrocenyl-1-(1-naphthyl)cyclopropane *[Univ. Nacl. Autonoma Mexico, Inst. Quim., Mexico City, Mexico; Moscow M.V. Lomonosov State Univ., Dept. Chem., Moscow, Russia]*

Vol. 566 No. 1-2 (1998) 187–201
PETTINARI, C., ACCORRONI, F., CINGOLANI, A., MARCHETTI, F., CASSETTA, A., BARBA, L., (1-Phenyl-3-methyl-4-acetylpyrazolon-5-ato)rhodium(I) complexes, synthesis, structural and spectroscopical characterization: Reactivity of diolefin- and dicarbonyl-rhodium complexes toward N-, P- and O-donors *[Univ. Camerino, Dipartimento Sci. Chim., Camerino, Italy; CNR, Ist. Strutturist. Chim. G. Giacomello, Trieste, Italy]*

Vol. 566 No. 1-2 (1998) 203–210
BRUNNER, H., LEBLANC, J.-C., LUCAS, D., MEIER, W., MOISE, C., MUGNIER, Y., NUBER, B., RIGNY, S., SADORGE, A., WACHTER, J., Syntheses and reactivity of oxo niobocene complexes Cp*$_2$Nb(=O)X (X=H, OCH$_3$) and crystal structures of [Cp*$_2$Nb(OH)F]BF$_4$ and Cp*$_2$Nb(=O)OC(O)H (Cp*=$\eta^5$-C$_5$Me$_5$) *[Univ. Regensburg, Inst. Anorgan. Chem., Regensburg, Germany; Univ. Bourgogne, CNRS, Lab. Synth. & Electrosynth. Organomet., Dijon, France; Univ. Heidelberg, Inst. Anorgan. Chem., Heidelberg, Germany]*

Vol. 566 No. 1-2 (1998) 211–216
PASTOR, A., GALINDO, A., GUTIÉRREZ-PUEBLA, E., MONGE, A., Reactivity of bis(ethylene) complexes of molybdenum(0) versus $\alpha,\beta$ unsaturated carbonyl compounds. Crystal and molecular structure of Mo(H$_2$C=CH–COOMe)$_3$(PMe$_3$) *[Univ. Sevilla, Dept. Quim. Inorgan., Seville, Spain; CSIC, Inst. Ciencia Mat, Madrid, Spain]*

Vol. 566 No. 1-2 (1998) 217–224
PASYNKIEWICZ, S., PIETRZYKOWSKI, A., KRYZA-NIEMIEC, B., ZACHARA, J., The first structurally characterized trinickel cluster with an open structure: Crystal and molecular structure of CpNi[$\mu$-$\eta^4$-PhC=C(Ph)–C(Ph)=CPh]Ni($\mu$-$\eta^2\eta^2$-PhC≡CPh)NiCp *[Tech. Univ. Warsaw, Fac. Chem., Warsaw, Poland]*

Vol. 566 No. 1-2 (1998) 225–235
FICKERT, C., NAGEL, V., KIEFER, W., MÖLLER, S., JEHLE, H., MALISCH, W., STOWASSER, R., BRINGMANN, G., Matrix isolation Raman spectroscopy and photochemistry of ($\eta^5$-C$_5$H$_5$)(OC)$_2$Fe-SiH$_2$R (R=H, CH$_3$) in comparison with density functional calculations *[Univ. Würzburg, Inst. Phys. Chem., Würzburg, Germany; Univ. Würzburg, Inst. Anorgan. Chem., Würzburg, Germany; Univ. Würzburg, Inst. Organ. Chem., Würzburg, Germany]*

Vol. 566 No. 1-2 (1998) 237–243
HUNG, S.Y.W., WONG, W.-T., Reactions of [Os$_3$($\mu$-H)$_2$(CO)$_{10}$] with [Rh(COD)(L)I] (COD=cycloocta-1,5-diene L=2,2'-bipyridine, 1,10-phenanthroline and 4,4'-diphenyl-2,2'-dipyridyl): crystal and molecular structures of [Os$_3$Rh($\mu$-H)$_3$(CO)$_{10}$($\eta^4$-

COD)], $[Os_3Rh(\mu\text{-}H)_2(CO)_8)(\mu\text{-}CO)(\mu\text{-}I)(\eta^4\text{-}COD)]$ and $[Os_3Rh(\mu\text{-}H)_2(CO)_8(\mu\text{-}CO)(\mu\text{-}I)(bipy)]$ *[Univ. Hong-Kong, Dept. Chem., Hong-Kong, Hong-Kong]*

Vol. 566 No. 1-2 (1998) 245–250
BAKER, P.K., COLES, S.J., HARRISON, N.S., LATIF, L.A., MEEHAN, M.M., HURSTHOUSE, M.B., Seven-coordinate complexes of molybdenum(II) and tungsten(II) containing phosphite donor ligands: X-ray crystal structures of $[WI_2(CO)_3\{P((O^iPr)_3\}_2]$ and $[WI_2(CO)_2\{P(OMe)_3\}_3]$ *[Univ. Coll. North-Wales, Dept. Chem., Bangor, Gwynedd, Wales; Univ. Wales, Coll. Cardiff, Dept. Chem., Cardiff, South-Glam, Wales; Univ. Malaya, Ctr. Fdn. Studies Sci., Kuala-Lumpur, Malaysia]*

Vol. 566 No. 1-2 (1998) 251–257
BABUDRI, F., FIANDANESE, V., MARCHESE, G., PUNZI, A., A straightforward synthesis of symmetrical polyendiynes by dimerization reactions of silyl derivatives *[Univ. Bari, Dept. Chem., Bari, Italy]*

Vol. 566 No. 1-2 (1998) 259–262
MALISCH, W., JEHLE, H., MITCHEL, C., ADAM, W., A catalytic pathway for the conversion of tungsten-silans into tungsten-silanols *[Univ. Würzburg, Inst. Anorgan. Chem., Würzburg, Germany; Univ. Würzburg, Inst. Organ. Chem., Würzburg, Germany]*

Vol. 566 No. 1-2 (1998) 263–270
KHACHATRYAN, L., VOLNINA, E.A., FAJGAR, R., POLA, J., Laser-induced decomposition of silacyclobutane: extensive H(Si)/H(C) scrambling via 1,2-H shift in silene and radical reactions *[Acad. Sci. Czech Rep., Inst. Chem. Proc. Fundamentals, Prague, Czech Rep.; Russian Acad. Sci., Inst. Petrochem. Synth., Moscow, Russia]*

Vol. 566 No. 1-2 (1998) 271–276
MALISCH, W., GRÜN, K., FRIED, A., REICH, W., PFISTER, H., HUTTNER, G., ZSOLNAI, L., Phosphenium complexes 39. Cycloaddition reactions of molybdenum and tungsten phosphenium complexes with diazoethyl acetate: synthesis and structural characterization of three-membered and five-membered phosphametallacycles (in German) *[Univ. Würzburg, Inst. Anorgan. Chem., Würzburg, Germany; Univ. Heidelberg, Inst. Anorgan. Chem., Heidelberg, Germany]*

Vol. 566 No. 1-2 (1998) 277–285
BELLER, M., TRAUTHWEIN, H., EICHBERGER, M., BREINDL, C., MÜLLER, T.E., ZAPF, A., New cationic rhodium–amine complexes and their implication in the catalytic anti-Markovnikov oxidative amination of styrenes *[Tech. Univ. Munich, Inst. Anorgan. Chem., Garching, Germany]*

Vol. 566 No. 1-2 (1998) 287–291
WARTCHOW, R., DOYE, S., Synthesis and characterization of *rac*-[ethylene-1,2-bis($\eta^5$-4,5,6,7-tetrahydro-1-indenyl)]zirconium bisamides (EBTH)Zr$(NHR)_2$ *[Univ. Hannover, Inst. Organ. Chem., Hannover, Germany; Univ. Hannover, Inst. Anorgan. Chem., Hannover, Germany]*

Vol. 567 No. 1-2 (1998) 3–6
KAGAN, H.B., New screening methodologies or combinatorial chemistry applied to asymmetric catalysts *[Univ. Paris 11, Inst. Chim. Mol. Orsay, Orsay, France; Univ. Paris 11, Inst. Univ. France, Orsay, France]*

Vol. 567 No. 1-2 (1998) 7–11
CRABTREE, R.H., EISENSTEIN, O., SINI, G., PERIS, E., New types of hydrogen bonds *[Yale Univ., Dept. Chem., New Haven, CT, USA; Univ. Montpellier II, LSDSMS, Montpellier, France; Univ. Cergy Pontoise, Cergy, France; Univ. Castellon, Dept. Chem., Castello de la Plana, Spain]*

Vol. 567 No. 1-2 (1998) 13–20
LE GALL, I., LAURENT, P., SOULIER, E., SALAÜN, J.-Y., DES ABBAYES, H., Complexation on rhodium of bidentate and potentially hemilabile phosphorus ligands *[Univ. Bretagne Occidentale, CNRS, Lab. Chim. & Electrochim. Mol., Brest, France]*

Vol. 567 No. 1-2 (1998) 21–23
SUZENET, F., BLART, E., DESTOUCHES, M., QUINTARD, J.-P., Stereoselective synthesis of γ-aminoallyltins from vinyltin acetals *[Fac. Sci. & Tech. Nantes, Organ. Synth. Lab., CNRS, Nantes, France]*

Vol. 567 No. 1-2 (1998) 25–29
AMATORE, C., BAYACHOU, M., BURIEZ, O., VERPEAUX, J.-N., Electron transfer catalysis of the hydrogenolysis of acyl dicarbonyl cyclopentadienyliron complexes by tributyltin hydride *[Ecole Normale Super., Dept. Chim., CNRS, Paris, France]*

Vol. 567 No. 1-2 (1998) 31–37
SALMON, A., CARBONI, B., Hydroboration–azide alkylation as efficient tandem reactions for the synthesis of chiral non racemic substituted pyrrolidines *[Univ. Rennes 1, CNRS, Rennes, France]*

Vol. 567 No. 1-2 (1998) 39–47
HAMANN-GAUDINET, B., NAMY, J.-L., KAGAN, H.B., Organosamariums: preparation using diiodosamarium and reactivity in tetrahydropyran *[Univ. Paris 11, Inst. Chim. Mol. Orsay, Orsay, France]*

Vol. 567 No. 1-2 (1998) 49–55
LAVENOT, L., GOZZI, C., ILG, K., ORLOVA, I., PENALVA, V., LEMAIRE, M., Extension of the Heck reaction to the arylation of activated thiophenes *[Univ. Lyon 1, CNRS, Inst. Rech. Catalyse, Villeurbanne, France; Univ. Lyon 1, CNRS, Lab. Catalyse & Synth. Organ., Villeurbanne, France]*

Vol. 567 No. 1-2 (1998) 57–63
LE BRAS, J., AMOURI, H., VAISSERMANN, J., Activation and regioselective *ortho*-functionalization of phenols promoted by 'Cp*Ir' fragment: synthesis, structures and applications to organic-synthesis. $Cp^*=C_5Me_5$ *[Ecole Natl. Super. Chim. Paris, CNRS, Paris, France; Univ. Paris 06, CNRS, Chim. Met. Transit. Lab., Paris, France]*

Vol. 567 No. 1-2 (1998) 65–74
DJUKIC, J.-P., MAISSE, A., PFEFFER, M., Cyclomanganated ($\eta^6$-arene)tricarbonylchromium complexes: synthesis and reactivity *[Univ. Strasbourg 1, CNRS, Lab. Synth. Metalloinduites, Strasbourg, France]*

Vol. 567 No. 1-2 (1998) 75–81
LEGOUPY, S., CRÉVISY, C., GUILLEMIN, J.-C., GRÉE, R., New chiral rhenium complexes of unsaturated alcohols: preparation and reactivity *[CNRS, ENSCR, Lab. Synth. & Act. Biomol., Rennes, France]*

Vol. 567 No. 1-2 (1998) 83–100
LAFOLLÉE-BEZZENINE, S., PARLIER, A., RUDLER, H., VAISSERMANN, J., DARAN, J.-C., Reaction of aminocarbene complexes of chromium with alkynes 10. From large to small cyclic amines – single versus double alkyne insertions *[Univ. Paris 06, CNRS, Lab. Synth. Organ. & Organomet., Paris, France; Univ. Paris 06, CNRS, Chim. Met. Transit. Lab., Paris, France; Univ. Toulouse III, CNRS, Chim. Coordinat. Lab., Toulouse, France]*

Vol. 567 No. 1-2 (1998) 101–117
RUDLER, H., PARLIER, A., RUDLER, M., VAISSERMANN, J., Reaction of aminocarbene complexes of chromium with alkynes 9. From nitrogen ylid complexes toward alkaloid frameworks *[Univ. Paris 06, CNRS, Lab. Synth. Organ. & Organomet.,*

*Paris, France; Univ. Paris 06, CNRS, Chim. Met. Transit. Lab., Paris, France]*

Vol. 567 No. 1-2 (1998) 119–126
MARTÍN-VACA, B., RUDLER, H., AUDOUIN, M., NICOLAS, M., DURAND-RÉVILLE, T., VISSIERE, B., Interaction of dihydropyridines with alkoxycarbene complexes of tungsten: formation and use as cyclopropanation reagents of pyridinium ylide complexes *[Univ. Paris 06, CNRS, Lab. Synth. Organ. & Organomet., Paris, France]*

Vol. 567 No. 1-2 (1998) 127–131
HERBERICH, G.E., BARDAY, E., FISCHER, A., Synthesis of borylindenides; structure of [Li(*N*,*N*',*N*''-$Me_3$-1,3,5-$C_3H_6N_3$)][1-$C_9H_6\{B(NMe_2)_2\}$] *[Rhein Westfal TH Aachen, Inst. Anorgan. Chem., Aachen, Germany; Univ. Bourgogne, CNRS, Lab. Synth. & Electrosynth. Organomet., Dijon, France]*

Vol. 567 No. 1-2 (1998) 133–136
TOUCHARD, F., BERNARD, M., FACHE, F., DELBECQ, F., GUIRAL, V., SAUTET, P., LEMAIRE, M., Optically active nitrogen ligands in asymmetric catalysis. Effect of nitrogen substitution on the enantioselective hydride transfer reduction of acetophenone *[Univ. Lyon 1, CNRS, CPE, Villeurbanne, France; Ecole Normale Super. Lyon, Chim. Theor. Lab., Lyon, France]*

Vol. 567 No. 1-2 (1998) 137–142
EYCHENNE-BARON, C., RIBOT, F., SANCHEZ, C., New synthesis of the nanobuilding block $\{(BuSn)_{12}O_{14}(OH)_6\}^{2+}$ and exchange properties of $\{(BuSn)_{12}O_{14}(OH)_6\}(O_3SC_6H_4CH_3)_2$ *[Univ. Paris 06, CNRS, Lab. Chim. Mat. Condensee, Paris, France]*

Vol. 567 No. 1-2 (1998) 143–150
DE BELLEFON, C., TANCHOUX, N., CARAVIEILHES, S., New reactors and methods for the investigation of homogeneous catalysis *[CPE Lyon, CNRS, Lab. Genie Proc. Catalyt., Villeurbanne, France]*

Vol. 567 No. 1-2 (1998) 151–155
AVARVARI, N., ROSA, P., MATHEY, F., LE FLOCH, P., Titanocene and zirconocene complexes in phosphinine chemistry *[Ecole Polytech, CNRS, DCPH, Lab. Heteroelements & Coordinat., Palaiseau, France]*

Vol. 567 No. 1-2 (1998) 157–162
MOINEAU, C., BOLITT, V., SINOU, D., Stereochemistry in palladium- and nickel-catalyzed addition of phenylmagnesium bromide to unsaturated carbohydrates *[Univ. Lyon 1, CNRS, Lab. Synth. Asymetr., Villeurbanne, France]*

Vol. 567 No. 1-2 (1998) 163–171
RATOVELOMANANA-VIDAL, V., GENET, J.-P., Enantioselective ruthenium-mediated hydrogenation: developments and applications *[CNRS, Lab. Synth. Select. Organ. & Prod. Nat., Paris, France]*

Vol. 567 No. 1-2 (1998) 173–180
BERTUS, P., PALE, P., Synthesis of enynes and epoxyenynes by coupling: use of a new set of catalysts based on Pd–Ag salts *[Univ. Strasbourg 1, Inst. Le Bel, Lab. Synth. & React. Organ., Strasbourg, France; Univ. Reims, Lab. React Select & Applicat., Reims, France]*

Vol. 567 No. 1-2 (1998) 181–189
BONINI, B.F., COMES-FRANCHINI, M., FOCHI, M., MAZZANTI, G., RICCI, A., Newly designed acylsilanes as versatile tools in organic synthesis *[Fac. Chim. Ind., Dipartimento Chim. Organ. A. Mangini, Bologna, Italy]*

Vol. 567 No. 1-2 (1998) 191–198
BALAVOINE, G.G.A., DARAN, J.-C., IFTIME, G., MANOURY, E., MOREAU-BOSSUET, C., Selective synthesis of ferrocenes *[Univ. Toulouse III, CNRS, Chim. Coordinat. Lab., Toulouse, France]*

Vol. 567 No. 1-2 (1998) 199–218
JONES, V.A., SRIPRANG, S., THORNTON-PETT, M., KEE, T.P., Chiral phosphorus(III) triflates. On the nature of the phosphorus–oxygen interaction *[Univ. Leeds, Sch. Chem., Leeds, West Yorkshire, England]*

Vol. 567 No. 1-2 (1998) 219–233
RIEGEL, N., DARCEL, C., STÉPHAN, O., JUGÉ, S., Mono and diphosphine borane complexes grafted on polypyrrole matrix: direct use as supported ligands for Rh and Pd catalysis *[Univ. Cergy Pontoise, Equipe React. Specif., Cergy, France]*

Vol. 568 No. 1-2 (1998) 1–12
BRIMAH, A.K., SCHWARZ, P., FISCHER, R.D., DAVIES, N.A., HARRIS, R.K., Organolead(IV) polymers $[(Me_3Pb)_4M(CN)_6{\cdot}nH_2O]$ with M=Fe and Ru ($0 \leq n \leq 2$): solid-state NMR and vibrational spectroscopy; crystal structure of the dihydrates *[Univ. Hamburg, Inst. Anorgan. & Angew. Chem., Hamburg, Germany; Univ. Ghana, Dept. Chem., Legon, Ghana; Univ. Durham, Dept. Chem., Durham, England]*

Vol. 568 No. 1-2 (1998) 13–20
GUPTA, D.K., SAHAY, A.N., PANDEY, D.S., JHA, N.K., SHARMA, P., ESPINOSA, G., CABRERA, A., PUERTA, M.C., VALERGA, P., Synthesis, characterization, reactivity and structure of some mono and binuclear ($\eta^6$-*p*-cymene)ruthenium(II) complexes *[APS Univ., Dept. Chem., Rewa, India; Indian Inst. Technol., Dept. Chem., New Delhi, India; Univ. Nacl. Autonoma Mexico, Inst. Quim., Mexico City, Mexico; Univ. Cadiz, Dept. Quim. Inorgan., Puerto Real, Spain]*

Vol. 568 No. 1-2 (1998) 21–31
LAMBERT, J.B., STERN, C.L., ZHAO, Y., TSE, W.C., SHAWL, C.E., LENTZ, K.T., KANIA, L., Torsional distortions in trimesitylsilanes and trimesitylgermanes *[Northwestern Univ., Dept. Chem., Evanston, IL, USA]*

Vol. 568 No. 1-2 (1998) 33–40
KNJAZHANSKI, S.YA., ELIZALDE, L., CADENAS, G., BULYCHEV, B.M., Polymerization of methyl methacrylate with alane complexes of bivalent lanthanidocenes *[Res. Ctr Appl. Chem., Coahuila, Mexico; Moscow M.V. Lomonosov State Univ., Dept. Chem., Moscow, Russia]*

Vol. 568 No. 1-2 (1998) 41–51
HALTERMAN, R.L., TRETYAKOV, A., KHAN, M.A., Synthesis and structure of [1,2-bis(1-indenyl)benzene]titanium and zirconium dichlorides *[Univ. Oklahoma, Dept. Chem. & Biochem., Norman, OK, USA]*

Vol. 568 No. 1-2 (1998) 53–61
RASHIDI, M., ESMAEILBEIG, A.R., SHAHABADI, N., TANGESTANINEJAD, S., PUDDEPHATT, R.J., Some mono- and binuclear platinacyclopentane complexes: a comparative kinetic study of reaction of ethyl iodide with platina(II)cyclopentane and dimethylplatinum(II) complexes *[Shiraz Univ., Coll. Sci., Shiraz, Iran; Univ. Western Ontario, Dept. Chem., London, ON, Canada]*

Vol. 568 No. 1-2 (1998) 63–76
YAO, H.R., MCCARGAR, R.D., ALLENDOERFER, R.D., KEISTER, J.B., LOW, A.A., Ligand additivity in 47-electron clusters. Electrochemistry of ($\mu$-H)$Ru_3$($\mu_3$-$\eta^3$-XCCRCR')$(CO)_{9-n}(PPh_3)_n$ and reactions with electrophiles: one-electron oxidation and adduct formation *[SUNY Buffalo, Dept. Chem., Buffalo, NY, USA; Tarleton State Univ., Dept. Chem., Stephenville, TX, USA]*

Vol. 568 No. 1-2 (1998) 77–86
CAI, L.S., HAN, Y., MAHMOUD, H., SEGAL, B.M., Synthesis, characterization of (*R*)-2,2'-diamino-1,1'-binaphthyl mono-sulfonamide and its ruthenium complex and evaluation of the

catalytic properties in transfer hydrogenation reactions *[Univ. Illinois, Dept. Chem., Chicago, IL, USA]*

Vol. 568 No. 1-2 (1998) 87–112
ALT, H.G., JUNG, M., $C_1$-Bridged fluorenylidene cyclopentadienylidene complexes of the type $(C_{13}H_8\text{-}(CR^1R^2\text{-}C_5H_3R)ZrCl_2$ ($R^1$, $R^2$=alkyl, phenyl, alkenyl; R=H, alkyl, alkenyl, substituted silyl) as catalyst precursors for the polymerization of ethylene and propylene *[Univ. Bayreuth, Anorgan. Chem. Lab., Bayreuth, Germany]*

Vol. 568 No. 1-2 (1998) 113–119
KHVOSTOV, A.V., BULYCHEV, B.M., BELSKY, V.K., SIZOV, A.I., Bis-(di-*tert*-butylcyclopentadienyl)ytterbium(II): reactions with triisobutylaluminum and aluminum deuteride. Crystal structures of the complex $(\eta^5\text{-}1,3\text{-}^t Bu_2C_5H_3)_3Yb$ and the complex $(\eta^5\text{-}1,3\text{-}^t Bu_2C_5H_3)_2Yb(\mu\text{-}D)_2Al(\eta^2\text{-}1,3\text{-}^t Bu_2C_5H_3)$ with allyl→Al extra bonding *[Moscow M.V. Lomonosov State Univ., Dept. Chem., Moscow, Russia; Russian Acad. Sci., L.V. Karpov Phys. Chem. Res. Inst., Moscow, Russia]*

Vol. 568 No. 1-2 (1998) 121–125
MOCHIDA, K., WATANABE, H., MURATA, S., FUJITSUKA, M., ITO, O., Chlorinative cleavage of germanium–germanium bonds in permethyloligogermanes initiated by photo-induced electron transfer *[Gakushuin Univ., Fac. Sci., Tokyo, Japan; Natl. Inst. Mat. & Chem. Res., Osaka, Japan; Tohoku Univ., Inst. Chem. React. Sci., Sendai, Miyagi, Japan]*

Vol. 568 No. 1-2 (1998) 127–131
ALT, H.G., JUNG, M., PPh bridged metallocene complexes of the type $(C_{13}H_8\text{-}PPh\text{-}C_{13}H_8)MCl_2$ (M=Zr, Hf) *[Univ. Bayreuth, Anorgan. Chem. Lab., Bayreuth, Germany]*

Vol. 568 No. 1-2 (1998) 133–142
HURSTHOUSE, M.B., KABIR, S.E., ABDUL MALIK, K.M., TESMER, M., VAHRENKAMP, H., Phosphine derivatives of the 4-methylquinoline triosmium cluster $[(\mu\text{-}H)Os_3(CO)_{10}\{\mu\text{-}1,2\text{-}\eta^2\text{-}C_9H_5(CH_3)N\}]$: crystal structures of two isomeric compounds $[(\mu\text{-}H)Os_3(CO)_9\{\mu\text{-}1,2\text{-}\eta^2\text{-}C_9H_5(CH_3)N\}(PPh_3)]$ and $[(\mu\text{-}H)Os_3(CO)_9\{\mu\text{-}1,2\text{-}\eta^2\text{-}C_9H_5(CH_3)N\}\{P(OMe)_3\}]$ *[Univ. Wales, Coll. Cardiff, Dept. Chem., Cardiff, South-Glam, Wales; Albert Ludwigs Univ., Inst. Anorgan. & Analyt. Chem., Freiburg, Germany]*

Vol. 568 No. 1-2 (1998) 143–147
GUZELOGLU, S., YALÇIN, G., PEKIN, M., The determination of stability constants of *n*-acetyl-L-cysteine chrome, nickel, cobalt and iron complexes by potentiometric method *[Univ. Marmara, Fac. Pharm., Istanbul, Turkey]*

Vol. 568 No. 1-2 (1998) 149–155
VIÑAS, C., CIRERA, M.R., TEIXIDOR, F., KIVEKÄS, R., SILLANPÄÄ, R., LLIBRE, J., Macrocycles incorporating sulphur and *nido*-carborane cages: reactivity towards Rh(III) and Ir(III). Molecular structures of $[Ir(C_5Me_5)Cl(7,8\text{-}\mu\text{-}(SCH_2CH_2S)\text{-}7,8\text{-}C_2B_9H_{10})]$ and $[Rh(C_5Me_5)Cl(7,8\text{-}\mu\text{-}(S(CH_2CH_2(OCH_2CH_2)_3)S)\text{-}7,8\text{-}C_2B_9H_{10})]$ *[CSIC, Inst. Ciencia Mat. Barcelona, Barcelona, Spain; Soc. Espanola Carburos Met., Barcelona, Spain; Univ. Helsinki, Dept. Chem., Helsinki, Finland; Univ. Turku, Dept. Chem., Turku, Finland]*

Vol. 568 No. 1-2 (1998) 157–163
DING, E.-R., WU, S.-L., XIA, C.-G., YIN, Y.-Q., Study on the reactivity of $RuCo_2(\mu_3\text{-}S)(CO)_9$: synthesis and characterization of the cluster complexes containing the tetrahedral core MRuCoS (M=Mo, W) and the two tetrahedral core MRuCoS clusters *[Chinese Acad. Sci., Lanzhou Inst. Chem. Phys., State Key Lab. Oxo Synth. & Selec, Lanzhou, P.R. China]*

Vol. 568 No. 1-2 (1998) 165–169
CHE, D.-J., LI, G., YAO, X.L., ZOU, D.P., Photo-induced ligand exchange reactions of ferrocenylacetylacetone in the presence of pyridine or 4,4'-dipyridyl: Crystal and molecular structure of *trans*-bis(ferrocenylacetylacetonato)dipyridineiron(II), $[Fe(FAnato)_2(Py)_2]$ *[Zhengzhou Univ., Dept. Chem., Zhengzhou, P.R. China]*

Vol. 568 No. 1-2 (1998) 171–175
ZAKRZEWSKI, J., PAWLAK, M., $(\eta^5$-Cyclopentadienyl)$Fe(CO)_2$-complexes of sulfonamide anions. Acylation of the amino group in the sulfanilamide complex and its relevance to the protein labelling *[Univ. Lodz, Dept. Organ. Chem., Lodz, Poland]*

Vol. 568 No. 1-2 (1998) 177–183
PRUCHNIK, F.P., STAROSTA, R., LIS, T., LAHUERTA, P., Orthometallation reactions of tris(*p*-methoxyphenyl)phosphine with dirhodium(II) tetraacetate *[Univ. Wroclaw, Fac. Chem., Wroclaw, Poland; Univ. Valencia, Fac. Chem., Burjassot, Spain]*

Vol. 568 No. 1-2 (1998) 185–196
MARCOS, M.-L., MORENO, C., MEDINA, R.M., MACAZAGA, M.-J., DELGADO, S., GONZÁLEZ-VELASCO, J., Electrochemical study of methylfulvalene and methylcyclopentadiene molybdenum complexes *[Univ. Autonoma Madrid, Fac. Ciencias, Dept. Quim. Inorgan., Madrid, Spain; Univ. Autonoma Madrid, Dept. Quim., Madrid, Spain]*

Vol. 568 No. 1-2 (1998) 197–204
MATHUR, P., GHOSE, S., HOSSAIN, M. MUNKIR, SATYANARAYANA, C.V., CHADHA, R.K., BANERJEE, S., RAVINDRA KUMAR, G., Synthesis, characterisation and nonlinear optical properties of tetrahedral clusters $Cp_2Mo_2ME(CO)_7$, (M=Fe, Ru, Os; E=S, Se) *[Indian Inst. Technol., Dept. Chem., Bombay, Maharashtra, India; Indian Inst. Technol., Reg. Sophisticated Instrumentat. Ctr., Bombay, Maharashtra, India; Scripps Clin. & Res. Inst., Dept. Chem., La Jolla, CA, USA; Tata Inst. Fundamental Res., Bombay, Maharashtra, India]*

Vol. 568 No. 1-2 (1998) 205–211
GROßHEIMANN, G., HOLLE, S., JOLLY, P.W., $\eta^6$-Arene-cobalt(I) complexes *[Max Planck Inst. Coal Res., Mülheim, Germany]*

Vol. 568 No. 1-2 (1998) 213–223
HOLMES, N.J., LEVASON, W., WEBSTER, M., Triphenylstibine substituted manganese and rhenium carbonyls: synthesis and multinuclear NMR spectroscopic studies. X-ray crystal structures of *ax*-$[Mn_2(CO)_9(SbPh_3)]$, $[Mn(CO)_5(SbPh_3)][CF_3SO_3]$ and *fac*-$[Re(CO)_3Cl(SbPh_3)_2]$ *[Univ. Southampton, Dept. Chem., Southampton, Hants, England]*

Vol. 568 No. 1-2 (1998) 225–232
MINGHETTI, G., CINELLU, M.A., PINNA, M.V., STOCCORO, S., ZUCCA, A., MANASSERO, M., Gold(III) derivatives with C(4)-aurated 1-phenylpyrazole *[Univ. Sassari, Dipartimento Chim., Sassari, Italy; Univ. Milan, Ctr. CNR, Milan, Italy]*

Vol. 568 No. 1-2 (1998) 233–240
FROHN, H.-J., LEWIN, A., BARDIN, V.V., Preparation of halogeno(pentafluorophenyl)silanes $(C_6F_5)_nSiX_{4-n}$ (X=F, Cl and Br; $n$=2, 3) from pentafluorophenyl(phenyl)silanes $(C_6F_5)_nSiPh_{4-n}$ *[Univ. Duisburg Gesamthsch., Fachgebiet Anorgan. Chem., Duisburg, Germany; Russian Acad. Sci., Inst. Organ. Chem., Novosibirsk, Russia]*

Vol. 568 No. 1-2 (1998) 241–245
MALISCH, W., SPÖRL, A., PFISTER, H., 5-membered phosphametallacycles Cp(OC)M-$PR_2$-C(=S)-N(ME)-C(=O): synthesis via [3+2]-cycloaddition of metallophosphanes $Cp(OC)_2M\text{-}PR_2$ (M=Fe, Ru; R=alkyl, aryl) methylisothiocyanate. Transition-metal substituted phosphanes,

arsanes and stibanes. LVIII. (in German) *[Univ. Würzburg, Inst. Anorgan. Chem., Würzburg, Germany]*

Vol. 568 No. 1-2 (1998) 247–252
MALISCH, W., THIRASE, K., REISING, J., Reactivity of the secondary ferrio-phosphane $Cp(OC)_2Fe$-P(t-Bu)(H) with organoisocyanates and organoisothiocyanates: synthesis of phosphaferracycles Cp(CO)Fe-P(t-Bu)[C(X)-N(R)H]-C(X)-N(R)-C(O) (X=O, S, R=Me, Et) by [3+2]-cycloaddition and insertion. Transition metal-substituted phosphanes, arsanes and stibanes. LXI. (in German) *[Univ. Würzburg, Inst. Anorgan. Chem., Würzburg, Germany]*

Vol. 568 No. 1-2 (1998) 253–255
LUNZER, F., MARSCHNER, C., LANDGRAF, S., $(C_5H_5)_2TiF_2$ and $(C_5H_5)_2ZrF_2$ as catalyst precursors for the dehydropolymerisation of silanes *[Graz Tech. Univ., Inst. Anorgan. Chem., Graz, Austria; Graz Tech. Univ., Inst. Phys. & Theoret. Chem., Graz, Austria]*

Vol. 568 No. 1-2 (1998) 257–261
TSE, A.K.-S., WU, B.-M., MAK, T.C.W., CHAN, K.S., A facile synthesis of rhodium(III) porphyrin-silyls *[Chinese Univ. Hong-Kong, Dept. Chem., Hong-Kong, Hong-Kong]*

Vol. 568 No. 1-2 (1998) 263–269
ALT, H.G., SCHERTL, P., KÖPPL, A., Polymerization of ethylene with metallocene/methylaluminoxane catalysts supported on polysiloxane micro gels and silica *[Univ. Bayreuth, Anorgan. Chem. Lab., Bayreuth, Germany]*

Vol. 568 No. 1-2 (1998) 271–277
HARRISON, R.J., WALLBRIDGE, M.G.H., DEBOER, E., DUNCALF, D.J., MCCAMLEY, A., Oxidation of niobocene dichloride to niobium(V) cationic species *[Univ. Warwick, Dept. Chem., Coventry, West Midlands, England; Shell Int. Chem. BV, Amsterdam, Netherlands]*

Vol. 568 No. 1-2 (1998) 279–285
ALDER, M.J., CROSS, W.I., FLOWER, K.R., PRITCHARD, R.G., Azo-phosphine containing complexes of group 6 metal carbonyls: crystal and molecular structure of $[Mo(CO)_5\{1$-(4-ethylphenylazo)-6-diphenylphosphino-naphthalen-2-ol$\}]$ *[Univ. Manchester, Dept. Chem., Manchester, Lancs, England]*

Vol. 568 No. 1-2 (1998) 287–290
DOCHERTY, G.F., KNOX, G.R., PAUSON, P.L., A rapid and convenient method for the formation of (diene)$Fe(CO)_3$ complexes *[Univ. Strathclyde, Dept. Pure & Appl. Chem., Lanark, Scotland]*

Vol. 568 No. 1-2 (1998) 291–293
KUNKELY, H., VOGLER, A., Photoreactivity of $Fe_2S_2(CO)_6$ originating from $d\sigma^*$ metal-to-ligand charge transfer excitation *[Univ. Regensburg, Inst. Anorgan. Chem., Regensburg, Germany]*

Vol. 569 No. 1-2 (1998) 3–14
HIRANO, M., HIRAI, M., ITO, Y., TSURUMAKI, T., BABA, A., FUKUOKA, A., KOMIYA, S., *N*-bonded enolatorhenium(I) complexes having dimethylphenylphosphine ligands as active key intermediates in catalytic Knoevenagel and Michael reactions *[Tokyo Univ. Agr. & Technol, Fac. Technol., Tokyo, Japan]*

Vol. 569 No. 1-2 (1998) 15–19
MASHIMA, K., OSHIKI, T., TANI, K., AOSHIMA, T., URATA, H., Dialkylchromium complexes bearing a hydrotris(3,5-dimethylpyrazolyl)borate ligand: synthesis and crystal structures of $Tp^*CrMe_2$(DMAP) and $Tp^*Cr(Cr(CH_2Ph)_2$(DMAP) (DMAP=4-dimethylaminopyridine) *[Osaka Univ., Grad. Sch. Engn. Sci., Osaka, Japan; Mitsubishi Chem. Corp., Chem. Lab, Yokohama, Kanagawa, Japan]*

Vol. 569 No. 1-2 (1998) 21–27
MEALLI, C., MASI, D., GALINDO, A., PASTOR, A., Synthesis, molecular structure and theoretical considerations on $Mo(PhC{\equiv}CCOOEt)_3(PMe_3)$ *[CNR, Ist. Studio Stereochim. & Energet. Composti Coord., Florence, Italy; Univ. Sevilla, Dept. Quim. Inorgan., Seville, Spain]*

Vol. 569 No. 1-2 (1998) 29–37
YAMAMOTO, Y., TANASE, T., SUDOH, C., TURUTA, T., Reactions of $(\eta^6$-$C_6Me_6)$RuCl(MDMPP-*P,O*) and $(\eta^6$-$C_6Me_6)$RuCl(BDMPP-*P,O,O*) complexes with Lewis bases or alkynes, where MDMPP-*P,O*=P(2-O-6-$MeOC_6H_3)Ph_2$ and BDMPP-*P,O,O*=P(2-O-6-$MeOC_6H_3)_2\{2,6$-$(MeO)_2C_6H_3\}$ *[Toho Univ., Fac. Sci., Dept. Chem., Funabashi, Chiba, Japan; Nara Womens Univ., Dept. Chem., Nara, Japan]*

Vol. 569 No. 1-2 (1998) 39–54
CHEN, A.-J., SU, C.-C., TSAI, F.-Y., LEE, J.-J., HUANG, T.-M., YANG, C.-S., LEE, G.-H., WANG, Y., CHEN, J.-T., A new stable intermediary mode between $\eta^3$-2-aminoallyl complexes and metallacyclobutanimines. Synthesis and structural characteristic of $\eta^3$-azatrimethylenemethane and *N*-protonated, *N*-alkylated, *N*-arylated $\eta^3$-azatrimethylenemethane complexes of Pt and Pd *[Natl. Taiwan Univ., Dept. Chem., Taipei, Taiwan]*

Vol. 569 No. 1-2 (1998) 55–60
CASEY, C.P., CARIÑO, R.S., BRADY, J.T., HAYASHI, R.K., Reaction of $Cp^*(CO)_2Re{=}Re(CO)_2Cp^*$ in THF with diethyl fumarate produces $Cp^*Re(CO)_3$ and $Cp^*Re(CO)(\eta^2$-(*E*)-$EtO_2CCH{=}CHCO_2Et)$(THF) *[Univ. Wisconsin, Dept. Chem., Madison, WI, USA]*

Vol. 569 No. 1-2 (1998) 61–69
NAKAJIMA, H., TSUGE, K., TOYOHARA, K., TANAKA, K., Stabilization of $[Ru(bpy)_2(CO)(\eta^1$-$CO_2)]$ and unprecedented reversible oxide transfer reactions from $CO_3^{2-}$ to $[Ru(bpy)_2(CO)_2]^{2+}$ and from $[Ru(bpy)_2(CO)(\eta^1$-$CO_2)]$ to $CO_2$ *[Inst. Mol. Sci., Okazaki, Aichi, Japan]*

Vol. 569 No. 1-2 (1998) 71–83
AKITA, M., HUA, R., KNOX, S.A.R., MORO-OKA, Y., NAKANISHI, S., YATES, M.I., Specific C–C coupling of the labile diruthenium bridging methylene complex, $Cp_2Ru_2(\mu$-$CH_2)(CO)_2$(MeCN), with diazoalkanes ($R_2C{=}N_2$) leading to alkenyl complexes, $Cp_2Ru_2(\mu$-$CH{=}CR_2)(\mu$-H)$(CO)_2$, and alkenes, $CH_2{=}CR_2$ *[Tokyo Inst. Technol., Resources Utilizat. Res. Lab, Yokohama, Kanagawa, Japan]*

Vol. 569 No. 1-2 (1998) 85–88
WANG, Z.-Q., MAITLIS, P.M., C–H activation by Grignard reagents: vinyl plus methylene coupling on iridium *[Univ. Sheffield, Dept. Chem., Sheffield, South Yorkshire, England]*

Vol. 569 No. 1-2 (1998) 89–97
EVANS, W.J., BROOMHALL-DILLARD, R.N.R., ZILLER, J.W., Synthesis, structure, and reactivity of cyclopentadienyl-free trimethylsilylmethyl yttrium di-tert-butylphenoxide complexes *[Univ. Calif. Irvine, Dept. Chem., Irvine, CA, USA]*

Vol. 569 No. 1-2 (1998) 99–108
SATO, T., NISHIO, M., ISHII, Y., YAMAZAKI, H., HIDAI, M., Synthesis and reactivities of the indenyl-ruthenium cluster $[(\eta^5$-$C_9H_7)Ru(\mu$-$SEt)]_3$: indenyl effect in the trinuclear ruthenium cluster *[Univ. Tokyo, Grad. Sch. Engn., Tokyo, Japan; Chuo Univ., Fac. Sci. & Engn., Tokyo, Japan]*

Vol. 569 No. 1-2 (1998) 109–119
LANG, J.-P., KAWAGUCHI, H., TATSUMI, K., Reactions of the tungsten tris-sulfido complex $[PPh_4][(\eta^5$-$C_5Me_5)WS_3]$ with $[M'(PPh_3)_2(NO_3)]$ (M'=Cu(I), Ag(I)), [Au$(PPh_3)$Cl], and $[Pd(dppe)Cl_2]$: Isolation and structures of $[(\eta^5$-$C_5Me_5)WS_3Cu_3(PPh_3)_3(NO_3))[NO_3]$, $[\{(\eta^5$-

$C_5Me_5)WS_3\}_2Ag_3(PPh_3)_3][NO_3]$, $[(\eta^5\text{-}C_5Me_5)WS_3Au(PPh_3)]$ and $[(\eta^5\text{-}C_5Me_5)WS_3Pd(dppe))Cl$ (dppe=1,2-bis(diphenylphosphino)ethane) *[Nagoya Univ., Grad. Sch. Sci., Nagoya, Aichi, Japan]*

Vol. 569 No. 1-2 (1998) 121–124
FOSTER, P., RAUSCH, M.D., CHIEN, J.C.W., Synthesis of 2-methylbenz[*f*]indene and ($\eta^5$-2-methylbenz[*f*]indenyl)rhodium dicarbonyl *[Univ. Massachusetts, Dept. Chem., Amherst, MA, USA]*

Vol. 569 No. 1-2 (1998) 125–137
WARREN, T.H., SCHROCK, R.R., DAVIS, W.M., $\alpha$-Hydrogen migration reactions in tungsten(VI) cyclopentadienyl alkylidyne complexes *[MIT, Dept. Chem., Cambridge, MA, USA]*

Vol. 569 No. 1-2 (1998) 139–145
MINATO, M., FUJIWARA, Y., KOGA, M., MATSUMOTO, N., KURISHIMA, S., NATORI, M., SEKIZUKA, N., YOSHIOKA, K.-I., ITO, T., Reductions of C=O and C=N groups with the systems composed of $(\eta^5\text{-}C_5H_5)_2MoH_2$ and acids *[Yokohama Natl. Univ., Fac. Engn., Yokohama, Kanagawa, Japan]*

Vol. 569 No. 1-2 (1998) 147–157
IHARA, E., ADACHI, Y., YASUDA, H., HASHIMOTO, H., KANEHISA, N., KAI, Y., Synthesis of 2,6-dialkoxylphenyllanthanoid complexes and their polymerization catalysis *[Hiroshima Univ., Fac. Engn., Higashihiroshima, Japan; Osaka Univ., Fac. Engn., Dept. Appl. Chem., Suita, Osaka, Japan]*

Vol. 569 No. 1-2 (1998) 159–167
SCHLEIS, T., SPANIOL, T.P., OKUDA, J., HEINEMANN, J., MÜLHAUPT, R., Ethylene polymerization catalysts based on nickel(II) 1,4-diazadiene complexes: the influence of the 1,4-diazadiene backbone substituents on structure and reactivity *[Univ. Mainz, Inst. Anorgan. Chem. & Analyt. Chem., Mainz, Germany; Univ. Freiburg, Freiburger Mat. Forschungszentrum, Freiburg, Germany; Univ. Freiburg, Inst. Macromol. Chem., Freiburg, Germany]*

Vol. 569 No. 1-2 (1998) 169–175
HAYASHI, Y., OSAWA, M., KOBAYASHI, K., SATO, T., SATO, M., WAKATSUKI, Y., The reaction of titanocene bis(ferrocenylacetylide) and bis(ruthenocenylacetylide) with silver cation: formation of bis(Ti-tweezers) silver complexes *[Riken, Inst Phys. & Chem. Res., Wako, Saitama, Japan; Saitama Univ., Ctr. Chem. Anal., Urawa, Saitama, Japan]*

Vol. 569 No. 1-2 (1998) 177–187
OKAMURA, T.-A., TAKANO, Y., YOSHIOKA, Y., UEYAMA, N., NAKAMURA, A., YAMAGUCHI, K., Electronic structures of organometallic conjugated systems. Possibilities of molecular magnets, magnetic conductors and spin-mediated superconductors composed of metallocene units *[Osaka Univ., Dept. Chem., Osaka, Japan; Osaka Univ., Dept. Macromol Sci., Osaka, Japan]*

Vol. 569 No. 1-2 (1998) 189–194
WERNER, H., MANGER, M., LAUBENDER, M., TEICHERT, M., STALKE, D., Two dinuclear rhodium complexes with a non-A-frame and a distorted A-frame skeleton and two $^iPr_2PCH_2P^iPr_2$ molecules as bridging ligands *[Univ. Würzburg, Inst. Anorgan. Chem., Würzburg, Germany]*

Vol. 569 No. 1-2 (1998) 195–202
OHSHIRO, N., TAKEI, F., ONITSUKA, K., TAKAHASHI, S., Synthesis of organometallic dendrimers with a backbone composed of platinum-acetylide units *[Osaka Univ., Inst. Sci. & Ind. Res., Osaka, Japan]*

Vol. 569 No. 1-2 (1998) 203–215
BOUACHIR, F., GRENOUILLET, P., NEIBECKER, D., POIRIER, J., TKATCHENKO, I., Cationic $\eta^3$-allyl complexes. 21. Telomerization of buta-1,3-diene with Z–H compounds mediated by group 10 complexes *[Univ. Monastir, Fac. Sci., Monastir, Tunisia; CPE Lyon, CNRS, Lab. Genie Proc. Catalyt., Villeurbanne, France; Univ. Toulouse III, CNRS, Chim. Coordinat. Lab., Toulouse, France]*

Vol. 569 No. 1-2 (1998) 217–223
SCHOTTEK, J., ERKER, G., Addition of group 4 bent metallocene cation complexes to (butadiene)zirconocene: the formation of dinuclear ($\mu$-butadiene)bis(metallocene) cations *[Univ. Münster, Inst. Organ. Chem., Münster, Germany]*

Vol. 569 No. 1-2 (1998) 225–233
IYODA, M., OKABE, T., KATADA, M., KUWATANI, Y., Face-to-face fixed ferrocenes. Synthesis and properties of 2,10-diferrocenyl- and 2,5,7,10-tetraferrocenyl-1,6-methano(10)annulenes *[Tokyo Metropolitan Univ., Dept. Chem., Tokyo, Japan; Tokyo Metropolitan Univ., Radioisotope Res. Ctr., Tokyo, Japan]*

ELSEVIER

Journal of Organometallic Chemistry, Supplement (1999) 99–106

Journal of Organometallic Chemistry

# Cumulative Indexes of Volumes 548-569: Geographical & Corporate Index

**Algeria, Constantine**
Univ. Constantine, Inst. Chem. 551:151
**Argentina, Buenos Aires**
Univ. Buenos Aires, Fac. Ciencias Exactas & Nat. 563:31
Univ. Nacl. Sur, Dept. Quim. & Ing. Quim. 555:151
**Australia, Adelaide (SA)**
Univ. Adelaide, Dept. Chem. 551:235, 552:109, 552:177, 558:197, 560:1, 561:97
**Australia, Brisbane (QLD)**
Griffith Univ., Fac. Sci. & Technol. 550:283, 554:181, 565:193
**Australia, Cairns (QLD)**
James Cook Univ. North-Queensland, Dept. Chem. 565:271
**Australia, Canberra (ACT)**
Australian Natl. Univ., Dept. Chem. 555:25, 563:137, 565:81, 565:193
Australian Natl. Univ., Res. Sch. Chem. 549:127, 551:37, 555:25, 563:137, 565:81, 565:193
Australian Natl. Univ., Res. Sch. Phys. Sci. & Engn. 549:127
**Australia, Clayton (VIC)**
Monash Univ., Dept. Chem. 550:283, 551:195, 552:165, 565:11, 565:201
**Australia, Hobart (TAS)**
Univ. Tasmania, Dept. Chem. 552:23, 554:175, 565:135, 565:165
**Australia, Nedlands (WA)**
Univ. Western Australia, Dept. Chem. 551:195, 551:235, 552:23, 552:109, 554:175, 558:197, 561:97, 565:159, 565:165, 565:193, 565:225, 565:259
**Australia, Parkville (VIC)**
Univ. Melbourne, Sch. Chem. 552:145, 560:1
**Australia, Pooraka**
Univ. Southern Australia, Ian Wark Res. Inst., Polymer Sci. Grp. 565:159
**Australia, Sydney (NSW)**
Univ. Sydney, Sch. Chem. 565:29, 565:283
**Australia, Townsville (QLD)**
James Cook Univ. North-Queensland, Dept. Chem. 565:179
**Austria, Graz**
Graz Tech. Univ., Inst. Anorgan. Chem. 568:253
Graz Tech. Univ., Inst. Phys. & Theoret. Chem. 568:253
**Austria, Innsbruck**
Innsbruck Univ., Inst. Allgemeine Anorgan. & Theoret. Chem. 552:45, 553:73, 553:103, 563:219
Innsbruck Univ., Inst. Organ. Chem. 552:45, 563:219
**Austria, Vienna**
Univ. Vienna, Inst. Organ. Chem. 563:37
Vienna Tech. Univ., Inst. Anorgan. Chem. 548:57
**Bangladesh, Dhaka**
Jahangirnagar Univ., Dept. Chem. 555:285, 559:81, 564:133
**Belgium, Antwerp**
Univ. Antwerp, Dept. Phys. 553:115
**Belgium, Brussels**
Free Univ. Brussels, Fac. Sci. Appl. Aosc. 552:177
Free Univ. Brussels, High Resolut. NMR Ctr. 552:177
**Belgium, Louvain**
Catholic Univ. Louvain, Ctr. Res. Mol. Elect. & Photon 562:197, 563:137
Katholieke Univ. Leuven, Lab. Chem. & Biol. Dynam. 549:127
**Belgium, Sart Tilman par Liege**
Univ. Liege, Inst. Chim. 558:163
**Brazil, Campinas**
Univ. Estadual Campinas, Inst. Quim. 559:37
**Brazil, Santa Maria**
Univ. Fed. Santa Maria, Dept. Quim. 562:127
**Brazil, Sao Carlos**
Univ. Fed. Sao Carlos, Dept. Quim. 562:127
**Brazil, Sao Paulo**
Univ. Sao Paulo, Fac. Ciencias Farmaceut. 562:127
Univ. Sao Paulo, Inst. Quim. 562:127
**Bulgaria, Sofia**
Bulgarian Acad. Sci., Inst. Parasitol. 555:35
**Canada, Burnaby (BC)**
Simon Fraser Univ., Dept. Chem. 549:105, 554:63
**Canada, Calgary (AB)**
Univ. Calgary, Dept. Chem. 550:213
**Canada, Charlottetown (PE)**
Univ. Prince Edward Isl., Dept. Chem. 560:63
**Canada, Guelph (ON)**
Univ. Guelph, Dept. Chem. 550:477
**Canada, Hamilton (ON)**
McMaster Univ., Dept. Chem. 558:1, 561:19, 564:101
**Canada, London (ON)**
Univ. Western Ontario, Dept. Chem. 551:383, 568:53
**Canada, Montreal (PQ)**
Univ. Montreal, Dept. Chem. 563:53
**Canada, Ottawa (ON)**
Natl. Res. Council Canada, Steacie Inst. Mol. Sci. 556:11, 565:3, 565:279
Univ. Ottawa, Dept. Chem. 551:349, 562:53
**Canada, Sarnia (ON)**
Bayer Inc., Dept. Res. & Dev. 562:53
**Canada, Toronto (ON)**
Univ. Toronto, Dept. Chem. 548:49
**Canada, Vancouver (BC)**
Univ. British Columbia, Dept. Chem. 557:213
**Canada, Victoria (BC)**
Univ. Victoria, Dept. Chem. 554:171
**Canada, Waterloo (ON)**
Univ. Waterloo, Dept. Chem. 550:183
**Canada, Windsor (ON)**
Univ. Windsor, Dept. Chem. & Biochem. 550:165, 557:221
**Chile, Valparaiso**
Valparaiso Univ., Inst. Quim. 548:121
**Croatia, Zagreb**
Rudjer Boskovic Inst., Div. Organ. Chem. & Biochem. 566:85
Univ. Zagreb, Fac. Nat. Sci. & Math. 566:85
**Czech Republic, Prague**
Acad. Sci. Czech Rep., Inst. Chem. Proc. Fundamentals 566:263
Acad. Sci. Czech Rep., Inst. Inorgan. Chem. 550:125, 550:151, 555:237, 557:181
Acad. Sci. Czech Rep., Inst. Organ. Chem. & Biochem. 548:115
Acad. Sci. Czech Rep., J. Heyrovsky Inst. Phys. Chem. & Electrochem. 551:207, 552:75, 552:293, 553:15
Charles Univ., Dept. Inorgan. Chem. 551:207, 552:293

Inst. Chem. Technol, Dept. Polymers 555:237
**Egypt, Cairo**
Ain Shams Univ., Fac. Sci., Dept. Chem. 556:1
**England, Bath (Avon)**
Univ. Bath, Sch. Chem. 550:267, 560:95
**England, Birmingham (West Midlands)**
Aston Univ., Dept. Chem. Engn.& Appl. Chem. 549:257, 555:279
Univ. Birmingham, Sch. Chem. 549:233, 549:257, 558:147
Univ. Birmingham, Sch. Elect. & Elect. Engn. 558:147
**England, Brighton (East Sussex)**
Univ. Sussex, Chem. Lab. 549:1, 550:397, 551:261
Univ. Sussex, Sch. Chem. & Mol. Sci. 548:177
Univ. Sussex, Sch. Chem. Phys. & Environm. Sci. 560:41, 561:203, 564:189, 564:215
**England, Bristol (Avon)**
Univ. Bristol, Sch. Chem. 548:195, 550:183, 550:255, 551:27, 562:17, 565:141
**England, Cambridge**
Univ. Cambridge, Dept. Chem. 550:71, 550:131, 550:233, 550:241, 550:431, 550:457, 556:219, 563:113, 565:105
**England, Canterbury (Kent)**
Univ. Kent, Dept. Chem. 552:205, 554:123
**England, Colchester (Essex)**
Univ. Essex, Dept. Chem. & Biol. Sci. 552:1
**England, Coventry (West Midlands)**
Univ. Warwick, Dept. Chem. 550:301, 553:507, 555:81, 568:271
**England, Crawley (West Sussex)**
Pharmacia & Upjohn Inc. 548:285
**England, Durham**
Univ. Durham, Dept. Chem. 550:59, 550:89, 550:241, 550:445, 550:449, 550:481, 568:1
**England, Exeter (Devon)**
Univ. Exeter, Dept. Chem. 548:49, 551:271, 555:35
**England, Guildford (Surrey)**
Univ. Surrey, Dept. Chem. 552:247
**England, Kingston upon Hull (North Humberside)**
BP Chem. Ltd. 550:7
Univ. Hull, Dept. Chem. 551:299
**England, Leeds (West Yorkshire)**
Univ. Leeds, Sch. Chem. 548:23, 550:29, 550:151, 550:207, 550:331, 550:341, 550:441, 557:181, 567:199
**England, Leicester (Leics)**
Univ. Leicester, Dept. Chem. 555:67, 558:209
**England, Liverpool (Merseyside)**
Univ. Liverpool, Dept. Chem. 550:221
**England, London**
Univ. Coll. London, Dept. Chem. 549:295, 553:67
Univ. London Birkbeck Coll., Dept. Chem. 549:295
Univ. London Queen Mary & Westfield Coll., Dept. Chem. 553:23
Univ. London, Imperial Coll. Sci. Technol. & Med., Dept. Chem. 550:431, 550:453, 551:313, 557:131, 562:105
Univ. London, Kings Coll., Dept. Chem. 561:209
Univ. North-London, Sch. Appl. Chem. 551:313
**England, Macclesfield (Cheshire)**
Ciba-Geigy Plc, Ciba Cent. Res. 550:29
**England, Manchester (Lancs)**
Univ. Manchester, Dept. Chem. 555:101, 560:265, 566:151, 568:279
**England, Newcastle upon Tyne (Tyne & Wear)**
Univ. Newcastle upon Tyne, Dept. Chem. 550:183, 550:233, 550:473, 558:193, 559:173
**England, Norwich (Norfolk)**
John Innes Ctr. Plant Sci. Res., Nitrogen Fixat. Lab. 549:193, 554:195
**England, Nottingham**
Univ. Nottingham, Dept. Chem. 549:187, 555:271, 564:209
**England, Oxford (Oxon)**
Univ. Oxford, Dyson Perrins Lab. 553:463, 560:77
Univ. Oxford, Inorgan. Chem. Lab. 550:63, 551:133, 551:313, 562:115
Univ. Oxford, Phys. & Theoret. Chem. Lab. 562:115
**England, Preston (Lancs)**
F2 Chem. Ltd. 555:67, 558:209
**England, Reading (Berks)**
Univ. Reading, Dept. Chem. 549:193, 550:347, 556:207, 559:23, 560:191
**England, Salford (Lancs)**
Univ. Salford, Dept. Chem. & Appl. Chem. 556:145
**England, Sheffield (South Yorkshire)**
Univ. Sheffield, Dept. Chem. 550:7, 551:21, 551:339, 551:355, 554:155, 558:163, 558:189, 566:93, 569:85
**England, Southampton (Hants)**
Univ. Southampton, Dept. Chem. 554:75, 568:213
**England, Surrey**
Univ. Surrey, Dept. Chem., Guildford 548:285
**England, Wirral**
Assoc. Octel Co. 550:301, 560:77
**Finland, Espoo**
Helsinki Univ. Technol., Ctr. Polymer Sci. 549:177
Helsinki Univ. Technol., Dept. Chem. Engn. 559:65
**Finland, Helsinki**
Univ. Helsinki, Dept. Chem. 549:177, 553:173, 555:17, 568:149
**Finland, Joensuu**
Univ. Joensuu, Dept. Chem. 548:263, 552:9, 552:205, 553:453, 554:129, 557:227
**Finland, Turku**
Abo Akad. Univ., Dept. Organ. Chem. 558:171, 559:65
Abo Akad. Univ., Dept. Polymer Technol. 555:127, 557:227, 558:171, 558:181, 559:65
Univ. Turku, Dept. Chem. 555:17, 555:127, 558:171, 558:181, 559:65, 568:149
**France, Bordeaux**
Univ. Bordeaux 2, Chim. Analyt. Lab. 556:105
Univ. Bordeaux 2, Chim. Bioorgan. Lab. 556:105
**France, Brest**
Univ. Bretagne Occidentale, CNRS, Lab. Chim. & Electrochim. Mol. 555:89, 560:245, 562:183, 567:13
**France, Cergy**
Ecole Super. Chim. Organ. & Minerale, Dept. Chim. 558:61
Univ. Cergy Pontoise 567:7
Univ. Cergy Pontoise, Equipe React. Specif. 567:219
**France, Dijon**
Univ. Bourgogne, CNRS, Lab. Synth. & Electrosynth. Organomet. 548:309, 561:85, 564:71, 566:203, 567:127
**France, Gif sur Yvette**
CNRS, CEA Saclay, Serv. Chim. Mol. 548:9
**France, Grenoble**
Inst. Max von Laue - Paul Langevin 550:449
**France, Lens**
Univ. Artois, Fac. Sci. Jean Perrin, Lab. Physicochim. Interfaces & Applicat. 553:469
**France, Lyon**
Ecole Normale Super. Lyon, Chim. Theor. Lab. 567:133
**France, Mont St. Aignan**
Univ. Rouen, IRCOF, Lab. Fonct. Azotees & Oxygenees Complexes 549:81
**France, Montpellier**
Univ. Montpellier II, LSDSMS 567:7
Univ. Montpellier II, Lab. Chim. Mol. & Org. Solide 548:99, 562:79
**France, Nantes**
Fac. Sci. & Tech. Nantes, Organ. Synth. Lab., CNRS 567:21
**France, Orsay**
Univ. Paris 11, Inst. Chim. Mol. Orsay 567:3, 567:39
Univ. Paris 11, Inst. Univ. France 567:3
**France, Palaiseau**
Ecole Polytech, CNRS, DCPH, Lab. Heteroelements & Coordinat. 548:17, 553:503, 557:117, 567:151
**France, Paris**
CNRS, Lab. Synth. Select. Organ. & Prod. Nat. 567:163
Ecole Natl. Super. Chim. Paris, CNRS 548:305, 553:483, 567:57
Ecole Normale Super., Dept. Chim., CNRS 561:175, 567:25
Univ. Paris 06, CNRS, Chim. Met. Transit. Lab. 548:295, 548:305, 553:483, 564:201, 567:57, 567:83, 567:101
Univ. Paris 06, CNRS, Chim. Theor. Lab. 549:81
Univ. Paris 06, CNRS, Lab. Chim. Mat. Condensee 552:177, 567:137
Univ. Paris 06, CNRS, Lab. Chim. Organ. 548:295

Univ. Paris 06, CNRS, Lab. Synth. Organ. & Organomet. 567:83, 567:101, 567:119
**France, Poitiers**
Univ. Poitiers, Organ. Synth. Lab. 548:269
**France, Reims**
Univ. Reims, Lab. React Select & Applicat 567:173
**France, Rennes**
Univ. Rennes 1, CNRS 567:31
Univ. Rennes 1, CNRS, Chim. Solide & Inorgan. Mol. Lab. 565:217
Univ. Rennes 1, CNRS, Lab. Chim. Coordinat. & Catalyse 565:63
Univ. Rennes 1, CNRS, Lab. Electrochim. & Organomet. 551:151, 553:253, 554:203, 565:75
Univ. Rennes 1, CNRS, Lab. Synth. & Act. Biomol. 567:75
Univ. Rennes 1, Ctr. Mesures Phys. Ouest 553:253
Univ. Rennes 1, Grp. Mat. Condensee 565:63
Univ. Rennes 1, Lab. Phys. Cristalline 553:253
**France, Strasbourg**
Univ. Strasbourg 1, CNRS, Chim. Coordinat. Lab. 551:125
Univ. Strasbourg 1, CNRS, Lab. Synth. Metalloinduites 548:301, 567:65
Univ. Strasbourg 1, Inst. Le Bel, Lab. Synth. & React. Organ. 567:173
**France, Talence**
CNRS, ENSCPB 560:109, 561:77
**France, Thiais**
Univ. Paris 12, CNRS, Lab. Electrochim. Catalyse & Synth. Organ. 560:103
**France, Toulouse**
Inst. Natl. Polytech. Toulouse 566:117
Univ. Paul Sabatier, Chim. Inorgan. Lab. 563:53
Univ. Toulouse III, CNRS 561:167
Univ. Toulouse III, CNRS, Chim. Coordinat. Lab. 553:221, 560:147, 562:191, 565:75, 565:115, 566:117, 567:83, 567:191, 569:203
Univ. Toulouse III, CNRS, Lab. Heterochim. Fond. & Appl. 548:123, 554:135, 562:191, 564:61
**France, Vernaison**
CNRS, Lab. Mat. Organ. Proprietes Specifiques 558:19
**France, Villeneuve-Dascq**
CNRS, ENSCL 553:469
**France, Villeurbanne**
CPE Lyon, CNRS, Lab. Genie Proc. Catalyt. 567:143, 569:203
Univ. Lyon 1, CNRS, CPE 567:133
Univ. Lyon 1, CNRS, Inst. Rech. Catalyse 567:49
Univ. Lyon 1, CNRS, Lab. Catalyse & Synth. Organ. 567:49
Univ. Lyon 1, CNRS, Lab. Synth. Asymetr. 567:157
**Germany, Aachen**
Rhein Westfal TH Aachen, Inst. Anorgan. Chem. 552:187, 553:427, 555:49, 562:61, 567:127
Rhein Westfal TH Aachen, Inst. Chem. Tech. 552:187
Rhein Westfal TH Aachen, Inst. Organ. Chem. 549:275
Rhein Westfal TH Aachen, Inst. Tech. Chem. & Petrolchem. 551:165
**Germany, Bayreuth**
Univ. Bayreuth, Anorgan. Chem. Lab. 552:247, 553:205, 555:187, 556:173, 558:111, 560:69, 562:153, 562:207, 562:229, 563:227, 564:109, 564:115, 568:87, 568:127, 568:263
**Germany, Berlin**
Tech. Univ. Berlin, Inst. Anorgan. & Analyt. Chem. 548:229, 552:195, 555:201, 559:107, 559:181, 562:255
**Germany, Bielefeld**
Univ. Bielefeld, Fac. Chem. 552:221, 553:317, 556:97
**Germany, Bochum**
Ruhr Univ. Bochum, Fac. Chem., Dept. Analyt. Chem. 553:39, 554:207
**Germany, Bonn**
Univ. Bonn, Inst. Anorgan. Chem. 548:91
Univ. Bonn, Inst. Organ. Chem. & Biochem. 548:91
**Germany, Braunschweig**
Tech. Univ. Carolo Wilhelmina Braunschweig, Inst. Anorgan. & Analyt. Chem. 553:111, 561:1
Tech. Univ. Carolo Wilhelmina Braunschweig, Inst. Organ. Chem. 552:171, 555:141
**Germany, Chemnitz**
Tech. Univ. Chemnitz, Inst. Chem. 553:31, 561:131, 563:73
Tech. Univ. Chemnitz, Lehrstuhl Anorgan. Chem. 563:61
**Germany, Cologne**
Univ. Köln, Inst. Anorgan. Chem. 552:165
**Germany, Constance**
Univ. Konstanz, Fac. Chem. 551:261, 553:331
**Germany, Dortmund**
Univ. Dortmund, Fachbereich Chem. 552:127, 556:165, 558:103
**Germany, Duisburg**
Univ. Duisburg Gesamthsch., Fachgebiet Anorgan. Chem. 568:233
Univ. Duisburg Gesamthsch., Inst. Synth. Chem. 555:141
**Germany, Düsseldorf**
Univ. Düsseldorf, Inst. Anorgan. Chem. & Strukturchem. 553:241
**Germany, Erlangen**
Friedrich Alexander Univ. Erlangen Nürnberg, Inst. Anorgan. Chem. 558:91, 564:155, 564:227
Friedrich Alexander Univ. Erlangen Nürnberg, Inst. Organ. Chem. 550:331, 552:285
**Germany, Essen**
Univ. Gesamthsch. Essen, Inst. Anorgan. Chem. 548:205, 552:247
Univ. Gesamthsch. Essen, Inst. Organ. Chem. 561:175, 561:181
**Germany, Frankfurt**
Hoechst AG, Corp. Res. & Technol. 549:319
Hoechst AG, F&EPMI 548:131
Univ. Frankfurt, Inst. Inorgan. Chem. 548:115
**Germany, Freiberg**
Tech. Univ. Bergakad. Freiberg, Fac. Chem. & Phys. 552:99
Tech. Univ. Bergakad. Freiberg, Inst. Angew. Phys. 552:265, 554:139
Tech. Univ. Bergakad. Freiberg, Inst. Anorgan. Chem. 552:213, 554:139
**Germany, Freiburg**
Albert Ludwigs Univ., Inst. Anorgan. & Analyt. Chem. 555:113, 555:285, 564:133, 565:187, 568:133
Univ. Freiburg, Freiburger Mat. Forschungszentrum 569:159
Univ. Freiburg, Inst. Macromol. Chem. 552:171, 569:159
**Germany, Garching**
Tech. Univ. Munich, Inst. Anorgan. Chem. 548:73, 548:229, 549:319, 552:195, 553:103, 553:443, 555:201, 555:293, 557:93, 559:203, 560:117, 562:71, 566:277
Tech. Univ. Munich, Inst. Organ. Chem. & Biochem. 552:17
**Germany, Greifswald**
Univ. Greifswald, Inst. Anorgan. Chem. 561:121
**Germany, Göttingen**
Univ. Göttingen, Inst. Anorgan. Chem. 550:1
**Germany, Halle**
Univ. Halle Wittenberg, Inst. Anorgan. Chem. 548:205, 548:247, 549:263, 552:265, 553:371, 556:189, 561:191
Univ. Halle Wittenberg, Inst. Phys. Chem. 548:247
**Germany, Hamburg**
Univ. Hamburg, Inst. Anorgan. & Angew. Chem. 549:203, 556:229, 557:251, 559:209, 564:167, 566:125, 568:1
**Germany, Hannover**
Univ. Hannover, Inst. Anorgan. Chem. 566:287
Univ. Hannover, Inst. Organ. Chem. 566:287
**Germany, Heidelberg**
Univ. Heidelberg, Inst. Anorgan. Chem. 548:73, 549:139, 549:251, 553:31, 553:433, 555:119, 556:129, 558:213, 561:131, 562:217, 563:61, 563:73, 563:173, 564:71, 566:203, 566:271
Univ. Heidelberg, Inst. Organ. Chem. 556:207
**Germany, Jena**
Friedrich Schiller Univ., Inst. Anorgan. Chem. 556:207
**Germany, Kaiserslautern**
Univ. Kaiserslautern, Dept. Chem. 559:219
Univ. Kaiserslautern, Fac. Chem. 561:203
**Germany, Karlsruhe**
Univ. Karlsruhe, Inst. Anorgan. Chem. 553:511, 561:203
**Germany, Kassel**
Univ. Gesamthsch. Kassel, Dept. Crystallogr. 549:39
**Germany, Leipzig**
Univ. Leipzig, Inst. Anorgan. Chem. 554:139, 561:199
**Germany, Leverkusen**
Bayer AG, Res. Ctr. 548:229, 555:201

**Germany, Ludwigshafen**
BASF AG, Res. Ctr. 548:23
**Germany, Magdeburg**
Univ. Magdeburg, Inst. Chem. 549:101, 553:393, 554:139, 557:251, 559:209, 566:125
**Germany, Mainz**
Univ. Mainz, Inst. Anorgan. Chem. & Analyt. Chem. 558:139, 569:159
**Germany, Marburg**
Univ. Marburg, Fachbereich Chem. 550:359, 550:381, 559:191, 559:203, 560:211, 562:133
**Germany, Merseburg**
Martin Luther Univ. Halle Wittenberg, Inst. Anorgan. Chem. 548:229, 552:195, 554:139, 555:5
**Germany, Munich**
Univ. Munich, Inst. Anorgan. Chem. 548:131, 549:245, 552:237, 556:207, 559:165, 564:179
**Germany, Mülheim**
Max Planck Inst. Coal Res. 548:65, 553:477, 568:205
**Germany, Münster**
Univ. Münster, Inst. Organ. Chem. 549:311, 552:171, 556:119, 569:217
**Germany, Oldenburg**
Univ. Oldenburg, Fachbereich Chem. 555:263, 560:125
**Germany, Paderborn**
Univ. Gesamthsch Paderborn 551:125, 553:497, 558:81
**Germany, Regensburg**
Univ. Regensburg, Inst. Anorgan. Chem. 553:285, 553:517, 556:129, 558:213, 559:215, 559:223, 563:173, 564:71, 566:203, 568:291
**Germany, Rostock**
Univ. Rostock, Fachbereich Chem. 553:99, 556:67
Univ. Rostock, Inst. Organ. Katalyseforsch. 553:99, 556:67
**Germany, Siegen**
Univ. Siegen, Inst. Organ. Chem. 566:143
**Germany, Stuttgart**
Max Planck Inst. Festkörperforsch. 560:125
Max Planck Inst. Materialforsch. 561:131, 563:61
Univ. Stuttgart, Inst. Anorgan. Chem. 563:179
Univ. Stuttgart, Inst. Organ. Chem. & Isotopenforsch. 548:131
Univ. Stuttgart, Inst. Phys. Chem. 552:229
**Germany, Tübingen**
Univ. Tübingen, Inst. Anorgan. Chem. 552:229, 555:247, 558:235
**Germany, Ulm**
Univ. Ulm, Abt. Anorgan. Chem. 549:177
Univ. Ulm, Dept. X-ray & Electron Diffract. 552:75, 553:15
**Germany, Wuppertal**
Univ. Gesamthsch. Wuppertal 553:39, 554:207
**Germany, Würzburg**
Univ. Würzburg, Dept. Chem. 563:201
Univ. Würzburg, Inst. Anorgan. Chem. 550:173, 551:367, 552:83, 552:91, 560:257, 562:45, 565:231, 566:225, 566:259, 566:271, 568:241, 568:247, 569:189
Univ. Würzburg, Inst. Organ. Chem. 566:225, 566:259
Univ. Würzburg, Inst. Phys. Chem. 566:225
**Ghana, Legon**
Univ. Ghana, Dept. Chem. 568:1
**Hong-Kong, Hong-Kong**
Chinese Univ. Hong-Kong, Dept. Chem. 549:239, 568:257
Univ. Hong-Kong, Dept. Chem. 548:289, 552:255, 556:169, 563:191, 566:237
**Hong-Kong, Kowloon**
City Univ. Hong-Kong, Dept. Biol. & Chem. 557:207
Hong-Kong Polytech Univ., Dept. Appl. Biol. & Chem. Technol. 565:37
Hong-Kong Univ. Sci. & Technol., Dept. Chem. 565:37
**Hong-Kong, New Territories**
Chinese Univ. Hong-Kong 559:31
Chinese Univ. Hong-Kong, Dept. Chem. 558:131, 564:193
Hong-Kong, Shatin, 556:169, 557:207
**Hungary, Budapest**
Hungarian Acad. Sci., Cent. Res. Inst. Chem. 563:81
Loránd Eötvös Univ., Dept. Gen.& Inorgan. Chem. 560:7, 563:147
Loránd Eötvös Univ., Hungarian Acad. Sci., Struct. Chem. Res. Grp. 560:183
Tech. Univ. Budapest, Dept. Inorgan. Chem. 566:29
Tech. Univ. Budapest, Dept. Organ. Chem. Technol. 566:29
Tech. Univ. Budapest, Inst. Gen. & Analyt. Chem. 560:183
**Hungary, Pécs**
Janus Pannonius Univ., Dept. Inorgan. Chem. 563:37
**Hungary, Veszprém**
Univ. Veszprém, Dept. Organ. Chem. 563:37
**India, Bombay (Maharashtra)**
Indian Inst. Technol., Dept. Chem. 557:221, 566:159, 568:197
Indian Inst. Technol., Reg. Sophisticated Instrumentat. Ctr. 557:221, 568:197
Natl. Chem. Lab., Div. Organ. Chem. Synthesis 566:159
Tata Inst. Fundamental Res. 568:197
**India, Hyderabad (Andhra-Pradesh)**
Univ. Hyderabad, Sch. Chem. 548:33, 553:91
**India, Kanpur (Uttar-Pradesh)**
Indian Inst. Technol., Dept. Chem. 557:243, 560:35, 560:155
**India, Madras (Tamil-Nadu)**
Anna Univ., Dept. Phys. 565:267
**India, New Delhi**
Indian Inst. Technol., Dept. Chem. 560:35, 568:13
**India, Powai (Mumbai)**
560:131
**India, Rewa**
APS Univ., Dept. Chem. 560:35, 568:13
**India, Trombay (Mumbai)**
Bhabha Atom. Res. Ctr., Div. Chem. 549:73
**Iran, Shiraz**
Shiraz Univ., Coll. Sci. 568:53
**Ireland, Cork**
Natl. Univ. Ireland, Univ. Coll. Cork, Dept. Chem. 550:151, 550:477
**Ireland, Dublin**
Natl. Univ. Ireland, Univ. Coll. Dublin, Dept. Chem. 551:139, 563:201
**Ireland, Galway**
Natl. Univ. Ireland, Univ. Coll. Galway, Dept. Chem. 551:139, 559:55, 563:201
**Israel, Haifa**
Technion Israel Inst. Technol., Dept. Chem. 549:39
**Israel, Rehovot**
Weizmann Inst. Sci., Dept. Organ. Chem. 551:81
**Italy, Bari**
Univ. Bari, Dept. Chem. 566:251
**Italy, Bologna**
CNR, I CO CEA 554:135
Fac. Chim. Ind., Dipartimento Chim. Organ. A. Mangini 567:181
Univ. Bologna, Dept. Phys. & Inorg. Chem. 563:153
Univ. Bologna, Dipartimento Chim. G. Ciamician 548:33, 549:149, 563:153
**Italy, Brescia**
Univ. Brescia, Dipartimento Chim. & Fis. & Mat. 551:229
**Italy, Camerino**
Univ. Camerino, Dipartimento Sci. Chim. 552:31, 553:345, 557:187, 566:187
**Italy, Cosenza**
Univ. Calabria, Dipartimento Chim. 562:35
**Italy, Ferrara**
Polimeri Europa 555:177
Univ. Ferrara, Dipartmento Chim. 549:149
**Italy, Florence**
CNR, Ist. Studio Stereochim. & Energet. Composti Coord. 553:115, 555:255, 569:21
**Italy, Laquila**
Univ. Aquila, Dept. Chem. Chem. Engn. & Mat. 560:183
**Italy, Milan**
Eniricerche SpA 566:37
Politecn. Milan, Dipartimento Chim. Ind. & Ingn. Chim. 551:229
Univ. Milan, Ctr. CNR 568:225
Univ. Milan, Dipartmento Chim. Strutturale & Stereochim. Inorgan. 553:405
**Italy, Naples**
Univ. Naples, Dipartimento Chim. 552:31, 557:97, 558:219

**Italy, Novara**
Ist Guido Donegani Enichem 566:37
**Italy, Padua**
CNR, Ctr Studio Stati Mol. Radicalici & Eccitati 557:97
CNR, Ctr. Chim. & Tecnol. Composti Met. Organ. Elementi Tra. 557:37
CNR, Ctr. Studio Biopolimeri 552:277
CNR, ICTIMA 555:177
Univ. Padua, Dipartimento Chim. Fis. 557:97
Univ. Padua, Dipartimento Chim. Inorgan. Met. Organ. & Analit. 552:277, 555:177, 557:37
Univ. Padua, Dipartimento Proc. Chim. Ingn. 557:37
**Italy, Palermo**
Univ. Palermo, Dipartimento Chim. Inorgan. 553:345
**Italy, Parma**
Univ. Parma, Dipartimento Chim. Gen. Inorgan. Analit. & Chim. Fis. 562:35, 563:15
Univ. Parma, Dipartimento Chim. Organ. & Ind. 562:35
**Italy, Pisa**
Univ. Pisa, CNR, Ist. Chim. Quantist. & Energet. Mol. 548:279, 555:135
Univ. Pisa, Dipartimento Chim. & Chim. Ind. 548:279, 551:37, 555:49, 555:135, 562:61, 564:57
**Italy, Roma**
CNR, Ist. Strutturist. Chim. G. Giacomello 557:187
**Italy, Rome**
Univ. Roma La Sapienza, Dipartimento Chim. 551:331, 560:183
Univ. Roma Tor Vergata, Dipartimento Sci. & Tecnol. Chim. 560:137
**Italy, Salerno**
Univ. Salerno, Dipartimento Chim. 552:277
**Italy, Sassari**
Univ. Sassari, Dipartimento Chim. 553:405, 568:225
**Italy, Siena**
Univ. Siena, Dipartimento Chim. 552:265, 565:243
**Italy, Trieste**
CNR, Ist. Strutturist. Chim. G. Giacomello 553:345, 566:187
Univ. Trieste, Dipartimento Sci. Chim. 548:211, 552:127
**Italy, Venice**
Univ. Venice, Dipartimento Chim. 556:229, 566:61
Univ. Venice, Dipartimento Sci. Ambientali 556:229
**Italy, Viterbo**
Univ. Tuscia, Dipartimento Agrobiol. & Agrochim. 552:31
**Japan, Fukuyama (Hiroshima)**
Eastern Hiroshima Prefecture Ind. Res. Inst 564:47
**Japan, Funabashi (Chiba)**
Toho Univ., Fac. Sci., Dept. Chem. 560:223, 561:157, 569:29
**Japan, Higashi Ku (Fukuoka)**
Kyushu Univ., Grad. Sch. Engn. 558:35
**Japan, Higashihiroshima**
Hiroshima Univ., Fac. Engn. 553:487, 564:47, 569:147
Hiroshima Univ., Fac. Integrated Arts & Sci. 553:487
**Japan, Kamakura (Kanagawa)**
Mitsui Toatsu Chem., Cent. Res. Lab 552:303
**Japan, Kiryu (Gumma)**
Gunma Univ., Fac. Engn. 553:493
**Japan, Kochi**
Kochi Univ., Fac. Sci. 554:155
Kochi Univ. Technol., Fac. Engn. 551:387
**Japan, Kurashiki (Okayama)**
Kurashiki Univ. Sci. & Arts, Dept. Chem. Technol. 553:487
**Japan, Kyoto**
Kyoto Univ., Inst. Chem. Res. 553:111, 559:73
**Japan, Nagoya (Aichi)**
Nagoya Inst Technol., Dept. Appl. Chem. 549:305
Nagoya Inst Technol., Grad. Sch. Engn. 564:249
Nagoya Univ. 564:249
Nagoya Univ., Grad. Sch. Human Informat 564:249
Nagoya Univ., Grad. Sch. Sci. 564:189, 569:109
**Japan, Nara**
Nara Womens Univ., Dept. Chem. 569:29
**Japan, Nishino (Shizuoka)**
Tokai Univ., Sch. High Technol. Human Welf. 553:493
**Japan, Okayama**
Kurashiki Univ. Sci. & Arts, Dept. Chem. Technol. 564:47
**Japan, Okazaki (Aichi)**
Grad. Univ. Adv. Studies, Dept. Struct. Mol Sci. 549:117
Inst. Mol. Sci. 549:117, 569:61
**Japan, Osaka**
Kansai Univ., Fac. Engn. 564:1
Natl. Inst. Mat. & Chem. Res. 568:121
Osaka City Univ., Fac. Engn. 562:203
Osaka City Univ., Fac. Sci. 549:117, 551:117, 554:155
Osaka Univ., Dept. Chem. 569:177
Osaka Univ., Dept. Macromol Sci. 569:177
Osaka Univ., Grad. Sch. Engn. Sci. 557:3, 559:197, 560:253, 566:111, 569:15
Osaka Univ., Grad. Sch. Sci. 554:155, 557:3, 559:197, 566:111
Osaka Univ., Inst. Sci. & Ind. Res. 559:91, 569:195
Univ. Osaka Prefecture, Adv. Sci. & Technol. Res. Inst. 558:35
Univ. Osaka Prefecture, Coll. Engn. 554:167
**Japan, Sapporo (Hokkaido)**
Hokkaido Natl. Ind. Res. Inst. 558:35
Hokkaido Univ., Grad. Sch. Engn. 555:161
**Japan, Sendai (Miyagi)**
Inst. Phys. & Chem. Res. Riken, Photodynam. Res. Ctr. 553:163
Tohoku Univ., Fac. Pharmaceut. Sci. 554:163
Tohoku Univ., Grad. Sch. Sci. 553:1, 553:135, 553:163
Tohoku Univ., Inst. Chem. React. Sci. 568:121
**Japan, Suita (Osaka)**
Osaka Univ., Fac. Engn., Dept. Appl. Chem. 548:105, 560:217, 564:1, 569:147
**Japan, Tokyo**
Chuo Univ., Fac. Sci. & Engn. 569:99
Gakushuin Univ., Fac. Sci. 553:163, 568:121
Sophia Univ., Fac. Sci. & Technol. 563:161
Tokyo Metropolitan Univ., Dept. Chem. 552:39, 569:225
Tokyo Metropolitan Univ., Radioisotope Res. Ctr. 569:225
Tokyo Univ. Agr. & Technol, Fac. Technol. 556:89, 569:3
Univ. Tokyo, Grad. Sch. Engn. 569:99
**Japan, Tottori**
Tottori Univ., Fac. Engn., Dept Mat. Sci. 548:223
**Japan, Toyonaka (Osaka)**
Osaka Univ., Fac. Engn. Sci., Dept. Chem. 551:387
**Japan, Tsukuba (Ibaraki)**
Natl. Inst. Mat. & Chem. Res. 564:81
Univ. Tsukuba, Dept. Chem. 559:11, 561:109
**Japan, Urawa (Saitama)**
Saitama Univ., Ctr. Chem. Anal. 549:13, 555:167, 569:169
**Japan, Wakayama**
Wakayama Univ., Fac. Educ. 551:117
Wakayama Univ., Fac. Syst. Engn. 551:117
**Japan, Wako (Saitama)**
Inst. Phys. & Chem. Res. 560:47
Riken, Inst Phys. & Chem. Res. 569:169
**Japan, Yokohama (Kanagawa)**
Kanagawa Univ., Fac. Engn. 549:13
Mitsubishi Chem. Corp., Chem. Lab 569:15
Tokyo Inst. Technol., Resources Utilizat. Res. Lab 551:101, 558:41, 565:49, 569:71
Yokohama Natl. Univ., Fac. Engn. 569:139
**Latvia, Riga**
Latvian Inst. Organ. Synth. 548:149, 549:163, 558:155, 559:123
**Malaysia, Kuala-Lumpur**
Univ. Malaya, Ctr. Fdn. Studies Sci. 566:245
**Malaysia, Penang**
Univ. Sains Malaysia, Ctr. Distance Educ. 565:267
Univ. Sains Malaysia, Sch. Phys. 565:267
**Mexico, Coahuila**
Res. Ctr Appl. Chem. 559:97, 568:33
**Mexico, Edo de Mexico**
UNAM, Fac. Estudios Super. 549:49
**Mexico, Ixtapalapa**
Univ. Autonoma Metropolitana Ixtapalapa 553:221
**Mexico, Mexico City**
Inst. Politecn. Nacl., Ctr. Invest. & Estudios. Avanzados 553:221
Univ. Nacl. Autonoma Mexico, Inst. Quim. 549:49, 551:55, 557:169, 558:189, 559:1, 559:43, 560:35, 566:175, 568:13
**Mexico, Morelos**
Univ. Autonoma Estado Morelos, Ctr. Invest. Quim. 553:221

**Mexico, Puebla**
Univ. Autonoma Puebla, Fac. Ciencias Quim. 549:49
**Mexico, Tetouan**
Univ. Abdelmalek Essaadi, Dept. Chim. 559:23
**Morocco, Agadir**
Univ. Ibnou Zohr, Fac. Sci. 548:123
**Netherlands, Amsterdam**
Shell Int. Chem. BV 568:271
Univ. Amsterdam, Inst. Mol. Chem. 561:57, 564:29
Univ. Amsterdam, J.H. van't Hoff Res. Inst. 551:67, 551:81
Vrije Univ. Amsterdam, Scheikundig Lab. 548:29, 550:347
**Netherlands, Groningen**
Univ. Groningen, Dept. Chem. 551:159
Univ. Groningen, Dept. Inorgan. Chem. 551:207
**Netherlands, Utrecht**
Univ. Utrecht, Bijvoet Ctr. Biomol. Res. 550:347, 550:463, 564:29
Univ. Utrecht, Debye Inst. 550:463, 558:61
Univ. Utrecht, Dept. Crystal & Struct. Chem. 551:1, 551:67
Univ. Utrecht, Dept. Met. Mediated Synth. 551:1, 552:23
**New Zealand, Auckland**
Univ. Auckland, Dept. Chem. 550:89, 551:247, 560:197, 565:153
**New Zealand, Christchurch**
Univ. Canterbury, Dept. Chem. 560:169
**New Zealand, Dunedin**
Univ. Otago, Dept. Chem. 559:141, 564:125, 565:19
**New Zealand, Hamilton**
Univ. Waikato, Dept. Chem. 556:75, 557:231, 560:169, 560:233
Univ. Waikato, Sch. Sci. & Technol. 551:281, 565:125
**New Zealand, Lower Hutt**
New Zealand Inst. Ind. Res. & Dev. 553:387
**New Zealand, Palmerston North**
Massey Univ., Dept. Chem. & Biochem. 556:197, 559:141
**Nigeria, Ilorin**
Univ. Ilorin, Dept. Chem. 560:95
**Norway, Oslo**
Sintef Appl. Chem, Dept. Hydrocarbon Proc. Chem. 561:29
**P.R. China, Changchun**
Acad. Sinica, Changchun Inst. Appl. Chem. 549:95
Chinese Acad. Sci., Changchun Inst. Appl. Chem. 548:139, 553:179
**P.R. China, Chengdu**
Acad. Sinica, Chengdu Inst. Organ Chem. 557:157
Sichuan Univ., Dept. Chem. 557:207
**P.R. China, Fuzhou**
State Key Lab. Struct. Chem. 563:101
**P.R. China, Lanzhou**
Chinese Acad. Sci., Lanzhou Inst. Chem. Phys. 556:239
Chinese Acad. Sci., Lanzhou Inst. Chem. Phys., State Key Lab. Oxo Synth. & Selec 559:157, 568:157
**P.R. China, Nanjing**
Nanjing Univ., Inst. Coordinat Chem. 556:159
**P.R. China, Shanghai**
Chinese Acad. Sci., Shanghai Inst. Organ. Chem. 548:143, 549:25, 549:239, 553:149, 559:157, 566:9, 566:21
Fudan Univ., Dept. Chem. 563:101
**P.R. China, Suzhou**
Suzhou Univ., Sch. Chem. & Chem. Engn. 549:95, 549:203, 566:9
**P.R. China, Tianjin**
Nankai Univ., Dept. Chem. 549:25, 553:149, 558:231
Nankai Univ., Elementoorgan. Chem. Lab. 558:131, 559:31, 566:103
**P.R. China, Zhengzhou**
Zhengzhou Univ., Dept. Chem. 564:233, 568:165
**Poland, Lodz**
Polish Acad. Sci., Ctr. Mol. & Macromol. Studies 560:41
Tech. Univ. Lodz, Inst. Appl. Radiat. Res. 554:147
Univ. Lodz, Dept. Organ. Chem. 568:171
**Poland, Warsaw**
Polish Acad. Sci., Inst. Organ. Chem. 558:227
Tech. Univ. Warsaw, Fac. Chem. 550:111, 562:3, 566:217
Warsaw Univ. Technol., Dept. Chem. 560:89
**Poland, Wroclaw**
Univ. Wroclaw, Fac. Chem. 550:111, 552:159, 553:379, 554:195, 562:3, 564:143, 568:177
**Portugal, Aveiro**
Univ. Aveiro, Dept. Quim. 560:117
**Portugal, Coimbra**
Univ. Coimbra, Dept. Quim. 553:199
**Portugal, Lisbon**
Inst. Super. Tecn., Ctr. Quim. Estrutural 548:177, 552:17, 553:115
Univ. Lisboa, Fac. Ciencias 553:115
**Portugal, Monte de Caparica**
Univ. Nova Lisboa, Dept. Quim. 560:117
**Portugal, Oeiras**
Univ. Nova Lisboa, Inst. Tecnol. Quim. & Biol. 553:115, 560:117
**Romania, Cluj-Napoca**
Univ. Babes Bolyai, Dept. Chem. 549:187
**Russia, Irkutsk**
Russian Acad. Sci., Inst. Organ. Chem. 553:129, 553:481
Russian Acad. Sci., Siberian Div. 557:143
**Russia, Kemerovo**
Russian Acad. Sci., Siberian Branch 566:15
**Russia, Moscow**
Moscow M.V. Lomonosov State Univ., Dept. Chem. 551:93, 551:171, 556:141, 556:145, 559:1, 559:43, 559:97, 560:163, 561:221, 564:5, 566:175, 568:33, 568:113
Russian Acad. Sci., A.N. Nesmeyanov Inst. Organoelement Compounds 549:55, 560:21, 551:93, 553:59, 558:163, 562:141, 566:15
Russian Acad. Sci., Inst. Petrochem. Synth. 566:263
Russian Acad. Sci., L.V. Karpov Phys. Chem. Res. Inst. 559:97, 564:5, 568:113
Russian Acad. Sci., N.D. Zelinskii Organ. Chem. Inst. 566:45, 566:73
Russian Acad. Sci., N.S. Kurnakov Gen. & Inorgan. Chem. Inst. 549:55, 550:89, 551:171
**Russia, Nizhnii Novgorod**
Nizhnii Novgorod State Pedag. Univ., Dept. Chem. 560:21
Nizhnii Novgorod State Univ., Inst. Chem. 553:59
Russian Acad. Sci., G.A. Razuvaev Inst. Organometall. Chem. 563:209
**Russia, Novosibirsk**
Russian Acad. Sci., Inst. Chem. Kinetics & Combust. 566:73
Russian Acad. Sci., Inst. Organ. Chem. 568:233
**Russia, St.Petersburg**
Russian Acad. Sci., Inst. Silicate Chem. 549:45
S.V. Lebedev Ctr. Synthet. Rubber Res. Inst. 550:221
St. Petersburg State Univ., Dept. Chem. 550:221
**Saudi-Arabia, Riyadh**
King Saud Univ., Coll. Sci. 565:211
**Scotland, Edinburgh (Midlothian)**
Heriot Watt Univ., Dept. Chem. 550:315, 556:55
Univ. Edinburgh, Dept. Chem. 550:315, 563:113
**Scotland, Lanark**
Univ. Glasgow, Dept. Chem. 555:89, 560:245
Univ. Strathclyde, Dept. Pure & Appl. Chem. 549:199, 550:233, 550:355, 554:147, 556:151, 558:193, 559:173, 568:287
**Scotland, St. Andrews (Fife)**
Univ. St. Andrews, Sch. Chem. 551:229, 553:473
**Singapore, Singapore**
Nanyang Technol. Univ., Sch. Sci. 561:143
**Slovakia, Bratislava**
Comenius Univ., Fac. Nat. Sci. 552:1
Slovak Tech. Univ., Fac. Chem. Technol. 552:1
**Slovakia, Kosice**
Safarik Univ., Fac. Nat. Sci. 552:1
**South-Africa, Auckland Park**
Rand Afrikaans Univ., Dept. Biochem. & Chem. 552:69
**South-Africa, Bellville**
Univ. Western Cape, Dept. Chem. 564:37
**South-Africa, Grahamstown**
Rhodes Univ., Dept. Chem. 564:37
**South-Africa, Johannesburg**
Rand Afrikaans Univ., Dept. Chem. & Biochem. 553:83
Univ. Witwatersrand, Dept. Chem. 556:111

**South-Africa, Pietermaritzburg**
Univ. Natal, Dept. Chem. 552:69
**South-Africa, Pretoria**
Univ. Pretoria, Dept. Chem. 566:133
**South-Africa, Rondebosch**
Univ. Cape Town, Dept. Chem. 557:259, 564:267
**South-Africa, Sovenga**
Univ. North, Dept. Chem. 564:37
**South-Korea, Inchon**
Inha Univ., Dept. Chem. 558:11
Inha Univ., Sch. Chem. Sci. & Engn. 558:11
**South-Korea, Kangnung**
Kangnung Natl Univ., Dept. Chem. 558:41
**South-Korea, Pusan**
Dong A Univ., Dept. Chem. 563:43
**South-Korea, Seoul**
Catholic Univ. Korea, Coll. Med. 559:191, 559:203
Dongguk Univ., Dept. Chem. 559:165
Korea Adv. Inst. Sci. & Technol., Organomet. Chem. Lab. 548:237
Korea Inst. Sci. & Engn., CFC Alternat. Technol. Ctr. 558:11
**South-Korea, Taejon**
Chungnam Natl. Univ., Dept. Phys. 558:71
Korea Adv. Inst. Sci. & Technol., Ctr. Mol. Sci. 561:37
Korea Adv. Inst. Sci. & Technol., Dept. Chem. 558:71, 559:149, 561:37
LG Chem. 552:313
**Spain, Alcalá de Henares**
Univ. Alcalá de Henares, Dept. Quim. Inorgan. 548:157, 548:309, 551:293, 554:185, 563:7, 563:15, 564:85, 564:93, 564:277
**Spain, Barcelona**
Autonomous Univ. Barcelona, Dept. Quim. 553:199
CSIC, CID 551:107
CSIC, Inst. Ciencia Mat. Barcelona 568:149
Soc. Espanola Carburos Met. 568:149
Univ. Autonoma Barcelona, Dept. Quim. 566:165
Univ. Autonoma Barcelona, Unitat Cristallogr. 566:165
Univ. Barcelona, Dept. Cristallog. Mineral & Diposits Minerals 563:179
Univ. Barcelona, Dept. Quim. Inorgan. 555:211, 560:147, 563:179
Univ. Barcelona, Fac. Farm. 551:107
**Spain, Bellaterra**
CSIC, Inst. Ciencia Mat. Barcelona 555:17
Inst. Sci. Mat. 550:125
**Spain, Burjassot**
Univ. Valencia, Fac. Chem. 568:177
**Spain, Cadiz**
Univ. Cadiz, Fac. Ciencias 549:221, 564:21
**Spain, Castello de la Plana**
Univ. Castellon, Dept. Chem. 567:7
Univ. Jaume I, Dept. Quim. Inorgan. & Organ. 562:197
Univ. Jaume I, Dipartimento Ciencies. Expt. 562:197
**Spain, Ciudad Real**
Univ. Castilla La Mancha, Dept. Quim. Inorgan. 548:309
**Spain, La Coruna**
Univ. La Coruna, Dept. Quim. Fundamental & Ind. 556:21, 556:31, 566:93
**Spain, Logrono**
Univ. Rioja, Dept. Quim 548:185
**Spain, Madrid**
CSIC, Inst. Ciencia Mat 549:167, 549:213, 551:215, 553:193, 566:211
CSIC, Inst. Quim. Fis. Rocasolano 560:27
Univ. Autonoma Madrid, Dept. Quim. 555:57, 568:185
Univ. Autonoma Madrid, Fac. Ciencias, Dept. Quim. Inorgan. 555:57, 558:103, 560:27, 568:185
Univ. Autonoma Madrid, Serv. Interdept. Invest. Rayos X 560:27
**Spain, Oviedo**
Univ. Oviedo, CSIC 554:117, 564:201
Univ. Oviedo, CSIC, Inst. Quim. Organomet. Enrique Moles 548:185, 548:255
Univ. Oviedo, Fac. Quim. 554:117
**Spain, Puerto Real**
Univ. Cadiz, Dept. Quim. Inorgan. 568:13
**Spain, Santander**
Univ. Cantabria, Dept. Quim. 551:49
**Spain, Santiago de Compostela**
Univ. Santiago de Compostela, Dept. Quim. Inorgan. 556:21, 556:31
Univ. Santiago, Dept. Inorgan. Chem. 566:93
**Spain, Seville**
Univ. Sevilla, CSIC 549:167, 551:215
Univ. Sevilla, Dept. Quim. Inorgan. 566:211, 569:21
**Spain, Tarragona**
Univ. Rovira & Virgili, Dept. Quim Fis & Inorgan 559:23
Univ. Rovira & Virgili, Fac. Quim. 551:375
**Spain, Valencia**
Univ. Valencia, Dept. Quim. Inorgan. 555:255
**Spain, Valladolid**
Univ. Valladolid, Fac. Ciencias, Dept. Quim. Inorgan. 551:9, 558:189
**Spain, Zaragoza**
Univ. Zaragoza, CSIC, Inst. Ciencia Mat. Aragon, Dept. Quim. Inorgan. 551:49, 551:55, 554:105, 561:1, 561:13, 561:67, 564:241
**Sweden, Gothenburg**
Chalmers Univ. Technol., Dept. Inorgan. Chem. 558:123
**Sweden, Stockholm**
Royal Inst. Technol., Dept. Chem. 558:123
**Switzerland, Basel**
Univ. Basel, Inst. Inorgan. Chem. 549:283, 550:193, 565:105
**Switzerland, Geneva**
Univ. Geneva, Dept. Inorgan. Analyt. & Appl. Chem. 548:45
Univ. Geneva, Lab. X-ray Crystallogr. 548:45
**Switzerland, Neuchatel**
Univ. Neuchatel, Inst. Chim. 549:263, 549:275, 553:307, 561:227, 565:97
**Switzerland, Zurich**
ETH Zürich, Anorgan. Chem. Lab. 561:221
**Switzerland, Zürich**
Univ. Zürich, Inst. Organ. Chem. 548:185
**Taiwan, Hsin-Chu**
Natl. Tsing Hua Univ., Dept. Chem. 549:155, 565:3
Natl. Sun Yat-Sen Univ., Dept. Chem. 548:191, 552:135
**Taiwan, Taichung**
China Med. Coll., Dept. Pharm. 561:153
**Taiwan, Taipei**
Acad. Sinica, Inst. Chem. 549:155, 564:257
Chinese Culture Univ., Dept. Chem. 564:257
Fu Jen Catholic Univ., Dept. Chem. 555:227, 563:95
Natl. Taiwan Univ., Dept. Chem. 553:417, 561:153, 565:3, 569:39
**Tunisia, Monastir**
Univ. Monastir, Fac. Sci. 569:203
**Turkey, Ankara**
Hacettepe Univ., Dept. Engn. Phys. 561:7
**Turkey, Istanbul**
Univ. Marmara, Fac. Pharm. 568:143
**Turkey, Malatya**
Inonu Univ., Dept. Chem. 561:7
**USA, Albuquerque (NM)**
Univ. New Mexico, Dept. Chem. 564:13
**USA, Ames (IA)**
Iowa State Univ. Sci. & Technol., Dept. Chem. 562:29
**USA, Amherst (MA)**
Univ. Massachusetts, Dept. Chem. 558:223, 562:11, 569:121
**USA, Annandale (NJ)**
Exxon Chem. Co. 556:41
**USA, Annapolis (MD)**
USN Acad., Dept. Chem. 562:89
**USA, Athens (GA)**
Univ. Georgia, Dept. Chem. 557:29, 560:211, 562:97
**USA, Atlanta (GA)**
Georgia Inst. Technol., Sch. Mat. Sci. & Engn. 557:121
**USA, Austin (TX)**
Univ. Texas, Dept. Chem. & Biochem. 562:123
**USA, Berkeley (CA)**
Univ California Berkeley, Lawrence Berkeley Lab. 566:125
**USA, Binghamton (NY)**
SUNY Binghamton, Dept. Chem. 554:1

**USA, Birmingham (AL)**
Univ. Alabama, Dept. Chem. 549:31
**USA, Blacksburg (VA)**
Virginia Polytech. Inst. & State Univ., Dept. Chem. 554:29
**USA, Bloomington (IN)**
Indiana Univ., Dept. Chem. 550:141
**USA, Boulder (CO)**
Univ. Colorado, Dept. Chem. & Biochem. 548:83, 559:181
**USA, Buffalo (NY)**
SUNY Buffalo, Dept. Chem. 568:63
**USA, Cambridge (MA)**
MIT, Dept. Chem. 557:69, 569:125
**USA, Carlisle (PA)**
Dickinson Coll., Dept. Chem. 560:55
**USA, Chapel Hill (NC)**
Univ. North Carolina, Dept. Chem. 559:165
**USA, Charlottesville (VA)**
Univ. Virginia, Dept. Chem. 550:469
**USA, Chestnut Hill (MA)**
Boston Coll., Eugene F. Merkert Chem. Ctr. 553:53
**USA, Chicago (IL)**
Univ. Illinois, Dept. Chem. 568:77
**USA, Cincinnati (OH)**
Univ. Cincinnati, Dept. Chem. 549:89
**USA, Columbia (MO)**
Univ. Missouri, Dept. Chem. 565:179
**USA, Columbus (OH)**
Ohio State Univ., Dept. Chem. 550:309, 563:23
**USA, Dallas (TX)**
Southern Methodist Univ., Dept. Chem. 550:409
**USA, Denton (TX)**
Univ. North Texas, Dept. Chem., Ctr. Organomet. Res. & Educ. 561:19
**USA, El Paso (TX)**
Univ. Texas, Dept. Chem. 562:29
**USA, Eugene (OR)**
Univ Oregon, Dept. Chem. 549:105, 554:19
**USA, Evanston (IL)**
Northwestern Univ., Dept. Chem. 554:113, 568:21
**USA, Fargo (ND)**
North-Dakota State Univ., Dept. Chem. 563:87
**USA, Fayetteville (AR)**
Univ. Arkansas, Dept. Chem. & Biochem. 560:155
**USA, Fort Wayne (IN)**
Indiana Univ. Purdue Univ., Dept. Chem. 554:171
**USA, Gainesville (FL)**
Univ. Florida, Ctr. Catalysis 555:1
Univ. Florida, Dept. Chem. 549:31, 554:13, 555:1
**USA, Hanover (NH)**
Dartmouth Coll., Dept. Chem., Burke Lab. 548:109
**USA, Houston (TX)**
Rice Univ., Dept. Chem. 557:163, 566:45
**USA, Iowa City (IA)**
Univ. Iowa, Dept. Chem. 553:397
**USA, Irvine (CA)**
Univ. Calif. Irvine, Dept. Chem. 553:141, 564:85, 569:89
**USA, La Jolla (CA)**
Scripps Clin. & Res. Inst., Dept. Chem. 568:197
**USA, Los Angeles (CA)**
California State Univ. Los Angeles, Dept. Chem. 550:101
Univ. California Los Angeles, Dept. Chem. & Biochem. 550:423, 553:141, 553:183, 554:87
Univ. Southern California, Dept. Chem. 550:119
Univ. Southern California, Loker Hydrocarbon Res. Inst. 550:119, 550:331
**USA, Madison (WI)**
Univ. Wisconsin, Dept. Chem. 569:55
**USA, Milwaukee (WI)**
Marquette Univ., Dept. Chem. 553:157
**USA, Minneapolis (MN)**
Univ. Minnesota, Dept. Chem. 557:13, 563:1
**USA, Missoula (MT)**
Univ. Montana, Dept. Chem. 559:81
**USA, Moscow (ID)**
Univ. Idaho, Dept. Chem. 554:75, 557:77, 561:49, 562:89
**USA, Nashville (TN)**
Vanderbilt Univ., Dept. Appl. & Engn. Sci. 557:121
Vanderbilt Univ., Dept. Chem. 557:121, 560:15
**USA, New Haven (CT)**
Yale Univ. 548:0
Yale Univ., Chem. Lab. 557:111
Yale Univ., Dept. Chem. 567:7
**USA, Newark (DE)**
Univ. Delaware, Dept. Chem. 548:109, 557:77, 562:89, 565:105, 566:159
**USA, Norman (OK)**
Univ. Oklahoma, Dept. Chem. & Biochem. 568:41
**USA, Notre Dame (IN)**
Univ. Notre Dame, Dept. Chem. & Biochem. 550:21
**USA, Oak Ridge (TN)**
Oak Ridge Natl. Lab., Div. Chem. & Analyt. Sci. 558:51
Oak Ridge Natl. Lab., Div. Solid State 557:121
**USA, Orangeburg (SC)**
Claflin Coll. 549:89
**USA, Philadelphia (PA)**
Univ. Penn, Dept. Chem. 550:77
**USA, Piscataway (NJ)**
Rutgers State Univ., Dept. Chem. 554:41
**USA, Poughkeepsie (NY)**
Vassar Coll., Dept. Chem. 557:187
**USA, Rahway (NJ)**
Merck & Co Inc. 548:65
**USA, Richardson (TX)**
Univ. Texas, Dept. Phys. 557:121
**USA, Richland (WA)**
Battelle Mem. Inst., Pacific Northwestern Labs 557:77
**USA, Rochester (NY)**
Univ. Rochester, Dept. Chem. 548:1, 562:45
**USA, Salt Lake City (UT)**
Univ. Utah, Dept. Chem. 553:277, 563:209
**USA, Santa Barbara (CA)**
Univ. California Santa Barbara, Dept. Chem. 554:49
**USA, South-Orange (NJ)**
Seton Hall Univ., Dept. Chem. 548:65
**USA, St. Louis (MO)**
Univ. Missouri, Dept. Chem. 559:131
**USA, Stephenville (TX)**
Tarleton State Univ., Dept. Chem. 568:63
**USA, Troy (NY)**
Rensselaer Polytech. Inst., Dept. Chem. 566:1
**USA, University (AL)**
Univ. Alabama, Dept. Chem. 551:261
**USA, Villanova (PA)**
Villanova Univ., Dept. Chem. 557:169
**USA, Waco (TX)**
Baylor Univ., Dept. Chem. 551:27, 553:269, 562:17
**USA, Washington (DC)**
Howard Univ., Dept. Chem. 549:73
**USA, West-Deptford (NJ)**
Johnson Matthey, Precious Met. Div. 557:169
**USA, Worthington (OH)**
Gen. Elect. Superabras 553:53
**Venezuela, Merida**
Univ. Los Andes, Dept. Quim. 555:113
**Wales, Bangor (Gwynedd)**
Univ. Coll. North-Wales, Dept. Chem. 549:193, 566:245
Univ. Wales, Dept. Chem. 552:63, 560:191, 565:243
**Wales, Cardiff (South-Glam)**
EPSRC Crystallogr. Ctr. 565:243
Univ. Wales, Coll. Cardiff, Dept. Chem. 555:35, 555:285, 559:81, 564:133, 566:245, 568:133

# Guide for Authors

## Submission of Papers

Authors of Regular Papers, Preliminary Communications and Priority Communications should submit a **disk** together with **three** copies of their manuscripts (complete in all respects) to one of the Regional Editors. Subject Reviews are published upon invitation by the Subject Reviews Editor.

*Regional Editors*

Professor R.D. Adams, Department of Chemistry and Biochemistry, University of South Carolina, Columbia, SC 29208, USA.

Professor G. Bertrand, Université Paul Sabatier, Hétéro-Chimie Fondamentale et Appliquée, 118, Route de Narbonne, F-31062 Toulouse Cedex 04, France.

Professor W.A. Herrmann, Institut für Anorganische Chemie, Technische Universität München, Lichtenbergstrasse 4, D-85747 Garching, Germany.

Professor A. Nakamura, Department of Macromolecular Science, Graduate School of Science, Osaka University, Toyonaka, Osaka 560, Japan.

Professor D.M.P. Mingos, F.R.S., Imperial College, Department of Chemistry, South Kensington, London SW7 2AY, UK.

*Subject Reviews Editor*

Professor G. van Koten, Department of Organic (Metal-Mediated) Synthesis, Utrecht University, Transitorium 3, Padualaan 8, NL-3584 CH Utrecht, The Netherlands.

*Book Reviews Editor*

Professor G.J. Leigh, Department of Chemistry, Physics and Environmental Science, University of Sussex, Brighton BN1 9QJ, UK.

Contributions are accepted on the understanding that authors have obtained the necessary authority for publication. Submission of an article must be accompanied by a statement that the article is original and unpublished and is not being considered for publication elsewhere. Upon acceptance of an article by the Journal, the author(s) will be asked to transfer the copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

## Disk Preparation

The final text should be submitted on a 3.5" disk (in addition to the hard copies and original figures). Double density (DD) or high density (HD) disks formatted for IBM compatibles or Apple Macintosh are preferred. The files should be saved in the native format of the word processing program used. Most popular word processor file formats are acceptable, though we cannot guarantee the usability of all formats. The disk format, word-processor format, file name(s) and the title and authors off the article should be indicated on the disk. The content of the disk must correspond exactly to the hard copy version of the paper.

## Manuscript Preparation

*Language*. Papers will primarily be published in English. Papers in French or German can also be published, and should have an Abstract in English as well as the Résumé or Zusammenfassung. Authors in Japan please note that upon request, Elsevier Science Japan will provide a list of people who can check and improve the English of their paper *(before submission)*. Please contact our Tokyo office: Elsevier Science Japan, Editorial Service, 1–9–15 Higashi Azabu, Minato-ku, Tokyo 106, Japan; Tel. +81-3-5561-5032; Fax: +81-3-5561-5045; E-mail: info@elsevier.co.jp. Some flexibility of presentation will be allowed, but authors are urged to arrange the subject matter clearly under such headings as *Introduction, Experimental, Results, Discussion*, etc. All contributions should include a concise, informative *Abstract*, and a maximum of six *Keywords*. References should be numbered consecutively throughout the text and should be collected together in a reference list (headed *References*) at the end of the paper. All *equations, tables* and *legends* should be numbered consecutively and separately throughout the paper.

*Illustrations*. Line drawings should be in a form suitable for reproduction. Illustrations can be printed in colour when they are judged by the Editor to be essential to the presentation. The publisher and the author will each bear part of the extra costs involved. Further information concerning colour illustrations and the costs to the author can be obtained from the publisher.

## Proofs

Authors will receive proofs which they are requested to correct and return as soon as possible. No new material may be inserted in the text at the time of proof-reading. *A Note added in proof* must be dated and the author must have requested and received the Editor's approval. All joint articles must indicate the name and full postal address (including telephone and telefax numbers and E-mail) of the author to whom proofs should be sent.

## Offprints

Fifty offprints of each paper will be supplied free of charge to the author(s). Additional offprints (minimum 100) may be ordered at prices shown on the offprint order form.

**There are no page charges.**

## Further Information

All questions arising after acceptance of a paper, especially those concerning proofs, should be directed to the Editorial Office, Elsevier Science S.A., P.O. Box 564, 1001 Lausanne, Switzerland; Tel.: +41 (21) 320 73 81; Fax: +41 (21) 323 54 44; E-mail: j.alwachi@elsevier.ch. Additional information on the journal, including a detailed guide for authors may be found on the Elsevier Science Web site: http://www.elsevier.nl or http://www.elsevier.com

Keep up to date with a journal dedicated to the publication of research papers in major areas of inorganic chemistry




# *Inorganica Chimica Acta*

*The International Inorganic Chemistry Journal*

*Editor-in-Chief:*
**U. Belluco**
PO Box 976
35100 Padua
Italy

Commenced publication 1967
ISSN: 0020-1693

***Inorganica Chimica Acta*** is an established international forum for research in all aspects of Inorganic Chemistry. Original papers of high scientific level are published in the form of Articles (full research reports) and Notes (short articles). Topics include: Synthesis and reactivity of coordination and metallorganic compounds; Structural, spectroscopic and bonding properties of inorganic molecules, catalytic reactions promoted by inorganic systems, electron transfer reactions involving inorganic systems, including electrochemical investigations, reaction mechanisms of nucleophilic substitutions or electrophilic attacks on inorganic or metallorganic compounds, basic studies of bioinorganic molecular models. Crystallographic work will only be considered if there is a significant chemical interest.

**Audience**

Inorganic Chemists, Organometallic Chemists, Bioinorganic Chemists

**Now available on ContentsDirect**

This journal is available on ContentsDirect, the free online e-mail service from Elsevier Science. This alerting service sends a table of contents of each issue directly to your PC prior to publication.

Register at:
**www.elsevier.nl/locate/ContentsDirect**

ELSEVIER SCIENCE

CONTENTS DIRECT

## ORDER FORM

☐ **YES,** Please start my subscription to ***Inorganica Chimica Acta***
(ISSN: 0020-1693, Volumes 281-296, 1999, 32 issues).
☐ Institutional Price: NLG 11506.00 / US$ 5840.00
☐ Associated Personal Price: NLG 677.00 US$ 344.00
I acknowledge that my institutional library already subscribes to this journal in order for me to receive the associated personal rate.

Name of institutional library
_____

☐ Please send me a free sample copy.

Name *(please print)* _____
Organisation _____
Department _____
Position _____
Address _____
Post/Zip code _____
Country _____
E-mail/Internet _____

**PAYMENT DETAILS**

☐ Please send a pro forma invoice.
☐ Cheque /bank draft/UNESCO coupon enclosed made payable to Elsevier Science including VAT.
☐ I wish to pay by credit card
(accepted from individuals only). Your credit card will be debited including VAT when applicable.
☐ American Express ☐ VISA ☐ MasterCard
Card No. _____
Expiry Date _____
Signature _____
Date _____
Order value subtotal NLG / US$ _____
Non-UK EU (European Union) residents must either:
state VAT number here _____ or
add VAT (or your country's equivalent) _____ %
Total NLG / US$ _____

NLG (Dutch Guilder) prices apply to customers in Europe and Japan. US$ prices apply to customers in all other countries. Prices and publication dates are subject to change without prior notice.

**Send your orders to:**

*For customers in the Americas:*

ELSEVIER SCIENCE
P.O. Box 882
New York, NY 10159-0882, USA
Tel: (+1) 212-633-3730
Toll-free for customers in the USA and Canada:
1-888-437-4636
Fax: (+1) 212-633-3680
E-mail: usinfo-f@elsevier.com

*For customers in other locations:*

ELSEVIER SCIENCE
Direct Marketing Department
P.O. Box 880
1000 AW Amsterdam
The Netherlands
Tel: (+31) 20-485-3757
Fax: (+31) 20-485-3432
E-mail: nlinfo-f@elsevier.nl

☐ *Please do not send me information about any other organisations.*

JOM 99